## Ingegerd Hildingsson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/950212/publications.pdf

Version: 2024-02-01

87843 110317 4,799 115 38 64 citations g-index h-index papers 116 116 116 3259 docs citations citing authors all docs times ranked

| #  | Article   | IF                | CITATIONS |
|----|---|-------------------|-----------|
| 1  | The role of women's emotional profiles in birth outcome and birth experience. Journal of Psychosomatic Obstetrics and Gynaecology, 2022, 43, 298-306.   | 1.1               | 2         |
| 2  | Postpartum bonding and association with depressive symptoms and prenatal attachment in women with fear of birth. BMC Pregnancy and Childbirth, 2022, 22, 66.  | 0.9               | 8         |
| 3  | Depressive symptoms during pregnancy and after birth in women living in Sweden who received treatments for fear of birth. Archives of Women's Mental Health, 2022, 25, 473-484.                     | 1.2               | 2         |
| 4  | â€~A perfect fit'– Swedish midwives' interest in continuity models of midwifery care. Women and Birth 2022, , .   | <sup>1,</sup> 0.9 | 1         |
| 5  | Fulfilment of expectations on birth and the postpartum period – A Swedish cohort study. Sexual and Reproductive Healthcare, 2022, 33, 100748.   | 0.5               | 0         |
| 6  | Childbirth experience in women participating in a continuity of midwifery care project. Women and Birth, 2021, 34, e255-e261.   | 0.9               | 25        |
| 7  | Testing the birth attitude profile scale in a Swedish sample of women with fear of birth. Journal of Psychosomatic Obstetrics and Gynaecology, 2021, 42, 132-139.                                   | 1.1               | 5         |
| 8  | Caseload midwifery in a rural Australian setting: A qualitative descriptive study. European Journal of Midwifery, 2021, 5, 1-9.   | 0.5               | 5         |
| 9  | Demanding and rewarding: Midwives experiences of starting a continuity of care project in rural Sweden. European Journal of Midwifery, 2021, 5, 1-9.  | 0.5               | 3         |
| 10 | Quality of intrapartum care assessed by women participating in a midwifery model of continuity of care. European Journal of Midwifery, 2021, 5, 1-10.   | 0.5               | 2         |
| 11 | Women's worries during pregnancy; a cross-sectional survey using the Cambridge Worry Scale in a rural area with long distance to hospital. Sexual and Reproductive Healthcare, 2021, 28, 100610.    | 0.5               | 2         |
| 12 | Anxiety and depressive symptoms in women with fear of birth: A longitudinal cohort study. European Journal of Midwifery, 2021, 5, 1-9.  | 0.5               | 7         |
| 13 | Women's Experiences of Care During Pregnancy in a Continuity of Midwifery Care Project in Rural Sweden. International Journal of Childbirth, 2021, 11, 131-144.                                     | 0.2               | 2         |
| 14 | The trajectory of fear of birth during and after pregnancy in women living in a rural area far from the hospital and its labour ward. Rural and Remote Health, 2021, 21, 6974.                      | 0.4               | 2         |
| 15 | Childbirth experiences among women with fear of birth randomized to internet-based cognitive therapy or midwife counseling. Journal of Psychosomatic Obstetrics and Gynaecology, 2020, 41, 205-214. | 1.1               | 15        |
| 16 | A continuity of care project with two on-call schedules: Findings from a rural area in Sweden. Sexual and Reproductive Healthcare, 2020, 26, 100551.  | 0.5               | 9         |
| 17 | A modified caseload midwifery model for women with fear of birth, women's and midwives' experiences: A qualitative study. Sexual and Reproductive Healthcare, 2020, 24, 100504.                     | 0.5               | 6         |
| 18 | Birth outcome in a caseload study conducted in a rural area of Sweden-a register based study. Sexual and Reproductive Healthcare, 2020, 24, 100509.   | 0.5               | 3         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Depression, anxiety and stress in Swedish midwives: A cross-sectional survey. European Journal of Midwifery, 2020, 4, 29.  | 0.5 | 13        |
| 20 | The association of teaching-learning methods and self-confidence of nurse-midwives. A survey from one province in India. Women and Birth, 2019, 32, e376-e383.                           | 0.9 | 5         |
| 21 | A known midwife can make a difference for women with fear of childbirth- birth outcome and women's experiences of intrapartum care. Sexual and Reproductive Healthcare, 2019, 21, 33-38. | 0.5 | 38        |
| 22 | African midwifery students' self-assessed confidence in antenatal care: a multi-country study. Global Health Action, 2019, 12, 1689721.  | 0.7 | 7         |
| 23 | Women with fear of childbirth might benefit from having a known midwife during labour. Women and Birth, 2019, 32, 58-63.   | 0.9 | 24        |
| 24 | Women's experience of midwife-led counselling and its influence on childbirth fear: A qualitative study. Women and Birth, 2019, 32, e88-e94.   | 0.9 | 37        |
| 25 | Coping Strategies of Norwegian Healthcare Professionals Facing Perinatal Death—A Qualitative Study.<br>International Journal of Childbirth, 2019, 9, 107-119.                            | 0.2 | 6         |
| 26 | Prevalence of Prolonged Latent Phase and Labor Outcomes: Review of Birth Records in a Swedish Population. Journal of Midwifery and Women's Health, 2018, 63, 33-44.                      | 0.7 | 28        |
| 27 | Exploring the Fear of Birth Scale in a mixed population of women of childbearing age—A Swedish pilot study. Women and Birth, 2018, 31, 407-413.  | 0.9 | 16        |
| 28 | Caseload midwifery for women with fear of birth is a feasible option. Sexual and Reproductive Healthcare, 2018, 16, 50-55.   | 0.5 | 22        |
| 29 | Contraindications in planned home birth in Iceland: A retrospective cohort study. Sexual and Reproductive Healthcare, 2018, 15, 10-17.   | 0.5 | 5         |
| 30 | Women's and men's negative experience of child birthâ€"A cross-sectional survey. Women and Birth, 2018, 31, 103-109.   | 0.9 | 61        |
| 31 | Midwives experiences of participating in a midwifery research project: A qualitative study. Women and Birth, 2018, 31, e115-e121.  | 0.9 | 4         |
| 32 | Self-assessed confidence of students on selected midwifery skills: Comparing diploma and bachelors programmes in one province of India. Midwifery, 2018, 67, 12-17.                      | 1.0 | 10        |
| 33 | Heterogeneity in childbirth related fear or anxiety. Scandinavian Journal of Psychology, 2018, 59, 634-643.  | 0.8 | 16        |
| 34 | Factors influencing decision-making for caesarean section in Sweden – a qualitative study. BMC Pregnancy and Childbirth, 2018, 18, 377.  | 0.9 | 24        |
| 35 | Comparing Internet-Based Cognitive Behavioral Therapy With Standard Care for Women With Fear of Birth: Randomized Controlled Trial. JMIR Mental Health, 2018, 5, e10420.                 | 1.7 | 28        |
| 36 | Sense of coherence in pregnant and new mothers $\hat{a}\in$ A longitudinal study of a national cohort of Swedish speaking women. Sexual and Reproductive Healthcare, 2017, 11, 91-96.    | 0.5 | 22        |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 37 | Birth preference in women undergoing treatment for childbirth fear: A randomised controlled trial. Women and Birth, 2017, 30, 460-467.  | 0.9 | 34        |
| 38 | Presence and process of fear of birth during pregnancyâ€"Findings from a longitudinal cohort study. Women and Birth, 2017, 30, e242-e247.   | 0.9 | 55        |
| 39 | A randomized controlled study comparing internet-based cognitive behavioral therapy and counselling by standard care for fear of birth $\hat{a} \in A$ study protocol. Sexual and Reproductive Healthcare, 2017, 13, 75-82. | 0.5 | 15        |
| 40 | Professional confidence among Swedish final year midwifery students – A cross-sectional study. Sexual and Reproductive Healthcare, 2017, 14, 69-78.   | 0.5 | 21        |
| 41 | Developing competence and confidence in midwifery-focus groups with Swedish midwives. Women and Birth, 2017, 30, e32-e38.   | 0.9 | 39        |
| 42 | Midwives' Management during the Second Stage of Labor in Relation to Secondâ€Degree Tears—An Experimental Study. Birth, 2017, 44, 86-94.  | 1.1 | 47        |
| 43 | Midwifery empowerment: National surveys of midwives from Australia, New Zealand and Sweden.<br>Midwifery, 2016, 40, 62-69.  | 1.0 | 38        |
| 44 | Perineal injuries and birth positions among 2992 women with a low risk pregnancy who opted for a homebirth. BMC Pregnancy and Childbirth, 2016, 16, 196.  | 0.9 | 27        |
| 45 | Swedish fathers contemplate the difficulties they face in parenthood. Sexual and Reproductive Healthcare, 2016, 8, 55-62.   | 0.5 | 10        |
| 46 | Prenatal attachment and its association with foetal movement during pregnancy – A population based survey. Women and Birth, 2016, 29, 482-486.  | 0.9 | 39        |
| 47 | Counseling for childbirth fear – a national survey. Sexual and Reproductive Healthcare, 2016, 8, 82-87.   | 0.5 | 41        |
| 48 | Maternal attitudes towards home birth and their effect on birth outcomes in Iceland: A prospective cohort study. Midwifery, 2016, 34, 95-104.   | 1.0 | 5         |
| 49 | Swedish women's interest in models of midwifery care – Time to consider the system? A prospective longitudinal survey. Sexual and Reproductive Healthcare, 2016, 7, 27-32.  | 0.5 | 20        |
| 50 | Pregnant women's thoughts when assessing fear of birth on the Fear of Birth Scale. Women and Birth, 2016, 29, e44-e49.  | 0.9 | 42        |
| 51 | Swedish midwives' perception of their practice environment – A cross sectional study. Sexual and Reproductive Healthcare, 2015, 6, 174-181.   | 0.5 | 39        |
| 52 | Do the pre-service education programmes for midwives in India prepare confident â€registered midwives'? A survey from India. Global Health Action, 2015, 8, 29553.  | 0.7 | 32        |
| 53 | How Long Is a Normal Labor? Contemporary Patterns of Labor and Birth in a Lowâ€Risk Sample of 1,612<br>Women from Four NordicÂCountries. Birth, 2015, 42, 346-353.  | 1.1 | 11        |
| 54 | The meaning of a very positive birth experience: focus groups discussions with women. BMC Pregnancy and Childbirth, 2015, 15, 251.  | 0.9 | 169       |

| #  | Article   | lF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Maternal depressive symptoms have a negative impact on prenatal attachment $\hat{a} \in \text{``findings from a}$ Swedish community sample. Journal of Reproductive and Infant Psychology, 2015, 33, 153-164.                       | 0.9 | 50        |
| 56 | Women's preferences and received pain relief in childbirth $\hat{a} \in A$ prospective longitudinal study in a northern region of Sweden. Sexual and Reproductive Healthcare, 2015, 6, 74-81.                                       | 0.5 | 33        |
| 57 | Women's attitudes towards fertility and childbearing – A study based on a national sample of Swedish women validating the Attitudes to Fertility and Childbearing Scale (AFCS). Sexual and Reproductive Healthcare, 2015, 6, 54-58. | 0.5 | 11        |
| 58 | Outcome of Planned Home and Hospital Births among Lowâ€Risk Women in Iceland in 2005–2009: A Retrospective Cohort Study. Birth, 2015, 42, 16-26.  | 1.1 | 28        |
| 59 | Women's birth expectations, are they fulfilled? Findings from a longitudinal Swedish cohort study. Women and Birth, 2015, 28, e7-e13.   | 0.9 | 45        |
| 60 | Higher prevalence of childbirth related fear in foreign born pregnant women – Findings from a community sample in Sweden. Midwifery, 2015, 31, 445-450.   | 1.0 | 84        |
| 61 | The effects of counseling on fear of childbirth. Acta Obstetricia Et Gynecologica Scandinavica, 2015, 94, 629-636.  | 1.3 | 62        |
| 62 | Psychometric evaluation and refinement of the Prenatal Attachment Inventory. Journal of Reproductive and Infant Psychology, 2014, 32, 112-125.  | 0.9 | 38        |
| 63 | Parental stress in mothers and fathers one year after birth. Journal of Reproductive and Infant Psychology, 2014, 32, 41-56.  | 0.9 | 52        |
| 64 | Development of a tool to evaluate fetal movements in full-term pregnancy. Sexual and Reproductive Healthcare, 2014, 5, 31-35.   | 0.5 | 4         |
| 65 | Swedish couples' attitudes towards birth, childbirth fear and birth preferences and relation to mode of birth – A longitudinal cohort study. Sexual and Reproductive Healthcare, 2014, 5, 75-80.                                    | 0.5 | 42        |
| 66 | The Swedish Version of the Breastfeeding Self-Efficacy Scale–Short Form. Journal of Human Lactation, 2014, 30, 340-345.   | 0.8 | 26        |
| 67 | Childbirth fear in Swedish fathers is associated with parental stress as well as poor physical and mental health. Midwifery, 2014, 30, 248-254.   | 1.0 | 36        |
| 68 | â€~As long as they are safe â€" Birth mode does not matter' Swedish fathers' experiences of decision-making around caesarean section. Women and Birth, 2014, 27, 208-213.   | 0.9 | 23        |
| 69 | Swedish women's expectations about antenatal care and change over time – A comparative study of two cohorts of women. Sexual and Reproductive Healthcare, 2014, 5, 51-57.   | 0.5 | 15        |
| 70 | Childbirth fear in expectant fathers: Findings from a regional Swedish cohort study. Midwifery, 2014, 30, 242-247.  | 1.0 | 49        |
| 71 | Important factors working to mediate Swedish fathers' experiences of a caesarean section. Midwifery, 2013, 29, 1041-1049.   | 1.0 | 17        |
| 72 | Burnout in Swedish midwives. Sexual and Reproductive Healthcare, 2013, 4, 87-91.  | 0.5 | 115       |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Labour augmentation and fetal outcomes in relation to birth positions: A secondary analysis of an RCT evaluating birth seat births. Midwifery, 2013, 29, 344-350.  | 1.0 | 17        |
| 74 | Women's satisfaction with antenatal care: Comparing women in Sweden and Australia. Women and Birth, 2013, 26, e9-e14.  | 0.9 | 30        |
| 75 | Mothers' satisfaction with group antenatal care versus individual antenatal care – A clinical trial.<br>Sexual and Reproductive Healthcare, 2013, 4, 113-120.  | 0.5 | 39        |
| 76 | The Role of Women's Attitudinal Profiles in Satisfaction with the Quality of their Antenatal and Intrapartum Care. JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing, 2013, 42, 428-441.           | 0.2 | 31        |
| 77 | Factors Associated With a Positive Birth Experience: An Exploration of Swedish Women's Experiences.<br>International Journal of Childbirth, 2013, 3, 153-164.  | 0.2 | 47        |
| 78 | Self reported fear of childbirth and its association with women's birth experience and mode of delivery: A longitudinal population-based study. Women and Birth, 2012, 25, 114-121.                              | 0.9 | 150       |
| 79 | The influence of women's fear, attitudes and beliefs of childbirth on mode and experience of birth.<br>BMC Pregnancy and Childbirth, 2012, 12, 55.   | 0.9 | 140       |
| 80 | Childbirth $\hat{a} \in$ An emotionally demanding experience for fathers. Sexual and Reproductive Healthcare, 2012, 3, 11-20.  | 0.5 | 66        |
| 81 | Indications for cesarean section on maternal request – Guidelines for counseling and treatment.<br>Sexual and Reproductive Healthcare, 2012, 3, 99-106.  | 0.5 | 48        |
| 82 | Parents' experiences and perceptions of group-based antenatal care in four clinics in Sweden. Midwifery, 2012, 28, 502-508.  | 1.0 | 54        |
| 83 | Womens' attitudes and beliefs of childbirth and association with birth preference: A comparison of a Swedish and an Australian sample in mid-pregnancy. Midwifery, 2012, 28, e850-e856.                          | 1.0 | 46        |
| 84 | Perinatal Outcomes and Satisfaction with Care in Women with High Body Mass Index. Journal of Midwifery and Women's Health, 2012, 57, 336-344.  | 0.7 | 13        |
| 85 | Physical and emotional self-rated health among Swedish women and men during pregnancy and the first year of parenthood. Sexual and Reproductive Healthcare, 2011, 2, 57-64.                                      | 0.5 | 63        |
| 86 | A comparative study of the experience of childbirth between women who preferred and had a caesarean section and women who preferred and had a vaginal birth. Sexual and Reproductive Healthcare, 2011, 2, 93-99. | 0.5 | 62        |
| 87 | Cross-cultural comparison of levels of childbirth-related fear in an Australian and Swedish sample.<br>Midwifery, 2011, 27, 560-567.   | 1.0 | 186       |
| 88 | Behind the myth – few women prefer caesarean section in the absence of medical or obstetrical factors. Midwifery, 2011, 27, 620-627.   | 1.0 | 89        |
| 89 | Fathering in the first few months. Scandinavian Journal of Caring Sciences, 2011, 25, 499-509.   | 1.0 | 19        |
| 90 | Women's experiences of induction of labour - Findings from a Swedish regional study. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2011, 51, 151-157.  | 0.4 | 65        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 91  | Swedish Parents' Experiences of Parenthood and the Need for Support to Siblings When a Baby is Stillborn. Birth, 2011, 38, 150-158.  | 1.1 | 21        |
| 92  | A Longitudinal Survey of Childbirthâ€Related Fear and Associated Factors. JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing, 2011, 40, 532-543.  | 0.2 | 74        |
| 93  | Playing Second Fiddle Is Okay–Swedish Fathers' Experiences of Prenatal Care. Journal of Midwifery and Women's Health, 2010, 55, 421-429.   | 0.7 | 30        |
| 94  | The Internet: one important source for pregnancy and childbirth information among prospective fathers. Journal of Men's Health, 2010, 7, 249-258.  | 0.1 | 22        |
| 95  | Cesarean Section without Medical Reason, 1997 to 2006: A Swedish Register Study. Birth, 2010, 37, 11-20.   | 1.1 | 67        |
| 96  | Birth Preferences that Deviate from the Norm in Sweden: Planned Home Birth versus Planned Cesarean Section. Birth, 2010, 37, 288-295.  | 1.1 | 30        |
| 97  | Childbirth thoughts in mid-pregnancy: Prevalence and associated factors in prospective parents. Sexual and Reproductive Healthcare, 2010, 1, 45-53.  | 0.5 | 24        |
| 98  | Swedish caregivers' attitudes towards caesarean section on maternal request. Women and Birth, 2009, 22, 57-63.   | 0.9 | 40        |
| 99  | Women's advice to mothers-to-be: †Clearly voice your needs'. British Journal of Midwifery, 2009, 17, 514-518.  | 0.1 | 2         |
| 100 | Who's bathing the baby? The division of domestic labour in Sweden. Journal of Family Studies, 2009, 15, 139-152.   | 0.9 | 34        |
| 101 | How much influence do women in Sweden have on caesarean section? A follow-up study of women's preferences in early pregnancy. Midwifery, 2008, 24, 46-54.  | 1.0 | 43        |
| 102 | Women's Perspectives on Maternity Services in Sweden: Processes, Problems, and Solutions. Journal of Midwifery and Women's Health, 2007, 52, 126-133.  | 0.7 | 79        |
| 103 | A Swedish interview study: parents' assessment of risks in home births. Midwifery, 2006, 22, 15-22.  | 1.0 | 27        |
| 104 | Intrapartum and postpartum care in Sweden: women's opinions and risk factors for not being satisfied. Acta Obstetricia Et Gynecologica Scandinavica, 2006, 85, 551-560.  | 1.3 | 142       |
| 105 | Swedish women's satisfaction with medical and emotional aspects of antenatal care. Journal of Advanced Nursing, 2005, 52, 239-249.   | 1.5 | 85        |
| 106 | Number of antenatal visits and women's opinion. Acta Obstetricia Et Gynecologica Scandinavica, 2005, 84, 248-254.  | 1.3 | 21        |
| 107 | Number of antenatal visits and women's opinion. Acta Obstetricia Et Gynecologica Scandinavica, 2005, 84, 248-254.  | 1.3 | 5         |
| 108 | What Factors in Early Pregnancy Indicate that the Mother Will Be Hit by Her Partner during the Year after Childbirth? $\tilde{A}$ - $\hat{A}_2$ , $\hat{A}_2$ /2A Nationwide Swedish Survey. Birth, 2004, 31, 84-92. | 1.1 | 28        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | A Negative Birth Experience: Prevalence and Risk Factors in a National Sample. Birth, 2004, 31, 17-27.  | 1.1 | 480       |
| 110 | Swedish Women's Interest in Home Birth and In-Hospital Birth Center Care. Birth, 2003, 30, 11-22.   | 1.1 | 76        |
| 111 | Women's expectations on antenatal care as assessed in early pregnancy: number of visits, continuity of caregiver and general content. Acta Obstetricia Et Gynecologica Scandinavica, 2002, 81, 118-125. | 1.3 | 93        |
| 112 | Few women wish to be delivered by caesarean section. BJOG: an International Journal of Obstetrics and Gynaecology, 2002, 109, 618-623.  | 1.1 | 222       |
| 113 | Women's expectations on antenatal care as assessed in early pregnancy: number of visits, continuity of caregiver and general content. Acta Obstetricia Et Gynecologica Scandinavica, 2002, 81, 118-25.  | 1.3 | 25        |
| 114 | Few women wish to be delivered by caesarean section. BJOG: an International Journal of Obstetrics and Gynaecology, 2002, 109, 618-23.   | 1.1 | 51        |
| 115 | Midwives' lived experiences of being supportive to prospective mothers/parents during pregnancy.<br>Midwifery, 1999, 15, 82-91.   | 1.0 | 34        |