

Jean-Luc Jannink

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9503044/jean-luc-jannink-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

181
papers

12,584
citations

53
h-index

110
g-index

205
ext. papers

15,894
ext. citations

3.7
avg, IF

6.77
L-index

#	Paper	IF	Citations
181	Development of high-density genetic maps for barley and wheat using a novel two-enzyme genotyping-by-sequencing approach. <i>PLoS ONE</i> , 2012 , 7, e32253	3.7	1147
180	Genomic Selection for Crop Improvement. <i>Crop Science</i> , 2009 , 49, 1-12	2.4	939
179	Genomic selection in plant breeding: from theory to practice. <i>Briefings in Functional Genomics</i> , 2010 , 9, 166-77	4.9	736
178	Plant Breeding with Genomic Selection: Gain per Unit Time and Cost. <i>Crop Science</i> , 2010 , 50, 1681-1690	2.4	415
177	Genomic Selection in Wheat Breeding using Genotyping-by-Sequencing. <i>Plant Genome</i> , 2012 , 5,	4.4	411
176	Genomic Selection in Plant Breeding: A Comparison of Models. <i>Crop Science</i> , 2012 , 52, 146-160	2.4	402
175	Factors affecting accuracy from genomic selection in populations derived from multiple inbred lines: a Barley case study. <i>Genetics</i> , 2009 , 182, 355-64	4	292
174	Genomic Selection in Plant Breeding. <i>Advances in Agronomy</i> , 2011 , 110, 77-123	7.7	291
173	Genomic selection and association mapping in rice (<i>Oryza sativa</i>): effect of trait genetic architecture, training population composition, marker number and statistical model on accuracy of rice genomic selection in elite, tropical rice breeding lines. <i>PLoS Genetics</i> , 2015 , 11, e1004982	6	277
172	Shrinkage estimation of the realized relationship matrix. <i>G3: Genes, Genomes, Genetics</i> , 2012 , 2, 1405-13	3.2	257
171	Multiple-trait genomic selection methods increase genetic value prediction accuracy. <i>Genetics</i> , 2012 , 192, 1513-22	4	254
170	Integrating environmental covariates and crop modeling into the genomic selection framework to predict genotype by environment interactions. <i>Theoretical and Applied Genetics</i> , 2014 , 127, 463-80	6	213
169	Training set optimization under population structure in genomic selection. <i>Theoretical and Applied Genetics</i> , 2015 , 128, 145-58	6	207
168	Genomic Selection Accuracy for Grain Quality Traits in Biparental Wheat Populations. <i>Crop Science</i> , 2011 , 51, 2597-2606	2.4	193
167	Population genetics of genomics-based crop improvement methods. <i>Trends in Genetics</i> , 2011 , 27, 98-106	3.5	181
166	Perspectives for Genomic Selection Applications and Research in Plants. <i>Crop Science</i> , 2015 , 55, 1-12	2.4	179
165	Genome-wide prediction models that incorporate de novo GWAS are a powerful new tool for tropical rice improvement. <i>Heredity</i> , 2016 , 116, 395-408	3.6	173

164	Accuracy and Training Population Design for Genomic Selection on Quantitative Traits in Elite North American Oats. <i>Plant Genome</i> , 2011 , 4,	4.4	171
163	Genomic prediction in maize breeding populations with genotyping-by-sequencing. <i>G3: Genes, Genomes, Genetics</i> , 2013 , 3, 1903-26	3.2	170
162	Effectiveness of genomic prediction of maize hybrid performance in different breeding populations and environments. <i>G3: Genes, Genomes, Genetics</i> , 2012 , 2, 1427-36	3.2	166
161	Evaluation of Genomic Prediction Methods for Fusarium Head Blight Resistance in Wheat. <i>Plant Genome</i> , 2012 , 5, 51-61	4.4	166
160	Potential and Optimization of Genomic Selection for Fusarium Head Blight Resistance in Six-Row Barley. <i>Crop Science</i> , 2012 , 52, 1609-1621	2.4	165
159	Increased prediction accuracy in wheat breeding trials using a marker \times environment interaction genomic selection model. <i>G3: Genes, Genomes, Genetics</i> , 2015 , 5, 569-82	3.2	155
158	Genomic Selection Accuracy using Multifamily Prediction Models in a Wheat Breeding Program. <i>Plant Genome</i> , 2011 , 4,	4.4	152
157	Genomic Selection Accuracy using Multifamily Prediction Models in a Wheat Breeding Program. <i>Plant Genome</i> , 2011 , 4, 65	4.4	148
156	Genomic predictability of interconnected biparental maize populations. <i>Genetics</i> , 2013 , 194, 493-503	4	142
155	Dynamics of long-term genomic selection. <i>Genetics Selection Evolution</i> , 2010 , 42, 35	4.9	134
154	Genomic prediction in biparental tropical maize populations in water-stressed and well-watered environments using low-density and GBS SNPs. <i>Heredity</i> , 2015 , 114, 291-9	3.6	131
153	The emergence of whole genome association scans in barley. <i>Current Opinion in Plant Biology</i> , 2009 , 12, 218-22	9.9	123
152	Imputation of unordered markers and the impact on genomic selection accuracy. <i>G3: Genes, Genomes, Genetics</i> , 2013 , 3, 427-39	3.2	119
151	New DArT markers for oat provide enhanced map coverage and global germplasm characterization. <i>BMC Genomics</i> , 2009 , 10, 39	4.5	109
150	Impact of marker ascertainment bias on genomic selection accuracy and estimates of genetic diversity. <i>PLoS ONE</i> , 2013 , 8, e74612	3.7	104
149	Genomic Selection for Quantitative Adult Plant Stem Rust Resistance in Wheat. <i>Plant Genome</i> , 2014 , 7, plantgenome2014.02.0006	4.4	98
148	Identification and distribution of the NBS-LRR gene family in the Cassava genome. <i>BMC Genomics</i> , 2015 , 16, 360	4.5	96
147	Mapping epistatic quantitative trait loci with one-dimensional genome searches. <i>Genetics</i> , 2001 , 157, 445-54	4	95

146	High-resolution mapping of resistance to cassava mosaic geminiviruses in cassava using genotyping-by-sequencing and its implications for breeding. <i>Virus Research</i> , 2014 , 186, 87-96	6.4	92
145	Performance of single nucleotide polymorphisms versus haplotypes for genome-wide association analysis in barley. <i>PLoS ONE</i> , 2010 , 5, e14079	3.7	90
144	Population Structure and Linkage Disequilibrium in U.S. Barley Germplasm: Implications for Association Mapping. <i>Crop Science</i> , 2010 , 50, 556-566	2.4	88
143	Optimization of genomic selection training populations with a genetic algorithm. <i>Genetics Selection Evolution</i> , 2015 , 47, 38	4.9	84
142	Multitrait, Random Regression, or Simple Repeatability Model in High-Throughput Phenotyping Data Improve Genomic Prediction for Wheat Grain Yield. <i>Plant Genome</i> , 2017 , 10, plantgenome2016.11.0111	4.1	84
141	Relatedness and Genotype \times Environment Interaction Affect Prediction Accuracies in Genomic Selection: A Study in Cassava. <i>Crop Science</i> , 2013 , 53, 1312-1325	2.4	84
140	Genome-Enabled Prediction Models for Yield Related Traits in Chickpea. <i>Frontiers in Plant Science</i> , 2016 , 7, 1666	6.2	80
139	The use of unbalanced historical data for genomic selection in an international wheat breeding program. <i>Field Crops Research</i> , 2013 , 154, 12-22	5.5	76
138	Optimal Design of Preliminary Yield Trials with Genome-Wide Markers. <i>Crop Science</i> , 2014 , 54, 48-59	2.4	74
137	Genome-Wide Association and Prediction Reveals Genetic Architecture of Cassava Mosaic Disease Resistance and Prospects for Rapid Genetic Improvement. <i>Plant Genome</i> , 2016 , 9, plantgenome2015.11.0118	4.4	74
136	Using mating designs to uncover QTL and the genetic architecture of complex traits. <i>Heredity</i> , 2006 , 96, 139-49	3.6	72
135	Mapping Quantitative Trait Loci in Plant Breeding Populations. <i>Crop Science</i> , 2003 , 43, 829-834	2.4	69
134	Genomic, Marker-Assisted, and Pedigree-BLUP Selection Methods for β -Glucan Concentration in Elite Oat. <i>Crop Science</i> , 2013 , 53, 1894-1906	2.4	67
133	Prospects for Genomic Selection in Cassava Breeding. <i>Plant Genome</i> , 2017 , 10, plantgenome2017.03.0014	4.4	63
132	SNP discovery and chromosome anchoring provide the first physically-anchored hexaploid oat map and reveal synteny with model species. <i>PLoS ONE</i> , 2013 , 8, e58068	3.7	60
131	Accuracy of Genomic Selection Prediction in Barley Breeding Programs: A Simulation Study Based On the Real Single Nucleotide Polymorphism Data of Barley Breeding Lines. <i>Crop Science</i> , 2011 , 51, 1915-1927	2.4	58
130	Population structure and linkage disequilibrium in oat (<i>Avena sativa</i> L.): implications for genome-wide association studies. <i>Theoretical and Applied Genetics</i> , 2011 , 122, 623-32	6	54
129	Using Genomic Prediction to Characterize Environments and Optimize Prediction Accuracy in Applied Breeding Data. <i>Crop Science</i> , 2013 , 53, 921-933	2.4	53

128	The Triticeae Toolbox: Combining Phenotype and Genotype Data to Advance Small-Grains Breeding. <i>Plant Genome</i> , 2016 , 9, plantgenome2014.12.0099	4.4	52
127	Identifying quantitative trait locus by genetic background interactions in association studies. <i>Genetics</i> , 2007 , 176, 553-61	4	51
126	Introduction to a Special Issue on Genotype by Environment Interaction. <i>Crop Science</i> , 2016 , 56, 2081-2089		51
125	Genome-wide association study for oat (<i>Avena sativa</i> L.) beta-glucan concentration using germplasm of worldwide origin. <i>Theoretical and Applied Genetics</i> , 2012 , 125, 1687-96	6	48
124	Genome-wide association mapping and genomic prediction for CBSD resistance in <i>Manihot esculenta</i> . <i>Scientific Reports</i> , 2018 , 8, 1549	4.9	45
123	Using quantitative trait loci results to discriminate among crosses on the basis of their progeny mean and variance. <i>Genetics</i> , 2007 , 177, 567-76	4	43
122	High-throughput phenotyping platforms enhance genomic selection for wheat grain yield across populations and cycles in early stage. <i>Theoretical and Applied Genetics</i> , 2019 , 132, 1705-1720	6	42
121	Genetic Mapping Using Genotyping-by-Sequencing in the Clonally Propagated Cassava. <i>Crop Science</i> , 2014 , 54, 1384-1396	2.4	41
120	Assessment of Power and False Discovery Rate in Genome-Wide Association Studies using the BarleyCAP Germplasm. <i>Crop Science</i> , 2011 , 51, 52-59	2.4	41
119	Genome-wide association study of grain shape variation among <i>Oryza sativa</i> L. germplasms based on elliptic Fourier analysis. <i>Molecular Breeding</i> , 2010 , 25, 203-215	3.4	41
118	Genome-Wide Association Mapping of Correlated Traits in Cassava: Dry Matter and Total Carotenoid Content. <i>Plant Genome</i> , 2017 , 10, plantgenome2016.09.0094	4.4	40
117	Optimizing Seeding Rates for Winter Cereal Grains and Frost-Seeded Red Clover Intercrops. <i>Agronomy Journal</i> , 2006 , 98, 1041-1049	2.2	40
116	Selective Phenotyping to Accurately Map Quantitative Trait Loci. <i>Crop Science</i> , 2005 , 45, 901-908	2.4	39
115	Assessing the practical importance of weed evolution: a research agenda. <i>Weed Research</i> , 1997 , 37, 237-246	2.4	37
114	In vitro bile acid binding of flours from oat lines varying in percentage and molecular weight distribution of beta-glucan. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 8797-803	5.7	37
113	Planting Date Effects on Winter Triticale Dry Matter and Nitrogen Accumulation. <i>Agronomy Journal</i> , 2005 , 97, 1333-1341	2.2	36
112	Bayesian Modeling of Heterogeneous Error and Genotype × Environment Interaction Variances. <i>Crop Science</i> , 2006 , 46, 820-833	2.4	35
111	Estimating allelic number and identity in state of QTLs in interconnected families. <i>Genetical Research</i> , 2003 , 81, 133-44	1.1	35

110	Mapping Quantitative Trait Loci in Plant Breeding Populations. <i>Crop Science</i> , 2003 , 43, 829	2.4	35
109	Population Genomics Related to Adaptation in Elite Oat Germplasm. <i>Plant Genome</i> , 2016 , 9, plantgenome2015310.0101	4.4	35
108	Accuracy of genomic selection to predict maize single-crosses obtained through different mating designs. <i>Theoretical and Applied Genetics</i> , 2018 , 131, 1153-1162	6	34
107	Evaluation of Oat Kernel Size Uniformity. <i>Crop Science</i> , 2004 , 44, 1178-1186	2.4	34
106	Breeding Value of Primary Synthetic Wheat Genotypes for Grain Yield. <i>PLoS ONE</i> , 2016 , 11, e0162860	3.7	33
105	Accuracies of univariate and multivariate genomic prediction models in African cassava. <i>Genetics Selection Evolution</i> , 2017 , 49, 88	4.9	31
104	Whole-genome prediction of reaction norms to environmental stress in bread wheat (<i>Triticum aestivum</i> L.) by genomic random regression. <i>Field Crops Research</i> , 2018 , 216, 32-41	5.5	31
103	Molecular Weight Distribution of (1- β)(1-4)- β -Glucan Affects Pasting Properties of Flour from Oat Lines with High and Typical Amounts of β -Glucan. <i>Cereal Chemistry</i> , 2007 , 84, 471-479	2.4	30
102	In vitro bile acid binding activity within flour fractions from oat lines with typical and high beta-glucan amounts. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 5142-8	5.7	30
101	Locally epistatic genomic relationship matrices for genomic association and prediction. <i>Genetics</i> , 2015 , 199, 857-71	4	29
100	The Hordeum Toolbox: The Barley Coordinated Agricultural Project Genotype and Phenotype Resource. <i>Plant Genome</i> , 2012 , 5, 81-91	4.4	29
99	Factors Affecting the Power of Haplotype Markers in Association Studies. <i>Plant Genome</i> , 2011 , 4, 145-153	2.4	29
98	Physical and Sensory Characteristics of Extruded Products Made from Two Oat Lines with Different β -Glucan Concentrations. <i>Cereal Chemistry</i> , 2006 , 83, 692-699	2.4	29
97	GrainGenes: centralized small grain resources and digital platform for geneticists and breeders. <i>Database: the Journal of Biological Databases and Curation</i> , 2019 , 2019,	5	27
96	Genomic selection in plant breeding. <i>Methods in Molecular Biology</i> , 2014 , 1145, 117-30	1.4	26
95	Digestion residues of typical and high-beta-glucan oat flours provide substrates for in vitro fermentation. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 5306-11	5.7	25
94	Rapid analyses of dry matter content and carotenoids in fresh cassava roots using a portable visible and near infrared spectrometer (Vis/NIRS). <i>PLoS ONE</i> , 2017 , 12, e0188918	3.7	24
93	Overview of QTL detection in plants and tests for synergistic epistatic interactions. <i>Genetica</i> , 2009 , 136, 225-36	1.5	24

92	Expanding the Pool of PCR-Based Markers for Oat. <i>Crop Science</i> , 2005 , 45, 2383-2387	2.4	22
91	Biomass Production and Nitrogen Accumulation in Pea, Oat, and Vetch Green Manure Mixtures. <i>Agronomy Journal</i> , 1996 , 88, 231-240	2.2	22
90	Evaluating Imputation Algorithms for Low-Depth Genotyping-By-Sequencing (GBS) Data. <i>PLoS ONE</i> , 2016 , 11, e0160733	3.7	22
89	Bayesian multilocus association mapping on ordinal and censored traits and its application to the analysis of genetic variation among <i>Oryza sativa</i> L. germplasms. <i>Theoretical and Applied Genetics</i> , 2009 , 118, 865-80	6	21
88	Optimal sampling of a population to determine QTL location, variance, and allelic number. <i>Theoretical and Applied Genetics</i> , 2004 , 108, 1434-42	6	21
87	Feasibility of selection for high weed suppressive ability in soybean: Absence of tradeoffs between rapid initial growth and sustained later growth. <i>Euphytica</i> , 2001 , 120, 291-300	2.1	21
86	Marker-Based Estimates Reveal Significant Nonadditive Effects in Clonally Propagated Cassava (): Implications for the Prediction of Total Genetic Value and the Selection of Varieties. <i>G3: Genes, Genomes, Genetics</i> , 2016 , 6, 3497-3506	3.2	21
85	A Simple Package to Script and Simulate Breeding Schemes: The Breeding Scheme Language. <i>Crop Science</i> , 2017 , 57, 1347-1354	2.4	20
84	Multivariate Genome-Wide Association Analyses Reveal the Genetic Basis of Seed Fatty Acid Composition in Oat (L.). <i>G3: Genes, Genomes, Genetics</i> , 2019 , 9, 2963-2975	3.2	20
83	Marker Genotype Imputation in a Low-Marker-Density Panel with a High-Marker-Density Reference Panel: Accuracy Evaluation in Barley Breeding Lines. <i>Crop Science</i> , 2010 , 50, 1269-1278	2.4	19
82	Pasting and Thermal Properties of Flours from Oat Lines with High and Typical Amounts of β Glucan. <i>Cereal Chemistry</i> , 2004 , 81, 686-692	2.4	18
81	Genomic Prediction in a Large African Maize Population. <i>Crop Science</i> , 2017 , 57, 2361-2371	2.4	17
80	Genome-wide Association Study for Beta-glucan Concentration in Elite North American Oat. <i>Crop Science</i> , 2013 , 53, 542-553	2.4	17
79	Prediction of β Glucan Concentration Based on Viscosity Evaluations of Raw Oat Flours from High β Glucan and Traditional Oat Lines. <i>Cereal Chemistry</i> , 2004 , 81, 434-443	2.4	17
78	Genomic Selection in Plant Breeding: A Comparison of Models 2012 , 52, 146		17
77	Training Population Optimization for Prediction of Cassava Brown Streak Disease Resistance in West African Clones. <i>G3: Genes, Genomes, Genetics</i> , 2018 , 8, 3903-3913	3.2	17
76	Wheat Fructans: A Potential Breeding Target for Nutritionally Improved, Climate-Resilient Varieties. <i>Crop Science</i> , 2017 , 57, 1624-1640	2.4	16
75	Historical Introgressions from a Wild Relative of Modern Cassava Improved Important Traits and May Be Under Balancing Selection. <i>Genetics</i> , 2019 , 213, 1237-1253	4	16

74	Improving Genomic Prediction in Cassava Field Experiments Using Spatial Analysis. <i>G3: Genes, Genomes, Genetics</i> , 2018 , 8, 53-62	3.2	15
73	Selection for Nutritional Function and Agronomic Performance in Oat. <i>Crop Science</i> , 2007 , 47, 2330-2339	2.4	15
72	On the Metropolis-Hastings acceptance probability to add or drop a quantitative trait locus in Markov chain Monte Carlo-based Bayesian analyses. <i>Genetics</i> , 2004 , 166, 641-3	4	15
71	Locally epistatic models for genome-wide prediction and association by importance sampling. <i>Genetics Selection Evolution</i> , 2017 , 49, 74	4.9	14
70	Genomic Prediction using Phenotypes from Pedigreed Lines with No Marker Data. <i>Crop Science</i> , 2016 , 56, 957-964	2.4	14
69	QTL \times genetic background interaction: predicting inbred progeny value. <i>Euphytica</i> , 2008 , 161, 61-69	2.1	13
68	solGS: a web-based tool for genomic selection. <i>BMC Bioinformatics</i> , 2014 , 15, 398	3.6	12
67	An algorithm for deciding the number of clusters and validation using simulated data with application to exploring crop population structure. <i>Annals of Applied Statistics</i> , 2013 , 7,	2.1	12
66	Comparison of Transcript Profiles in Wild-Type and o2 Maize Endosperm in Different Genetic Backgrounds. <i>Crop Science</i> , 2007 , 47, S-45	2.4	12
65	Responses to Selection for Partial Resistance to Crown Rust in Oat. <i>Crop Science</i> , 2006 , 46, 1260-1265	2.4	12
64	Genome-wide association analysis reveals new insights into the genetic architecture of defensive, agro-morphological and quality-related traits in cassava. <i>Plant Molecular Biology</i> , 2020 , 1	4.6	12
63	Genetic Correlation, Genome-Wide Association and Genomic Prediction of Portable NIRS Predicted Carotenoids in Cassava Roots. <i>Frontiers in Plant Science</i> , 2019 , 10, 1570	6.2	12
62	Influence of Genotype and Environment on Wheat Grain Fructan Content. <i>Crop Science</i> , 2019 , 59, 190-198	2.4	12
61	Genome-Wide Association Study of Resistance to Cassava Green Mite Pest and Related Traits in Cassava. <i>Crop Science</i> , 2018 , 58, 1907-1918	2.4	11
60	Recurrent genomic selection for wheat grain fructans. <i>Crop Science</i> , 2020 , 60, 1499-1512	2.4	11
59	Association mapping in common bean revealed regions associated with Anthracnose and Angular Leaf Spot resistance. <i>Scientia Agricola</i> , 2019 , 76, 321-327	2.5	10
58	An alternative covariance estimator to investigate genetic heterogeneity in populations. <i>Genetics Selection Evolution</i> , 2015 , 47, 93	4.9	10
57	Impact of dry solids and bile acid concentrations on bile acid binding capacity of extruded oat cereals. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 8672-9	5.7	10

56	Marker Imputation in Barley Association Studies. <i>Plant Genome</i> , 2009 , 2,	4.4	10
55	Homeologous Epistasis in Wheat: The Search for an Immortal Hybrid. <i>Genetics</i> , 2019 , 211, 1105-1122	4	9
54	Genetic Variation and Trait Correlations in an East African Cassava Breeding Population for Genomic Selection. <i>Crop Science</i> , 2019 , 59, 460-473	2.4	9
53	A framework for genomics-informed ecophysiological modeling in plants. <i>Journal of Experimental Botany</i> , 2019 , 70, 2561-2574	7	9
52	Genome wide association study of 5 agronomic traits in olive (<i>Olea europaea</i> L.). <i>Scientific Reports</i> , 2019 , 9, 18764	4.9	9
51	A Low Resolution Epistasis Mapping Approach To Identify Chromosome Arm Interactions in Allohexaploid Wheat. <i>G3: Genes, Genomes, Genetics</i> , 2019 , 9, 675-684	3.2	9
50	Improving root characterisation for genomic prediction in cassava. <i>Scientific Reports</i> , 2020 , 10, 8003	4.9	8
49	Planting Date Effects on Winter Triticale Grain Yield and Yield Components. <i>Crop Science</i> , 2006 , 46, 1218-1224	2.4	8
48	Heritable temporal gene expression patterns correlate with metabolomic seed content in developing hexaploid oat seed. <i>Plant Biotechnology Journal</i> , 2020 , 18, 1211-1222	11.6	8
47	Population Genetics of Sugar Kelp Throughout the Northeastern United States Using Genome-Wide Markers. <i>Frontiers in Marine Science</i> , 2020 , 7,	4.5	8
46	Textural and Bile Acid-Binding Properties of Muffins Impacted by Oat β -Glucan with Different Molecular Weights. <i>Cereal Chemistry</i> , 2011 , 88, 564-569	2.4	7
45	Prediction of Subgenome Additive and Interaction Effects in Allohexaploid Wheat. <i>G3: Genes, Genomes, Genetics</i> , 2019 , 9, 685-698	3.2	7
44	Translating insights from the seed metabolome into improved prediction for lipid-composition traits in oat (<i>Avena sativa</i> L.). <i>Genetics</i> , 2021 , 217,	4	7
43	Data-driven decentralized breeding increases prediction accuracy in a challenging crop production environment. <i>Communications Biology</i> , 2021 , 4, 944	6.7	7
42	Genomic prediction and quantitative trait locus discovery in a cassava training population constructed from multiple breeding stages. <i>Crop Science</i> , 2020 , 60, 896-913	2.4	6
41	Impact of Mislabeling on Genomic Selection in Cassava Breeding. <i>Crop Science</i> , 2018 , 58, 1470-1480	2.4	6
40	Size Distributions of Different Orders of Kernels within the Oat Spikelet. <i>Crop Science</i> , 2008 , 48, 298-304	2.4	5
39	Comparison of Phenotyping Methods for Resistance to Stem Rot and Aggregated Sheath Spot in Rice. <i>Crop Science</i> , 2016 , 56, 1619-1627	2.4	5

38	Resistance to Multiple Temperate and Tropical Stem and Sheath Diseases of Rice. <i>Plant Genome</i> , 2018 , 11, 170029	4.4	5
37	A Low-Cost Automated System for High-Throughput Phenotyping of Single Oat Seeds. <i>The Plant Phenome Journal</i> , 2018 , 1, 1-13	5	5
36	A statistical framework for detecting mislabeled and contaminated samples using shallow-depth sequence data. <i>BMC Bioinformatics</i> , 2018 , 19, 478	3.6	5
35	Improving Genomic Prediction in Cassava Field Experiments by Accounting for Interplot Competition. <i>G3: Genes, Genomes, Genetics</i> , 2018 , 8, 933-944	3.2	4
34	Genome-Wide Association Studies and Heritability Estimation in the Functional Genomics Era. <i>Population Genomics</i> , 2018 , 361-425	1.4	4
33	Ensemble learning with trees and rules: Supervised, semi-supervised, unsupervised. <i>Intelligent Data Analysis</i> , 2014 , 18, 857-872	1.1	4
32	Selective Advance for Accelerated Development of Recombinant Inbred QTL Mapping Populations. <i>Crop Science</i> , 2009 , 49, 1284-1294	2.4	4
31	Multi-omics prediction of oat agronomic and seed nutritional traits across environments and in distantly related populations. <i>Theoretical and Applied Genetics</i> , 2021 , 134, 4043-4054	6	4
30	Influence of Oat Kernel Size and Size Distributions on Test Weight. <i>Cereal Research Communications</i> , 2004 , 32, 135-142	1.1	4
29	Leveraging Transcriptomics Data for Genomic Prediction Models in Cassava		4
28	RNA polymerase mapping in plants identifies enhancers enriched in causal variants		4
27	Multi-Species Genomics-Enabled Selection for Improving Agroecosystems Across Space and Time. <i>Frontiers in Plant Science</i> , 2021 , 12, 665349	6.2	4
26	Regional Heritability Mapping Provides Insights into Dry Matter Content in African White and Yellow Cassava Populations. <i>Plant Genome</i> , 2018 , 11, 170050	4.4	4
25	Using public databases for genomic prediction of tropical maize lines. <i>Plant Breeding</i> , 2020 , 139, 697-707	2.4	3
24	Diversity and Mega-Targets of Selection from the Characterization of a Barley Collection. <i>Crop Science</i> , 2009 , 49, 483-497	2.4	3
23	Registration of NE426GT Winter Triticale. <i>Crop Science</i> , 2005 , 45, 796-797	2.4	3
22	A subfunctionalization epistasis model to evaluate homeologous gene interactions in allopolyploid wheat		3
21	Improving Genomic Prediction for Seed Quality Traits in Oat (<i>Avena sativa</i> L.) Using Trait-Specific Relationship Matrices. <i>Frontiers in Genetics</i> , 2021 , 12, 643733	4.5	3

20	Microenzymatic Evaluation of Oat (<i>Avena sativa</i> L.) β -Glucan for High-Throughput Phenotyping. <i>Cereal Chemistry</i> , 2014 , 91, 183-188	2.4	2
19	Kernel Size Variation in Naked Oat. <i>Crop Science</i> , 2006 , 46, 1117	2.4	2
18	Prediction of subgenome additive and interaction effects in allohexaploid wheat		2
17	Marker-based estimates reveal significant non-additive effects in clonally propagated cassava (<i>Manihot esculenta</i>): implications for the prediction of total genetic value and the selection of varieties		2
16	Prospects for genomic selection in cassava breeding		2
15	RNA polymerase mapping in plants identifies intergenic regulatory elements enriched in causal variants. <i>G3: Genes, Genomes, Genetics</i> , 2021 , 11,	3.2	2
14	Genome-wide association mapping and genomic prediction of yield-related traits and starch pasting properties in cassava. <i>Theoretical and Applied Genetics</i> , 2021 , 135, 145	6	1
13	A low resolution epistasis mapping approach to identify chromosome arm interactions in allohexaploid wheat		1
12	Introgressed <i>Manihot glaziovii</i> Alleles in Modern Cassava Germplasm Benefit Important Traits and Are Under Balancing Selection		1
11	Genome-wide association mapping of correlated traits in cassava: dry matter and total carotenoid content		1
10	Population genetics of sugar kelp in the Northwest Atlantic region using genome-wide markers		1
9	Multivariate Genome-wide Association Analyses Reveal the Genetic Basis of Seed Fatty Acid Composition in Oat (<i>Avena sativa</i> L.)		1
8	Sexual dimorphism and the effect of wild introgressions on recombination in <i>Manihot esculenta</i>		1
7	Genome-wide association mapping and genomic prediction unravels CBD resistance in a <i>Manihot esculenta</i> breeding population		1
6	Comparative analysis of morphometric traits of farmed sugar kelp and skinny kelp, <i>Saccharina</i> spp., strains from the Northwest Atlantic. <i>Journal of the World Aquaculture Society</i> , 2021 , 52, 1059	2.5	1
5	Genomic mating in outbred species: predicting cross usefulness with additive and total genetic covariance matrices		1
4	Selection for seed size has uneven effects on specialized metabolite abundance in oat (<i>Avena sativa</i> L.). <i>G3: Genes, Genomes, Genetics</i> , 2021 ,	3.2	1
3	Generalizable approaches for genomic prediction of metabolites in plants.. <i>Plant Genome</i> , 2022 , e20205	4.4	0

- 2 Outlook of Cassava Brown Streak Disease Assessment: Perspectives of the Screening Methods of Breeders and Pathologists. *Frontiers in Plant Science*, **2021**, 12, 648436 6.2
- 1 A population based expression atlas provides insights into disease resistance and other physiological traits in cassava (*Manihot esculenta* Crantz). *Scientific Reports*, **2021**, 11, 23520 4.9