

David O Bates

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9503353/david-o-bates-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

199
papers

10,832
citations

56
h-index

98
g-index

208
ext. papers

12,161
ext. citations

5.9
avg, IF

6.25
L-index

#	Paper	IF	Citations
199	Noninvasive Measurement of Retinal Microvascular Permeability During Loss of Endothelial Quiescence.. <i>Methods in Molecular Biology</i> , 2022 , 2441, 135-156	1.4	
198	Measurement of Revascularization in the Hind Limb After Experimental Ischemia in Mice.. <i>Methods in Molecular Biology</i> , 2022 , 2441, 105-113	1.4	
197	Transmission Electron Microscopy of Endothelium.. <i>Methods in Molecular Biology</i> , 2022 , 2441, 95-103	1.4	
196	Quantification of Angiogenesis in Laser Choroidal Neovascularization.. <i>Methods in Molecular Biology</i> , 2022 , 2441, 223-231	1.4	
195	Inhibition of serine/arginine-rich protein kinase-1 (SRPK1) prevents cholangiocarcinoma cells induced angiogenesis.. <i>Toxicology in Vitro</i> , 2022 , 105385	3.6	0
194	Effect of Combining EGFR Tyrosine Kinase Inhibitors and Cytotoxic Agents on Cholangiocarcinoma Cells. <i>Cancer Research and Treatment</i> , 2021 , 53, 457-470	5.2	2
193	A drug-repositioning screen using splicing-sensitive fluorescent reporters identifies novel modulators of VEGF-A splicing with anti-angiogenic properties. <i>Oncogenesis</i> , 2021 , 10, 36	6.6	0
192	Hydrogen Sulfide Is a Novel Protector of the Retinal Glycocalyx and Endothelial Permeability Barrier. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 724905	5.7	2
191	The intersection of big data and epidemiology for epidemiologic research: The impact of the COVID-19 pandemic. <i>International Journal for Quality in Health Care</i> , 2021 , 33,	1.9	2
190	Co-Clinical Trials: An Innovative Drug Development Platform for Cholangiocarcinoma. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	2
189	Structural assessment of SARS-CoV2 accessory protein ORF7a predicts LFA-1 and Mac-1 binding potential. <i>Bioscience Reports</i> , 2021 , 41,	4.1	11
188	Phenotypic and functional translation of IL33 genetics in asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2021 , 147, 144-157	11.5	10
187	Non-invasive measurement of retinal permeability in a diabetic rat model. <i>Microcirculation</i> , 2020 , 27, e12623	2.9	4
186	Non-canonical Wnt signalling regulates scarring in biliary disease via the planar cell polarity receptors. <i>Nature Communications</i> , 2020 , 11, 445	17.4	15
185	Blocking endothelial apoptosis revascularizes the retina in a model of ischemic retinopathy. <i>Journal of Clinical Investigation</i> , 2020 , 130, 4235-4251	15.9	8
184	Local microvascular leakage promotes trafficking of activated neutrophils to remote organs. <i>Journal of Clinical Investigation</i> , 2020 , 130, 2301-2318	15.9	31
183	Cervical cancer in low and middle-income countries. <i>Oncology Letters</i> , 2020 , 20, 2058-2074	2.6	44

182	A multinational review: Oesophageal cancer in low to middle-income countries. <i>Oncology Letters</i> , 2020 , 20, 42	2.6	4
181	Enhanced notch signaling modulates unproductive revascularization in response to nitric oxide-angiopoietin signaling in a mouse model of peripheral ischemia. <i>Microcirculation</i> , 2019 , 26, e12549 ²⁻⁹		3
180	An FBXW7-ZEB2 axis links EMT and tumour microenvironment to promote colorectal cancer stem cells and chemoresistance. <i>Oncogenesis</i> , 2019 , 8, 13	6.6	61
179	Activation of Notch signaling by soluble Dll4 decreases vascular permeability via a cAMP/PKA-dependent pathway. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2019 , 316, H1065-H1075	5.2	12
178	The VEGF-A exon 8 splicing-sensitive fluorescent reporter mouse is a novel tool to assess the effects of splicing regulatory compounds. <i>RNA Biology</i> , 2019 , 16, 1672-1681	4.8	3
177	Medication Use for Childhood Pneumonia at a Children's Hospital in Shanghai, China: Analysis of Pattern Mining Algorithms. <i>JMIR Medical Informatics</i> , 2019 , 7, e12577	3.6	0
176	VEGFC Reduces Glomerular Albumin Permeability and Protects Against Alterations in VEGF Receptor Expression in Diabetic Nephropathy. <i>Diabetes</i> , 2019 , 68, 172-187	0.9	30
175	Vascular Endothelial Growth Factor-A165b Restores Normal Glomerular Water Permeability in a Diphtheria-Toxin Mouse Model of Glomerular Injury. <i>Nephron</i> , 2018 , 139, 51-62	3.3	3
174	Novel hemodynamic structures in the human glomerulus. <i>American Journal of Physiology - Renal Physiology</i> , 2018 , 315, F1370-F1384	4.3	13
173	Physiological Role of Vascular Endothelial Growth Factors as Homeostatic Regulators. <i>Comprehensive Physiology</i> , 2018 , 8, 955-979	7.7	15
172	Effects of hypoxia and hyperoxia on the differential expression of VEGF-A isoforms and receptors in Idiopathic Pulmonary Fibrosis (IPF). <i>Respiratory Research</i> , 2018 , 19, 9	7.3	14
171	BDNF (Brain-Derived Neurotrophic Factor) Promotes Embryonic Stem Cells Differentiation to Endothelial Cells Via a Molecular Pathway, Including MicroRNA-214, EZH2 (Enhancer of Zeste Homolog 2), and eNOS (Endothelial Nitric Oxide Synthase). <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018 , 38, 2117-2125	9.4	21
170	Activation of Notch signalling by soluble Dll4 decreases permeability via a cAMP/PKA-dependent pathway. <i>FASEB Journal</i> , 2018 , 32, 846.6	0.9	
169	Who adopts a patient portal?: An application of the diffusion of innovation model. <i>BMJ Health and Care Informatics</i> , 2018 , 25, 149-157	2.6	8
168	SRPK1 maintains acute myeloid leukemia through effects on isoform usage of epigenetic regulators including BRD4. <i>Nature Communications</i> , 2018 , 9, 5378	17.4	30
167	Consensus guidelines for the use and interpretation of angiogenesis assays. <i>Angiogenesis</i> , 2018 , 21, 425-533		285
166	Diabetes-induced microvascular complications at the level of the spinal cord: a contributing factor in diabetic neuropathic pain. <i>Journal of Physiology</i> , 2018 , 596, 3675-3693	3.9	16
165	Sensory neuronal sensitisation occurs through HMGB-1-RAGE and TRPV1 in high-glucose conditions. <i>Journal of Cell Science</i> , 2018 , 131,	5.3	18

164	Development of Potent, Selective SRPK1 Inhibitors as Potential Topical Therapeutics for Neovascular Eye Disease. <i>ACS Chemical Biology</i> , 2017 , 12, 825-832	4.9	49
163	Mechanisms regulating angiogenesis underlie seasonal control of pituitary function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E2514-E2523	11.5	26
162	Sulfated Galactans from Red Seaweed <i>Gracilaria fisheri</i> Target EGFR and Inhibit Cholangiocarcinoma Cell Proliferation. <i>The American Journal of Chinese Medicine</i> , 2017 , 45, 615-633	6	12
161	Vascular endothelial growth factor-Ab ameliorates outer-retinal barrier and vascular dysfunction in the diabetic retina. <i>Clinical Science</i> , 2017 , 131, 1225-1243	6.5	30
160	Can the co-dependence of the immune system and angiogenesis facilitate pharmacological targeting of tumours?. <i>Current Opinion in Pharmacology</i> , 2017 , 35, 66-74	5.1	16
159	Sialic acids regulate microvessel permeability, revealed by novel in vivo studies of endothelial glycocalyx structure and function. <i>Journal of Physiology</i> , 2017 , 595, 5015-5035	3.9	67
158	Pharmacology of Modulators of Alternative Splicing. <i>Pharmacological Reviews</i> , 2017 , 69, 63-79	22.5	51
157	Regulation of human feto-placental endothelial barrier integrity by vascular endothelial growth factors: competitive interplay between VEGF-Aa, VEGF-Ab, PlGF and VE-cadherin. <i>Clinical Science</i> , 2017 , 131, 2763-2775	6.5	14
156	Sulfated galactans from the red seaweed <i>Gracilaria fisheri</i> exerts anti-migration effect on cholangiocarcinoma cells. <i>Phytomedicine</i> , 2017 , 36, 59-67	6.5	11
155	The mutant p53-ID4 complex controls VEGFA isoforms by recruiting lncRNA MALAT1. <i>EMBO Reports</i> , 2017 , 18, 1331-1351	6.5	52
154	VEGF-A b protects against proteinuria in a mouse model with progressive depletion of all endogenous VEGF-A splice isoforms from the kidney. <i>Journal of Physiology</i> , 2017 , 595, 6281-6298	3.9	11
153	Differential Expression of VEGF-A Isoforms Is Critical for Development of Pulmonary Fibrosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017 , 196, 479-493	10.2	34
152	Differential regulation of blood flow-induced neovascularization and mural cell recruitment by vascular endothelial growth factor and angiopoietin signalling. <i>Journal of Physiology</i> , 2017 , 595, 1575-1591	3.9	12
151	South African Herbal Extracts as Potential Chemopreventive Agents: Screening for Anticancer Splicing Activity. <i>Methods in Molecular Biology</i> , 2016 , 1379, 201-11	1.4	2
150	Awareness and Use of the After-Visit Summary Through a Patient Portal: Evaluation of Patient Characteristics and an Application of the Theory of Planned Behavior. <i>Journal of Medical Internet Research</i> , 2016 , 18, e77	7.6	17
149	Models of Oxygen Induced Retinopathy in Rodents. <i>Methods in Molecular Biology</i> , 2016 , 1430, 317-32	1.4	7
148	Measurement of Angiogenesis, Arteriogenesis, and Lymphangiogenesis Phenotypes by Use of Two-Dimensional Mesenteric Angiogenesis Assay. <i>Methods in Molecular Biology</i> , 2016 , 1430, 345-54	1.4	2
147	The control of alternative splicing by SRSF1 in myelinated afferents contributes to the development of neuropathic pain. <i>Neurobiology of Disease</i> , 2016 , 96, 186-200	7.5	20

146	Altered ratios of pro- and anti-angiogenic VEGF-A variants and pericyte expression of DLL4 disrupt vascular maturation in infantile haemangioma. <i>Journal of Pathology</i> , 2016 , 239, 139-51	9.4	17
145	IL-4 regulates specific Arg-1(+) macrophage sFlt-1-mediated inhibition of angiogenesis. <i>American Journal of Pathology</i> , 2015 , 185, 2324-35	5.8	26
144	The carboxyl terminus of VEGF-A is a potential target for anti-angiogenic therapy. <i>Angiogenesis</i> , 2015 , 18, 23-30	10.6	16
143	Regulation of vascular endothelial growth factor in prostate cancer. <i>Endocrine-Related Cancer</i> , 2015 , 22, R107-23	5.7	40
142	Direct detection and measurement of wall shear stress using a filamentous bio-nanoparticle. <i>Nano Research</i> , 2015 , 8, 3307-3315	10	4
141	Serine-arginine protein kinase 1 (SRPK1) inhibition as a potential novel targeted therapeutic strategy in prostate cancer. <i>Oncogene</i> , 2015 , 34, 4311-9	9.2	98
140	Vascular endothelial growth factor-A165b prevents diabetic neuropathic pain and sensory neuronal degeneration. <i>Clinical Science</i> , 2015 , 129, 741-56	6.5	34
139	Alternative splicing of TIA-1 in human colon cancer regulates VEGF isoform expression, angiogenesis, tumour growth and bevacizumab resistance. <i>Molecular Oncology</i> , 2015 , 9, 167-78	7.9	51
138	Vascular Endothelial Growth Factor-A165b Is Protective and Restores Endothelial Glycocalyx in Diabetic Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2015 , 26, 1889-904	12.7	93
137	Novel mechanisms of resistance to vemurafenib in melanoma - V600E B-Raf reversion and switching VEGF-A splice isoform expression. <i>American Journal of Cancer Research</i> , 2015 , 5, 433-41	4.4	9
136	Circulating levels of anti-angiogenic VEGF-A isoform (VEGF-Axxx) in colorectal cancer patients predicts tumour VEGF-A ratios. <i>American Journal of Cancer Research</i> , 2015 , 5, 2083-9	4.4	6
135	LGR5 regulates pro-survival MEK/ERK and proliferative Wnt/ β -catenin signalling in neuroblastoma. <i>Oncotarget</i> , 2015 , 6, 40053-67	3.3	52
134	Hallmarks of alternative splicing in cancer. <i>Oncogene</i> , 2014 , 33, 5311-8	9.2	420
133	An antiangiogenic isoform of VEGF-A contributes to impaired vascularization in peripheral artery disease. <i>Nature Medicine</i> , 2014 , 20, 1464-71	50.5	131
132	Regulation of alternative VEGF-A mRNA splicing is a therapeutic target for analgesia. <i>Neurobiology of Disease</i> , 2014 , 71, 245-59	7.5	47
131	The role of VEGF-A165b in trophoblast survival. <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 278	3.2	8
130	Targeting SRPK1 to control VEGF-mediated tumour angiogenesis in metastatic melanoma. <i>British Journal of Cancer</i> , 2014 , 111, 477-85	8.7	72
129	Antiangiogenic actions of vascular endothelial growth factor-A165b, an inhibitory isoform of vascular endothelial growth factor-A, in human obesity. <i>Circulation</i> , 2014 , 130, 1072-80	16.7	51

128	TNF- β -induced ICAM-1 expression and monocyte adhesion in human RPE cells is mediated in part through autocrine VEGF stimulation. <i>Molecular Vision</i> , 2014 , 20, 781-9	2.3	12
127	VEGF-A165b is an endogenous neuroprotective splice isoform of vascular endothelial growth factor A in vivo and in vitro. <i>American Journal of Pathology</i> , 2013 , 183, 918-29	5.8	78
126	SRPK1 inhibition modulates VEGF splicing to reduce pathological neovascularization in a rat model of retinopathy of prematurity 2013 , 54, 5797-806		31
125	Topical antiangiogenic SRPK1 inhibitors reduce choroidal neovascularization in rodent models of exudative AMD 2013 , 54, 6052-62		50
124	Detection of VEGF-A(xxx)b isoforms in human tissues. <i>PLoS ONE</i> , 2013 , 8, e68399	3.7	44
123	3D reconstruction of the glycocalyx structure in mammalian capillaries using electron tomography. <i>Microcirculation</i> , 2012 , 19, 343-51	2.9	35
122	Association between VEGF splice isoforms and progression-free survival in metastatic colorectal cancer patients treated with bevacizumab. <i>Clinical Cancer Research</i> , 2012 , 18, 6384-91	12.9	58
121	Loss of the endothelial glycocalyx links albuminuria and vascular dysfunction. <i>Journal of the American Society of Nephrology: JASN</i> , 2012 , 23, 1339-50	12.7	166
120	SRPK1 inhibition in vivo: modulation of VEGF splicing and potential treatment for multiple diseases. <i>Biochemical Society Transactions</i> , 2012 , 40, 831-5	5.1	35
119	VEGF165b overexpression restores normal glomerular water permeability in VEGF164-overexpressing adult mice. <i>American Journal of Physiology - Renal Physiology</i> , 2012 , 303, F1026-36	4.3	22
118	Ovarian VEGF(165)b expression regulates follicular development, corpus luteum function and fertility. <i>Reproduction</i> , 2012 , 143, 501-11	3.8	23
117	Patient perceptions of a personal health record: a test of the diffusion of innovation model. <i>Journal of Medical Internet Research</i> , 2012 , 14, e150	7.6	86
116	Splicing factor polymorphisms, the control of VEGF isoforms and association with angiogenic eye disease. <i>Current Eye Research</i> , 2011 , 36, 328-35	2.9	11
115	The digital divide in adoption and use of a personal health record. <i>Archives of Internal Medicine</i> , 2011 , 171, 568-74		228
114	An unexpected tail of VEGF and PlGF in pre-eclampsia. <i>Biochemical Society Transactions</i> , 2011 , 39, 1576-82	8.1	28
113	Impaired vascular permeability regulation caused by the VEGFB splice variant in pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2011 , 118, 1253-61	3.7	21
112	CCR7 mediates directed growth of melanomas towards lymphatics. <i>Microcirculation</i> , 2011 , 18, 172-82	2.9	31
111	A human neutralizing antibody specific to Ang-2 inhibits ocular angiogenesis. <i>Microcirculation</i> , 2011 , 18, 598-607	2.9	24

110	WT1 mutants reveal SRPK1 to be a downstream angiogenesis target by altering VEGF splicing. <i>Cancer Cell</i> , 2011 , 20, 768-80	24.3	181
109	Borrelidin modulates the alternative splicing of VEGF in favour of anti-angiogenic isoforms. <i>Chemical Science</i> , 2011 , 2011, 273-278	9.4	21
108	Recombinant human VEGF165b inhibits experimental choroidal neovascularization 2010 , 51, 4282-8		54
107	VEGF-A165b is cytoprotective and antiangiogenic in the retina 2010 , 51, 4273-81		61
106	Glomerular filtration barrier and molecular segregation: guilty as charged?. <i>Journal of the American Society of Nephrology: JASN</i> , 2010 , 21, 2009-11	12.7	2
105	Chemotrap-1: an engineered soluble receptor that blocks chemokine-induced migration of metastatic cancer cells in vivo. <i>Cancer Research</i> , 2010 , 70, 8138-48	10.1	21
104	Vascular endothelial growth factors and vascular permeability. <i>Cardiovascular Research</i> , 2010 , 87, 262-71	19.9	294
103	Neurotrophin-3 is a novel angiogenic factor capable of therapeutic neovascularization in a mouse model of limb ischemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010 , 30, 1143-50	9.4	48
102	Regulation of vascular endothelial growth factor (VEGF) splicing from pro-angiogenic to anti-angiogenic isoforms: a novel therapeutic strategy for angiogenesis. <i>Journal of Biological Chemistry</i> , 2010 , 285, 5532-40	5.4	156
101	VEGF in the lung: a role for novel isoforms. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2010 , 298, L768-74	5.8	27
100	Overexpression of VEGF165b in podocytes reduces glomerular permeability. <i>Journal of the American Society of Nephrology: JASN</i> , 2010 , 21, 1498-509	12.7	34
99	An interstitial hypothesis for breast cancer related lymphoedema. <i>Pathophysiology</i> , 2010 , 17, 289-94	1.8	14
98	IL-10 regulation of macrophage VEGF production is dependent on macrophage polarisation and hypoxia. <i>Immunobiology</i> , 2010 , 215, 796-803	3.4	101
97	Prediction of melanoma metastasis by the Shields index based on lymphatic vessel density. <i>BMC Cancer</i> , 2010 , 10, 208	4.8	19
96	Functional distinctions in cytosolic calcium regulation between cells of the glomerular filtration barrier. <i>Cell Calcium</i> , 2010 , 48, 44-53	4	7
95	Balance of pro- versus anti-angiogenic splice isoforms of vascular endothelial growth factor as a regulator of neuroblastoma growth. <i>Journal of Pathology</i> , 2010 , 222, 138-47	9.4	18
94	Critical role of tissue kallikrein in vessel formation and maturation: implications for therapeutic revascularization. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009 , 29, 657-64	9.4	53
93	Flufenamic acid is a tool for investigating TRPC6-mediated calcium signalling in human conditionally immortalised podocytes and HEK293 cells. <i>Cell Calcium</i> , 2009 , 45, 384-90	4	32

92	Molecular diversity of VEGF-A as a regulator of its biological activity. <i>Microcirculation</i> , 2009 , 16, 572-92	2.9	93
91	VEGF(121)b, a new member of the VEGF(xxx)b family of VEGF-A splice isoforms, inhibits neovascularisation and tumour growth in vivo. <i>British Journal of Cancer</i> , 2009 , 101, 1183-93	8.7	38
90	Therapeutic potential of manipulating VEGF splice isoforms in oncology. <i>Future Oncology</i> , 2009 , 5, 703-13	6.6	23
89	Angiopoietin-1 alters microvascular permeability coefficients in vivo via modification of endothelial glycocalyx. <i>Cardiovascular Research</i> , 2009 , 83, 24-33	9.9	73
88	Failure to up-regulate VEGF165b in maternal plasma is a first trimester predictive marker for pre-eclampsia. <i>Clinical Science</i> , 2009 , 116, 265-72	6.5	46
87	The anti-angiogenic isoforms of VEGF in health and disease. <i>Biochemical Society Transactions</i> , 2009 , 37, 1207-13	5.1	89
86	Measurement of angiogenic phenotype by use of two-dimensional mesenteric angiogenesis assay. <i>Methods in Molecular Biology</i> , 2009 , 467, 251-70	1.4	2
85	VEGF165b inhibits choroidal neovascularization (CNV) in mouse model via intra-vitreous and subcutaneous delivery. <i>FASEB Journal</i> , 2009 , 23, 625.11	0.9	
84	Assay limitations of osmotic reflection coefficient of isolated mouse glomeruli ex vivo.. <i>FASEB Journal</i> , 2009 , 23, 804.20	0.9	1
83	eNOS induced angiogenesis is blocked by the tyrosine kinase inhibitor Vatalanib (PTK787) in a normoperfused rodent model. <i>FASEB Journal</i> , 2009 , 23, 625.5	0.9	
82	Overexpression of VEGF165b in mouse ovary results in reduced litter size. <i>FASEB Journal</i> , 2009 , 23, 592.179	0.9	1
81	Proteinuria is associated with increased systemic and glomerular water permeability. <i>FASEB Journal</i> , 2009 , 23, 950.14	0.9	
80	The endogenous anti-angiogenic VEGF isoform, VEGF165b inhibits human tumour growth in mice. <i>British Journal of Cancer</i> , 2008 , 98, 1250-7	8.7	108
79	VEGF-A splicing: the key to anti-angiogenic therapeutics?. <i>Nature Reviews Cancer</i> , 2008 , 8, 880-7	31.3	379
78	Recombinant human VEGF165b protein is an effective anti-cancer agent in mice. <i>European Journal of Cancer</i> , 2008 , 44, 1883-94	7.5	68
77	A research agenda for personal health records (PHRs). <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2008 , 15, 729-36	8.6	275
76	Vascular endothelial growth factor-C, a potential paracrine regulator of glomerular permeability, increases glomerular endothelial cell monolayer integrity and intracellular calcium. <i>American Journal of Pathology</i> , 2008 , 173, 938-48	5.8	32
75	Mammary alveolar development during lactation is inhibited by the endogenous antiangiogenic growth factor isoform, VEGF165b. <i>FASEB Journal</i> , 2008 , 22, 1104-12	0.9	51

74	Expression of pro- and anti-angiogenic isoforms of VEGF is differentially regulated by splicing and growth factors. <i>Journal of Cell Science</i> , 2008 , 121, 3487-95	5.3	247
73	The alternatively spliced anti-angiogenic family of VEGF isoforms VEGF _{xxx} b in human kidney development. <i>Nephron Physiology</i> , 2008 , 110, p57-67		62
72	VEGF 165 b, an antiangiogenic VEGF-A isoform, binds and inhibits bevacizumab treatment in experimental colorectal carcinoma: balance of pro- and antiangiogenic VEGF-A isoforms has implications for therapy. <i>British Journal of Cancer</i> , 2008 , 98, 1366-79	8.7	168
71	Vascular endothelial growth factor (VEGF)-A165b is a weak in vitro agonist for VEGF receptor-2 due to lack of coreceptor binding and deficient regulation of kinase activity. <i>Cancer Research</i> , 2008 , 68, 4683-92	10.1	130
70	Arteriolar genesis and angiogenesis induced by endothelial nitric oxide synthase overexpression results in a mature vasculature. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008 , 28, 1462-8	9.4	38
69	VEGF-C induced angiogenesis preferentially occurs at a distance from lymphangiogenesis. <i>Cardiovascular Research</i> , 2008 , 78, 315-23	9.9	54
68	VEGF-mediated elevated intracellular calcium and angiogenesis in human microvascular endothelial cells in vitro are inhibited by dominant negative TRPC6. <i>Microcirculation</i> , 2008 , 15, 605-14	2.9	122
67	Podocyte specific over-expression of VEGF-A165b, unlike VEGF-A165, does not cause collapsing glomerulopathy. <i>FASEB Journal</i> , 2008 , 22, 926.16	0.9	
66	Tissue Kallikrein increases perivascular cell coverage of angiogenic vessels via a Bradykinin-2-Receptor dependent mechanism. <i>FASEB Journal</i> , 2008 , 22, 925.4	0.9	
65	Chemokine-mediated migration of melanoma cells towards lymphatics--a mechanism contributing to metastasis. <i>Oncogene</i> , 2007 , 26, 2997-3005	9.2	134
64	Hyperglycemia stimulates a sustained increase in hydraulic conductivity in vivo without any change in reflection coefficient. <i>Microcirculation</i> , 2007 , 14, 683-96	2.9	9
63	Vascular endothelial growth factor as a survival factor for human islets: effect of immunosuppressive drugs. <i>Diabetologia</i> , 2007 , 50, 1423-32	10.3	38
62	A role for the endothelial glycocalyx in regulating microvascular permeability in diabetes mellitus. <i>Cell Biochemistry and Biophysics</i> , 2007 , 49, 65-72	3.2	47
61	Expression of VEGF _{xxx} b, the inhibitory isoforms of VEGF, in malignant melanoma. <i>British Journal of Cancer</i> , 2007 , 97, 223-30	8.7	112
60	Glomerular filtration into the subpodocyte space is highly restricted under physiological perfusion conditions. <i>American Journal of Physiology - Renal Physiology</i> , 2007 , 293, F1787-98	4.3	49
59	Evidence for restriction of fluid and solute movement across the glomerular capillary wall by the subpodocyte space. <i>American Journal of Physiology - Renal Physiology</i> , 2007 , 293, F1777-86	4.3	56
58	Alternative splicing in angiogenesis: the vascular endothelial growth factor paradigm. <i>Cancer Letters</i> , 2007 , 249, 133-42	9.9	115
57	A TRPC-like non-selective cation current activated by alpha 1-adrenoceptors in rat mesenteric artery smooth muscle cells. <i>Cell Calcium</i> , 2006 , 40, 29-40	4	49

56	VEGF-C promotes survival in podocytes. <i>American Journal of Physiology - Renal Physiology</i> , 2006 , 291, F196-207	4.3	37
55	VEGF activates receptor-operated cation channels in human microvascular endothelial cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006 , 26, 1768-76	9.4	97
54	The sialomucin CD34 is a marker of lymphatic endothelial cells in human tumors. <i>American Journal of Pathology</i> , 2006 , 168, 1045-53	5.8	69
53	Vascular endothelial growth factor-C (VEGF-C) expression in normal human tissues. <i>Lymphatic Research and Biology</i> , 2006 , 4, 73-82	2.3	24
52	The endogenous anti-angiogenic family of splice variants of VEGF, VEGF _{xxx} b, are down-regulated in pre-eclamptic placentae at term. <i>Clinical Science</i> , 2006 , 110, 575-85	6.5	57
51	Vascular endothelial growth factor increases the ultrafiltration coefficient in isolated intact Wistar rat glomeruli. <i>Journal of Physiology</i> , 2006 , 570, 141-56	3.9	23
50	The anti-angiogenic VEGF isoform VEGF165b transiently increases hydraulic conductivity, probably through VEGF receptor 1 in vivo. <i>Journal of Physiology</i> , 2006 , 572, 243-57	3.9	39
49	Transient osmotic absorption of fluid in microvessels exposed to low concentrations of dimethyl sulfoxide. <i>Microcirculation</i> , 2006 , 13, 29-40	2.9	2
48	VEGF and angiopoietin-1 stimulate different angiogenic phenotypes that combine to enhance functional neovascularization in adult tissue. <i>Microcirculation</i> , 2006 , 13, 423-37	2.9	56
47	Glucose is the component of diabetic plasma that increases vascular permeability. <i>FASEB Journal</i> , 2006 , 20, A706	0.9	
46	Splice factor regulation of alternative splicing of VEGF isoform families. <i>FASEB Journal</i> , 2006 , 20, A539	0.9	2
45	Insulin-like Growth Factor-1 regulates alternative splicing of angiogenic and anti-angiogenic VEGF isoforms. <i>FASEB Journal</i> , 2006 , 20, A538	0.9	1
44	VEGF165b, an endogenous C-terminal splice variant of VEGF, inhibits retinal neovascularization in mice. <i>Molecular Vision</i> , 2006 , 12, 626-32	2.3	93
43	Cytosolic Ca ²⁺ concentration and rate of increase of the cytosolic Ca ²⁺ concentration in the regulation of vascular permeability in Rana in vivo. <i>Journal of Physiology</i> , 2005 , 564, 817-27	3.9	10
42	Diabetic retinopathy is associated with a switch in splicing from anti- to pro-angiogenic isoforms of vascular endothelial growth factor. <i>Diabetologia</i> , 2005 , 48, 2422-7	10.3	173
41	Vascular endothelial growth factor and nephrin interact and reduce apoptosis in human podocytes. <i>American Journal of Physiology - Renal Physiology</i> , 2005 , 288, F48-57	4.3	95
40	Nephrotic plasma alters slit diaphragm-dependent signaling and translocates nephrin, Podocin, and CD2 associated protein in cultured human podocytes. <i>Journal of the American Society of Nephrology: JASN</i> , 2005 , 16, 629-37	12.7	92
39	Therapeutic potential of inhibitory VEGF splice variants. <i>Future Oncology</i> , 2005 , 1, 467-73	3.6	20

38	Three-dimensional reconstruction of glomeruli by electron microscopy reveals a distinct restrictive urinary subpodocyte space. <i>Journal of the American Society of Nephrology: JASN</i> , 2005 , 16, 1223-35	12.7	75
37	VEGF165b, an inhibitory vascular endothelial growth factor splice variant: mechanism of action, in vivo effect on angiogenesis and endogenous protein expression. <i>Cancer Research</i> , 2004 , 64, 7822-35	10.1	370
36	Lymphatic density and metastatic spread in human malignant melanoma. <i>British Journal of Cancer</i> , 2004 , 90, 693-700	8.7	137
35	Differentiated human podocytes endogenously express an inhibitory isoform of vascular endothelial growth factor (VEGF165b) mRNA and protein. <i>American Journal of Physiology - Renal Physiology</i> , 2004 , 286, F767-73	4.3	77
34	The role of endothelial cell Ca ²⁺ store release in the regulation of microvascular permeability in vivo. <i>Experimental Physiology</i> , 2004 , 89, 343-51	2.4	3
33	Lymphoedema in urological cancer. <i>European Urology</i> , 2004 , 45, 18-25	10.2	13
32	An adenovirus-mediated gene-transfer model of angiogenesis in rat mesentery. <i>Microcirculation</i> , 2004 , 11, 361-75	2.9	21
31	Plasma from women with severe pre-eclampsia increases microvascular permeability in an animal model in vivo. <i>Clinical Science</i> , 2004 , 107, 399-405	6.5	13
30	Evidence of a role for TRPC channels in VEGF-mediated increased vascular permeability in vivo. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004 , 286, H1015-26	5.2	88
29	Pre-eclampsia and the microcirculation: a novel explanation. <i>Clinical Science</i> , 2003 , 104, 413-414	6.5	4
28	Functional evidence that vascular endothelial growth factor may act as an autocrine factor on human podocytes. <i>American Journal of Physiology - Renal Physiology</i> , 2003 , 284, F1263-73	4.3	149
27	Role of endothelial Ca ²⁺ stores in the regulation of hydraulic conductivity of Rana microvessels in vivo. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003 , 284, H1468-78	5.2	3
26	Endothelial permeability in uremia. <i>Kidney International</i> , 2003 , S41-4	9.9	17
25	The role of vascular endothelial growth factor in wound healing. <i>International Journal of Lower Extremity Wounds</i> , 2003 , 2, 107-20	1.6	89
24	Regulation of vascular permeability by vascular endothelial growth factors. <i>Vascular Pharmacology</i> , 2002 , 39, 225-37	5.9	264
23	Human uremic plasma increases microvascular permeability to water and proteins in vivo. <i>Kidney International</i> , 2002 , 61, 1416-22	9.9	31
22	Regulation of microvascular permeability by vascular endothelial growth factors. <i>Journal of Anatomy</i> , 2002 , 200, 523-534	2.9	8
21	Regulation of microvascular permeability by vascular endothelial growth factors. <i>Journal of Anatomy</i> , 2002 , 200, 581-97	2.9	209

20	ZM323881, a novel inhibitor of vascular endothelial growth factor-receptor-2 tyrosine kinase activity. <i>Microcirculation</i> , 2002 , 9, 513-22	2.9	71
19	Measurement of hydraulic conductivity of single perfused Rana mesenteric microvessels between periods of controlled shear stress. <i>Journal of Physiology</i> , 2002 , 543, 947-57	3.9	18
18	VEGF165b, an inhibitory splice variant of vascular endothelial growth factor, is down-regulated in renal cell carcinoma. <i>Cancer Research</i> , 2002 , 62, 4123-31	10.1	402
17	In vivo mechanisms of vascular endothelial growth factor-mediated increased hydraulic conductivity of Rana capillaries. <i>Journal of Physiology</i> , 2001 , 534, 479-88	3.9	26
16	Vascular endothelial growth factor increases Rana vascular permeability and compliance by different signalling pathways. <i>Journal of Physiology</i> , 2001 , 533, 263-72	3.9	47
15	Differential effects of vascular endothelial growth factor-C and placental growth factor-1 on the hydraulic conductivity of frog mesenteric capillaries. <i>Journal of Vascular Research</i> , 2001 , 38, 176-86	1.9	43
14	VEGF and ATP act by different mechanisms to increase microvascular permeability and endothelial [Ca(2+)](i). <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2000 , 279, H1625-34	5.2	39
13	Vascular Endothelial Growth Factor and Microvascular Permeability. <i>Microcirculation</i> , 1999 , 6, 83-96	2.9	113
12	Vascular Endothelial Growth Factor and Microvascular Permeability 1999 , 6, 83		38
11	Vascular endothelial growth factor and microvascular permeability. <i>Microcirculation</i> , 1999 , 6, 83-96	2.9	24
10	The chronic effect of vascular endothelial growth factor on individually perfused frog mesenteric microvessels. <i>Journal of Physiology</i> , 1998 , 513 (Pt 1), 225-33	3.9	39
9	Vascular endothelial growth factor increases microvascular permeability via a Ca(2+)-dependent pathway. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1997 , 273, H687-94	5.2	64
8	Vascular endothelial growth factor increases hydraulic conductivity of isolated perfused microvessels. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1996 , 271, H2520-8	5.2	64
7	The Effect of Hosiery on Interstitial Fluid Pressure and Arm Volume Fluctuations in Breast Cancer Related Arm Oedema. <i>Phlebology</i> , 1995 , 10, 46-50	2	10
6	Starling pressures in the human arm and their alteration in postmastectomy oedema. <i>Journal of Physiology</i> , 1994 , 477, 355-63	3.9	49
5	Quantification of rate and depth of pitting in human edema using an electronic tonometer. <i>Lymphology</i> , 1994 , 27, 159-72	1.9	28
4	Change in macromolecular composition of interstitial fluid from swollen arms after breast cancer treatment, and its implications. <i>Clinical Science</i> , 1993 , 85, 737-46	6.5	55
3	Intravital video-capillaroscopy for the study of the microcirculation in psoriasis. <i>British Journal of Dermatology</i> , 1992 , 126, 436-445	4	47

- | | | | |
|---|--|---|----|
| 2 | Subcutaneous interstitial fluid pressure and arm volume in lymphoedema. <i>International Journal of Microcirculation, Clinical and Experimental</i> , 1992 , 11, 359-73 | | 19 |
| 1 | Intravital video-capillaroscopy for the study of the microcirculation in psoriasis. <i>British Journal of Dermatology</i> , 1992 , 126, 436-45 | 4 | 64 |