Nicola T Lautenschlager

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9503609/publications.pdf

Version: 2024-02-01

226 papers

9,459 citations

45 h-index

53751

49868 87 g-index

241 all docs

241 does citations

241 times ranked

13012 citing authors

#	Article	IF	CITATIONS
1	Effect of Physical Activity on Cognitive Function in Older Adults at Risk for Alzheimer Disease. JAMA - Journal of the American Medical Association, 2008, 300, 1027.	3.8	1,331
2	The Australian Imaging, Biomarkers and Lifestyle (AIBL) study of aging: methodology and baseline characteristics of 1112 individuals recruited for a longitudinal study of Alzheimer's disease. International Psychogeriatrics, 2009, 21 , 672 - 687 .	0.6	661
3	Cerebral metabolic changes accompanying conversion of mild cognitive impairment into Alzheimer's disease: a PET follow-up study. European Journal of Nuclear Medicine and Molecular Imaging, 2003, 30, 1104-1113.	3.3	510
4	Longâ€Term Effects of Childhood Abuse on the Quality of Life and Health of Older People: Results from the Depression and Early Prevention of Suicide in General Practice Project. Journal of the American Geriatrics Society, 2008, 56, 262-271.	1.3	226
5	Effect of amyloid on memory and non-memory decline from preclinical to clinical Alzheimer's disease. Brain, 2014, 137, 221-231.	3.7	182
6	Amyloid- \hat{l}^2 , Anxiety, and Cognitive Decline in Preclinical Alzheimer Disease. JAMA Psychiatry, 2015, 72, 284.	6.0	160
7	Factors associated with suicidal thoughts in a large community study of older adults. British Journal of Psychiatry, 2012, 201, 466-472.	1.7	158
8	Combined physical and cognitive training for older adults with and without cognitive impairment: A systematic review and network meta-analysis of randomized controlled trials. Ageing Research Reviews, 2021, 66, 101232.	5.0	136
9	Subjective memory decline predicts greater rates of clinical progression in preclinical Alzheimer's disease. Alzheimer's and Dementia, 2016, 12, 796-804.	0.4	135
10	Smoking Is Associated With Reduced Cortical Regional Gray Matter Density in Brain Regions Associated With Incipient Alzheimer Disease. American Journal of Geriatric Psychiatry, 2008, 16, 92-98.	0.6	133
11	Cognitive and brain changes associated with ischaemic heart disease and heart failure. European Heart Journal, 2012, 33, 1769-1776.	1.0	131
12	Feasibility, safety and preliminary evidence of the effectiveness of a home-based exercise programme for older people with Alzheimer's disease: a pilot randomized controlled trial. Clinical Rehabilitation, 2013, 27, 427-438.	1.0	127
13	Falls, Depression and Antidepressants in Later Life: A Large Primary Care Appraisal. PLoS ONE, 2008, 3, e2423.	1.1	126
14	Effects of Anticholinergic Drugs on Cognitive Function in Older Australians: Results from the AIBL Study. Dementia and Geriatric Cognitive Disorders, 2011, 31, 173-178.	0.7	115
15	A genetic variation of cathepsin D is a major risk factor for Alzheimer's disease. Annals of Neurology, 2000, 47, 399-403.	2.8	110
16	Risk prediction of late-onset Alzheimer's disease implies an oligogenic architecture. Nature Communications, 2020, 11, 4799.	5.8	110
17	A 20-week randomized controlled trial of estradiol replacement therapy for women aged 70 years and older: Effect on mood, cognition and quality of life. Neurobiology of Aging, 2006, 27, 141-149.	1.5	107
18	The influence of exercise on brain aging and dementia. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2012, 1822, 474-481.	1.8	105

#	Article	IF	CITATIONS
19	Association Between Lifestyle Factors and Mental Health Measures Among Community-Dwelling Older Women. Australian and New Zealand Journal of Psychiatry, 2004, 38, 940-947.	1.3	101
20	Factors Associated with Self and Informant Ratings of the Quality of Life of People with Dementia Living in Care Facilities: A Cross Sectional Study. PLoS ONE, 2010, 5, e15621.	1.1	92
21	Balance and Mobility Dysfunction and Falls Risk in Older People with Mild to Moderate Alzheimer Disease. American Journal of Physical Medicine and Rehabilitation, 2012, 91, 12-23.	0.7	91
22	Physical Activity and Mild Cognitive Impairment and Alzheimer's Disease. Current Neurology and Neuroscience Reports, 2010, 10, 352-358.	2.0	89
23	Anxiety, depression, and comorbid anxiety and depression: risk factors and outcome over two years. International Psychogeriatrics, 2012, 24, 1622-1632.	0.6	88
24	Physical activity and cognition in old age. Current Opinion in Psychiatry, 2006, 19, 190-193.	3.1	85
25	The community prevalence of depression in older Australians. Journal of Affective Disorders, 2009, 115, 54-61.	2.0	85
26	Contribution of the MTHFR gene to the causal pathway for depression, anxiety and cognitive impairment in later life. Neurobiology of Aging, 2005, 26, 251-257.	1.5	81
27	24-Month effect of smoking cessation on cognitive function and brain structure in later life. Neurolmage, 2011, 55, 1480-1489.	2.1	79
28	Dementia associated with infectious diseases. International Psychogeriatrics, 2005, 17, S65-S77.	0.6	75
29	Recruiting and retaining GPs and patients in intervention studies: the DEPS-GP project as a case study. BMC Medical Research Methodology, 2007, 7, 42.	1.4	74
30	Dementia associated with alcohol and other drug use. International Psychogeriatrics, 2005, 17, S109-S127.	0.6	73
31	Assessment of the DTIâ€ALPS Parameter Along the Perivascular Space in Older Adults at Risk of Dementia. Journal of Neuroimaging, 2021, 31, 569-578.	1.0	68
32	Asymmetric thinning of the cerebral cortex across the adult lifespan is accelerated in Alzheimer's disease. Nature Communications, 2021, 12, 721.	5.8	67
33	Effectiveness of a smoking cessation intervention in older adults. Addiction, 2007, 102, 148-155.	1.7	66
34	The clinical significance of cognition-focused interventions for cognitively impaired older adults: a systematic review of randomized controlled trials. International Psychogeriatrics, 2011, 23, 1364-1375.	0.6	66
35	Subjective Memory Complaints With and Without Objective Memory Impairment: Relationship With Risk Factors for Dementia. American Journal of Geriatric Psychiatry, 2005, 13, 731-734.	0.6	65
36	Amyloid-β Related Memory Decline is not Associated with Subjective or Informant Rated Cognitive Impairment in Healthy Adults. Journal of Alzheimer's Disease, 2014, 43, 677-686.	1.2	63

#	Article	IF	CITATIONS
37	Distinct effects of acute exercise and breaks in sitting on working memory and executive function in older adults: a three-arm, randomised cross-over trial to evaluate the effects of exercise with and without breaks in sitting on cognition. British Journal of Sports Medicine, 2020, 54, 776-781.	3.1	60
38	Fifteen Years of the Australian Imaging, Biomarkers and Lifestyle (AIBL) Study: Progress and Observations from 2,359 Older Adults Spanning the Spectrum from Cognitive Normality to Alzheimer's Disease. Journal of Alzheimer's Disease Reports, 2021, 5, 443-468.	1.2	59
39	Can physical activity improve the mental health of older adults?. Annals of General Psychiatry, 2004, 3, 12.	0.1	57
40	Factors Associated with Dementia in Aboriginal Australians. Australian and New Zealand Journal of Psychiatry, 2010, 44, 888-893.	1.3	57
41	A Randomized Trial to Reduce the Prevalence of Depression and Self-Harm Behavior in Older Primary Care Patients. Annals of Family Medicine, 2012, 10, 347-356.	0.9	57
42	Toward a theoryâ€based specification of nonâ€pharmacological treatments in aging and dementia: Focused reviews and methodological recommendations. Alzheimer's and Dementia, 2021, 17, 255-270.	0.4	55
43	Maintain Your Brain: Protocol of a 3-Year Randomized Controlled Trial of a Personalized Multi-Modal Digital Health Intervention to Prevent Cognitive Decline Among Community Dwelling 55 to 77 Year Olds. Journal of Alzheimer's Disease, 2019, 70, S221-S237.	1.2	53
44	Premorbid personality traits are associated with post-stroke behavioral and psychological symptoms: a three-month follow-up study in Perth, Western Australia. International Psychogeriatrics, 2009, 21, 1063-1071.	0.6	52
45	Primary Degenerative Mild Cognitive Impairment: Study Population, Clinical, Brain Imaging and Biochemical Findings. Dementia and Geriatric Cognitive Disorders, 2001, 12, 379-386.	0.7	51
46	Apolipoprotein D levels are elevated in prefrontal cortex of subjects with Alzheimer's disease. Biological Psychiatry, 2003, 54, 136-141.	0.7	51
47	A practical approach to assess depression risk and to guide risk reduction strategies in later life. International Psychogeriatrics, 2011, 23, 280-291.	0.6	51
48	Reliability and validity of two fitness tracker devices in the laboratory and home environment for older community-dwelling people. BMC Geriatrics, 2018, 18, 103.	1.1	51
49	Physical activity in caregivers: What are the psychological benefits?. Archives of Gerontology and Geriatrics, 2014, 59, 204-210.	1.4	46
50	Physical activity program preferences and perspectives of older adults with and without cognitive impairment. Asia-Pacific Psychiatry, 2014, 6, 179-190.	1.2	44
51	Physical activity for cognitive health: what advice can we give to older adults with subjective cognitive decline and mild cognitive impairment?. Dialogues in Clinical Neuroscience, 2019, 21, 61-68.	1.8	44
52	Apolipoprotein E type 4 allele and Alzheimer's disease: Effect on age at onset and relative risk in different age groups. Journal of Neurology, 1996, 243, 452-456.	1.8	43
53	Dietary Patterns Are Associated with Cognition among Older People with Mild Cognitive Impairment. Nutrients, 2012, 4, 1542-1551.	1.7	43
54	Phenomenological characterization of memory complaints in preclinical and prodromal Alzheimer's disease Neuropsychology, 2015, 29, 571-581.	1.0	43

#	Article	IF	CITATIONS
55	Brain and mood changes over 2 years in healthy controls and adults with heart failure and ischaemic heart disease. European Journal of Heart Failure, 2013, 15, 850-858.	2.9	42
56	Increased levels of apolipoprotein E in the frontal cortex of subjects with schizophrenia. Biological Psychiatry, 2003, 54, 616-622.	0.7	41
57	HOMESIDE: home-based family caregiver-delivered music and reading interventions for people living with dementia: protocol of a randomised controlled trial. BMJ Open, 2019, 9, e031332.	0.8	41
58	Protocol for a randomized controlled trial evaluating the effect of physical activity on delaying the progression of white matter changes on MRI in older adults with memory complaints and mild cognitive impairment: The AIBL Active trial. BMC Psychiatry, 2012, 12, 167.	1.1	40
59	Olfactory Dysfunction is Associated with Subjective Memory Complaints in Community-Dwelling Elderly Individuals. Journal of Alzheimer's Disease, 2009, 17, 135-142.	1.2	39
60	Predictors of rapid cognitive decline in Alzheimer's disease: results from the Australian Imaging, Biomarkers and Lifestyle (AIBL) study of ageing. International Psychogeriatrics, 2012, 24, 197-204.	0.6	39
61	Two-year course of cognitive function and mood in adults with congestive heart failure and coronary artery disease: the Heart-Mind Study. International Psychogeriatrics, 2012, 24, 38-47.	0.6	39
62	Socioeconomic disadvantage increases risk of prevalent and persistent depression in later life. Journal of Affective Disorders, 2012, 138, 322-331.	2.0	38
63	The PACE Study: A Randomized Clinical Trial of Cognitive Activity Strategy Training for Older People with Mild Cognitive Impairment. American Journal of Geriatric Psychiatry, 2015, 23, 360-372.	0.6	38
64	A functional polymorphism within plasminogen activator urokinase (PLAU) is associated with Alzheimer's disease. Human Molecular Genetics, 2006, 15, 2446-2456.	1.4	37
65	Rates of diagnostic transition and cognitive change at 18-month follow-up among 1,112 participants in the Australian Imaging, Biomarkers and Lifestyle Flagship Study of Ageing (AIBL). International Psychogeriatrics, 2014, 26, 543-554.	0.6	37
66	Association Between Homocysteine, Depression, and Cognitive Function in Community-Dwelling Older Women from Australia. Journal of the American Geriatrics Society, 2004, 52, 327-328.	1.3	36
67	BRIDGING THE TRANSLATION GAP: FROM DEMENTIA RISK ASSESSMENT TO ADVICE ON RISK REDUCTION. journal of prevention of Alzheimer's disease, The, 2015, 2, 1-10.	1.5	36
68	Uncommon causes of dementia: rare, but not marginal. International Psychogeriatrics, 2005, 17, S1-S2.	0.6	35
69	Serum high-density lipoprotein is associated with better cognitive function in a cross-sectional study of aging women. International Journal of Neuroscience, 2017, 127, 243-252.	0.8	34
70	Dementia Literacy among Community-Dwelling Older Adults in Urban China: A Cross-sectional Study. Frontiers in Public Health, 2017, 5, 124.	1.3	34
71	A Cluster-Randomised Trial of Staff Education to Improve the Quality of Life of People with Dementia Living in Residential Care: The DIRECT Study. PLoS ONE, 2011, 6, e28155.	1.1	31
72	International Psychogeriatricsand the International Psychogeriatric Association: a successful marriage turns silver. International Psychogeriatrics, 2014, 26, 1-2.	0.6	31

#	Article	IF	Citations
73	Reliability of Information Collected by Proxy in Family Studies of Alzheimer's Disease. Neuroepidemiology, 2001, 20, 105-111.	1.1	30
74	Effectiveness of balance training exercise in people with mild to moderate severity Alzheimer's disease: protocol for a randomised trial. BMC Geriatrics, 2009, 9, 29.	1.1	30
7 5	The KICA Screen: The psychometric properties of a shortened version of the KICA (Kimberley Indigenous) Tj ${\sf ETQq1}$	1.0.7843	14 rgBT / <mark>0</mark> v
76	Association Between Physiological Serum Concentration of Estrogen and the Mental Health of Community-Dwelling Postmenopausal Women Age 70 Years and Over. American Journal of Geriatric Psychiatry, 2005, 13, 142-149.	0.6	29
77	Development and evaluation of an educational intervention for general practitioners and staff caring for people with dementia living in residential facilities. International Psychogeriatrics, 2011, 23, 221-229.	0.6	29
78	Anxiety symptoms, cerebral amyloid burden and memory decline in healthy older adults without dementia: 3-year prospective cohort study. British Journal of Psychiatry, 2014, 204, 400-401.	1.7	29
79	Mental health of older adults during the COVID-19 pandemic: lessons from history to guide our future. International Psychogeriatrics, 2020, 32, 1249-1250.	0.6	29
80	Lack of reliable evidence for a distinctive $\hat{l}\mu4\hat{a}$ related cognitive phenotype that is independent from clinical diagnostic status: findings from the Australian Imaging, Biomarkers and Lifestyle Study. Brain, 2013, 136, 2201-2216.	3.7	28
81	Joining forces to prevent dementia: The International Research Network On Dementia Prevention (IRNDP). International Psychogeriatrics, 2017, 29, 1757-1760.	0.6	28
82	Effect of a 24-month physical activity program on brain changes in older adults at risk of Alzheimer's disease: the AIBL active trial. Neurobiology of Aging, 2020, 89, 132-141.	1.5	28
83	Subjective Memory Complaints With and Without Objective Memory Impairment: Relationship With Risk Factors for Dementia. American Journal of Geriatric Psychiatry, 2005, 13, 731-734.	0.6	28
84	Medical morbidity and severity of depression in a large primary care sample of older Australians: the DEPSâ€GP project. Medical Journal of Australia, 2009, 190, S75-80.	0.8	27
85	The concept of dementia: retain, reframe, rename or replace?. International Psychogeriatrics, 2010, 22, 37-42.	0.6	27
86	The FABS trial: A randomised control trial of the effects of a 6-month physical activity intervention on adherence and long-term physical activity and self-efficacy in older adults with memory complaints. Preventive Medicine, 2013, 57, 824-830.	1.6	27
87	Longitudinal cognitive decline in the AIBL cohort: The role of APOE ε4 status. Neuropsychologia, 2015, 75, 411-419.	0.7	27
88	Caring for caregivers after a stroke. International Psychogeriatrics, 2015, 27, 1-4.	0.6	27
89	Association of Cardiovascular Factors and Alzheimer's Disease Plasma Amyloid-Î ² Protein in Subjective Memory Complainers. Journal of Alzheimer's Disease, 2009, 17, 305-318.	1.2	26
90	<i>Ginkgo biloba</i> extract EGb 761 [®] in the context of current developments in the diagnosis and treatment of age-related cognitive decline and Alzheimer's disease: a research perspective. International Psychogeriatrics, 2012, 24, S46-S50.	0.6	26

#	Article	IF	CITATIONS
91	The Relationship Between Memory Complaints, Perceived Quality of Life and Mental Health in Apolipoprotein Elµ4 Carriers and Non-Carriers. Journal of Alzheimer's Disease, 2009, 17, 69-79.	1.2	25
92	Current experiences and educational preferences of general practitioners and staff caring for people with dementia living in residential facilities. BMC Geriatrics, 2009, 9, 36.	1.1	25
93	Assessing cognitive impairment in Indigenous Australians: Re-evaluation of the Kimberley Indigenous Cognitive Assessment in Western Australia and the Northern Territory. Australian Psychologist, 2009, 44, 54-61.	0.9	25
94	Help seeking in older Asian people with dementia in Melbourne: Using the Cultural Exchange Model to explore barriers and enablers. Journal of Cross-Cultural Gerontology, 2014, 29, 69-86.	0.5	24
95	Intergenerational Programmes bringing together community dwelling non-familial older adults and children: A Systematic Review. Archives of Gerontology and Geriatrics, 2021, 94, 104356.	1.4	24
96	Inspection time in non-demented older adults with mild cognitive impairment. Neuropsychologia, 2006, 44, 1452-1456.	0.7	23
97	Personality change in old age. Current Opinion in Psychiatry, 2007, 20, 62-66.	3.1	23
98	Bone mineral density, adiposity, and cognitive functions. Frontiers in Aging Neuroscience, 2015, 7, 16.	1.7	23
99	Associations of neighborhood environment with brain imaging outcomes in the Australian Imaging, Biomarkers and Lifestyle cohort. Alzheimer's and Dementia, 2017, 13, 388-398.	0.4	23
100	General population perspectives of dementia risk reduction and the implications for intervention: A systematic review and thematic synthesis of qualitative evidence. PLoS ONE, 2021, 16, e0257540.	1.1	23
101	The PACE Study: A randomised clinical trial of cognitive activity (CA) for older adults with mild cognitive impairment (MCI). Trials, 2009, 10, 114.	0.7	22
102	Awareness of Cognitive Deficits in Older Adults With Cognitive-impairment-no-dementia (CIND). Alzheimer Disease and Associated Disorders, 2011, 25, 24-33.	0.6	22
103	Personality of mental healthcaregivers. Current Opinion in Psychiatry, 2013, 26, 97-101.	3.1	22
104	Future Directions for Dementia Risk Reduction and Prevention Research: An International Research Network on Dementia Prevention Consensus. Journal of Alzheimer's Disease, 2020, 78, 3-12.	1.2	22
105	Healthy mental ageing. The Journal of the British Menopause Society, 2006, 12, 92-96.	1.3	21
106	Can Participation in Mental and Physical Activity Protect Cognition in Old Age?. JAMA Internal Medicine, 2013, 173, 805.	2.6	21
107	Rates of age―and amyloid βâ€∎ssociated cortical atrophy in older adults with superior memory performance. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2019, 11, 566-575.	1.2	21
108	Person-centered care and engagement via technology of residents with dementia in aged care facilities. International Psychogeriatrics, 2017, 29, 2099-2103.	0.6	20

#	Article	IF	Citations
109	Physical activity for older Australians with mild cognitive impairment or subjective cognitive decline $\hat{a} \in \mathbb{C}$ A narrative review to support guideline development. Journal of Science and Medicine in Sport, 2020, 23, 913-920.	0.6	20
110	Baseline Amnestic Severity Predicts Progression From Amnestic Mild Cognitive Impairment to Alzheimer Disease Dementia at 3 Years. Alzheimer Disease and Associated Disorders, 2018, 32, 190-196.	0.6	19
111	Factors impacting on early detection of dementia in older people of <scp>A</scp> sian background in primary healthcare. Asia-Pacific Psychiatry, 2011, 3, 120-127.	1.2	18
112	What is frontotemporal dementia?. Maturitas, 2014, 79, 216-219.	1.0	18
113	Non-pharmacological strategies to delay cognitive decline. Maturitas, 2014, 79, 170-173.	1.0	18
114	Factors associated with depression in older carers. International Journal of Geriatric Psychiatry, 2016, 31, 294-301.	1.3	18
115	Protocol for a pragmatic randomised controlled trial of Body Brain Life—General Practice and a Lifestyle Modification Programme to decrease dementia risk exposure in a primary care setting. BMJ Open, 2018, 8, e019329.	0.8	18
116	A Randomized Controlled Trial of Adherence to a 24-Month Home-Based Physical Activity Program and the Health Benefits for Older Adults at Risk of Alzheimer's Disease: The AIBL Active-Study. Journal of Alzheimer's Disease, 2019, 70, S187-S205.	1.2	18
117	The fitness for the Ageing Brain Study II (FABS II): protocol for a randomized controlled clinical trial evaluating the effect of physical activity on cognitive function in patients with Alzheimer's disease. Trials, 2010, 11, 120.	0.7	17
118	Implementing dementia risk reduction in primary care: a preliminary conceptual model based on a scoping review of practitioners' views. Primary Health Care Research and Development, 2019, 20, e140.	0.5	17
119	Organic psychosis: Insight into the biology of psychosis. Current Psychiatry Reports, 2001, 3, 319-325.	2.1	16
120	Preventing Dementia: Why We Should Focus on Health Promotion Now. International Psychogeriatrics, 2003, 15, 111-119.	0.6	16
121	?Ngana minyarti? What is this?? Development of cognitive questions for the Kimberley Indigenous Cognitive Assessment. Australasian Journal on Ageing, 2007, 26, 115-119.	0.4	16
122	Homocysteine, Grey Matter and Cognitive Function in Adults with Cardiovascular Disease. PLoS ONE, 2012, 7, e33345.	1.1	16
123	A pilot study using "apps―as a novel strategy for the management of challenging behaviors seen in people living in residential care. International Psychogeriatrics, 2017, 29, 637-643.	0.6	16
124	An Internet-Based Intervention Augmented With a Diet and Physical Activity Consultation to Decrease the Risk of Dementia in At-Risk Adults in a Primary Care Setting: Pragmatic Randomized Controlled Trial. Journal of Medical Internet Research, 2020, 22, e19431.	2.1	16
125	A novel mutation in the MITF gene causes Waardenburg Syndrome Type 2. Genetic Analysis, Techniques and Applications, 1996, 13, 43-44.	1.5	15
126	Road safety in an aging population: risk factors, assessment, interventions, and future directions. International Psychogeriatrics, 2016, 28, 349-356.	0.6	15

#	Article	lF	CITATIONS
127	A pilot study exploring staff acceptability of a socially assistive robot in a residential care facility that accommodates people under 65 years old. International Psychogeriatrics, 2018, 30, 1075-1080.	0.6	15
128	Episodic Memory and Learning Dysfunction Over an 18-Month Period in Preclinical and Prodromal Alzheimer's Disease. Journal of Alzheimer's Disease, 2018, 65, 977-988.	1.2	15
129	A retrospective study of medical comorbidities in psychogeriatric patients. Psychogeriatrics, 2016, 16, 12-19.	0.6	14
130	Land- versus water-walking interventions in older adults: Effects on body composition. Journal of Science and Medicine in Sport, 2020, 23, 164-170.	0.6	14
131	Perceived Need and Acceptability of an App to Support Activities of Daily Living in People With Cognitive Impairment and Their Carers: Pilot Survey Study. JMIR MHealth and UHealth, 2020, 8, e16928.	1.8	14
132	Dementia in residential care: education intervention trial (DIRECT); protocol for a randomised controlled trial. Trials, 2010, 11, 63.	0.7	13
133	Dementia literacy in older adults. Asia-Pacific Psychiatry, 2015, 7, 292-297.	1.2	13
134	Repurposing Proteostasis-Modifying Drugs to Prevent or Treat Age-Related Dementia: A Systematic Review. Frontiers in Physiology, 2018, 9, 1520.	1.3	13
135	Subjective memory complaints predict baseline but not future cognitive function over three years: results from the Western Australia Memory Study. International Psychogeriatrics, 2019, 31, 513-525.	0.6	13
136	Hearing aids to support cognitive functions of older adults at risk of dementia: the HearCog trial-clinical protocols. BMC Geriatrics, 2020, 20, 508.	1.1	13
137	Relationship of Established Cardiovascular Risk Factors and Peripheral Biomarkers on Cognitive Function in Adults at Risk of Cognitive Deterioration. Journal of Alzheimer's Disease, 2020, 74, 163-171.	1.2	13
138	Targeting impaired nutrient sensing with repurposed therapeutics to prevent or treat age-related cognitive decline and dementia: A systematic review. Ageing Research Reviews, 2021, 67, 101302.	5.0	13
139	Non-pharmacological interventions for neuropsychiatric symptoms of dementia in residential aged care settings: An umbrella review. International Journal of Nursing Studies, 2022, 128, 104187.	2.5	13
140	The adverse mental health of carers: Does the patient diagnosis play a role?. Maturitas, 2015, 82, 134-138.	1.0	12
141	Can a short internet training program improve social isolation and self-esteem in older adults with psychiatric conditions?. International Psychogeriatrics, 2016, 28, 1737-1740.	0.6	12
142	Relationship between monocyte-platelet aggregation and endothelial function in middle-aged and elderly adults. Physiological Reports, 2017, 5, e13189.	0.7	12
143	Land-walking vs. water-walking interventions in older adults: Effects on aerobic fitness. Journal of Sport and Health Science, 2020, 9, 274-282.	3.3	12
144	Common versus uncommon causes of dementia. International Psychogeriatrics, 2005, 17, S27-S34.	0.6	11

#	Article	IF	CITATIONS
145	Latent Semantic Analysis: An Improved Method to Measure Cognitive Performance in Subjects of Non-English-Speaking-Background. Journal of Clinical and Experimental Neuropsychology, 2006, 28, 1381-1387.	0.8	11
146	Exploring Health Care Providers' Perceptions of the Needs of Stroke Carers: Informing Development of an Optimal Health Program. Topics in Stroke Rehabilitation, 2014, 21, 421-431.	1.0	11
147	Grey Matter Changes Associated with Deficit Awareness in Mild Cognitive Impairment: A Voxel-Based Morphometry Study. Journal of Alzheimer's Disease, 2014, 42, 1251-1259.	1.2	11
148	Attitudes to aging in older carers – do they have a role in their well-being?. International Psychogeriatrics, 2015, 27, 1893-1901.	0.6	11
149	Pastoral care in old age psychiatry: Addressing the spiritual needs of inpatients in an acute aged mental health unit. Asia-Pacific Psychiatry, 2014, 6, 127-134.	1.2	10
150	Personal Memory Function in Mild Cognitive Impairment and Subjective Memory Complaints: Results from the Australian Imaging, Biomarkers, and Lifestyle (AIBL) Study of Ageing. Journal of Alzheimer's Disease, 2014, 40, 551-561.	1.2	10
151	The Stroke and Carer Optimal Health Program (SCOHP) to enhance psychosocial health: study protocol for a randomized controlled trial. Trials, 2016, 17, 446.	0.7	10
152	Investigating the current methods of assessing behavioral and psychological symptoms in residential aged care facilities in a metropolitan city. International Psychogeriatrics, 2017, 29, 855-858.	0.6	10
153	A randomized controlled trial of physical activity with individual goal-setting and volunteer mentors to overcome sedentary lifestyle in older adults at risk of cognitive decline: the INDIGO trial protocol. BMC Geriatrics, 2017, 17, 215.	1.1	10
154	Mortality in a cohort of remote-living Aboriginal Australians and associated factors. PLoS ONE, 2018, 13, e0195030.	1.1	10
155	Effects of Land versus Water Walking Interventions on Vascular Function in Older Adults. Medicine and Science in Sports and Exercise, 2021, 53, 83-89.	0.2	10
156	Treatment fidelity and acceptability of a cognition-focused intervention for older adults with mild cognitive impairment (MCI). International Psychogeriatrics, 2013, 25, 815-823.	0.6	9
157	Autobiographical narratives relate to Alzheimer's disease biomarkers in older adults. International Psychogeriatrics, 2014, 26, 1737-1746.	0.6	9
158	Semiâ€automated hippocampal segmentation in people with cognitive impairment using an age appropriate template for registration. Journal of Magnetic Resonance Imaging, 2015, 42, 1631-1638.	1.9	9
159	Predictors of Workplace Disability in a Premanifest Huntington's Disease Cohort. Journal of Neuropsychiatry and Clinical Neurosciences, 2018, 30, 115-121.	0.9	9
160	International Mind, Activities and Urban Places (iMAP) study: methods of a cohort study on environmental and lifestyle influences on brain and cognitive health. BMJ Open, 2020, 10, e036607.	0.8	9
161	Electronic food records among middleâ€aged and older people: A comparison of selfâ€reported and dietitianâ€assisted information. Nutrition and Dietetics, 2021, 78, 145-153.	0.9	9
162	Ethnic Differences in Barriers and Enablers to Physical Activity Among Older Adults. Frontiers in Public Health, 2021, 9, 691851.	1.3	9

#	Article	IF	CITATIONS
163	Computerized cognitive training in people with depression: a protocol for a systematic review and meta-analysis. Systematic Reviews, 2022, 11 , 6 .	2.5	9
164	Therapeutic advances and risk factor management: our best chance to tackle dementia?. Medical Journal of Australia, 2016, 204, 91-92.	0.8	8
165	Does manipulation of arterial shear stress enhance cerebrovascular function and cognition in the aging brain? Design, rationale and recruitment for the Preventia randomised clinical trial. Mental Health and Physical Activity, 2018, 15, 153-163.	0.9	8
166	Beneficial impacts of regular exercise on platelet function in sedentary older adults: evidence from a randomized 6-mo walking trial. Journal of Applied Physiology, 2018, 125, 401-408.	1.2	8
167	Refined conceptual model for implementing dementia risk reduction: incorporating perspectives from Australian general practice. Australian Journal of Primary Health, 2020, 26, 247.	0.4	8
168	Is it possible to prevent dementia?. Revista Brasileira De Psiquiatria, 2002, 24, 22-27.	0.9	8
169	Intergenerational Practice in the Community—What Does the Community Think?. Social Sciences, 2021, 10, 374.	0.7	8
170	Efficacy of probucol on cognitive function in Alzheimer's disease: study protocol for a double-blind, placebo-controlled, randomised phase II trial (PIA study). BMJ Open, 2022, 12, e058826.	0.8	8
171	Exercise interventions to reduce anxiety in mid-life and late-life anxiety disorders and subthreshold anxiety disorder: a systematic review. Therapeutic Advances in Psychopharmacology, 2022, 12, 204512532211049.	1.2	8
172	Two-Year Outcomes From a Cessation of Smoking Intervention in Older Adults. Journal of Smoking Cessation, 2008, 3, 101-109.	0.3	7
173	Baseline White Matter Is Associated With Physical Fitness Change in Preclinical Alzheimer's Disease. Frontiers in Aging Neuroscience, 2020, 12, 115.	1.7	7
174	Dementia knowledge and associated factors among older Chinese adults: a cross-national comparison between Melbourne and Beijing. International Psychogeriatrics, 2021, 33, 1057-1067.	0.6	7
175	Improving mood through physical activity for carers and care recipients (IMPACCT): protocol for a randomised trial. Journal of Physiotherapy, 2013, 59, 125.	0.7	6
176	A home-based exercise intervention for caregivers of persons with dementia: study protocol for a randomised controlled trial. Trials, 2016, 17, 460.	0.7	6
177	An investigation of residential facility staff usage of touchscreen technology. International Psychogeriatrics, 2017, 29, 2095-2098.	0.6	6
178	Targeted physical activity for older adults with mild cognitive impairment and subjective cognitive decline. Medical Journal of Australia, 2019, 210, 394.	0.8	6
179	Dementia risk reduction in practice: the knowledge, opinions and perspectives of Australian healthcare providers. Australian Journal of Primary Health, 2021, 27, 136-142.	0.4	6
180	The Impact of 6-Month Land versus Water Walking on Cerebrovascular Function in the Aging Brain. Medicine and Science in Sports and Exercise, 2021, 53, 2093-2100.	0.2	6

#	Article	IF	CITATIONS
181	Homocysteine and vitamin status in older people in Perth. Medical Journal of Australia, 2004, 180, 539-540.	0.8	6
182	Behavioral Activation in Nursing Homes to Treat Depression (BAN-Dep): Results From a Clustered, Randomized, Single-Blinded, Controlled Clinical Trial. American Journal of Geriatric Psychiatry, 2022, 30, 1313-1323.	0.6	6
183	Alterations in dorsal and ventral posterior cingulate connectivity in APOE <i>$\hat{l}\mu$</i> 4 carriers at risk of Alzheimer's disease. BJPsych Open, 2015, 1, 139-148.	0.3	5
184	Anxiety disorders in late lifeâ€"Why are we not more worried?. International Journal of Geriatric Psychiatry, 2020, 35, 955-961.	1.3	5
185	Alzheimer's disease research progress in Australia: The Alzheimer's Association International Conference Satellite Symposium in Sydney. Alzheimer's and Dementia, 2022, 18, 178-190.	0.4	5
186	Assessing speech and communication impairments in cognitive disorders: an innovative development in a memory clinic. International Psychogeriatrics, 2010, 22, 341-345.	0.6	4
187	Providing pastoral care service in aged mental health settings: A literature review. Asia-Pacific Psychiatry, 2011, 3, 5-9.	1.2	4
188	Physical activity in Alzheimer's disease: research in its infancy or why we need more randomized controlled trials. International Psychogeriatrics, 2014, 26, 7-7.	0.6	4
189	Progress in BPSD research: analyzing individual BPSD might hold the key to better support caregivers. International Psychogeriatrics, 2016, 28, 1759-1760.	0.6	4
190	Modern technology to support carers of care recipients with dementia or functional mental illness: promising progress, but a long road ahead. International Psychogeriatrics, 2017, 29, 1933-1935.	0.6	4
191	Behavioural activation in nursing homes to treat depression (BAN-Dep): study protocol for a pragmatic randomised controlled trial. BMJ Open, 2019, 9, e032421.	0.8	4
192	A Randomized Controlled Trial on the Effects of a 6-Month Home-Based Physical Activity Program with Individual Goal-Setting and Volunteer Mentors on Physical Activity, Adherence, and Physical Fitness in Inactive Older Adults at Risk of Cognitive Decline: The INDIGO Study. Journal of Alzheimer's Disease, 2021, 84, 207-226.	1.2	4
193	Balance on the Brain: a randomised controlled trial evaluating the effect of a multimodal exercise programme on physical performance, falls, quality of life and cognition for people with mild cognitive impairment—study protocol. BMJ Open, 2022, 12, e054725.	0.8	4
194	Twelve months of resistance training can improve the cognitive functioning of older women living in the community. Journal of Physiotherapy, 2010, 56, 200.	0.7	3
195	Add life to years: psychosocial interventions for people with cognitive disorders. International Psychogeriatrics, 2013, 25, 1389-1391.	0.6	3
196	Is There a Change in Electroconvulsive Therapy Practice Following the New Mental Health Act 2014 in Victoria?. Journal of ECT, 2019, 35, 245-250.	0.3	3
197	Aggregation of Abnormal Memory Scores and Risk of Incident Alzheimer's Disease Dementia: A Measure of Objective Memory Impairment in Amnestic Mild Cognitive Impairment. Journal of the International Neuropsychological Society, 2021, 27, 146-157.	1.2	3
198	The Support Person's Preferences and Perspectives of Physical Activity Programs for Older Adults With Cognitive Impairment. Frontiers in Public Health, 2021, 9, 704561.	1.3	3

#	Article	IF	Citations
199	Reduced awareness of executive dysfunction in Alzheimer's disease is associated with increased carer burden. International Psychogeriatrics, 2007, 19, 1173-5.	0.6	2
200	Physical activity and cognition in older adults with mild cognitive impairment and dementia. Neurodegenerative Disease Management, 2013, 3, 211-218.	1.2	2
201	Awareness of memory deficits in subjective cognitive decline, mild cognitive impairment, Alzheimer's disease and Parkinson's disease. International Psychogeriatrics, 2015, 27, 355-356.	0.6	2
202	A pilot study investigating the feasibility of symptom assessment manager (SAM), a Webâ€based realâ€time tool for monitoring challenging behaviors. International Journal of Geriatric Psychiatry, 2018, 33, 576-582.	1.3	2
203	Alcohol Use, Mental Health, and Functional Capacity as Predictors of Workplace Disability in a Cohort With Manifest Huntington's Disease. Journal of Neuropsychiatry and Clinical Neurosciences, 2020, 32, 235-243.	0.9	2
204	Demenzen. , 2012, , 831-870.		2
205	The Ethics of Biomarker-Based Preclinical Diagnosis of Alzheimer's Disease. Neuromethods, 2018, , 249-258.	0.2	2
206	Implementing dementia risk reduction in primary care: views of enrollees in the Preventing Dementia Massive Open Online Course. Australian Journal of Primary Health, 2021, , .	0.4	2
207	Residential aged care staff perceptions and responses towards neuropsychiatric symptoms: a mixed methods analysis of electronic healthcare records. Aging and Mental Health, 2023, 27, 243-250.	1.5	2
208	Neurodegenerative disorders (Alzheimer's Disease, fronto-temporal dementia) and schizophrenia-like psychosis., 0,, 204-213.		1
209	The Oldest Old in Everyday Life: Self Perception, Coping With Change, and Stress. Ruth Dunkle, Beverly Roberts, and Marie Haug. New York: Springer Publishing Company, 2001, 192 pp., \$US 34.95 (hardcover) International Psychogeriatrics, 2002, 14, 115-116.	0.6	1
210	Physical Activity and Cognitive Function in Alzheimer Diseaseâ€"Reply. JAMA - Journal of the American Medical Association, 2009, 301, 272.	3.8	1
211	Under full sail. International Psychogeriatrics, 2011, 23, 341-343.	0.6	1
212	International Psychogeriatricspaper of the year 2014: a new tradition and the first candidate for a 2024 paper of the decade?. International Psychogeriatrics, 2015, 27, 527-528.	0.6	1
213	Depression and physical activity research in older age: An important gap to fill. Psychology of Sport and Exercise, 2019, 43, 1-3.	1.1	1
214	GedÃ ¤ htnissprechstunden (Memory-Kliniken). , 2011, , 419-435.		1
215	Effects of a physical activity intervention on brain atrophy in older adults at risk of dementia: a randomized controlled trial. Brain Imaging and Behavior, 2021, 15, 2833-2842.	1.1	1
216	COVIDâ€19 and mental health: Impact on symptom burden in older people living with mental illness in residential aged care. Australasian Journal on Ageing, 2022, , .	0.4	1

#	Article	IF	CITATIONS
217	The Aging Individual: Physical and Psychological Perspecives, 2nd Edition. Susan Krauss Whitbourne. New York: Springer Publishing Company, 2002, 378 pp., \$US 48.95 (hardcover) International Psychogeriatrics, 2003, 15, 204-205.	0.6	0
218	Alzheimer's Disease and Related Disorders Annual 2004, Editors: SERGE GAUTHIER, PHILIP SCHELTENS AND JEFFREY L. CUMMINGS Martin Dunitz; Taylor and Francis Group, London and New York, £49.95. Hardback, pp.182. ISBN 1841843482. International Psychogeriatrics, 2005, 17, 338-340.	0.6	0
219	Psychotic disorders in women in later life. , 0, , 320-336.		O
220	Physical activity interventions for mild and major neurocognitive disorders., 0,, 109-123.		0
221	International Psychogeriatrics Paper of the year 2015: the use of modern technology to tackle an old challenge $\hat{a} \in \text{``improving the diagnosis of delirium in the hospital setting. International Psychogeriatrics, 2016, 28, 877-878.}$	0.6	0
222	Brevity is the soul of wit or psychogeriatrics is growing up: new Brief Report category for international psychogeriatrics. International Psychogeriatrics, 2016, 28, 525-526.	0.6	0
223	International Psychogeriatrics paper of the year 2016. International Psychogeriatrics, 2017, 29, 1581-1582.	0.6	0
224	Commentary on Richardson <i>et al</i> . detecting delirium superimposed on dementia: diagnostic accuracy of a simple combined arousal and attention testing procedure. International Psychogeriatrics, 2017, 29, 1583-1584.	0.6	0
225	GedÄ e htnissprechstunden (Memory-Kliniken). , 2009, , 311-325.		0
226	Organische Störungen, Demenzen. , 2008, , 753-783.		0