
## Talahide Ito

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9503669/publications.pdf Version: 2024-02-01



| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Prognostic value of the liver fibrosis marker fibrosisâ€5 index in patients with acute heart failure. ESC<br>Heart Failure, 2022, 9, 1380-1387.  | 3.1 | 11        |
| 2  | Relationship of warfarin versus DOACs with thrombogenic milieu in the left atrium among patients with nonvalvular atrial fibrillation. Echocardiography, 2022, , .   | 0.9 | 0         |
| 3  | Echocardiographic tissue imaging evaluation of myocardial characteristics and function in cardiomyopathies. Heart Failure Reviews, 2021, 26, 813-828.  | 3.9 | 2         |
| 4  | Relation of Aspartate Aminotransferase to Alanine Aminotransferase Ratio to Nutritional Status and<br>Prognosis in Patients With Acute Heart Failure. American Journal of Cardiology, 2021, 139, 64-70.                                | 1.6 | 15        |
| 5  | Left Atrial Appendage Ostial Stenosis: A Case Report and Literature Review. American Journal of Case<br>Reports, 2021, 22, e930510.  | 0.8 | 3         |
| 6  | Splenic Volume Index Determined Using Computed Tomography upon Admission Is Associated with<br>Readmission for Heart Failure Among Patients with Acute Decompensated Heart Failure. International<br>Heart Journal, 2021, 62, 584-591. | 1.0 | 4         |
| 7  | Myocardial findings evaluated by echocardiography in cardiac sarcoidosis: A report of seven cases.<br>Journal of Clinical Ultrasound, 2021, 49, 940-946.   | 0.8 | 2         |
| 8  | Motivational interviewing as a new approach to improve outcome through self-care behavioural<br>changes in advanced heart failure patient: a case report. European Heart Journal - Case Reports, 2021, 5,<br>ytab395.                  | 0.6 | 1         |
| 9  | Hypoplastic Left Atrial Appendage: A Case Report and Literature Review. American Journal of Case<br>Reports, 2021, 22, e933260.  | 0.8 | Ο         |
| 10 | Increased prevalence of cerebral microbleeds in patients with low left ventricular systolic function.<br>Heart and Vessels, 2020, 35, 384-390.   | 1.2 | 1         |
| 11 | Fibrosis-4 index reflects right-sided filling pressure in patients with heart failure. Heart and Vessels, 2020, 35, 376-383.   | 1.2 | 21        |
| 12 | Left atrial spontaneous echo contrast occurring in patients with low CHADS2 or CHA2DS2-VASc scores. Cardiovascular Ultrasound, 2020, 18, 31.   | 1.6 | 6         |
| 13 | Usefulness of tissue Doppler-derived atrial electromechanical delay for identifying patients with paroxysmal atrial fibrillation. Cardiovascular Ultrasound, 2020, 18, 22.   | 1.6 | 6         |
| 14 | Prognostic impact of a novel index of nutrition and inflammation for patients with acute decompensated heart failure. Heart and Vessels, 2020, 35, 1201-1208.  | 1.2 | 16        |
| 15 | Transient depression of myocardial function after influenza virus infection: A study of echocardiographic tissue imaging. PLoS ONE, 2019, 14, e0221628.  | 2.5 | 4         |
| 16 | Left Atrial Ball-Shaped Thrombus with Concomitant Biatrial Appendage Thrombi in a Patient with Prior<br>Mitral Valve Replacement. Case Reports in Cardiology, 2019, 2019, 1-4.   | 0.2 | 0         |
| 17 | Left atrial spontaneous echo contrast: relationship with clinical and echocardiographic parameters.<br>Echo Research and Practice, 2019, 6, R65-R73.   | 2.5 | 23        |
| 18 | The Prevalence and Findings of Subclinical Influenza-associated Cardiac Abnormalities among Japanese<br>Patients. Internal Medicine, 2018, 57, 1819-1826.  | 0.7 | 16        |

Talahide Ito

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | High serum bilirubin is associated with lower prevalence of peripheral arterial disease among cardiac patients. Clinica Chimica Acta, 2018, 476, 60-66.  | 1.1 | 17        |
| 20 | Chronic Kidney Disease as a Possible Predictor of Left Atrial Thrombogenic Milieu Among Patients with Nonvalvular Atrial Fibrillation. American Journal of Cardiology, 2018, 122, 2062-2067.   | 1.6 | 12        |
| 21 | Eosinophilic Granulomatosis with Polyangiitis (EGPA) with an Unusual Manifestation of<br>Mid-Ventricular Obstruction Caused by Endocardial Thrombus. American Journal of Case Reports,<br>2018, 19, 1197-1203.   | 0.8 | 4         |
| 22 | Association between suPAR and cardiac diastolic dysfunction among patients with preserved ejection fraction. Heart and Vessels, 2017, 32, 1327-1336.   | 1.2 | 7         |
| 23 | Association between serum soluble urokinaseâ€ŧype plasminogen activator receptor and atrial<br>fibrillation. Journal of Arrhythmia, 2017, 33, 469-474.   | 1.2 | 9         |
| 24 | Serum Soluble Urokinase-Type Plasminogen Activator Receptor Is Associated with Low Left<br>Ventricular Ejection Fraction and Elevated Plasma Brain-Type Natriuretic Peptide Level. PLoS ONE, 2017,<br>12, e0170546.  | 2.5 | 9         |
| 25 | ls Serum Uric Acid Independently Associated With Left Ventricular Mass Index, Ejection Fraction, and<br>B-Type Natriuretic Peptide Among Female and Male Cardiac Patients?. International Heart Journal, 2017,<br>58, 562-569.   | 1.0 | 15        |
| 26 | Relationship between plasma xanthine oxidoreductase activity and left ventricular ejection fraction and hypertrophy among cardiac patients. PLoS ONE, 2017, 12, e0182699.  | 2.5 | 34        |
| 27 | Association between circulating FGF23, α-Klotho, and left ventricular diastolic dysfunction among patients with preserved ejection fraction. Heart and Vessels, 2016, 31, 66-73.   | 1.2 | 20        |
| 28 | Association between Left Ventricular Postsystolic Shortening and Diastolic Relaxation in<br>Asymptomatic Patients with Systemic Hypertension. Echocardiography, 2016, 33, 216-222.   | 0.9 | 9         |
| 29 | Serum uric acid is associated with cardiac diastolic dysfunction among women with preserved<br>ejection fraction. American Journal of Physiology - Heart and Circulatory Physiology, 2015, 309,<br>H986-H994.  | 3.2 | 24        |
| 30 | Platelet volume indices are associated with systolic and diastolic cardiac dysfunction, and left ventricular hypertrophy. BMC Cardiovascular Disorders, 2015, 15, 52.  | 1.7 | 10        |
| 31 | Association between Presystolic Ventricular Flash and Left Ventricular Functional Recovery after<br>Cardiac Resynchronization Therapy. Echocardiography, 2014, 31, 149-154.  | 0.9 | 2         |
| 32 | Repetitive Fulminant Influenza Myocarditis Requiring the Use of Circulatory Assist Devices. Internal<br>Medicine, 2014, 53, 109-114.   | 0.7 | 16        |
| 33 | Increased serum IgG4 levels and intimal IgG4-positive cell infiltration in rapidly growing aortic aneurysm. SAGE Open Medical Case Reports, 2013, 1, 2050313X1349650.  | 0.3 | 6         |
| 34 | A Display of Combined Left Ventricular Function and Dyssynchrony Using Doppler Tissue Imaging: Its<br>Application in Acute Response to Cardiac Resynchronization Therapy. Echocardiography, 2011, 28,<br>870-876.  | 0.9 | 1         |
| 35 | Usefulness of Carvedilol to Abolish Myocardial Postsystolic Shortening in Patients With Idiopathic<br>Dilated Cardiomyopathy. American Journal of Cardiology, 2009, 104, 1568-1573.  | 1.6 | 4         |
| 36 | Novel Method for Displaying Left Ventricular Function and Dyssynchrony Using Tissue Doppler<br>Imaging: Evaluation of Its Applicability in Dilated Cardiomyopathy With Wide and Narrow QRS<br>Complexes. Journal of the American Society of Echocardiography, 2008, 21, 1236-1243. | 2.8 | 4         |

Talahide Ito

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Left Atrial Dyssynchrony in Patients With Nonobstructive Hypertrophic Cardiomyopathy Evaluated by<br>Myocardial Strain Imaging. Journal of Echocardiography, 2008, 6, 46-53.  | 0.8 | 0         |
| 38 | Regional Postsystolic Shortening in Patients with Hypertrophic Cardiomyopathy: Its Incidence and<br>Characteristics Assessed by Strain Imaging. Journal of the American Society of Echocardiography,<br>2006, 19, 987-993.              | 2.8 | 16        |
| 39 | Effects of Dual-Chamber Pacing on Regional Myocardial Deformation in Patients With Hypertrophic<br>Obstructive Cardiomyopathy. Circulation Journal, 2006, 70, 63-68.  | 1.6 | 10        |
| 40 | Usefulness of Tissue Doppler Imaging for Demonstrating Altered Septal Contraction Sequence During<br>Dual-Chamber Pacing in Obstructive Hypertrophic Cardiomyopathy. American Journal of Cardiology,<br>2005, 96, 1558-1562.            | 1.6 | 17        |
| 41 | Assessment of regional left ventricular filling dynamics using color kinesis in patients with<br>hypertrophic cardiomyopathy. Journal of the American Society of Echocardiography, 2004, 17, 146-151.                                   | 2.8 | 8         |
| 42 | Acute Effects of Diltiazem on Regional Left Ventricular Diastolic Filling Dynamics in Patients With<br>Hypertrophic Cardiomyopathy as Assessed by Color Kinesis. Circulation Journal, 2004, 68, 1035-1040.                              | 1.6 | 6         |
| 43 | Prediction of Functional Recovery of the Left Ventricle After Coronary Revascularization in Patients<br>With Prior Anterior Myocardial Infarction. A Myocardial Integrated Backscatter Study Circulation<br>Journal, 2002, 66, 897-901. | 1.6 | 3         |
| 44 | Influence of propranolol infusion on cyclic variation of myocardial integrated backscatter in<br>hypertrophic obstructive cardiomyopathy. Journal of the American Society of Echocardiography,<br>2002, 15, 1251-1255.                  | 2.8 | 1         |
| 45 | Prognostic implications derived from ultrasonic tissue characterization with myocardial integrated backscatter in patients with dilated cardiomyopathy. International Journal of Cardiology, 2002, 84, 133-140.                         | 1.7 | 6         |
| 46 | A Case of Cardiomyopathy Showing Progression From the Hypertrophic to the Dilated Form. Japanese<br>Circulation Journal, 2001, 65, 691-694.   | 1.0 | 35        |
| 47 | Role of Transesophageal Echocardiography in the Prediction of Thromboembolism in Patients With<br>Chronic Nonvalvular Atrial Fibrillation Japanese Circulation Journal, 2001, 65, 874-878.  | 1.0 | 15        |
| 48 | Prognostic Value of Left Atrial Appendage Function in Patients With Dilated Cardiomyopathy. Japanese<br>Circulation Journal, 2000, 64, 340-344.   | 1.0 | 5         |
| 49 | Myocardial integrated ultrasonic backscatter in patients with dilated cardiomyopathy: Prediction of response to β-blocker therapy. American Heart Journal, 2000, 139, 905-912.  | 2.7 | 28        |
| 50 | Prediction of mean pulmonary wedge pressure using Doppler pulmonary venous flow variables in hypertrophic cardiomyopathy. International Journal of Cardiology, 2000, 76, 49-56.   | 1.7 | 5         |
| 51 | Solitary Papillary Muscle Hypertrophy as a Possible Form of Hypertrophic Cardiomyopathy. Japanese<br>Circulation Journal, 1998, 62, 811-816.  | 1.0 | 45        |
| 52 | A Case of Hypertrophic Obstructive Cardiomyopathy With Localized Upper Septal Hypertrophy.<br>Japanese Circulation Journal, 1998, 62, 621-622.  | 1.0 | 0         |
| 53 | Effect of Beta-Blocker Treatment in Dilated Cardiomyopathy With Bradyarrhythmias. Japanese<br>Circulation Journal, 1998, 62, 765-769.   | 1.0 | 2         |
| 54 | Comparison of Immediate and Long-Term Outcome of Percutaneous Transvenous Mitral<br>Commissurotomy in Patients Who Have and Have not Undergone Previous Surgical Commissurotomy.<br>Japanese Circulation Journal, 1997, 61, 218-222.    | 1.0 | 3         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Comparison of the Therapeutic Effects of the Beta-Blocking Agent Bisoprolol and the<br>Calcium-Blocking Agent Diltiazem in Patients With Heart Failure Due to Dilated Cardiomyopathy.<br>Japanese Circulation Journal, 1996, 60, 767-773. | 1.0 | 5         |