Zsolt Szepfalusi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9504318/publications.pdf

Version: 2024-02-01

126858 149623 3,591 106 33 56 citations g-index h-index papers 123 123 123 4060 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Acute exacerbations in children's interstitial lung disease. Thorax, 2022, 77, 799-804.	2.7	5
2	Characterization of the antibody response to SARSâ€CoVâ€2 in a mildly affected pediatric population. Pediatric Allergy and Immunology, 2022, 33, e13737.	1.1	5
3	S3 Guideline Allergy Prevention. Allergologie, 2022, 6, 61-97.	0.1	52
4	Early priming of asthma and respiratory allergies: Future aspects of prevention. Pediatric Allergy and Immunology, 2022, 33, e13773.	1.1	3
5	Long-Lived Immunity in SARS-CoV-2-Recovered Children and Its Neutralizing Capacity Against Omicron. Frontiers in Immunology, 2022, 13 , .	2.2	15
6	Basophil activation test shows high accuracy in the diagnosis of peanut and tree nut allergy: The Markers of Nut Allergy Study. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 1800-1812.	2.7	37
7	Biologicals in atopic disease in pregnancy: An EAACI position paper. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 71-89.	2.7	41
8	Modeling the conversion between specific IgE test platforms for nut allergens in children and adolescents. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 831-841.	2.7	13
9	Peanutâ€induced anaphylaxis in children and adolescents: Data from the European Anaphylaxis Registry. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 1517-1527.	2.7	39
10	Hypopyon sign as an unusual complication of varicella infection in aÂgirl with atopic dermatitis. Wiener Medizinische Wochenschrift, 2021, 171, 61-64.	0.5	1
11	Update of the S2k guideline on the management of IgE-mediated food allergies. Allergologie Select, 2021, 5, 195-243.	1.6	42
12	Lessons from low seroprevalence of SARSâ€CoVâ€⊋ antibodies in schoolchildren: A crossâ€sectional study. Pediatric Allergy and Immunology, 2021, 32, 762-770.	1.1	29
13	Characteristics, management, and outcome of pediatric patients with postâ€transplant lymphoproliferative disease—A 20 years' experience from Austria. Cancer Reports, 2021, 4, e1375.	0.6	10
14	Case Report: Maintenance of Desensitization to Nebulized Colomycin Over 10 Years. Frontiers in Pediatrics, 2021, 9, 663228.	0.9	2
15	Biologicals in childhood severe asthma: the European PERMEABLE survey on the <i>status quo</i> . ERJ Open Research, 2021, 7, 00143-2021.	1.1	9
16	Answers to burning questions for clinical allergologists related to the new COVID-19 vaccines. Allergo Journal International, 2021, 30, 169-175.	0.9	5
17	Guideline on management of suspected adverse reactions to ingested histamine - Guideline of the German Society for Allergology and Clinical Immunology (DGAKI), the Society for Pediatric Allergology and Environmental Medicine (GPA), the Medical Association. Allergologie Select, 2021, 5, 305-314.	1.6	22
18	Is the concept of "peanut-free schools―useful in the routine management of peanut-allergic children at risk of anaphylaxis?. Allergo Journal International, 2020, 29, 169-173.	0.9	6

#	Article	IF	CITATIONS
19	Transfer and loss of allergenâ€specific responses via stem cell transplantation: A prospective observational study. Allergy: European Journal of Allergy and Clinical Immunology, 2020, 75, 2243-2253.	2.7	3
20	Dietary implications in acetylsalicylic acid intolerance. Allergo Journal International, 2020, 29, 93-96.	0.9	4
21	Toward personalization of asthma treatment according to trigger factors. Journal of Allergy and Clinical Immunology, 2020, 145, 1529-1534.	1.5	30
22	Soluble FclµRI, IgE, and tryptase as potential biomarkers of rapid desensitizations for platin IgE sensitized cancer patients. Journal of Allergy and Clinical Immunology: in Practice, 2020, 8, 2085-2088.e10.	2.0	11
23	Subsequent MRI of pediatric patients after an adverse reaction to Gadolinium-based contrast agents. PLoS ONE, 2020, 15, e0230781.	1.1	7
24	Anwendung von Biologika bei allergischen und Typ-2- entzündlichen Erkrankungen in der aktuellen COVID-19-Pandemie – ein Positionspapier von AeDA, DGAKI, GPA, ÖGAI, LGAI, ŖGP, ARIA und EAACI. Allergologie, 2020, 43, 255-271.	0.1	9
25	Use of biologicals in allergic and type-2 inflammatory diseases during the current COVID-19 pandemic. Allergologie Select, 2020, 4, 53-68.	1.6	38
26	The soluble isoform of human FcÉ> <scp>RI</scp> is an endogenous inhibitor of IgEâ€mediated mast cell responses. Allergy: European Journal of Allergy and Clinical Immunology, 2019, 74, 236-245.	2.7	21
27	PDâ€L1 and PD1 expression in postâ€transplantation lymphoproliferative disease (PTLD) of childhood and adolescence: An inter†and intraâ€individual descriptive study covering the whole spectrum of PTLD categories. Cancer Medicine, 2019, 8, 4656-4668.	1.3	14
28	ICER report for peanut OIT comes up short. Annals of Allergy, Asthma and Immunology, 2019, 123, 430-432.	0.5	15
29	Safety Of 300IR 5-Grass Tablet In Grass Pollen–Allergic Children With Or Without Controlled Asthma: Further Data From A Post-Marketing Observational Study. Journal of Allergy and Clinical Immunology, 2019, 143, AB198.	1.5	0
30	Only αâ€Gal bound to lipids, but not to proteins, is transported across enterocytes as an IgEâ€reactive molecule that can induce effector cell activation. Allergy: European Journal of Allergy and Clinical Immunology, 2019, 74, 1956-1968.	2.7	49
31	Real-life safety of 5-grass pollen tablet in 5-to-9-year-old children with allergic rhinoconjunctivitis. Annals of Allergy, Asthma and Immunology, 2019, 123, 70-80.	0.5	9
32	Evidence for a Role of TGF- \hat{l}^2 -Activated Kinase 1 and MAP3K7 Binding Protein 3 in Peanut-Specific T-Cell Responses. International Archives of Allergy and Immunology, 2019, 179, 10-16.	0.9	4
33	Soluble FcÉ> <scp>RI</scp> : A biomarker for IgEâ€mediated diseases. Allergy: European Journal of Allergy and Clinical Immunology, 2019, 74, 1381-1384.	2.7	15
34	An optimized, robust and reproducible protocol to generate well-differentiated primary nasal epithelial models from extremely premature infants. Scientific Reports, 2019, 9, 20069.	1.6	3
35	Preventive sublingual immunotherapy with House Dust Mite extract modulates epitope diversity in preâ€school children. Allergy: European Journal of Allergy and Clinical Immunology, 2019, 74, 780-787.	2.7	19
36	Engineering of structural variants of the major peanut allergens Ara h 2 and Ara h 6 for allergen-specific immunotherapy. Journal of Allergy and Clinical Immunology, 2019, 143, 1226-1229.e10.	1.5	11

#	Article	IF	CITATIONS
37	Nicht-Zöliakie-Gluten-/Weizen-Sensitivitä(NCGS) – ein bislang nicht definiertes Krankheitsbild mit fehlenden Diagnosekriterien und unbekannter Häfigkeit. Allergologie, 2019, 42, 111-117.	0.1	О
38	Arterial partial pressure of oxygen (PaO2) - a marker for cystic fibrosis (CF) lung disease and chronic airway infection. , $2019, , .$		0
39	An algorithm for the classification of mRNA patterns in eosinophilic esophagitis: Integration of machine learning. Journal of Allergy and Clinical Immunology, 2018, 141, 1354-1364.e9.	1.5	22
40	Acute Respiratory Distress in a Child with H3N2 Infection. Klinische Padiatrie, 2018, 230, 50-52.	0.2	0
41	Non-celiac gluten/wheat sensitivity (NCGS)—aÂcurrently undefined disorder without validated diagnostic criteria and of unknown prevalence. Allergo Journal International, 2018, 27, 147-151.	0.9	33
42	The influence of retransplantation on survival for pediatric lung transplant recipients. Journal of Thoracic and Cardiovascular Surgery, 2018, 156, 2025-2034.e2.	0.4	17
43	Safety of 300IR 5-Grass Tablet in Children with GrassÂPollen-Induced Allergic Rhinoconjunctivitis: Results of an Observational, Post-Marketing Safety Study. Journal of Allergy and Clinical Immunology, 2018, 141, AB402.	1.5	1
44	Bilateral Infiltrative Dacryoadenitis and Granulomatous Pneumonia in an 11-Year-Old Boy: A Case Report. Klinische Padiatrie, 2017, 229, 96-99.	0.2	0
45	Early detection of lung function decrements in children and adolescents with cystic fibrosis using new reference values. Wiener Klinische Wochenschrift, 2017, 129, 533-539.	1.0	3
46	Aspergillus fumigatus-specific immunoglobulin levels in BALF of CF patients. ERJ Open Research, 2017, 3, 00067-2017.	1,1	1
47	Markers of tolerance development to food allergens. Allergy: European Journal of Allergy and Clinical Immunology, 2016, 71, 1393-1404.	2.7	24
48	Linear epitope mapping of peanut allergens demonstrates individualized and persistent antibody-binding patterns. Journal of Allergy and Clinical Immunology, 2016, 138, 1728-1730.	1.5	16
49	Diagnosis and management of asthma – Statement on the 2015 GINA Guidelines. Wiener Klinische Wochenschrift, 2016, 128, 541-554.	1.0	93
50	A distinct microbiota composition is associated with protection from food allergy in an oral mouse immunization model. Clinical Immunology, 2016, 173, 10-18.	1.4	52
51	High-throughput sequencing enhanced phage display enables the identification of patient-specific epitope motifs in serum. Scientific Reports, 2015, 5, 12913.	1.6	62
52	Component-Resolved IgE Profiles in Austrian Patients with a Convincing History of Peanut Allergy. International Archives of Allergy and Immunology, 2015, 166, 13-24.	0.9	28
53	Differential expression of IL-33 and HMGB1 in the lungs of stable cystic fibrosis patients. European Respiratory Journal, 2014, 44, 802-805.	3.1	35
54	Preventive sublingual immunotherapy in preschool children: First evidence for safety and proâ€tolerogenic effects. Pediatric Allergy and Immunology, 2014, 25, 788-795.	1.1	53

#	Article	IF	Citations
55	IgE versus IgG4 epitopes of the peanut allergen Ara h 1 in patients with severe allergy. Molecular Immunology, 2014, 58, 169-176.	1.0	21
56	IgE cross-reactivity between the major peanut allergen Ara h 2 and the nonhomologous allergens Ara h 1 and Ara h 3. Journal of Allergy and Clinical Immunology, 2013, 132, 118-124.e12.	1.5	85
57	A Th17- and Th2-skewed Cytokine Profile in Cystic Fibrosis Lungs Represents a Potential Risk Factor for <i>Pseudomonas aeruginosa</i> Infection. American Journal of Respiratory and Critical Care Medicine, 2013, 187, 621-629.	2.5	151
58	Lung transplantation in children and young adults: a 20-year single-centre experience. European Respiratory Journal, 2012, 40, 462-469.	3.1	24
59	Novel developments in the mechanisms of immune tolerance to allergens. Human Vaccines and Immunotherapeutics, 2012, 8, 1485-1491.	1.4	6
60	Fc-Epsilon-RI, the High Affinity IgE-Receptor, Is Robustly Expressed in the Upper Gastrointestinal Tract and Modulated by Mucosal Inflammation. PLoS ONE, 2012, 7, e42066.	1.1	23
61	lgE epitopes of intact and digested Ara h 1: A comparative study in humans and rats. Molecular Immunology, 2012, 51, 337-346.	1.0	26
62	Cord Blood Derived CD4+CD25high T Cells Become Functional Regulatory T Cells upon Antigen Encounter. PLoS ONE, 2012, 7, e29355.	1.1	36
63	Impact of systemic immuno-suppression after solid organ transplantation on allergen-specific responses. Allergy: European Journal of Allergy and Clinical Immunology, 2011, 66, 271-278.	2.7	34
64	Provoking allergens and treatment of anaphylaxis in children and adolescents – data from the anaphylaxis registry of Germanâ€speaking countries. Pediatric Allergy and Immunology, 2011, 22, 568-574.	1.1	137
65	Allergic sensitization in kidney-transplanted patients prevails under tacrolimus treatment. Clinical and Experimental Allergy, 2011, 41, 1125-1132.	1.4	18
66	Clinical practice. European Journal of Pediatrics, 2011, 170, 137-148.	1.3	0
67	Boiling peanut Ara h 1 results in the formation of aggregates with reduced allergenicity. Molecular Nutrition and Food Research, 2011, 55, 1887-1894.	1.5	101
68	A Soluble Form of the High Affinity IgE Receptor, Fc-Epsilon-RI, Circulates in Human Serum. PLoS ONE, 2011, 6, e19098.	1.1	35
69	Effect of Heating and Glycation on the Allergenicity of 2S Albumins (Ara h 2/6) from Peanut. PLoS ONE, 2011, 6, e23998.	1.1	99
70	Prebiotic oligosaccharides: <i>In vitro</i> evidence for gastrointestinal epithelial transfer and immunomodulatory properties. Pediatric Allergy and Immunology, 2010, 21, 1179-1188.	1.1	201
71	foods is not recommended Leitlinie der Deutschen Gesellschaft für Allergologie und klinische Immunologie (DGAKI), des Ärzteverbandes Deutscher Allergologen (ÄDA), der Gesellschaft für PÃdiatrische Allergologie und Umweltmedizin (GPA), der Österreichischen Gesellschaft für Allergologie und Immunologie (ÖGAI) und der Schweizerischen Gesellschaft für Allergologie und	0.1	0
72	Immunologie (SGAI) nach Acebernahme des Task Forc. Laboratoriums Medizin, 2010, 34, 169-170. Cysteinyl-leukotrienes in nasal lavage fluid in children with asthma. Pediatric Allergy and Immunology, 2008, 19, 227-232.	1.1	2

5

#	Article	IF	Citations
73	Allergen specific responses in cord and adult blood are differentially modulated in the presence of endotoxins. Clinical and Experimental Allergy, 2008, 38, 1627-1634.	1.4	9
74	Comparison of Immunological Status of African and European Cord Blood Mononuclear Cells. Pediatric Research, 2008, 64, 631-636.	1.1	23
75	The Maturation of the Fetal and Neonatal Immune System. Journal of Nutrition, 2008, 138, 1773S.	1.3	14
76	Immunoglobulin E-Mediated Allergies in Lung-Transplanted Adults. Transplantation, 2007, 84, 275-279.	0.5	11
77	Heat- and Formalin-Inactivated Probiotic Bacteria Induce Comparable Cytokine Patterns in Intestinal Epithelial Cell–Leucocyte Cocultures. Journal of Food Protection, 2007, 70, 2417-2421.	0.8	10
78	Exhaled nitric oxide in the management of childhood asthma: A prospective 6-months study. Pediatric Pulmonology, 2006, 41, 855-862.	1.0	122
79	Possible dysregulation of chaperon and metabolic proteins in cystic fibrosis bronchial tissue. Proteomics, 2006, 6, 3381-3388.	1.3	29
80	Absence of systemic immunologic changes during dose build-up phase and early maintenance period in effective specific sublingual immunotherapy in children. Clinical and Experimental Allergy, 2006, 36, 32-39.	1.4	55
81	Most of diaplacentally transferred allergen is retained in the placenta. Clinical and Experimental Allergy, 2006, 36, 1130-1137.	1.4	33
82	Early exposure to latex products mediates latex sensitization in spina bifida but not in other diseases with comparable latex exposure rates. Clinical and Experimental Allergy, 2006, 36, 1242-1246.	1.4	24
83	Gastro-duodenal digestion products of the major peanut allergen Ara h 1 retain an allergenic potential. Clinical and Experimental Allergy, 2006, 36, 1281-1288.	1.4	88
84	Immunosuppressive Therapy Does Not Prevent the Occurrence of Immunoglobulin E-Mediated Allergies in Children and Adolescents With Organ Transplants. Pediatrics, 2006, 118, e764-e770.	1.0	28
85	Human Milk–Derived Oligosaccharides and Plant-Derived Oligosaccharides Stimulate Cytokine Production of Cord Blood T-Cells In Vitro. Pediatric Research, 2004, 56, 536-540.	1.1	182
86	Increased prevalence of latex-sensitization among children with chronic renal failure. Allergy: European Journal of Allergy and Clinical Immunology, 2004, 59, 734-738.	2.7	7
87	Acute hemorrhagic respiratory failure caused by Wegener's granulomatosis successfully treated by bronchoalveolar lavage with diluted surfactant. Wiener Klinische Wochenschrift, 2003, 115, 793-796.	1.0	6
88	Dose-Dependent and Preterm- Accentuated Diaplacental Transport of Nutritive Allergens in vitro. International Archives of Allergy and Immunology, 2003, 130, 25-32.	0.9	19
89	Monocyte phagocytosis as a reliable parameter for predicting early-onset sepsis in very low birthweight infants. Early Human Development, 2002, 67, 1-9.	0.8	36
90	Glucocorticoids enhance interleukin-4 production to neo-antigen (hyaluronidase) in children immunocompromised with cytostatic drugs. Pediatric Allergy and Immunology, 2002, 13, 375-380.	1.1	2

#	Article	IF	Citations
91	Differential storage of hydroxyethyl starch (HES) in the skin: an immunoelectron-microscopical long-term study. Cell and Tissue Research, 2001, 304, 261-269.	1.5	64
92	Culture conditions for the detection of allergen-specific T-cell reactivity in cord blood: Influence of cell number. Pediatric Allergy and Immunology, 2000, 11, 4-11.	1,1	13
93	Direct Evidence for Transplacental Allergen Transfer. Pediatric Research, 2000, 48, 404-407.	1.1	143
94	Characterization of T Cell Responses to Hev b 3, an Allergen Associated with Latex Allergy in Spina Bifida Patients. Journal of Immunology, 2000, 164, 4393-4398.	0.4	40
95	THE SIGNIFICANCE OF CHICKEN MEAT ALLERGY WITHOUT SENSITIZATION TO EGG PROTEINS. Annals of Allergy, Asthma and Immunology, 2000, 85, 84.	0.5	1
96	Transplacental priming of the human immune system with environmental allergens can occur early in gestation. Journal of Allergy and Clinical Immunology, 2000, 106, 530-536.	1.5	103
97	Latex sensitization in spina bifida appears disease-associated. Journal of Pediatrics, 1999, 134, 344-348.	0.9	59
98	Molecular Characterization of an Autoallergen, Hom s 1, Identified by Serum IgE from Atopic Dermatitis Patients11Part of this manuscript was previously published in the proceedings of the 21st Symposium of the Collegium Internationale Allergologicum "Allergy – A Disease of Modern Societyâ€, Int Arch Allergy Immunol 113:209–212, 1998. Journal of Investigative Dermatology, 1998, 111, 1178-1183.	0.3	122
99	Cord blood mononuclear cells and milk-specific T-cell clones are tools to evaluate the residual immunogenicity of hydrolyzed milk formulas. Journal of Allergy and Clinical Immunology, 1998, 101, 514-520.	1.5	21
100	Allergy to chicken meat without sensitization to egg proteins: A case reporta †a †a †a †a Journal of Allergy and Clinical Immunology, 1997, 100, 577-579.	1.5	27
101	Prenatal Contact with Inhalant Allergens. Pediatric Research, 1997, 41, 128-131.	1.1	84
102	Tumor necrosis factor- \hat{l}_{\pm} induction of major histocompatibility complex class. II antigen expression is inhibited by interferon- \hat{l}_{\pm} in a monocytic cell line. European Journal of Immunology, 1995, 25, 3202-3206.	1.6	7
103	Multiple T cell specificities forBet v I, the major birch pollen allergen, within single individuals. Studies using specific T cell clones and overlapping peptides. European Journal of Immunology, 1993, 23, 1523-1527.	1.6	57
104	T cell clones specific for Bet ν I, the major birch pollen allergen, crossreact with the major allergens of hazel, Cor a I, and alder, Aln g I. Molecular Immunology, 1993, 30, 1323-1329.	1.0	49
105	Detection of IgE Antibodies Specific for Allergens in Cow Milk and Cow Dander. International Archives of Allergy and Immunology, 1993, 102, 288-294.	0.9	28
106	Clinical Incidence of Food Allergy. , 0, , 26-41.		0