Manuela Ribeiro Carrott

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9506245/manuela-ribeiro-carrott-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66 4,466 89 32 h-index g-index citations papers 6.1 4,804 90 5.35 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
89	Mesoporous silica nanoparticles with manganese and lanthanide salts: synthesis, characterization and cytotoxicity studies. <i>Dalton Transactions</i> , 2021 , 50, 8588-8599	4.3	
88	Boosting Antimicrobial Activity of Ciprofloxacin by Functionalization of Mesoporous Silica Nanoparticles. <i>Pharmaceutics</i> , 2021 , 13,	6.4	2
87	Adsorption of the inhalation anaesthetic isoflurane by activated carbon fibres with reference data on non-porous carbon. <i>Adsorption</i> , 2020 , 26, 627-632	2.6	
86	Evolution of porosity of activated carbon fibres prepared from pre-oxidized acrylic fibres. <i>Microporous and Mesoporous Materials</i> , 2018 , 264, 176-180	5.3	6
85	An innovative approach to develop microporous activated carbons in oxidising atmosphere. <i>Journal of Cleaner Production</i> , 2017 , 156, 549-555	10.3	25
84	Porosity in ion-exchanged and acid activated clays evaluated using n-nonane pre-adsorption. <i>Microporous and Mesoporous Materials</i> , 2016 , 232, 238-247	5.3	1
83	Selective methoxylation of limonene over ion-exchanged and acid-activated clays. <i>Applied Catalysis A: General</i> , 2013 , 467, 38-46	5.1	9
82	Surface and porous characterisation of activated carbons made from a novel biomass precursor, the esparto grass. <i>Applied Surface Science</i> , 2013 , 265, 919-924	6.7	59
81	Amine-Modified Carbon Aerogels for CO2 Capture. Adsorption Science and Technology, 2013, 31, 223-23	32 3.6	9
80	Trends in the condensation/evaporation and adsorption enthalpies of volatile organic compounds on mesoporous silica materials. <i>Microporous and Mesoporous Materials</i> , 2012 , 151, 223-230	5.3	35
79	Core-shell polymer aerogels prepared by co-polymerisation of 2,4-dihydroxybenzoic acid, resorcinol and formaldehyde. <i>Microporous and Mesoporous Materials</i> , 2012 , 158, 170-174	5.3	14
78	On the use of ethanol for evaluating microporosity of activated carbons prepared from Polish lignite. <i>Fuel Processing Technology</i> , 2012 , 103, 34-38	7.2	5
77	The influence of the activated carbon post-treatment on the phenolic compounds removal. <i>Fuel Processing Technology</i> , 2012 , 103, 64-70	7.2	43
76	Hydrocarbons adsorption on templated mesoporous materials: effect of the pore size, geometry and surface chemistry. <i>New Journal of Chemistry</i> , 2011 , 35, 407-416	3.6	46
75	Tailoring the surface chemistry of mesocellular foams for protein adsorption. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2011 , 386, 25-35	5.1	27
74	Effect of the activating agent on physico-chemical and electrical properties of activated carbon cloths developed from a novel cellulosic precursor. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2011 , 378, 87-93	5.1	21
73	Diffusion of gases in metal containing carbon aerogels. Fuel Processing Technology, 2011, 92, 229-233	7.2	6

72	Production of activated carbons from almond shell. Fuel Processing Technology, 2011, 92, 234-240	7.2	72
71	Influence of oxidation process on the adsorption capacity of activated carbons from lignocellulosic precursors. <i>Fuel Processing Technology</i> , 2011 , 92, 241-246	7.2	50
70	Direct synthesis without addition of acid of Al-SBA-15 with controllable porosity and high hydrothermal stability. <i>Microporous and Mesoporous Materials</i> , 2011 , 142, 526-534	5.3	45
69	Activated Carbons Prepared from Natural and Synthetic Raw Materials with Potential Applications in Gas Separations. <i>Advanced Materials Research</i> , 2010 , 107, 1-7	0.5	10
68	Adsorption Properties of Activated Carbons Prepared from Recycled PET in the Removal of Organic Pollutants from Aqueous Solutions. <i>Adsorption Science and Technology</i> , 2010 , 28, 807-821	3.6	9
67	Adsorption of Bovine Serum Albumin onto Mesocellular Silica Foams with Differently Sized Cells and Windows. <i>Adsorption Science and Technology</i> , 2010 , 28, 777-788	3.6	6
66	Thermal conversion of a novel biomass agricultural residue (vine shoots) into activated carbon using activation with CO2. <i>Journal of Analytical and Applied Pyrolysis</i> , 2010 , 87, 8-13	6	56
65	Adsorption of volatile organic compounds onto activated carbon cloths derived from a novel regenerated cellulosic precursor. <i>Journal of Hazardous Materials</i> , 2010 , 177, 175-82	12.8	110
64	Characterisation of the porosity of polymer and carbon aerogels containing Fe, Ni or Cu prepared from 2,4-dihydroxybenzoic acid by n-nonane pre-adsorption and density functional theory. <i>Microporous and Mesoporous Materials</i> , 2010 , 131, 75-81	5.3	18
63	Comparison of the Dubinin R adushkevich and Quenched Solid Density Functional Theory approaches for the characterisation of narrow microporosity in activated carbons obtained by chemical activation with KOH or NaOH of Kraft and hydrolytic lignins. <i>Carbon</i> , 2010 , 48, 4162-4169	10.4	23
62	Influence of thermal treatment conditions on porosity development and mechanical properties of activated carbon cloths from a novel nanofibre-made fabric. <i>Materials Chemistry and Physics</i> , 2009 , 116, 310-314	4.4	14
61	PEEK: An excellent precursor for activated carbon production for high temperature application. <i>Fuel Processing Technology</i> , 2009 , 90, 232-236	7.2	13
60	Photocatalytic decolorization of methylene blue in the presence of TiO2/ZnS nanocomposites. Journal of Hazardous Materials, 2009 , 161, 545-50	12.8	166
59	Characterisation by adsorption of various organic vapours of the porosity of fresh and coked H-MCM-22 zeolites. <i>Microporous and Mesoporous Materials</i> , 2009 , 118, 473-479	5.3	5
58	Using alkali metals to control reactivity and porosity during physical activation of demineralised kraft lignin. <i>Carbon</i> , 2009 , 47, 1012-1017	10.4	31
57	New carbon materials with high porosity in the 1½nm range obtained by chemical activation with phosphoric acid of resorcinolformaldehyde aerogels. <i>Carbon</i> , 2009 , 47, 1874-1877	10.4	31
56	Low-Cost Adsorbents: Growing Approach to Wastewater Treatment Review. <i>Critical Reviews in Environmental Science and Technology</i> , 2009 , 39, 783-842	11.1	728
55	Characterisation of Surface Ionisation and Adsorption of Phenol and 4-Nitrophenol on Non-Porous Carbon Blacks. <i>Adsorption Science and Technology</i> , 2008 , 26, 827-841	3.6	9

54	Reactivity and porosity development during pyrolysis and physical activation in CO2 or steam of kraft and hydrolytic lignins. <i>Journal of Analytical and Applied Pyrolysis</i> , 2008 , 82, 264-271	6	58
53	Evaluation of the thermal and mechanical stability of Si-MCM-41 and Ti-MCM-41 synthesised at room temperature. <i>Microporous and Mesoporous Materials</i> , 2008 , 108, 283-293	5.3	28
52	Influence of preparation conditions in the textural and chemical properties of activated carbons from a novel biomass precursor: the coffee endocarp. <i>Bioresource Technology</i> , 2008 , 99, 7224-31	11	82
51	In vitro adsorption study of fluoxetine in activated carbons and activated carbon fibres. <i>Fuel Processing Technology</i> , 2008 , 89, 549-555	7.2	17
50	Production of activated carbons from coffee endocarp by CO2 and steam activation. <i>Fuel Processing Technology</i> , 2008 , 89, 262-268	7.2	116
49	Structure and catalytic activity of Al-MCM-48 materials synthesised at room temperature: Influence of the aluminium source and calcination conditions. <i>Microporous and Mesoporous Materials</i> , 2008 , 114, 293-302	5.3	14
48	Adsorption of toluene, methylcyclohexane and neopentane on silica MCM-41. Adsorption, 2008, 14, 367	7-3.75	23
47	Ligninfrom natural adsorbent to activated carbon: a review. <i>Bioresource Technology</i> , 2007 , 98, 2301-13	2 11	741
46	Use of n-nonane pre-adsorption for the determination of micropore volume of activated carbon aerogels. <i>Carbon</i> , 2007 , 45, 1310-1313	10.4	23
45	High micropore activated carbon prepared from polyetheretherketone. <i>Carbon</i> , 2007 , 45, 2454-2455	10.4	8
44	Effect of hydrothermal treatment on the structure, stability and acidity of Al containing MCM-41 and MCM-48 synthesised at room temperature. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2007 , 310, 9-19	5.1	20
43	Structural and catalytic properties of TiMCM-41 synthesised at room temperature up to high Ti content. <i>Microporous and Mesoporous Materials</i> , 2007 , 100, 312-321	5.3	59
42	Interaction of water vapour at 298K with Al-MCM-41 materials synthesised at room temperature. <i>Microporous and Mesoporous Materials</i> , 2007 , 103, 82-93	5.3	25
41	Conventional and microwave induced pyrolysis of coffee hulls for the production of a hydrogen rich fuel gas. <i>Journal of Analytical and Applied Pyrolysis</i> , 2007 , 79, 128-135	6	233
40	Production of activated carbon cloth with controlled structure and porosity from a new precursor. Journal of Porous Materials, 2007 , 14, 181-190	2.4	11
39	Influence of the synthesis conditions on the pore structure and stability of MCM-41 materials containing aluminium or titanium. <i>Studies in Surface Science and Catalysis</i> , 2007 , 160, 567-574	1.8	5
38	Adsorption of Aqueous Mercury(II) Species by Commercial Activated Carbon Fibres with and without Surface Modification. <i>Adsorption Science and Technology</i> , 2007 , 25, 199-215	3.6	9
37	Characterization of micro-mesoporous materials from nitrogen and toluene adsorption: experiment and modeling. <i>Langmuir</i> , 2006 , 22, 513-6	4	68

(2001-2006)

36	Influence of Degassing Temperature on the Performance of Carbon Molecular Sieves for Separations Involving O2, N2, CO2, and CH4. <i>Energy & Documents</i> 2006, 20, 766-770	4.1	10
35	On the Lo/IRange of the TVFM. Adsorption Science and Technology, 2006, 24, 205-214	3.6	5
34	New acrylic monolithic carbon molecular sieves for O2/N2 and CO2/CH4 separations. <i>Carbon</i> , 2006 , 44, 1158-1165	10.4	28
33	Application of different equations to adsorption isotherms of phenolic compounds on activated carbons prepared from cork. <i>Carbon</i> , 2006 , 44, 2422-2429	10.4	72
32	Carbon molecular sieves from PET for separations involving CH4, CO2, O2 and N2. <i>Applied Surface Science</i> , 2006 , 252, 5948-5952	6.7	38
31	Controlling the micropore size of activated carbons for the treatment of fuels and combustion gases. <i>Applied Surface Science</i> , 2006 , 252, 5953-5956	6.7	13
30	Mercury removal from aqueous solution and flue gas by adsorption on activated carbon fibres. <i>Applied Surface Science</i> , 2006 , 252, 6046-6052	6.7	54
29	Comparative study of Al-MCM materials prepared at room temperature with different aluminium sources and by some hydrothermal methods. <i>Microporous and Mesoporous Materials</i> , 2006 , 92, 270-285	5.3	48
28	Pore size control in activated carbons obtained by pyrolysis under different conditions of chemically impregnated cork. <i>Journal of Analytical and Applied Pyrolysis</i> , 2006 , 75, 120-127	6	49
27	Separating surface and solvent effects and the notion of critical adsorption energy in the adsorption of phenolic compounds by activated carbons. <i>Langmuir</i> , 2005 , 21, 11863-9	4	29
26	Adsorption of n-pentane and iso-octane for the evaluation of the porosity of dealuminated BEA zeolites. <i>Microporous and Mesoporous Materials</i> , 2005 , 81, 259-267	5.3	21
25	From commercial textile fibres to activated carbon fibres: Chemical transformations. <i>Materials Chemistry and Physics</i> , 2005 , 93, 100-108	4.4	41
24	Microwave heating as a novel method for introducing molecular sieve properties into activated carbon fibres. <i>Carbon</i> , 2004 , 42, 227-229	10.4	20
23	Preparation and modification of activated carbon fibres by microwave heating. <i>Carbon</i> , 2004 , 42, 1315-	138 <u>0</u> 4	121
22	Preparation of Activated Carbons from Cork by Physical Activation in Carbon Dioxide. <i>Adsorption Science and Technology</i> , 2003 , 21, 669-681	3.6	29
21	Scanning electron microscopy of activated carbons prepared from commercial acrylic textile fibres. <i>Fuel Processing Technology</i> , 2002 , 77-78, 381-387	7.2	7
20	Pore structural characteristics of mesostructured materials prepared under different conditions. <i>Studies in Surface Science and Catalysis</i> , 2002 , 144, 363-370	1.8	4
19	Thermal treatments of activated carbon fibres using a microwave furnace. <i>Microporous and Mesoporous Materials</i> , 2001 , 47, 243-252	5.3	82

18	Adsorption of nitrogen, neopentane, n-hexane, benzene and methanol for the evaluation of pore sizes in silica grades of MCM-41. <i>Microporous and Mesoporous Materials</i> , 2001 , 47, 323-337	5.3	99
17	Reference data for the adsorption of methanol on carbon materials. <i>Carbon</i> , 2001 , 39, 193-200	10.4	18
16	Reference data for the adsorption of dichloromethane on carbon materials. <i>Carbon</i> , 2001 , 39, 465-472	10.4	11
15	Preparation of activated carbon fibres from acrylic textile fibres. <i>Carbon</i> , 2001 , 39, 1543-1555	10.4	146
14	Reference data for the adsorption of benzene on carbon materials. <i>Carbon</i> , 2000 , 38, 465-474	10.4	44
13	Application of the Method for Analysing Benzene, Dichloromethane and Methanol Isotherms Determined on Molecular Sieve and Superactivated Carbons. <i>Studies in Surface Science and Catalysis</i> , 2000 , 128, 323-331	1.8	9
12	Stabilization of MCM-41 by Pyrolytic Carbon Deposition. <i>Langmuir</i> , 2000 , 16, 9103-9105	4	12
11	Evaluation of the Stoeckli method for the estimation of micropore size distributions of activated charcoal cloths. <i>Carbon</i> , 1999 , 37, 647-656	10.4	32
10	Preparation of activated carbon "membranes" by physical and chemical actication of cork. <i>Carbon</i> , 1999 , 37, 515-517	10.4	22
9	Evaluation of the Stability of Pure Silica MCM-41 toward Water Vapor. <i>Langmuir</i> , 1999 , 15, 8895-8901	4	57
8	Numerical simulation of surface ionisation and specific adsorption on a two-site model of a carbon surface. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1995 , 91, 2179		20
7	Adsorption of Water Vapour by Microporous Magnesium Oxide. <i>Studies in Surface Science and Catalysis</i> , 1994 , 497-506	1.8	3
6	Erradiation of Activated Charcoal Cloth. Studies in Surface Science and Catalysis, 1994, 87, 661-669	1.8	1
5	Infrared and quantitative adsorption study of coordinatively unsaturated cations on magnesium hydroxide. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1993 , 89, 579		10
4	Adsorption of Methanol and Water by Charcoal Cloth. <i>Studies in Surface Science and Catalysis</i> , 1991 , 62, 341-346	1.8	1
3	Microstructure of Ex-Hydroxide Magnesium Oxide & Products of Rehydration. <i>Studies in Surface Science and Catalysis</i> , 1991 , 635-643	1.8	1
2	Physical adsorption of gases by microporous carbons. <i>Colloids and Surfaces</i> , 1991 , 58, 385-400		45
1	Ex-hydroxide magnesium oxide as a model adsorbent for investigation of micropore filling mechanisms. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1991 , 87, 185		19