Anne M May

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9506892/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	OUP accepted manuscript. International Journal of Epidemiology, 2022, , .	1.9	1
2	Supervised exercise after oesophageal cancer surgery: the PERFECT multicentre randomized clinical trial. British Journal of Surgery, 2021, 108, 786-796.	0.3	12
3	A review of the sensitivity of metastatic colorectal cancer patients with deficient mismatch repair to standard-of-care chemotherapy and monoclonal antibodies, with recommendations for future research. Cancer Treatment Reviews, 2021, 95, 102174.	7.7	15
4	Neuro-immune interactions in paclitaxel-induced peripheral neuropathy. Acta Oncológica, 2021, 60, 1369-1382.	1.8	13
5	Checkpoint inhibition: protecting against or predisposing for second primary tumors?. Annals of Oncology, 2021, 32, 935.	1.2	4
6	Effects of and Lessons Learned from an Internet-Based Physical Activity Support Program (with and) Tj ETQq0 0 0 Cancer Survivors: The PABLO Randomized Controlled Trial. Cancers, 2021, 13, 3665.	rgBT /Ove 3.7	erlock 10 Tf 5 14
7	Consumption of Fish and Long-chain n-3 Polyunsaturated Fatty Acids Is Associated With Reduced Risk of Colorectal Cancer in a Large European Cohort. Clinical Gastroenterology and Hepatology, 2020, 18, 654-666.e6.	4.4	74
8	Transferring effective interventions for cancer-related fatigue from the adjuvant to the advanced cancer session: does it work?. Annals of Oncology, 2020, 31, 9-10.	1.2	1
9	Socio-ecological correlates of physical activity in breast and colon cancer survivors 4 years after participation in a randomized controlled exercise trial (PACT study). PLoS ONE, 2020, 15, e0231663.	2.5	5
10	Effects and moderators of exercise on sleep in adults with cancer: Individual patient data and aggregated meta-analyses. Journal of Psychosomatic Research, 2019, 124, 109746.	2.6	20
11	Skeletal muscle mass loss and doseâ€imiting toxicities in metastatic colorectal cancer patients. Journal of Cachexia, Sarcopenia and Muscle, 2019, 10, 803-813.	7.3	65
12	Physical activity levels of women with breast cancer during and after treatment, a comparison with the Dutch female population. Acta Oncológica, 2019, 58, 673-681.	1.8	24
13	Don't forget about the "R―in cmRCT: reply to Groenwold and van Smeden. Journal of Clinical Epidemiology, 2019, 106, 143-144.	5.0	1
14	Breast Cancer Survivors' Experiences With an Activity Tracker Integrated Into a Supervised Exercise Program: Qualitative Study. JMIR MHealth and UHealth, 2019, 7, e10820.	3.7	23
15	Managing unsolicited findings in genomics: A qualitative interview study with cancer patients. Psycho-Oncology, 2018, 27, 1327-1333.	2.3	15
16	Severe depression more common in patients with ductal carcinoma in situ than early-stage invasive breast cancer patients. Breast Cancer Research and Treatment, 2018, 167, 205-213.	2.5	14
17	(Cost-)effectiveness of an internet-based physical activity support program (with and without) Tj ETQq1 1 0.7843 of the PABLO trial. BMC Cancer, 2018, 18, 1073.	14 rgBT / 2.6	Overlock 10 14
18	The Effect of Physical Activity Interventions Comprising Wearables and Smartphone Applications on Physical Activity: a Systematic Review and Meta-analysis. Sports Medicine - Open, 2018, 4, 42.	3.1	188

ANNE M MAY

#	Article	IF	CITATIONS
19	The 2017 Dutch Physical Activity Guidelines. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 58.	4.6	123
20	Randomised controlled trial protocol (GRIP study): examining the effect of involvement of a general practitioner and home care oncology nurse after a cancer diagnosis on patient reported outcomes and healthcare utilization. BMC Cancer, 2018, 18, 132.	2.6	14
21	Cost-effectiveness of capecitabine and bevacizumab maintenance treatment after first-line induction treatment in metastatic colorectal cancer. European Journal of Cancer, 2017, 75, 204-212.	2.8	24
22	Physical activity, mediating factors and risk of colon cancer: insights into adiposity and circulating biomarkers from the EPIC cohort. International Journal of Epidemiology, 2017, 46, 1823-1835.	1.9	19
23	Innovation in neurosurgery: less than IDEAL? A systematic review. Acta Neurochirurgica, 2017, 159, 1957-1966.	1.7	21
24	The effects of exercise on the quality of life of patients with breast cancer (the UMBRELLA Fit study): study protocol for a randomized controlled trial. Trials, 2017, 18, 504.	1.6	16
25	Prospective Dutch colorectal cancer cohort: an infrastructure for long-term observational, prognostic, predictive and (randomized) intervention research. Acta Oncológica, 2016, 55, 1273-1280.	1.8	62
26	Effects of physical exercise during adjuvant breast cancer treatment on physical and psychosocial dimensions of cancer-related fatigue: A meta-analysis. Maturitas, 2016, 85, 104-111.	2.4	166
27	Healthy lifestyle index and risk of gastric adenocarcinoma in the EPIC cohort study. International Journal of Cancer, 2015, 137, 598-606.	5.1	104
28	Maintenance treatment with capecitabine and bevacizumab in metastatic colorectal cancer (CAIRO3): a phase 3 randomised controlled trial of the Dutch Colorectal Cancer Group. Lancet, The, 2015, 385, 1843-1852.	13.7	421
29	Effects of an 18-week exercise programme started early during breast cancer treatment: a randomised controlled trial. BMC Medicine, 2015, 13, 121.	5.5	159
30	Long-term effect of a nurse-led psychosocial intervention on health-related quality of life in patients with head and neck cancer: a randomised controlled trial. British Journal of Cancer, 2014, 110, 593-601.	6.4	66
31	Final results and subgroup analyses of the phase 3 CAIRO3 study: Maintenance treatment with capecitabine and bevacizumab versus observation after induction treatment with chemotherapy and bevacizumab in metastatic colorectal cancer (mCRC) Journal of Clinical Oncology, 2014, 32, LBA388-LBA388.	1.6	16