

ZenÃ³n Cano-Santana

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9508272/publications.pdf>

Version: 2024-02-01

28
papers

286
citations

1307366

7
h-index

940416

16
g-index

28
all docs

28
docs citations

28
times ranked

394
citing authors

#	ARTICLE	IF	CITATIONS
1	Microsatellites, morphological, and alkaloids characterization of <i>Zephyranthes fosteri</i> and <i>Z. alba</i> (Amaryllidaceae): Allopatric populations. <i>Biochemical Systematics and Ecology</i> , 2022, 101, 104398.	0.6	3
2	Effects of plant sex on insect abundance across three trophic levels in the perennial shrub <i>Buddleja cordata</i> . <i>Entomologia Experimentalis Et Applicata</i> , 2019, 167, 950-956.	0.7	4
3	Genetic variation in foundation species governs the dynamics of trophic interactions. <i>Environmental Epigenetics</i> , 2018, 64, 13-22.	0.9	3
4	Contrasting arthropod communities associated with dwarf mistletoes <i>Arceuthobium globosum</i> and <i>A. vaginatum</i> and their host <i>Pinus hartwegii</i> . <i>Journal of Forestry Research</i> , 2018, 29, 1351-1364.	1.7	6
5	Competition and facilitation determine dwarf mistletoe infection dynamics. <i>Journal of Ecology</i> , 2017, 105, 775-785.	1.9	8
6	Species Richness of Ants of the Pedregal de San Ángel, an Ecological Reserve in Mexico City. <i>Southwestern Entomologist</i> , 2017, 42, 923-926.	0.1	1
7	Mistletoe infection in an urban forest in Mexico City. <i>Urban Forestry and Urban Greening</i> , 2016, 17, 126-134.	2.3	20
8	Diversity and Resource Use Patterns of Anthophile Insects in Cuatro Ciénegas, Coahuila, Mexico. <i>Environmental Entomology</i> , 2016, 45, 1386-1397.	0.7	6
9	Growth of hartweg's pine (<i>Pinus hartwegii</i>) parasitized by two dwarf mistletoe species () <i>Tj ETQq1 1 0.784314 rgBT /Oerlock 10</i>	0.5	4
10	Nutritional ecology, growth and density of <i>Acronyctodes mexicanaria</i> (Lepidoptera: Geometridae) on a dioecious plant <i>Buddleja cordata</i> (Scrophulariaceae). <i>Revista Mexicana De Biodiversidad</i> , 2015, 86, 172-177.	0.4	3
11	Dinámica temporal de la infestación por muérdago enano (<i>Arceuthobium globosum</i> y <i>A. vaginatum</i>) en Zoquiapan (Parque Nacional Iztaccáhuatl Popocatepetl), México. <i>CienciaUAT</i> , 2015, 9, 06.	0.3	3
12	Incidence, severity, and aggregation patterns of two sympatric dwarf mistletoe species (<i>Arceuthobium</i>) <i>Tj ETQq0 0,0 rgBT /Oerlock 10</i>	1.1	4
13	Is the insular endemic <i>Psidium socorrense</i> (Myrtaceae) at risk of extinction through hybridization?. <i>Plant Systematics and Evolution</i> , 2014, 300, 1959-1972.	0.3	14
14	Does disturbance determines the prevalence of dwarf mistletoe (<i>Arceuthobium</i> , Santalales: Viscaceae) in Central Mexico?. <i>Revista Chilena De Historia Natural</i> , 2013, 86, 181-190.	0.5	9
15	Phenotypic plasticity of the basidiomata of <i>Thelephora</i> sp. (<i>Thelephoraceae</i>) in tropical forest habitats. <i>Revista De Biología Tropical</i> , 2013, 61, 343-50.	0.1	5
16	Effectiveness of Vectors of Pollen and Longevity of <i>Capitula</i> for Four Species of Asteraceae in Central Mexico. <i>Southwestern Naturalist</i> , 2011, 56, 162-171.	0.1	1
17	Distribución diferencial de dos especies de muérdago enano sobre <i>Pinus hartwegii</i> en el Área natural protegida de Zoquiapan y Anexas, Estado de México. <i>Acta Botanica Mexicana</i> , 2011, , 49-57.	0.1	4
18	Best host-plant attribute for species-area relationship, and effects of shade, conspecific distance and plant phenophase in an arthropod community within the grass <i>Muhlenbergia robusta</i> . <i>Entomological Science</i> , 2010, 13, 174-182.	0.3	7

#	ARTICLE	IF	CITATIONS
19	Diversity Patterns of Collembola in an Elevational Gradient in the NW Slope of IztaccÁhuatl Volcano, State of Mexico, Mexico. <i>Entomological News</i> , 2010, 121, 249-261.	0.1	11
20	Composition and functional groups of epiedaphic ants (Hymenoptera: Formicidae) in irrigated agroecosystem and in nonagricultural areas. <i>Pesquisa Agropecuaria Brasileira</i> , 2009, 44, 904-910.	0.9	3
21	Harvesting grasshoppers <i>Sphenarium purpurascens</i> in Mexico for human consumption: A comparison with insecticidal control for managing pest outbreaks. <i>Crop Protection</i> , 2008, 27, 473-480.	1.0	101
22	Modified Petraborg index applied to the sampling of male crickets by aural detection. <i>Journal of Orthoptera Research</i> , 2008, 17, 111.	0.4	1
23	Nutritional ecology of <i>Schistocerca piceifrons piceifrons</i> adults from Socorro Island, Mexico. <i>Journal of Orthoptera Research</i> , 2008, 17, 107.	0.4	2
24	Habitat association of Orthoptera in El Cimatario National Park, QuerÁtaro, MÃ©xico. <i>Journal of Orthoptera Research</i> , 2008, 17, 83.	0.4	6
25	The Locust Island. <i>American Entomologist</i> , 2006, 52, 168-181.	0.1	9
26	Floral Visitor Guilds of Five Allochronic Flowering Asteraceous Species in a Xeric Community in Central Mexico. <i>Environmental Entomology</i> , 2004, 33, 297-309.	0.7	7
27	Canopy arthropod communities on Mexican oaks at sites with different disturbance regimes. <i>Biological Conservation</i> , 2004, 115, 79-87.	1.9	22
28	Variation in leaf trichomes and nutrients of <i>Wigandia urens</i> (Hydrophyllaceae) and its implications for herbivory. <i>Oecologia</i> , 1992, 92, 405-409.	0.9	16