Gh Farrahi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9508363/publications.pdf

Version: 2024-02-01

| 111 | 2,491 | 27 | 42 |
|----------|----------------|--------------|----------------|
| papers | citations | h-index | g-index |
| 113 | 113 | 113 | 1622 |
| all docs | docs citations | times ranked | citing authors |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Fatigue life analysis in the residual stress field due to resistance spot welding process considering different sheet thicknesses and dissimilar electrode geometries. Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications, 2023, 237, 33-51. | 1.1 | 2 |
| 2 | Main and interaction effects of manufacturing variables on microstructure and fracture of solder-copper connections. Engineering Failure Analysis, 2022, 139, 106449. | 4.0 | 2 |
| 3 | Phase field theory for fracture at large strains including surface stresses. International Journal of Engineering Science, 2022, 178, 103732. | 5.0 | 5 |
| 4 | Effects of Conventional and Severe Shot Peening on Residual Stress and Fatigue Strength of Steel AISI 1060 and Residual Stress Relaxation Due to Fatigue Loading: Experimental and Numerical Simulation. Metals and Materials International, 2021, 27, 2575-2591. | 3.4 | 51 |
| 5 | Acoustic simulation of ultrasonic testing and neural network used for diameter prediction of three-sheet spot welded joints. Journal of Manufacturing Processes, 2021, 64, 1507-1516. | 5.9 | 9 |
| 6 | Phase field modeling of crack growth with double-well potential including surface effects. Continuum Mechanics and Thermodynamics, 2020, 32, 913-925. | 2.2 | 19 |
| 7 | Multiple laser shock peening effects on residual stress distribution and fatigue crack growth behaviour of 316L stainless steel. Theoretical and Applied Fracture Mechanics, 2020, 105, 102429. | 4.7 | 48 |
| 8 | Experimental Analysis on the Material Properties of A356.0 Aluminum Alloy Surface Nanostructured by Severe Shot Peening. Journal of Materials Engineering and Performance, 2020, 29, 143-154. | 2.5 | 3 |
| 9 | Simulation of vehicle body spot weld failures due to fatigue by considering road roughness and vehicle velocity. Simulation Modelling Practice and Theory, 2020, 105, 102168. | 3.8 | 27 |
| 10 | Effects of Vertical and Pinch Rolling on Residual Stress Distributions in Wire and Arc Additively Manufactured Components. Journal of Materials Engineering and Performance, 2020, 29, 2073-2084. | 2.5 | 24 |
| 11 | Applications of ultrasonic testing and machine learning methods to predict the static & amp; fatigue behavior of spot-welded joints. Journal of Manufacturing Processes, 2020, 52, 26-34. | 5.9 | 70 |
| 12 | On the phase field modeling of crack growth and analytical treatment on the parameters. Continuum Mechanics and Thermodynamics, 2020, 32, 589-606. | 2.2 | 25 |
| 13 | A comparative study on the fatigue life of the vehicle body spot welds using different numerical techniques: Inertia relief and Modal dynamic analyses. Frattura Ed Integrita Strutturale, 2020, 14, 67-81. | 0.9 | 11 |
| 14 | Effect of severe shot peening on the fatigue life of the laser-cladded Inconel 718 specimens. International Journal of Advanced Manufacturing Technology, 2019, 104, 2619-2631. | 3.0 | 8 |
| 15 | Fretting fatigue behavior of 316L stainless steel under combined loading conditions. International Journal of Fatigue, 2019, 128, 105206. | 5.7 | 8 |
| 16 | Reliability assessment of cracked pipes subjected to creep-fatigue loading. Theoretical and Applied Fracture Mechanics, 2019, 104, 102333. | 4.7 | 7 |
| 17 | Effect of microstructure on crack behavior in nanocrystalline nickel using molecular dynamics simulation. Theoretical and Applied Fracture Mechanics, 2019, 104, 102390. | 4.7 | 9 |
| 18 | The effect of plugging of tubes on failure of shell and tube heat exchanger. Engineering Failure Analysis, 2019, 104, 545-559. | 4.0 | 13 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Considering cyclic plasticity to predict residual stresses in laser cladding of Inconel 718 multi bead samples. Journal of Manufacturing Processes, 2019, 42, 149-158. | 5.9 | 12 |
| 20 | Predicting Crack Initiation of Solder Joints with Varying Sizes Under Bending. Journal of Electronic Materials, 2019, 48, 2840-2852. | 2.2 | 5 |
| 21 | Phase field approach for nanoscale interactions between crack propagation and phase transformation. Nanoscale, 2019, 11, 22243-22247. | 5.6 | 43 |
| 22 | Predicting fracture of solder joints with different constraint factors. Fatigue and Fracture of Engineering Materials and Structures, 2019, 42, 425-438. | 3.4 | 11 |
| 23 | Investigation of microstructure effect on fretting fatigue crack initiation using crystal plasticity. Fatigue and Fracture of Engineering Materials and Structures, 2019, 42, 640-650. | 3.4 | 12 |
| 24 | Effect of Residual Stress on Failure of Tube-to-tubesheet Weld in Heat Exchangers. International Journal of Engineering, Transactions A: Basics, 2019, 32, . | 0.4 | 1 |
| 25 | Experimental accuracy assessment of various high-cycle fatigue criteria for a critical component with a complicated geometry and multi-input random non-proportional 3D stress components. Engineering Failure Analysis, 2018, 90, 534-553. | 4.0 | 24 |
| 26 | Effect of initial surface treatment on shot peening residual stress field: Analytical approach with experimental verification. International Journal of Mechanical Sciences, 2018, 137, 171-181. | 6.7 | 32 |
| 27 | Probabilistic assessment of creep-fatigue crack propagation in austenitic stainless steel cracked plates. Engineering Fracture Mechanics, 2018, 200, 50-63. | 4.3 | 18 |
| 28 | Thermodynamically consistent and scale-dependent phase field approach for crack propagation allowing for surface stresses. International Journal of Plasticity, 2018, 111, 1-35. | 8.8 | 67 |
| 29 | Failure analysis of bolt connections in fired heater of a petrochemical unit. Engineering Failure Analysis, 2018, 92, 327-342. | 4.0 | 10 |
| 30 | A Study on the Contact Ellipse and the Contact Pressure During the Wheel Wear through Passing the Tracks including Several Sharp Curves. International Journal of Engineering Transactions B: Applications, $2018, 31, \ldots$ | 0.5 | 1 |
| 31 | Strain-rate dependent influence of adherend stiffness on fracture load prediction of BGA solder joints. Engineering Fracture Mechanics, 2017, 186, 119-133. | 4.3 | 6 |
| 32 | Friction behavior of nanocrystalline nickel near the Hall-Petch breakdown. Tribology International, 2017, 107, 18-24. | 5.9 | 19 |
| 33 | A new technique of the irst and second limits" for wagon maintenance in railway tracks consisting of sharp curves based on the empirical study of wheel wear. Scientia Iranica, 2017, 24, 1171-1180. | 0.4 | 1 |
| 34 | Experimental and Finite Element Studies on Free Vibration of Automotive Steering Knuckle. International Journal of Engineering Transactions B: Applications, 2017, 30, . | 0.5 | 1 |
| 35 | Application of Artificial Neural Network to Predict the Effects of Severe Shot Peening on Properties of Low Carbon Steel. Advanced Structured Materials, 2016, , 45-60. | 0.5 | 12 |
| 36 | Shot peening coverage effect on residual stress profile by FE random impact analysis. Surface Engineering, 2016, 32, 861-870. | 2.2 | 50 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Size dependent energy release rate of notched FGM beams based on a modified couple stress theory. Materials Today: Proceedings, 2016, 3, 2662-2671. | 1.8 | 4 |
| 38 | Experimental measurement and analytical determination of shot peening residual stresses considering friction and real unloading behavior. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2016, 657, 309-321. | 5.6 | 37 |
| 39 | Molecular dynamics simulation of nanoindentation of nanocrystalline Al/Ni multilayers. Computational Materials Science, 2016, 112, 175-184. | 3.0 | 22 |
| 40 | A comprehensive experimental and numerical study on redistribution of residual stresses by shot peening. Materials and Design, 2016, 90, 478-487. | 7.0 | 83 |
| 41 | Performance Analysis of Functionally Graded Coatings in Contact with Cylindrical Rollers. Advances in Mechanical Engineering, 2015, 7, 456848. | 1.6 | 8 |
| 42 | Comparison Between Isothermal and Non-Isothermal Fatigue Behavior in a Cast Aluminum-Silicon-Magnesium Alloy. Strength of Materials, 2015, 47, 840-848. | 0.5 | 6 |
| 43 | Constitutive modeling of elastic-visco-plastic behaviors in aluminum alloys subjected to cyclic loadings at various strain rates. Journal of Strain Analysis for Engineering Design, 2015, 50, 103-124. | 1.8 | 4 |
| 44 | Stress analysis of thermal barrier coating system subjected to out-of-phase thermo-mechanical loadings considering roughness and porosity effect. Surface and Coatings Technology, 2015, 262, 77-86. | 4.8 | 25 |
| 45 | Damage prediction for un-coated and coated aluminum alloys under thermal and mechanical fatigue loadings based on a modified plastic strain energy approach. Materials & Design, 2015, 66, 587-595. | 5.1 | 23 |
| 46 | Experimental and numerical evaluations of stress relaxation in A356 aluminium alloy subjected to out-of-phase thermomechanical cyclic loadings. Materials at High Temperatures, 2014, 31, 204-210. | 1.0 | 3 |
| 47 | Thermo-mechanical behaviours of light alloys in comparison to high temperature isothermal behaviours. Materials at High Temperatures, 2014, 31, 12-17. | 1.0 | 6 |
| 48 | An approach to relate shot peening finite element simulation to the actual coverage. Surface and Coatings Technology, 2014, 243, 39-45. | 4.8 | 85 |
| 49 | Thermo-mechanical stress analysis of thermal barrier coating system considering thickness and roughness effects. Surface and Coatings Technology, 2014, 243, 91-99. | 4.8 | 82 |
| 50 | Numerical simulations of cyclic behaviors in light alloys under isothermal and thermo-mechanical fatigue loadings. Materials & Design, 2014, 56, 245-253. | 5.1 | 17 |
| 51 | Size-dependent energy release rate formulation of notched beams based on a modified couple stress theory. Engineering Fracture Mechanics, 2014, 116, 80-91. | 4.3 | 13 |
| 52 | Effects of preheating temperature and cooling rate on two-step residual stress in thermal barrier coatings considering real roughness and porosity effect. Ceramics International, 2014, 40, 15925-15940. | 4.8 | 37 |
| 53 | Stress–strain time-dependent behavior of A356.0 aluminum alloy subjected to cyclic thermal and mechanical loadings. Mechanics of Time-Dependent Materials, 2014, 18, 475-491. | 4.4 | 16 |
| 54 | Fatigue lifetime of AZ91 magnesium alloy subjected to cyclic thermal and mechanical loadings. Materials & Design, 2014, 53, 639-644. | 5.1 | 27 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Experimental fatigue lifetime of coated and uncoated aluminum alloy under isothermal and thermo-mechanical loadings. Ceramics International, 2013, 39, 9099-9107. | 4.8 | 17 |
| 56 | Optimization of Air Plasma Sprayed Thermal Barrier Coating Parameters in Diesel Engine Applications. Journal of Materials Engineering and Performance, 2013, 22, 3530-3538. | 2.5 | 20 |
| 57 | Failure Analysis of a Gas Turbine Compressor in a Thermal Power Plant. Journal of Failure Analysis and Prevention, 2013, 13, 313-319. | 0.9 | 12 |
| 58 | Improvement of high temperature fatigue lifetime in AZ91 magnesium alloy by heat treatment. Materials Science & Science & Science and Processing, 2013, 588, 357-365. | 5.6 | 22 |
| 59 | A new energyâ€based isothermal and thermoâ€mechanical fatigue lifetime prediction model for aluminium–silicon–magnesium alloy. Fatigue and Fracture of Engineering Materials and Structures, 2013, 36, 1323-1335. | 3.4 | 31 |
| 60 | Fatigue life estimation of bolt clamped and interference fitted-bolt clamped double shear lap joints using multiaxial fatigue criteria. Materials & Design, 2013, 43, 327-336. | 5.1 | 32 |
| 61 | Residual Stress Analysis of the Autofrettaged Thick-Walled Tube Using Nonlinear Kinematic Hardening. Journal of Pressure Vessel Technology, Transactions of the ASME, 2013, 135, . | 0.6 | 7 |
| 62 | A Plasticity Model for Metals With Dependency on All the Stress Invariants. Journal of Engineering Materials and Technology, Transactions of the ASME, 2013, 135, . | 1.4 | 20 |
| 63 | Fatigue Life of Repaired Welded Tubular Joints. International Journal of Engineering, Transactions B: Applications, 2013, 26, . | 0.7 | 2 |
| 64 | Optimal experiment design for plasma thermal spray parameters at bending loads. International Journal of Surface Science and Engineering, 2012, 6, 3. | 0.4 | 10 |
| 65 | Measurement, analysis and reconstruction of residual stresses. Journal of Strain Analysis for Engineering Design, 2012, 47, 254-264. | 1.8 | 38 |
| 66 | Thermo-mechanical analysis of rotating disks with non-uniform thickness and material properties. International Journal of Pressure Vessels and Piping, 2012, 98, 95-101. | 2.6 | 28 |
| 67 | Residual stress analyses of re-autofrettaged thick-walled tubes. International Journal of Pressure Vessels and Piping, 2012, 98, 57-64. | 2.6 | 11 |
| 68 | Semi-exact solution for thermo-mechanical analysis of functionally graded elastic-strain hardening rotating disks. Communications in Nonlinear Science and Numerical Simulation, 2012, 17, 3747-3762. | 3.3 | 27 |
| 69 | Effects of stress invariants and reverse loading on ductile fracture initiation. International Journal of Solids and Structures, 2012, 49, 1541-1556. | 2.7 | 15 |
| 70 | The effect of shot peening on fatigue life of welded tubular joint in offshore structure. Materials & Design, 2012, 36, 250-257. | 5.1 | 35 |
| 71 | Failure analysis of a gas turbine compressor. Engineering Failure Analysis, 2011, 18, 474-484. | 4.0 | 52 |
| 72 | Finite element analysis of shot-peening effect on fretting fatigue parameters. Tribology International, 2011, 44, 1583-1588. | 5.9 | 29 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Semi-exact elastic solutions for thermo-mechanical analysis of functionally graded rotating disks. Composite Structures, 2011, 93, 3239-3251. | 5.8 | 33 |
| 74 | Finite Element Simulation of Shot Peening Coverage with the Special Attention on Surface Nanocrystallization. Procedia Engineering, 2011, 10, 2464-2471. | 1.2 | 18 |
| 75 | SIDE EFFECTS OF SHOT PEENING ON FATIGUE CRACK INITIATION LIFE. International Journal of Engineering, Transactions B: Applications, $2011,\ldots$ | 0.7 | 2 |
| 76 | Residual stress analysis of autofrettaged thick-walled spherical pressure vessel. International Journal of Pressure Vessels and Piping, 2010, 87, 396-401. | 2.6 | 26 |
| 77 | Application of homotopy-Pad $	ilde{A}$ © technique in limit analysis of circular plates under arbitrary rotational symmetric loading using von-Mises yield criterion. Communications in Nonlinear Science and Numerical Simulation, 2010, 15, 1080-1091. | 3.3 | 12 |
| 78 | An Inverse Method for Reconstruction of the Residual Stress Field in Welded Plates. Journal of Pressure Vessel Technology, Transactions of the ASME, 2010, 132, . | 0.6 | 33 |
| 79 | An Analytical Framework for the Solution of Autofrettaged Tubes Under Constant Axial Strain Condition. Journal of Pressure Vessel Technology, Transactions of the ASME, 2009, 131, . | 0.6 | 6 |
| 80 | On the Material Modeling of the Autofrettaged Pressure Vessel Steels. Journal of Pressure Vessel Technology, Transactions of the ASME, 2009, 131, . | 0.6 | 10 |
| 81 | Rate-dependent dynamic ALE analysis of finite deformation of elasto-viscoplastic solids. Materials & Design, 2009, 30, 2995-3004. | 5.1 | 1 |
| 82 | On the large amplitude free vibrations of tapered beams: an analytical approach. Mechanics Research Communications, 2009, 36, 892-897. | 1.8 | 26 |
| 83 | An inverse approach to determination of residual stresses induced by shot peening in round bars. International Journal of Mechanical Sciences, 2009, 51, 726-731. | 6.7 | 43 |
| 84 | Reconstruction of residual stresses in autofrettaged thick-walled tubes from limited measurements. International Journal of Pressure Vessels and Piping, 2009, 86, 777-784. | 2.6 | 37 |
| 85 | Modification of fretting fatigue behavior of AL7075–T6 alloy by the application of titanium coating using IBED technique and shot peening. Tribology International, 2009, 42, 121-129. | 5.9 | 52 |
| 86 | Residual stresses in autofrettaged vessel made of functionally graded material. Engineering Structures, 2009, 31, 2930-2935. | 5.3 | 25 |
| 87 | Duffing equations with cubic and quintic nonlinearities. Computers and Mathematics With Applications, 2009, 57, 500-506. | 2.7 | 43 |
| 88 | Nonlinear free vibration of conservative oscillators with inertia and static type cubic nonlinearities using homotopy analysis method. Journal of Sound and Vibration, 2008, 316, 263-273. | 3.9 | 28 |
| 89 | General Variable Material Property Formulation for the Solution of Autofrettaged Thick-Walled Tubes With Constant Axial Strains. Journal of Pressure Vessel Technology, Transactions of the ASME, 2008, 130, . | 0.6 | 7 |
| 90 | An Analytical Framework for the Solution of Autofrettaged Tubes Under Constant Axial Strain Condition. , 2008, , . | | 1 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 91 | On the Material Modeling of the Autofrettaged Pressure Vessel Steels. , 2008, , . | | 1 |
| 92 | Bauschinger Effect Investigation of an Aluminum Alloy, and Its Application in Autofrettaged and Compound Tubes., 2007,, 629. | | 1 |
| 93 | Determination of Residual Stresses in Autofrettaged Compound Tubes for Different Geometries. , 2007, , 53. | | 1 |
| 94 | Material Removal Simulation of Aluminum Compound Tubes With Incorporating Real Unloading Behavior. , 2007, , 195. | | 1 |
| 95 | Effect of residual stress on stress intensity factors of fretting fatigue cracks. International Journal of Microstructure and Materials Properties, 2007, 2, 164. | 0.1 | 0 |
| 96 | Multiaxial stress-strain modeling and effect of additional hardening due to nonproportional loading. Journal of Mechanical Science and Technology, 2007, 21, 1153-1161. | 1.5 | 12 |
| 97 | Experimental evaluation of the effect of residual stress field on crack growth behaviour in C(T) specimen. Engineering Fracture Mechanics, 2006, 73, 1772-1782. | 4.3 | 21 |
| 98 | An investigation into the effect of various surface treatments on fatigue life of a tool steel. Journal of Materials Processing Technology, 2006, 174, 318-324. | 6.3 | 64 |
| 99 | Separation of delamination modes in composite beams with symmetric delaminations. Materials & Design, 2006, 27, 900-910. | 5.1 | 24 |
| 100 | Experimental evaluation of the effect of thread pitch on fatigue life of bolts. International Journal of Fatigue, 2005, 27, 189-196. | 5.7 | 48 |
| 101 | Experimental results and finite-element predictions of the effect of nut geometry, washer and Teflon tape on the fatigue life of bolts. Fatigue and Fracture of Engineering Materials and Structures, 2005, 28, 557-564. | 3.4 | 15 |
| 102 | Experimental and finite element prediction of bursting pressure in compound cylinders. International Journal of Pressure Vessels and Piping, 2004, 81, 889-896. | 2.6 | 25 |
| 103 | A finite element simulation and an experimental study of autofrettage for strain hardened thick-walled cylinders. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2003, 359, 326-331. | 5.6 | 30 |
| 104 | Experimental measurement and finite element simulation of the interaction between residual stresses and mechanical loading. International Journal of Fatigue, 2001, 23, 293-302. | 5.7 | 61 |
| 105 | Obtaining multiaxial residual stress distributions from limited measurements. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2001, 303, 281-291. | 5.6 | 13 |
| 106 | EFFECT OF SHOT PEENING ON RESIDUAL STRESS AND FATIGUE LIFE OF A SPRING STEEL. Fatigue and Fracture of Engineering Materials and Structures, 1995, 18, 211-220. | 3.4 | 150 |
| 107 | AN EXPERIMENTAL STUDY OF FRETTING BY MEANS OF X-RAY DIFFRACTION. Fatigue and Fracture of Engineering Materials and Structures, 1992, 15, 91-102. | 3.4 | 7 |
| 108 | A study of fretting wear with particular reference to measurement of residual stresses by X-ray diffraction. Wear, 1991, 148, 249-260. | 3.1 | 16 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Prediction by Genetic Algorithm and Measurement by Center Hole Drilling of Residual Stresses of MAG Weldment. Advanced Materials Research, 0, 83-86, 738-745. | 0.3 | 1 |
| 110 | FEM Prediction of Welding Residual Stresses and Temperature Fields in Butt and T-Welded Joints. Advanced Materials Research, 0, 418-420, 1486-1493. | 0.3 | 2 |
| 111 | Effects of Temperature on Wear Behavior of a Plasma Sprayed Diesel Engine Cylinder. , 0, , . | | 2 |