

# Ryo Ishihara

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/9509115/ryo-ishihara-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

29  
papers

285  
citations

10  
h-index

15  
g-index

31  
ext. papers

328  
ext. citations

2.8  
avg, IF

3.11  
L-index

#	Paper	IF	Citations
29	Removal of Cesium Using Cobalt-Ferrocyanide-Impregnated Polymer-Chain-Grafted Fibers. <i>Journal of Nuclear Science and Technology</i> , <b>2011</b> , 48, 1281-1284	1	43
28	Cesium removal in freshwater using potassium cobalt hexacyanoferrate-impregnated fibers. <i>Radiation Physics and Chemistry</i> , <b>2014</b> , 94, 119-122	2.5	37
27	High-throughput solid-phase extraction of metal ions using an iminodiacetate chelating porous disk prepared by graft polymerization. <i>Journal of Chromatography A</i> , <b>2007</b> , 1176, 37-42	4.5	25
26	Multiplex MicroRNA Detection on a Power-free Microfluidic Chip with Laminar Flow-assisted Dendritic Amplification. <i>Analytical Sciences</i> , <b>2015</b> , 31, 573-6	1.7	22
25	Facile preparation of degradable thermoresponsive polymers as biomaterials: Thermoresponsive polymers prepared by radical polymerization degrade to water-soluble oligomers. <i>Polymer</i> , <b>2017</b> , 130, 68-73	3.9	20
24	Preparation of Pt/WO <sub>3</sub> -coated polydimethylsiloxane membrane for transparent/flexible hydrogen gas sensors. <i>Materials Chemistry and Physics</i> , <b>2019</b> , 226, 226-229	4.4	12
23	Fabrication of Hybrid Capsules via CaCO <sub>3</sub> Crystallization on Degradable Coacervate Droplets. <i>Langmuir</i> , <b>2018</b> , 34, 3981-3986	4	11
22	Fabrication of thermoresponsive degradable hydrogel made by radical polymerization of 2-methylene-1,3-dioxepane: Unique thermal coacervation in hydrogel. <i>Polymer</i> , <b>2019</b> , 179, 121633	3.9	11
21	Determination of Mole Percentages of Brush and Root of Polymer Chain Grafted onto Porous Sheet. <i>Journal of Chemical Engineering of Japan</i> , <b>2013</b> , 46, 414-419	0.8	11
20	Effect of Dose on Mole Percentages of Polymer Brush and Root Grafted onto Porous Polyethylene Sheet by Radiation-Induced Graft Polymerization. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2013</b> , 52, 12582-12586	3.9	10
19	Preparation of Microvolume Anion-Exchange Cartridge for Inductively Coupled Plasma Mass Spectrometry-Based Determination of ( <sup>237</sup> Np) Content in Spent Nuclear Fuel. <i>Analytical Chemistry</i> , <b>2016</b> , 88, 3149-55	7.8	9
18	Dependence of Lanthanide-Ion Binding Performance on HDEHP Concentration in HDEHP Impregnation to Porous Sheet. <i>Solvent Extraction and Ion Exchange</i> , <b>2012</b> , 30, 171-180	2.5	8
17	Preparation of a Surface-functionalized Power-free PDMS Microchip for MicroRNA Detection Utilizing Electron Beam-induced Graft Polymerization. <i>Analytical Sciences</i> , <b>2017</b> , 33, 197-202	1.7	7
16	Modification of a hydrophobic-ligand-containing porous sheet using tri-n-octylphosphine oxide, and its adsorption/elution of bismuth ions. <i>Reactive and Functional Polymers</i> , <b>2010</b> , 70, 986-990	4.6	7
15	Preparation of Extractant-impregnated Porous Sheets for High-speed Separation of Radionuclides. <i>Journal of Ion Exchange</i> , <b>2007</b> , 18, 480-485	0.2	7
14	Recent Progress in Charged Polymer Chains Grafted by Radiation-Induced Graft Polymerization; Adsorption of Proteins and Immobilization of Inorganic Precipitates. <i>Quantum Beam Science</i> , <b>2020</b> , 4, 20	1.6	6
13	Rapid and Easy Extracellular Vesicle Detection on a Surface-Functionalized Power-Free Microchip toward Point-of-Care Diagnostics. <i>ACS Omega</i> , <b>2017</b> , 2, 6703-6707	3.9	5

12	Rapid separation of zirconium using microvolume anion-exchange cartridge for Zr determination with isotope dilution ICP-MS. <i>Talanta</i> , <b>2018</b> , 185, 98-105	6.2	5
11	Crosslinked-Chelating Porous Sheet with High Dynamic Binding Capacity of Metal Ions. <i>Solvent Extraction and Ion Exchange</i> , <b>2013</b> , 31, 210-220	2.5	4
10	Effect of Chelating Group Density of Crosslinked Graft Chain on Dynamic Binding Capacity for Metal Ions. <i>Journal of Ion Exchange</i> , <b>2011</b> , 22, 47-52	0.2	4
9	Preparation of Adsorptive Fibers for Removal of Cesium from Seawater. <i>Journal of Ion Exchange</i> , <b>2013</b> , 24, 8-13	0.2	4
8	High-resolution separation of neodymium and dysprosium ions utilizing extractant-impregnated graft-type particles. <i>Journal of Chromatography A</i> , <b>2018</b> , 1533, 10-16	4.5	3
7	Simple Method for High-Density Impregnation of Aliquat 336 onto Porous Sheet and Binding Performance of Resulting Sheet for Palladium Ions. <i>Separation Science and Technology</i> , <b>2014</b> , 49, 154-159	2.5	3
6	Preparation of thermo- and redox-responsive branched polymers composed of three-armed oligo(ethylene glycol). <i>Journal of Polymer Science Part A</i> , <b>2018</b> , 56, 2623-2629	2.5	3
5	Fabrication of Storable Surface-Functionalized Power-Free Microfluidic Chip for Sensitive MicroRNA Detection Utilizing Ultraviolet Grafting. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2020</b> , 59, 10464-10468	3.9	2
4	Protein Purification Using Immobilized Metal Affinity Porous Sheet. <i>Journal of Ion Exchange</i> , <b>2008</b> , 19, 101-106	0.2	2
3	Multiplex MicroRNA Detection on a Surface-Functionalized Power-Free Microfluidic Chip. <i>Analytical Sciences</i> , <b>2021</b> , 37, 747-751	1.7	2
2	Design of Capture Materials Utilizing Radiation-Induced Graft Polymerization. <i>Kobunshi Ronbunshu</i> , <b>2018</b> , 75, 456-467	0	1
1	Detection of Proteins and Nucleic Acids with Laminar Flow-Assisted Dendritic Amplification on Power-Free Microfluidic Chip. <i>Bunseki Kagaku</i> , <b>2015</b> , 64, 319-328	0.2	1