Norman Fry

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9509190/publications.pdf

Version: 2024-02-01

53660 53109 8,235 147 45 85 citations h-index g-index papers 152 152 152 5889 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Serotype Replacement after Introduction of 10-Valent and 13-Valent Pneumococcal Conjugate Vaccines in 10 Countries, Europe. Emerging Infectious Diseases, 2022, 28, 137-138.	2.0	50
2	International links between Streptococcus pneumoniae vaccine serotype 4 sequence type (ST) 801 in Northern European shipyard outbreaks of invasive pneumococcal disease. Vaccine, 2022, 40, 1054-1060.	1.7	4
3	Impact of the COVID-19 pandemic on Bordetella pertussis infections in England. BMC Public Health, 2022, 22, 405.	1.2	25
4	JMM Profiles for the Journal of Medical Microbiology: an update. Journal of Medical Microbiology, 2022, 71, .	0.7	0
5	It Takes Two to Tango: Combining Conventional Culture With Molecular Diagnostics Enhances Accuracy of Streptococcus pneumoniae Detection and Pneumococcal Serogroup/Serotype Determination in Carriage. Frontiers in Microbiology, 2022, 13, 859736.	1.5	9
6	Global spatial dynamics and vaccine-induced fitness changes of <i>Bordetella pertussis</i> Science Translational Medicine, 2022, 14, eabn3253.	5.8	22
7	Effectiveness of 10 and 13-valent pneumococcal conjugate vaccines against invasive pneumococcal disease in European children: SpIDnet observational multicentre study. Vaccine, 2022, 40, 3963-3974.	1.7	24
8	Invasive Pneumococcal Disease in People With Human Immunodeficiency Virus in England, 1999–2017. Clinical Infectious Diseases, 2021, 73, 91-100.	2.9	7
9	Impact of Extending the Timing of Maternal Pertussis Vaccination on Hospitalized Infant Pertussis in England, 2014–2018. Clinical Infectious Diseases, 2021, 73, e2502-e2508.	2.9	17
10	Impact of the Coronavirus Disease 2019 (COVID-19) Pandemic on Invasive Pneumococcal Disease and Risk of Pneumococcal Coinfection With Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2): Prospective National Cohort Study, England. Clinical Infectious Diseases, 2021, 72, e65-e75.	2.9	115
11	Investigation of a pertussis outbreak and comparison of two acellular booster pertussis vaccines in a junior school in South East England, 2019. Eurosurveillance, 2021, 26, .	3.9	8
12	Introducing JMM Profiles for the Journal of Medical Microbiology. Journal of Medical Microbiology, $2021, 70, \ldots$	0.7	2
13	Invasive pneumococcal disease due to 22F and 33F in England: A tail of two serotypes. Vaccine, 2021, 39, 1997-2004.	1.7	10
14	<i>Streptococcus Pneumoniae</i> septic arthritis in adults in Bristol and Bath, United Kingdom, 2006â€"2018: a 13-year retrospective observational cohort study. Emerging Microbes and Infections, 2021, 10, 1369-1377.	3.0	6
15	Journal of Medical Microbiology: global footprint and appointment of a regional Editorial Board. Journal of Medical Microbiology, 2021, 70, .	0.7	1
16	Case Report: Toxigenic Corynebacterium ulcerans Diphtheria-Like Infection in a Horse in the United Kingdom. Frontiers in Veterinary Science, 2021, 8, 650238.	0.9	7
17	Retrospective cohort study investigating extent of pertussis transmission during a boarding school outbreak, England, December 2017 to June 2018. Eurosurveillance, 2021, 26, .	3.9	4
18	JMM Profile: Bordetella pertussis and whooping cough (pertussis): still a significant cause of infant morbidity and mortality, but vaccine-preventable. Journal of Medical Microbiology, 2021, 70, .	0.7	4

#	Article	IF	CITATIONS
19	Persistent Circulation of Vaccine Serotypes and Serotype Replacement After 5 Years of Infant Immunization With 13-Valent Pneumococcal Conjugate Vaccine in the United Kingdom. Journal of Infectious Diseases, 2020, 221, 1361-1370.	1.9	45
20	Pneumococcal serotype trends, surveillance and risk factors in UK adult pneumonia, 2013–18. Thorax, 2020, 75, 38-49.	2.7	75
21	Toxigenic <i>Corynebacterium ulcerans</i> associated with upper respiratory infections in cats and dogs. Journal of Small Animal Practice, 2020, 61, 554-560.	0.5	13
22	A patient with respiratory toxigenic diphtheria in Greece after more than 30 years. Epidemiology and Infection, 2020, 148, e274.	1.0	1
23	Two cases of imported respiratory diphtheria in Edinburgh, Scotland, October 2019. Epidemiology and Infection, 2020, 148, e143.	1.0	2
24	Characteristics of Invasive Pneumococcal Disease Caused by Emerging Serotypes After the Introduction of the 13-Valent Pneumococcal Conjugate Vaccine in England: A Prospective Observational Cohort Study, 2014–2018. Clinical Infectious Diseases, 2020, 71, e235-e243.	2.9	46
25	Re-validation and update of an extended-specificity multiplex assay for detection of Streptococcus pneumoniae capsular serotype/serogroup-specific antigen and cell-wall polysaccharide in urine specimens. Access Microbiology, 2020, 2, acmi000094.	0.2	4
26	Effectiveness of the 23-valent pneumococcal polysaccharide vaccine against vaccine serotype pneumococcal pneumonia in adults: A case-control test-negative design study. PLoS Medicine, 2020, 17, e1003326.	3.9	44
27	The changing epidemiology of diphtheria in the United Kingdom, 2009 to 2017. Eurosurveillance, 2020, 25, .	3.9	38
28	Effectiveness of the seven-valent and thirteen-valent pneumococcal conjugate vaccines in England: The indirect cohort design, 2006–2018. Vaccine, 2019, 37, 4491-4498.	1.7	38
29	Pertussis Prevention: Reasons for Resurgence, and Differences in the Current Acellular Pertussis Vaccines. Frontiers in Immunology, 2019, 10, 1344.	2.2	105
30	Effect of Pneumococcal Conjugate Vaccines on Pneumococcal Meningitis, England and Wales, July 1, 2000–June 30, 2016. Emerging Infectious Diseases, 2019, 25, 1708-1718.	2.0	42
31	The Genomics of Streptococcus Pneumoniae Carriage Isolates from UK Children and Their Household Contacts, Pre-PCV7 to Post-PCV13. Genes, 2019, 10, 687.	1.0	16
32	Pertactin-deficient Bordetella pertussis isolates: evidence of increased circulation in Europe, 1998 to 2015. Eurosurveillance, 2019, 24, .	3.9	59
33	The Pneumococcus and Its Critical Role in Public Health. Methods in Molecular Biology, 2019, 1968, 205-213.	0.4	9
34	Evolution of Streptococcus pneumoniae Serotype 3 in England and Wales: A Major Vaccine Evader. Genes, 2019, 10, 845.	1.0	52
35	Pneumococcal-related Hemolytic Uremic Syndrome in the United Kingdom. Pediatric Infectious Disease Journal, 2019, 38, e254-e259.	1.1	14
36	Effect of childhood pneumococcal conjugate vaccination on invasive disease in older adults of 10 European countries: implications for adult vaccination. Thorax, 2019, 74, 473-482.	2.7	125

#	Article	IF	Citations
37	Invasive Pneumococcal Disease in UK Children <1 Year of Age in the Post–13-Valent Pneumococcal Conjugate Vaccine Era: What Are the Risks Now?. Clinical Infectious Diseases, 2019, 69, 84-90.	2.9	17
38	Improvement in serological diagnosis of pertussis by external quality assessment. Journal of Medical Microbiology, 2019, 68, 741-747.	0.7	9
39	Diphtheria in Belgium: 2010–2017. Journal of Medical Microbiology, 2019, 68, 1517-1525.	0.7	17
40	Improved quadruplex real-time PCR assay for the diagnosis of diphtheria. Journal of Medical Microbiology, 2019, 68, 1455-1465.	0.7	32
41	In praise of preprints. Journal of Medical Microbiology, 2019, 68, 503-505.	0.7	0
42	In praise of preprints. Access Microbiology, 2019, 1, e000013.	0.2	7
43	A case of cutaneous toxigenic Corynebacterium ulcerans likely acquired from a domestic dog. Access Microbiology, 2019, 1, e000025.	0.2	3
44	Surveillance of Circulating Bordetella pertussis Strains in Europe during 1998 to 2015. Journal of Clinical Microbiology, 2018, 56, .	1.8	26
45	Rapid increase in non-vaccine serotypes causing invasive pneumococcal disease in England and Wales, 2000–17: a prospective national observational cohort study. Lancet Infectious Diseases, The, 2018, 18, 441-451.	4.6	403
46	Discovery and description of a new serogroup 7 Streptococcus pneumoniae serotype, 7D, and structural analysis of 7C and 7D. Carbohydrate Research, 2018, 463, 24-31.	1.1	21
47	Effectiveness of 23-Valent Polysaccharide Pneumococcal Vaccine and Changes in Invasive Pneumococcal Disease Incidence from 2000 to 2017 in Those Aged 65 and Over in England and Wales. EClinicalMedicine, 2018, 6, 42-50.	3.2	85
48	Rapid Spread of Pneumococcal Nonvaccine Serotype 7C Previously Associated with Vaccine Serotype 19F, England and Wales. Emerging Infectious Diseases, 2018, 24, 1919-1922.	2.0	10
49	<i>Bordetella pertussis</i> isolates vary in their interactions with human complement components. Emerging Microbes and Infections, 2018, 7, 1-11.	3.0	20
50	Characteristics of Children With Invasive Pneumococcal Disease After the Introduction of the 13-valent Pneumococcal Conjugate Vaccine in England and Wales, 2010–2016. Pediatric Infectious Disease Journal, 2018, 37, 697-703.	1.1	27
51	Pneumococcal carriage in children and their household contacts six years after introduction of the 13-valent pneumococcal conjugate vaccine in England. PLoS ONE, 2018, 13, e0195799.	1.1	80
52	Transmission of toxigenic Corynebacterium diphtheriae by a fully immunised resident returning from a visit to West Africa, United Kingdom, 2017. Eurosurveillance, 2018, 23, .	3.9	12
53	DORA Editorial. Microbial Genomics, 2018, 4, .	1.0	1
54	Nosocomial Outbreak of Drug-Resistant Streptococcus pneumoniae Serotype 9V in an Adult Respiratory Medicine Ward. Journal of Clinical Microbiology, 2017, 55, 776-782.	1.8	14

#	Article	IF	CITATIONS
55	New Public Health England guidelines for managing pertussis in England. Journal of Infection, 2017, 74, 202-204.	1.7	6
56	Childhood Deaths Attributable to Invasive Pneumococcal Disease in England and Wales, 2006–2014. Clinical Infectious Diseases, 2017, 65, 308-314.	2.9	29
57	Development of an Extended-Specificity Multiplex Immunoassay for Detection of Streptococcus pneumoniae Serotype-Specific Antigen in Urine by Use of Human Monoclonal Antibodies. Vaccine Journal, 2017, 24, .	3.2	15
58	External Quality Assurance for Laboratory Identification and Capsular Typing of Streptococcus pneumoniae. Scientific Reports, 2017, 7, 13280.	1.6	9
59	Survey of Household Contacts of Infants With Laboratory-confirmed Pertussis Infection During a National Pertussis Outbreak in England and Wales. Pediatric Infectious Disease Journal, 2017, 36, 140-145.	1.1	21
60	Serious pneumococcal disease outbreak in men exposed to metal fume – detection, response and future prevention through pneumococcal vaccination. Vaccine, 2017, 35, 3945-3950.	1.7	20
61	Characteristics and Serotype Distribution of Childhood Cases of Invasive Pneumococcal Disease Following Pneumococcal Conjugate Vaccination in England and Wales, 2006–2014. Clinical Infectious Diseases, 2017, 65, 1191-1198.	2.9	32
62	Pneumococcal 23B Molecular Subtype Identified Using Whole Genome Sequencing. Genome Biology and Evolution, 2017, 9, 2145-2158.	1.1	12
63	Welcome from Norman Fry and Kalai Mathee, new co-Editors-in-Chief for the Journal of Medical Microbiology. Journal of Medical Microbiology, 2017, 66, 846-846.	0.7	2
64	Pertussis-associated persistent cough in previously vaccinated children. Journal of Medical Microbiology, 2017, 66, 1699-1702.	0.7	7
65	Clinical streptococcal isolates, distinct from <i> Streptococcus pneumoniae, </i> but containing the \hat{l}^2 -glucosyltransferase <i> tts </i> gene and expressing serotype 37 capsular polysaccharide. PeerJ, 2017, 5, e3571.	0.9	11
66	Acquisition and loss of virulence-associated factors during genome evolution and speciation in three clades of Bordetella species. BMC Genomics, 2016, 17, 767.	1.2	70
67	Current epidemiology of tetanus in England, 2001–2014. Epidemiology and Infection, 2016, 144, 3343-3353.	1.0	8
68	Evaluation of an Optimal Epidemiological Typing Scheme for Legionella pneumophila with Whole-Genome Sequence Data Using Validation Guidelines. Journal of Clinical Microbiology, 2016, 54, 2135-2148.	1.8	46
69	Sustained Effectiveness of the Maternal Pertussis Immunization Program in England 3 Years Following Introduction. Clinical Infectious Diseases, 2016, 63, S236-S243.	2.9	223
70	Development, validation and implementation of a quadruplex real-time PCR assay for identification of potentially toxigenic corynebacteria. Journal of Medical Microbiology, 2016, 65, 1521-1527.	0.7	48
71	Use of a serotype-specific urine immunoassay to determine the course of a hospital outbreak of Streptococcus pneumoniae complicated by influenza A. JMM Case Reports, 2016, 3, e005002.	1.3	4
72	Rise of multidrug-resistant non-vaccine serotype 15A Streptococcus pneumoniae in the United Kingdom, 2001 to 2014. Eurosurveillance, 2016, 21, .	3.9	41

#	Article	IF	Citations
73	Whole genome sequencing of <i>Streptococcus pneumoniae </i> : development, evaluation and verification of targets for serogroup and serotype prediction using an automated pipeline. PeerJ, 2016, 4, e2477.	0.9	129
74	A Case-Control Study to Estimate the Effectiveness of Maternal Pertussis Vaccination in Protecting Newborn Infants in England and Wales, 2012-2013. Clinical Infectious Diseases, 2015, 60, 333-337.	2.9	328
75	Analysis of Bordetella pertussis clinical isolates circulating in European countries during the period 1998–2012. European Journal of Clinical Microbiology and Infectious Diseases, 2015, 34, 821-830.	1.3	78
76	Genomic Analysis of Isolates From the United Kingdom 2012 Pertussis Outbreak Reveals That Vaccine Antigen Genes Are Unusually Fast Evolving. Journal of Infectious Diseases, 2015, 212, 294-301.	1.9	79
77	Colonisation with toxigenic Corynebacterium diphtheriae in a Scottish burns patient, June 2015. Eurosurveillance, 2015, 20, .	3.9	4
78	Whooping cough in school age children presenting with persistent cough in UK primary care after introduction of the preschool pertussis booster vaccination: prospective cohort study. BMJ, The, 2014, 348, g3668.	3.0	32
79	Oral Fluid Testing for Pertussis, England and Wales, June 2007–August 2009. Emerging Infectious Diseases, 2014, 20, 968-975.	2.0	22
80	Global Population Structure and Evolution of Bordetella pertussis and Their Relationship with Vaccination. MBio, 2014, 5, e01074.	1.8	257
81	Plasticity of fimbrial genotype and serotype within populations of Bordetella pertussis: analysis by paired flow cytometry and genome sequencing. Microbiology (United Kingdom), 2014, 160, 2030-2044.	0.7	7
82	Extension of the Legionella pneumophila sequence-based typing scheme to include strains carrying a variant of the N-acylneuraminate cytidylyltransferase gene. Clinical Microbiology and Infection, 2014, 20, 0435-0441.	2.8	23
83	Montelukast for postinfectious cough in adults: a double-blind randomised placebo-controlled trial. Lancet Respiratory Medicine,the, 2014, 2, 35-43.	5 . 2	49
84	Effectiveness of maternal pertussis vaccination in England: an observational study. Lancet, The, 2014, 384, 1521-1528.	6.3	593
85	Investigations into the emergence of pertactin-deficient Bordetella pertussis isolates in six European countries, 1996 to 2012. Eurosurveillance, 2014, 19, .	3.9	74
86	Modelling anti-pertussis toxin IgG antibody decay following primary and preschool vaccination with an acellular pertussis vaccine in UK subjects using a modified oral fluid assay. Journal of Medical Microbiology, 2013, 62, 1281-1289.	0.7	18
87	Comparison of the Legionella pneumophila population structure as determined by sequence-based typing and whole genome sequencing. BMC Microbiology, 2013, 13, 302.	1.3	39
88	Typing Methods for Legionella. Methods in Molecular Biology, 2013, 954, 119-148.	0.4	37
89	Evaluation of PCR methods for the diagnosis of pertussis by the European surveillance network for vaccine-preventable diseases (EUVAC.NET). European Journal of Clinical Microbiology and Infectious Diseases, 2013, 32, 1285-1289.	1.3	18
90	Pulsed-Field Gel Electrophoresis Analysis of Bordetella pertussis Isolates Circulating in Europe from 1998 to 2009. Journal of Clinical Microbiology, 2013, 51, 422-428.	1.8	37

#	Article	IF	CITATIONS
91	Direct molecular typing of Bordetella pertussis from clinical specimens submitted for diagnostic quantitative (real-time) PCR. Journal of Medical Microbiology, 2012, 61, 1662-1668.	0.7	20
92	Antibody Responses to Individual Bordetella pertussis Fimbrial Antigen Fim2 or Fim3 following Immunization with the Five-Component Acellular Pertussis Vaccine or to Pertussis Disease. Vaccine Journal, 2012, 19, 1776-1783.	3.2	12
93	Application of Legionella pneumophila-specific quantitative real-time PCR combined with direct amplification and sequence-based typing in the diagnosis and epidemiological investigation of Legionnaires' disease. European Journal of Clinical Microbiology and Infectious Diseases, 2012, 31, 2017-2028.	1.3	58
94	Accelerating Control of Pertussis in England and Wales. Emerging Infectious Diseases, 2012, 18, 38-47.	2.0	74
95	The <i>N</i> -Acylneuraminate Cytidyltransferase Gene, <i>neuA</i> , Is Heterogenous in Legionella pneumophila Strains but Can Be Used as a Marker for Epidemiological Typing in the Consensus Sequence-Based Typing Scheme. Journal of Clinical Microbiology, 2011, 49, 4052-4058.	1.8	27
96	Differences in the genomic content of Bordetella pertussis isolates before and after introduction of pertussis vaccines in four European countries. Infection, Genetics and Evolution, 2011, 11, 2034-2042.	1.0	41
97	What to do and what not to do in serological diagnosis of pertussis: recommendations from EU reference laboratories. European Journal of Clinical Microbiology and Infectious Diseases, 2011, 30, 307-312.	1.3	207
98	Investigation of the population structure of Legionella pneumophila by analysis of tandem repeat copy number and internal sequence variation. Microbiology (United Kingdom), 2011, 157, 2582-2594.	0.7	19
99	Antimicrobial susceptibility testing of historical and recent clinical isolates of Bordetella pertussis in the United Kingdom using the Etest method. European Journal of Clinical Microbiology and Infectious Diseases, 2010, 29, 1183-1185.	1.3	33
100	<i>Legionella pneumophila</i> Strain 130b Possesses a Unique Combination of Type IV Secretion Systems and Novel Dot/Icm Secretion System Effector Proteins. Journal of Bacteriology, 2010, 192, 6001-6016.	1.0	104
101	Changes in Genetic Diversity of the <i>Bordetella pertussis</i> Population in the United Kingdom between 1920 and 2006 Reflect Vaccination Coverage and Emergence of a Single Dominant Clonal Type. Journal of Clinical Microbiology, 2009, 47, 680-688.	1.8	71
102	Distribution of Legionella pneumophila serogroups, monoclonal antibody subgroups and DNA sequence types in recent clinical and environmental isolates from England and Wales (2000–2008). European Journal of Clinical Microbiology and Infectious Diseases, 2009, 28, 781-791.	1.3	123
103	Amplified Fragment Length Polymorphism Analysis. Methods in Molecular Biology, 2009, 551, 89-104.	0.4	22
104	Role of PCR in the diagnosis of pertussis infection in infants: 5â€years' experience of provision of a same-day real-time PCR service in England and Wales from 2002 to 2007. Journal of Medical Microbiology, 2009, 58, 1023-1029.	0.7	68
105	Pertussis outbreak on a neonatal unit: identification of a healthcare worker as the likely source. Journal of Hospital Infection, 2008, 69, 131-134.	1.4	25
106	Clonal population structure of Legionella pneumophila inferred from allelic profiling. Microbiology (United Kingdom), 2008, 154, 852-864.	0.7	25
107	Bordetella pertussis Strains Circulating in Europe in 1999 to 2004 as Determined by Pulsed-Field Gel Electrophoresis. Journal of Clinical Microbiology, 2007, 45, 3257-3262.	1.8	47
108	External Quality Assessment of a DNA Sequence-Based Scheme for Epidemiological Typing of <i>Legionella pneumophila</i> by an International Network of Laboratories. Journal of Clinical Microbiology, 2007, 45, 3251-3256.	1.8	13

#	Article	IF	CITATIONS
109	The first UK isolate of †Bordetella ansorpii†from an immunocompromised patient. Journal of Medical Microbiology, 2007, 56, 993-995.	0.7	19
110	Identification of Variable-Number Tandem-Repeat (VNTR) Sequences in Legionella pneumophila and Development of an Optimized Multiple-Locus VNTR Analysis Typing Scheme. Journal of Clinical Microbiology, 2007, 45, 1190-1199.	1.8	45
111	Addition of neuA, the Gene Encoding N-Acylneuraminate Cytidylyl Transferase, Increases the Discriminatory Ability of the Consensus Sequence-Based Scheme for Typing Legionella pneumophila Serogroup 1 Strains. Journal of Clinical Microbiology, 2007, 45, 1965-1968.	1.8	238
112	A UK clinical isolate of Bordetella hinzii from a patient with myelodysplastic syndrome. Journal of Medical Microbiology, 2007, 56, 1700-1703.	0.7	36
113	Comparison of clinical and environmental isolates of Legionella pneumophila obtained in the UK over 19 years. Clinical Microbiology and Infection, 2007, 13, 78-85.	2.8	69
114	Guidelines for the validation and application of typing methods for use in bacterial epidemiology. Clinical Microbiology and Infection, 2007, 13 , 1 -46.	2.8	668
115	Identification of Legionella spp. by 19 European reference laboratories: results of the European Working Group for Legionella Infections External Quality Assessment Scheme using DNA sequencing of the macrophage infectivity potentiator gene and dedicated online tools. Clinical Microbiology and Infection, 2007, 13, 1119-1124.	2.8	20
116	Assessment of fluorescent amplified fragment length polymorphism analysis for epidemiological genotyping of Legionella pneumophila serogroup 1. Clinical Microbiology and Infection, 2005, 11, 704-712.	2.8	12
117	The public health implications of a sporadic case of culture-proven Legionnaires' disease. Australian and New Zealand Journal of Public Health, 2005, 29, 513-517.	0.8	4
118	<i>Bordetella petrii</i> Clinical Isolate. Emerging Infectious Diseases, 2005, 11, 1131-1133.	2.0	39
119	External Quality Assessment for Molecular Detection of Bordetella pertussis in European Laboratories. Journal of Clinical Microbiology, 2005, 43, 30-35.	1.8	60
120	Consensus Sequence-Based Scheme for Epidemiological Typing of Clinical and Environmental Isolates of Legionella pneumophila. Journal of Clinical Microbiology, 2005, 43, 2047-2052.	1.8	313
121	Sequence variation and conservation in virulence-related genes of Bordetella pertussis isolates from the UK. Journal of Medical Microbiology, 2004, 53, 355-365.	0.7	71
122	Laboratory diagnosis of pertussis infections: the role of PCR and serology. Journal of Medical Microbiology, 2004, 53, 519-525.	0.7	67
123	Related assemblages of sulphate-reducing bacteria associated with ultradeep gold mines of South Africa and deep basalt aquifers of Washington State. Environmental Microbiology, 2003, 5, 267-277.	1.8	96
124	Sequence-Based Typing of Legionella pneumophila Serogroup 1 Offers the Potential for True Portability in Legionellosis Outbreak Investigation. Journal of Clinical Microbiology, 2003, 41, 2932-2939.	1.8	103
125	Identification of Bartonella bacilliformis Genotypes and Their Relevance to Epidemiological Investigations of Human Bartonellosis. Journal of Clinical Microbiology, 2002, 40, 3606-3612.	1.8	31
126	Designation of the European Working Group on Legionella Infection (EWGLI) Amplified Fragment Length Polymorphism Types of Legionella pneumophila Serogroup 1 and Results of Intercentre Proficiency Testing Using a Standard Protocol. European Journal of Clinical Microbiology and Infectious Diseases, 2002, 21, 722-728.	1.3	70

#	Article	IF	Citations
127	Prosthetic Valve Endocarditis Caused by Bartonella quintana. Emerging Infectious Diseases, 2002, 8, 202-203.	2.0	21
128	Genotypic Variation in the Bordetella pertussis Virulence Factors Pertactin and Pertussis Toxin in Historical and Recent Clinical Isolates in the United Kingdom. Infection and Immunity, 2001, 69, 5520-5528.	1.0	78
129	Molecular Techniques for the Detection and Identification of New Bacterial Pathogens. Journal of Infection, 2000, 40, 116-120.	1.7	11
130	Assessment of Intercentre Reproducibility and Epidemiological Concordance of Legionella pneumophila Serogroup 1 Genotyping by Amplified Fragment Length Polymorphism Analysis. European Journal of Clinical Microbiology and Infectious Diseases, 2000, 19, 773-780.	1.3	57
131	Detection of <i>Legionella pneumophila</i> Using a Real-Time PCR Hybridization Assay. Journal of Clinical Microbiology, 2000, 38, 4215-4218.	1.8	95
132	A multicenter evaluation of genotypic methods for the epidemiologic typing of Legionella pneumophila serogroup 1: results of a pan-European study. Clinical Microbiology and Infection, 1999, 5, 462-477.	2.8	80
133	An evaluation of intergenic rRNA gene sequence length polymorphism analysis for the identification of Legionella species. Journal of Medical Microbiology, 1998, 47, 667-678.	0.7	9
134	Diagnosis and Epidemiology of Infections Caused by Legionella spp , 1998, 15, 213-242.		2
135	Population structure of microbial communities associated with two deep, anaerobic, alkaline aquifers. Applied and Environmental Microbiology, 1997, 63, 1498-1504.	1.4	108
136	Phylogeny of Legionellaceae Based on Small-Subunit Ribosomal DNA Sequences and Proposal of Legionella lytica comb. nov. for Legionella-Like Amoebal Pathogens. International Journal of Systematic Bacteriology, 1996, 46, 526-531.	2.8	83
137	Direct amplification and sequencing of the 16S ribosomal DNA of an intracellularLegionellaspecies recovered by amoebal enrichment from the sputum of a patient with pneumonia. FEMS Microbiology Letters, 1991, 83, 165-168.	0.7	37
138	Taxonomic considerations of <i>Bartonella bacilliformis </i> based on phylogenetic and phenotypic characteristics. FEMS Microbiology Letters, 1991, 83, 187-191.	0.7	22
139	The use of 16S ribosomal RNA analyses to investigate the phylogeny of the family Legionellaceae. Journal of General Microbiology, 1991, 137, 1215-1222.	2.3	129
140	Direct amplification and sequencing of the 16S ribosomal DNA of an intracellular Legionella species recovered by amoebal enrichment from the sputum of a patient with pneumonia. FEMS Microbiology Letters, 1991, 67, 165-8.	0.7	32
141	Taxonomic considerations of Bartonella bacilliformis based on phylogenetic and phenotypic characteristics. FEMS Microbiology Letters, 1991, 67, 187-91.	0.7	14
142	A christening party outbreak of haemorrhagic colitis and haemolytic uraemic syndrome associated with <i>Escherichia coli</i> /i> O 157. H7. Epidemiology and Infection, 1989, 103, 249-254.	1.0	66
143	The use of sorbitol-MacConkey agar in conjunction with a specific antiserum for the detection of Vero cytotoxin-producing strains of Escherichia coliO 157. Epidemiology and Infection, 1988, 101, 327-335.	1.0	48
144	HAEMORRHAGIC COLITIS AND VERO-CYTOTOXIN-PRODUCING ESCHERICHIA COLI IN ENGLAND AND WALES. Lancet, The, 1987, 329, 1062-1065.	6.3	127

#	Article	IF	CITATIONS
145	Typing of Legionella pneumophila and its Role in Elucidating the Epidemiology of Legionnaires' Disease. , 0, , 94-99.		4
146	Development of an Online Tool for European Working Group for <i>Legionella</i> Infections Sequence-Based Typing, Including Automatic Quality Assessment and Data Submission., 0,, 163-166.		3
147	Epidemiological Typing of Legionella pneumophila in the Absence of Isolates. , 0, , 152-155.		O