

# Takanobu Nakazawa

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9509424/takanobu-nakazawa-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

95  
papers

3,443  
citations

32  
h-index

57  
g-index

101  
ext. papers

3,971  
ext. citations

6.2  
avg, IF

4.52  
L-index

#	Paper	IF	Citations
95	Molecular brain (micro report) oxytocin ameliorates impaired social behavior in a mouse model of 3q29 deletion syndrome.. <i>Molecular Brain</i> , <b>2022</b> , 15, 26	4.5	0
94	Toward recovery in schizophrenia: current concepts, findings, and future research directions.. <i>Psychiatry and Clinical Neurosciences</i> , <b>2022</b> ,	6.2	1
93	Autism-associated ANK2 regulates embryonic neurodevelopment.. <i>Biochemical and Biophysical Research Communications</i> , <b>2022</b> , 605, 45-50	3.4	0
92	Clastrum mediates bidirectional and reversible control of stress-induced anxiety responses.. <i>Science Advances</i> , <b>2022</b> , 8, eabi6375	14.3	1
91	PACAP-PAC1 Signaling Regulates Serotonin 2A Receptor Internalization. <i>Frontiers in Endocrinology</i> , <b>2021</b> , 12, 732456	5.7	1
90	Postsynaptic structure formation of human iPS cell-derived neurons takes longer than presynaptic formation during neural differentiation in vitro. <i>Molecular Brain</i> , <b>2021</b> , 14, 149	4.5	2
89	Multiple alterations in glutamatergic transmission and dopamine D2 receptor splicing in induced pluripotent stem cell-derived neurons from patients with familial schizophrenia. <i>Translational Psychiatry</i> , <b>2021</b> , 11, 548	8.6	1
88	Trends in big data analyses by multicenter collaborative translational research in psychiatry. <i>Psychiatry and Clinical Neurosciences</i> , <b>2021</b> ,	6.2	5
87	Intranasal oxytocin administration ameliorates social behavioral deficits in a POGZ mouse model of autism spectrum disorder. <i>Molecular Brain</i> , <b>2021</b> , 14, 56	4.5	5
86	An Autism-Associated Neuroligin-3 Mutation Affects Developmental Synapse Elimination in the Cerebellum. <i>Frontiers in Neural Circuits</i> , <b>2021</b> , 15, 676891	3.5	1
85	Methylation Analysis in Monozygotic Twins With Treatment-Resistant Schizophrenia and Discordant Responses to Clozapine. <i>Frontiers in Psychiatry</i> , <b>2021</b> , 12, 734606	5	1
84	Activation of the VPAC2 Receptor Impairs Axon Outgrowth and Decreases Dendritic Arborization in Mouse Cortical Neurons by a PKA-Dependent Mechanism. <i>Frontiers in Neuroscience</i> , <b>2020</b> , 14, 521	5.1	3
83	Pathogenic POGZ mutation causes impaired cortical development and reversible autism-like phenotypes. <i>Nature Communications</i> , <b>2020</b> , 11, 859	17.4	29
82	(S)-norketamine and (2S,6S)-hydroxynorketamine exert potent antidepressant-like effects in a chronic corticosterone-induced mouse model of depression. <i>Pharmacology Biochemistry and Behavior</i> , <b>2020</b> , 191, 172876	3.9	19
81	Lipocalin-type prostaglandin D synthase regulates light-induced phase advance of the central circadian rhythm in mice. <i>Communications Biology</i> , <b>2020</b> , 3, 557	6.7	3
80	(R)-Ketamine Induces a Greater Increase in Prefrontal 5-HT Release Than (S)-Ketamine and Ketamine Metabolites via an AMPA Receptor-Independent Mechanism. <i>International Journal of Neuropsychopharmacology</i> , <b>2019</b> , 22, 665-674	5.8	38
79	Autism-associated protein kinase D2 regulates embryonic cortical neuron development. <i>Biochemical and Biophysical Research Communications</i> , <b>2019</b> , 519, 626-632	3.4	2

78	Psychiatric-disorder-related behavioral phenotypes and cortical hyperactivity in a mouse model of 3q29 deletion syndrome. <i>Neuropsychopharmacology</i> , <b>2019</b> , 44, 2125-2135	8.7	16
77	Pituitary Adenylate Cyclase-Activating Polypeptide Modulates Dendritic Spine Maturation and Morphogenesis via MicroRNA-132 Upregulation. <i>Journal of Neuroscience</i> , <b>2019</b> , 39, 4208-4220	6.6	10
76	Whole-brain block-face serial microscopy tomography at subcellular resolution using FAST. <i>Nature Protocols</i> , <b>2019</b> , 14, 1509-1529	18.8	18
75	Modeling of psychiatric disorders using induced pluripotent stem cell-related technologies. <i>Journal of Pharmacological Sciences</i> , <b>2019</b> , 140, 321-324	3.7	8
74	mS-11, a mimetic of the mSin3-binding helix in NRSF, ameliorates social interaction deficits in a prenatal valproic acid-induced autism mouse model. <i>Pharmacology Biochemistry and Behavior</i> , <b>2019</b> , 176, 1-5	3.9	4
73	Knockdown of the mitochondria-localized protein p13 protects against experimental parkinsonism. <i>EMBO Reports</i> , <b>2018</b> , 19,	6.5	10
72	The de novo Q1042R POGZ mutation in sporadic ASD disrupts the neuronal differentiation. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , <b>2018</b> , WCP2018, PO4-1-67	0	
71	Protein kinase D2 (PRKD2) regulates embryonic neural development. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , <b>2018</b> , WCP2018, PO4-1-53	0	
70	Whole-brain mapping of neuronal activity in mice after social defeat stress. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , <b>2018</b> , WCP2018, PO3-1-36	0	
69	Effects of intranasal oxytocin on autism-like behavioral abnormalities in valproic acid-induced mouse model of autism. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , <b>2018</b> , WCP2018, PO3-1-77	0	
68	Unbiased compound screening with a reporter gene assay highlights the role of p13 in the cardiac cellular stress response. <i>Biochemical and Biophysical Research Communications</i> , <b>2018</b> , 495, 1992-1997	3.4	1
67	βArrestin1 and 2 differentially regulate PACAP-induced PAC1 receptor signaling and trafficking. <i>PLoS ONE</i> , <b>2018</b> , 13, e0196946	3.7	10
66	High-Speed and Scalable Whole-Brain Imaging in Rodents and Primates. <i>Neuron</i> , <b>2017</b> , 94, 1085-1100.e613,9		65
65	Differential gene expression profiles in neurons generated from lymphoblastoid B-cell line-derived iPS cells from monozygotic twin cases with treatment-resistant schizophrenia and discordant responses to clozapine. <i>Schizophrenia Research</i> , <b>2017</b> , 181, 75-82	3.6	36
64	Oxytocin attenuates deficits in social interaction but not recognition memory in a prenatal valproic acid-induced mouse model of autism. <i>Hormones and Behavior</i> , <b>2017</b> , 96, 130-136	3.7	32
63	Risperidone and aripiprazole alleviate prenatal valproic acid-induced abnormalities in behaviors and dendritic spine density in mice. <i>Psychopharmacology</i> , <b>2017</b> , 234, 3217-3228	4.7	20
62	Retrograde BDNF to TrkB signaling promotes synapse elimination in the developing cerebellum. <i>Nature Communications</i> , <b>2017</b> , 8, 195	17.4	66
61	Prenatal exposure to valproic acid increases miR-132 levels in the mouse embryonic brain. <i>Molecular Autism</i> , <b>2017</b> , 8, 33	6.5	16

60	Environmental enrichment attenuates behavioral abnormalities in valproic acid-exposed autism model mice. <i>Behavioural Brain Research</i> , <b>2017</b> , 333, 67-73	3-4	39
59	Effect of Clozapine on DNA Methylation in Peripheral Leukocytes from Patients with Treatment-Resistant Schizophrenia. <i>International Journal of Molecular Sciences</i> , <b>2017</b> , 18,	6-3	29
58	Prostaglandin D2 signaling mediated by the CRTH2 receptor is involved in MK-801-induced cognitive dysfunction. <i>Behavioural Brain Research</i> , <b>2016</b> , 314, 77-86	3-4	5
57	Phosphorylation of NMDA receptor GluN2B subunit at Tyr1472 is important for trigeminal processing of itch. <i>European Journal of Neuroscience</i> , <b>2016</b> , 44, 2474-2482	3-5	5
56	Critical involvement of the orbitofrontal cortex in hyperlocomotion induced by NMDA receptor blockade in mice. <i>Biochemical and Biophysical Research Communications</i> , <b>2016</b> , 480, 558-563	3-4	8
55	Emerging roles of ARHGAP33 in intracellular trafficking of TrkB and pathophysiology of neuropsychiatric disorders. <i>Nature Communications</i> , <b>2016</b> , 7, 10594	17-4	24
54	De novo POGZ mutations in sporadic autism disrupt the DNA-binding activity of POGZ. <i>Journal of Molecular Psychiatry</i> , <b>2016</b> , 4, 1		18
53	Whole-exome sequencing and neurite outgrowth analysis in autism spectrum disorder. <i>Journal of Human Genetics</i> , <b>2016</b> , 61, 199-206	4-3	52
52	Involvement of Brain-Enriched Guanylate Kinase-Associated Protein (BEGAIN) in Chronic Pain after Peripheral Nerve Injury. <i>ENeuro</i> , <b>2016</b> , 3,	3-9	5
51	Implications of PACAP Signaling in Psychiatric Disorders. <i>Current Topics in Neurotoxicity</i> , <b>2016</b> , 757-766		3
50	Double Hybridization for MicroRNAs and mRNAs in Brain Tissues. <i>Frontiers in Molecular Neuroscience</i> , <b>2016</b> , 9, 126	6-1	7
49	p13 overexpression in pancreatic $\beta$ cells ameliorates type 2 diabetes in high-fat-fed mice. <i>Biochemical and Biophysical Research Communications</i> , <b>2015</b> , 461, 612-7	3-4	6
48	Simultaneous neuron- and astrocyte-specific fluorescent marking. <i>Biochemical and Biophysical Research Communications</i> , <b>2015</b> , 459, 81-6	3-4	7
47	Identification of the role of bone morphogenetic protein (BMP) and transforming growth factor- $\beta$ (TGF- $\beta$ ) signaling in the trajectory of serotonergic differentiation in a rapid assay in mouse embryonic stem cells in vitro. <i>Journal of Neurochemistry</i> , <b>2015</b> , 132, 418-28	6	9
46	Comparative gene expression profiles in pancreatic islets associated with agouti yellow mutation and PACAP overexpression in mice. <i>Biochemistry and Biophysics Reports</i> , <b>2015</b> , 2, 179-183	2-2	1
45	PACAP enhances axon outgrowth in cultured hippocampal neurons to a comparable extent as BDNF. <i>PLoS ONE</i> , <b>2015</b> , 10, e0120526	3-7	34
44	CRTH2, a prostaglandin D2 receptor, mediates depression-related behavior in mice. <i>Behavioural Brain Research</i> , <b>2015</b> , 284, 131-7	3-4	18
43	Retrograde semaphorin signaling regulates synapse elimination in the developing mouse brain. <i>Science</i> , <b>2014</b> , 344, 1020-3	33-3	91

42	NR2B phosphorylation at tyrosine 1472 contributes to brain injury in a rodent model of neonatal hypoxia-ischemia. <i>Stroke</i> , <b>2014</b> , 45, 3040-7	6.7	32
41	Leptin induces hippocampal synaptogenesis via CREB-regulated microRNA-132 suppression of p250GAP. <i>Molecular Endocrinology</i> , <b>2014</b> , 28, 1073-87		61
40	Increased behavioral and neuronal responses to a hallucinogenic drug in PACAP heterozygous mutant mice. <i>PLoS ONE</i> , <b>2014</b> , 9, e89153	3.7	18
39	Dopamine-induced tyrosine phosphorylation of NR2B (Tyr1472) is essential for ERK1/2 activation and processing of novel taste information. <i>Frontiers in Molecular Neuroscience</i> , <b>2014</b> , 7, 66	6.1	15
38	Behavioral characterization of mice overexpressing human dysbindin-1. <i>Molecular Brain</i> , <b>2014</b> , 7, 74	4.5	12
37	Central CRTH2, a second prostaglandin D2 receptor, mediates emotional impairment in the lipopolysaccharide and tumor-induced sickness behavior model. <i>Journal of Neuroscience</i> , <b>2014</b> , 34, 2514-23	6.6	12
36	LMTK3 deficiency causes pronounced locomotor hyperactivity and impairs endocytic trafficking. <i>Journal of Neuroscience</i> , <b>2014</b> , 34, 5927-37	6.6	12
35	Protocadherin 17 regulates presynaptic assembly in topographic corticobasal Ganglia circuits. <i>Neuron</i> , <b>2013</b> , 78, 839-54	13.9	52
34	NMDAR2B tyrosine phosphorylation is involved in thermal nociception. <i>Neuroscience Letters</i> , <b>2012</b> , 516, 270-3	3.3	4
33	Involvement of Tyr1472 phosphorylation of NMDA receptor NR2B subunit in postherpetic neuralgia in model mice. <i>Molecular Pain</i> , <b>2012</b> , 8, 59	3.4	21
32	The p250GAP gene is associated with risk for schizophrenia and schizotypal personality traits. <i>PLoS ONE</i> , <b>2012</b> , 7, e35696	3.7	17
31	Metaplasticity gated through differential regulation of GluN2A versus GluN2B receptors by Src family kinases. <i>EMBO Journal</i> , <b>2012</b> , 31, 805-16	13	63
30	p250GAP is a novel player in the Cdh1-APC/Smurf1 pathway of axon growth regulation. <i>PLoS ONE</i> , <b>2012</b> , 7, e50735	3.7	19
29	Distinct expression patterns of the subunits of the CCR4-NOT deadenylase complex during neural development. <i>Biochemical and Biophysical Research Communications</i> , <b>2011</b> , 411, 360-4	3.4	34
28	Involvement of spinal phosphorylation cascade of Tyr1472-NR2B, Thr286-CaMKII, and Ser831-GluR1 in neuropathic pain. <i>Neuropharmacology</i> , <b>2011</b> , 60, 609-16	5.5	57
27	NYAP: a phosphoprotein family that links PI3K to WAVE1 signalling in neurons. <i>EMBO Journal</i> , <b>2011</b> , 30, 4739-54	13	44
26	Impairment of CaMKII activation and attenuation of neuropathic pain in mice lacking NR2B phosphorylated at Tyr1472. <i>European Journal of Neuroscience</i> , <b>2010</b> , 32, 798-810	3.5	49
25	NMDAR2B tyrosine phosphorylation regulates anxiety-like behavior and CRF expression in the amygdala. <i>Molecular Brain</i> , <b>2010</b> , 3, 37	4.5	29

24	Receptor tyrosine phosphatase sigma (RPTP $\sigma$ ) regulates, p250GAP, a novel substrate that attenuates Rac signaling. <i>Cellular Signalling</i> , <b>2010</b> , 22, 1626-33	4.9	27
23	Involvement of NMDAR2A tyrosine phosphorylation in depression-related behaviour. <i>EMBO Journal</i> , <b>2009</b> , 28, 3717-29	13	73
22	Regulation of dendritic spine morphology by an NMDA receptor-associated Rho GTPase-activating protein, p250GAP. <i>Journal of Neurochemistry</i> , <b>2008</b> , 105, 1384-93	6	49
21	Activation of Fyn tyrosine kinase in the mouse dorsal hippocampus is essential for contextual fear conditioning. <i>European Journal of Neuroscience</i> , <b>2008</b> , 28, 973-81	3.5	39
20	Loss of Fyn tyrosine kinase on the C57BL/6 genetic background causes hydrocephalus with defects in oligodendrocyte development. <i>Molecular and Cellular Neurosciences</i> , <b>2008</b> , 38, 203-12	4.8	45
19	Neurotensin type 2 receptor is involved in fear memory in mice. <i>Journal of Neurochemistry</i> , <b>2007</b> , 102, 1669-1676	6	27
18	microRNA modulation of circadian-clock period and entrainment. <i>Neuron</i> , <b>2007</b> , 54, 813-29	13.9	472
17	Molecular characterization of a novel RhoGAP, RRC-1 of the nematode <i>Caenorhabditis elegans</i> . <i>Biochemical and Biophysical Research Communications</i> , <b>2007</b> , 357, 377-82	3.4	1
16	Brain-derived neurotrophic factor rapidly increases NMDA receptor channel activity through Fyn-mediated phosphorylation. <i>Brain Research</i> , <b>2006</b> , 1121, 22-34	3.7	82
15	Physical and functional interaction of Fyn tyrosine kinase with a brain-enriched Rho GTPase-activating protein TCGAP. <i>Journal of Biological Chemistry</i> , <b>2006</b> , 281, 23611-9	5.4	24
14	Azoospermia in mice with targeted disruption of the Brek/Lmtk2 (brain-enriched kinase/lemur tyrosine kinase 2) gene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2006</b> , 103, 19344-9	11.5	34
13	Phosphorylation at Tyr-694 of Nogo-A by Src-family kinases. <i>Biochemical and Biophysical Research Communications</i> , <b>2006</b> , 349, 1401-5	3.4	7
12	NR2B tyrosine phosphorylation modulates fear learning as well as amygdaloid synaptic plasticity. <i>EMBO Journal</i> , <b>2006</b> , 25, 2867-77	13	125
11	Fyn kinase-mediated phosphorylation of NMDA receptor NR2B subunit at Tyr1472 is essential for maintenance of neuropathic pain. <i>European Journal of Neuroscience</i> , <b>2005</b> , 22, 1445-54	3.5	143
10	Involvement of BREK, a serine/threonine kinase enriched in brain, in NGF signalling. <i>Genes To Cells</i> , <b>2004</b> , 9, 219-32	2.3	50
9	Altered gene expression in the adult brain of fyn-deficient mice. <i>Cellular and Molecular Neurobiology</i> , <b>2004</b> , 24, 149-59	4.6	9
8	Tyrosine dephosphorylation and ethanol inhibition of N-Methyl-D-aspartate receptor function. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 11020-5	5.4	57
7	p250GAP, a novel brain-enriched GTPase-activating protein for Rho family GTPases, is involved in the N-methyl-d-aspartate receptor signaling. <i>Molecular Biology of the Cell</i> , <b>2003</b> , 14, 2921-34	3.5	83

6	p250GAP, a neural RhoGAP protein, is associated with and phosphorylated by Fyn. <i>Biochemical and Biophysical Research Communications</i> , <b>2003</b> , 306, 151-5	3-4	39
5	Lithium protection against glutamate excitotoxicity in rat cerebral cortical neurons: involvement of NMDA receptor inhibition possibly by decreasing NR2B tyrosine phosphorylation. <i>Journal of Neurochemistry</i> , <b>2002</b> , 80, 589-97	6	262
4	Differential effects of hypoxia-ischemia on subunit expression and tyrosine phosphorylation of the NMDA receptor in 7- and 21-day-old rats. <i>Journal of Neurochemistry</i> , <b>2002</b> , 82, 848-56	6	30
3	Characterization of Fyn-mediated tyrosine phosphorylation sites on GluR epsilon 2 (NR2B) subunit of the N-methyl-D-aspartate receptor. <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 693-9	5-4	381
2	Cloning and characterization of EPD2, a gene required for efficient pseudohyphal formation of a dimorphic yeast, <i>Candida maltosa</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , <b>2000</b> , 64, 369-77	2-1	10
1	Isolation and characterization of EPD1, an essential gene for pseudohyphal growth of a dimorphic yeast, <i>Candida maltosa</i> . <i>Journal of Bacteriology</i> , <b>1998</b> , 180, 2079-86	3-5	35