Domingo Ruiz-Hidalgo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9509726/publications.pdf

Version: 2024-02-01

38 papers 1,088 citations

471509 17 h-index 32 g-index

58 all docs

58 docs citations

58 times ranked 1475 citing authors

#	Article	IF	CITATIONS
1	Outcome Predictors of Pneumonia in Elderly Patients: Importance of Functional Assessment. Journal of the American Geriatrics Society, 2004, 52, 1603-1609.	2.6	204
2	The European Registry on Obstetric Antiphospholipid Syndrome (EUROAPS): A survey of 1000 consecutive cases. Autoimmunity Reviews, 2019, 18, 406-414.	5.8	106
3	Cut-off points for muscle mass — not grip strength or gait speed — determine variations in sarcopenia prevalence. Journal of Nutrition, Health and Aging, 2017, 21, 825-829.	3.3	78
4	Short- and long-term outcomes of older patients in intermediate care units. Intensive Care Medicine, 2006, 32, 1052-1059.	8.2	70
5	Factors associated with hip fracture-related falls among patients with a history of recurrent falling. Bone, 2008, 43, 941-944.	2.9	68
6	Comparative study of obstetric antiphospholipid syndrome (OAPS) and non-criteria obstetric APS (NC-OAPS): report of 1640 cases from the EUROAPS registry. Rheumatology, 2020, 59, 1306-1314.	1.9	53
7	Predictive items of one-year mortality in nonagenarians. The NonaSantfeliu Study. Aging Clinical and Experimental Research, 2007, 19, 265-268.	2.9	38
8	Pain, health related quality of life and healthcare resource utilization in Spain. Journal of Medical Economics, 2011, 14, 628-638.	2.1	31
9	Predictive items of functional decline and 2-year mortality in nonagenariansthe NonaSantfeliu study. European Journal of Public Health, 2008, 18, 406-409.	0.3	30
10	Differences in the Characteristics of Elderly Patients Suffering From Hip Fracture Due to Falls According to Place of Residence. Journal of the American Medical Directors Association, 2007, 8, 533-537.	2.5	29
11	Hip fractures in the oldest old. Comparative study of centenarians and nonagenarians and mortality risk factors. Injury, 2018, 49, 2198-2202.	1.7	27
12	Prevalence of sarcopenia in patients attending outpatient geriatric clinics: the ELLI study: Table 1 Age and Ageing, 2015, 44, 807-809.	1.6	26
13	Potentially Inappropriate Antihypertensive Prescriptions to Elderly Patients: Results of a Prospective, Observational Study. Drugs and Aging, 2017, 34, 453-466.	2.7	20
14	Characteristics of fall-related hip fractures in community-dwelling elderly patients according to cognitive status. Aging Clinical and Experimental Research, 2008, 20, 434-438.	2.9	19
15	Prognostic Value and Risk Factors of Delirium in Emergency Patients With Decompensated Heart Failure. Journal of the American Medical Directors Association, 2015, 16, 799.e1-799.e6.	2.5	18
16	Appropriateness of Medications Prescribed to Elderly Patients with Advanced Heart Failure and Limited Life Expectancy Who Died During Hospitalization. Drugs and Aging, 2014, 31, 541-546.	2.7	15
17	Influence of demographic and clinical characteristics of elderly patients with a hip fracture on mortality: A retrospective, total cohort study in North-East Spain. Bone, 2018, 117, 123-129.	2.9	15
18	Long-term Impact of Hip Fracture on the Use of Healthcare Resources: a Population-Based Study. Journal of the American Medical Directors Association, 2019, 20, 456-461.	2.5	15

#	Article	IF	CITATIONS
19	Annular submitral left ventricular aneurysm. European Heart Journal, 1992, 13, 424-425.	2.2	14
20	An inter-rater reliability study of the prescribing indicated medications quality indicators of the Assessing Care Of Vulnerable Elders (ACOVE) 3 criteria as a potentially inappropriate prescribing tool. Archives of Gerontology and Geriatrics, 2014, 58, 460-464.	3.0	11
21	Clinical evidence of diabetes mellitus end-organ damage as risk factor for falls complicated by hip fracture: A multi-center study of 1225 patients. Diabetes Research and Clinical Practice, 2015, 109, 233-237.	2.8	11
22	ASSOCIATION BETWEEN RISPERIDONE TREATMENT AND CEREBROVASCULAR ADVERSE EVENTS IN ELDERLY PATIENTS WITH DEMENTIA. Journal of the American Geriatrics Society, 2005, 53, 1446-1448.	2.6	10
23	Effect of Prophylactic Treatment with Low-Molecular-Weight Heparin Bemiparin Sodium on Serum Potassium Levels. Drugs and Aging, 2010, 27, 399-406.	2.7	10
24	Ability of physiological parameters versus clinical categories to predict mortality on admission to an internal medicine ward. European Journal of Internal Medicine, 2009, 20, 636-639.	2.2	9
25	Systemic lupus erythematosus and hydroxychloroquine-related acute intermittent porphyria. Rheumatology International, 2020, 40, 777-783.	3.0	8
26	Transient aplastic anaemia associated with legionnaires' disease. Lancet, The, 1991, 338, 264.	13.7	7
27	Assessing nutritional status in the elderly evaluation of Chumlea equations for weight. Nutricion Hospitalaria, 2013, 28, 314-8.	0.3	5
28	Tuberculous Meningitis in Patients Infected with the Human Immunodeficiency Virus. New England Journal of Medicine, 1992, 327, 1170-1172.	27.0	3
29	AUTOIMMUNITY AND IMMUNE RISK PHENOTYPE IN NONAGENARIANS: DIFFERENCES ACCORDING TO SEX AND HEALTH STATUS. Journal of the American Geriatrics Society, 2008, 56, 1973-1974.	2.6	3
30	Hip Fractures in People Older Than 95 Years: Are Patients Without Age-Associated Illnesses Different?. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 1424-1428.	3.6	3
31	Characteristics of falls producing hip fracture in patients on oral anticoagulants. Acta Clinica Belgica, 2016, 71, 171-174.	1.2	2
32	Diagnostic Accuracy of CYFRA21-1 in the Differential Diagnosis of Pleural Effusions. Anticancer Research, 2019, 39, 5071-5076.	1.1	2
33	La propuesta de rediseño del Servicio de Medicina Interna del Hospital de la Santa Cruz y San Pablo. Revista De Calidad Asistencial: órgano De La Sociedad Española De Calidad Asistencial, 2004, 19, 20-26.	0.3	1
34	Letter to the Editor re: "Incidence and characteristics of falls leading to hip fracture in Iranian population―by Abolhassani et al. BONE 2006:39;408–13. Bone, 2007, 40, 242.	2.9	1
35	Comparative Assessment of Two Strategies for Interpreting Tumor Markers in Ascitic Effusions. In Vivo, 2020, 34, 715-722.	1.3	1
36	Antiagregantes plaquetarios y su influencia en la estancia hospitalaria y consumo de recursos sanitarios en pacientes ancianos con fractura de fémur. Revista De Calidad Asistencial: órgano De La Sociedad Española De Calidad Asistencial, 2005, 20, 251-255.	0.3	0

#	Article	IF	CITATIONS
37	El diagn \tilde{A}^3 stico inicial de una demencia en atenci \tilde{A}^3 n primaria. FMC Formacion Medica Continuada En Atencion Primaria, 2015, 22, 26-28.	0.0	0
38	Miocarditis como inicio de varicela. Medicina ClÃnica, 2003, 121, 478-478.	0.6	0