

AnnaLena Kjnicksen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9510014/anna-lena-kjoniksen-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161
papers

4,542
citations

39
h-index

56
g-index

163
ext. papers

5,059
ext. citations

5
avg, IF

5.57
L-index

#	Paper	IF	Citations
161	Progress in Regulating Electronic Structure Strategies on Cu-Based Bimetallic Catalysts for CO ₂ Reduction Reaction 2022 , 100055		3
160	Recovered Energy from Salinity Gradients Utilizing Various Poly(Acrylic Acid)-Based Hydrogels. <i>Polymers</i> , 2021 , 13,	4.5	4
159	Investigation of severe lunar environmental conditions on the physical and mechanical properties of lunar regolith geopolymers. <i>Journal of Materials Research and Technology</i> , 2021 , 11, 1506-1516	5.5	5
158	Flame retardancy of rigid polyurethane foams containing thermoregulating microcapsules with phosphazene-based monomers. <i>Journal of Materials Science</i> , 2021 , 56, 1172-1188	4.3	7
157	Synthesis and antimicrobial activities of chitosan/polypropylene carbonate-based nanoparticles.. <i>RSC Advances</i> , 2021 , 11, 10121-10129	3.7	0
156	Energy Lost in a Hydrogel Osmotic Engine Due to a Pressure Drop. <i>Industrial & Engineering Chemistry Research</i> , 2021 , 60, 13348-13357	3.9	1
155	Osmotic engine converting energy from salinity difference to a hydraulic accumulator by utilizing polyelectrolyte hydrogels. <i>Energy</i> , 2021 , 232, 121055	7.9	1
154	Hydration development and thermal performance of calcium sulphoaluminate cements containing microencapsulated phase change materials. <i>Cement and Concrete Research</i> , 2020 , 132, 106039	10.3	14
153	The effect of microencapsulated phase change materials on the rheology of geopolymer and Portland cement mortars. <i>Journal of the American Ceramic Society</i> , 2020 , 103, 5852-5869	3.8	10
152	The Effect of Number of Arms on the Aggregation Behavior of Thermoresponsive Poly(N-isopropylacrylamide) Star Polymers. <i>ChemPhysChem</i> , 2020 , 21, 1258-1271	3.2	4
151	Effect of temperature on geopolymer and Portland cement composites modified with Micro-encapsulated Phase Change materials. <i>Construction and Building Materials</i> , 2020 , 252, 119055	6.7	12
150	Utilization of urea as an accessible superplasticizer on the moon for lunar geopolymer mixtures. <i>Journal of Cleaner Production</i> , 2020 , 247, 119177	10.3	19
149	Effect of temperature on the rheological behavior of a new aqueous liquid crystal bio-lubricant. <i>Journal of Molecular Liquids</i> , 2020 , 301, 112406	6	12
148	Complex Temperature and Concentration Dependent Self-Assembly of Poly(2-oxazoline) Block Copolymers. <i>Polymers</i> , 2020 , 12,	4.5	2
147	Effect of microencapsulated phase change materials on the flow behavior of cement composites. <i>Construction and Building Materials</i> , 2019 , 202, 353-362	6.7	17
146	Metallogels: Availability, Applicability, and Advanceability. <i>Advanced Materials</i> , 2019 , 31, e1806204	24	72
145	Real time rheological study of first network effects on the in situ polymerized semi-interpenetrating hydrogels. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019 , 575, 111-117	5.1	1

144	The accurate diffusive model for predicting the vapor pressure of phase change materials by thermogravimetric analysis. <i>Thermochimica Acta</i> , 2019 , 676, 64-70	2.9	6
143	Thermal analysis of multi-layer walls containing geopolymer concrete and phase change materials for building applications. <i>Energy</i> , 2019 , 186, 115792	7.9	39
142	Effect of freeze-thaw cycles on the mechanical behavior of geopolymer concrete and Portland cement concrete containing micro-encapsulated phase change materials. <i>Construction and Building Materials</i> , 2019 , 200, 94-103	6.7	61
141	Thermal analysis of geopolymer concrete walls containing microencapsulated phase change materials for building applications. <i>Solar Energy</i> , 2019 , 178, 295-307	6.8	24
140	Time-dependent structural breakdown of microencapsulated phase change materials suspensions. <i>Journal of Dispersion Science and Technology</i> , 2019 , 40, 179-185	1.5	6
139	Physical and mechanical properties of fly ash and slag geopolymer concrete containing different types of micro-encapsulated phase change materials. <i>Construction and Building Materials</i> , 2018 , 173, 28-39	6.7	48
138	Influence of microcapsule size and shell polarity on thermal and mechanical properties of thermoregulating geopolymer concrete for passive building applications. <i>Energy Conversion and Management</i> , 2018 , 164, 198-209	10.6	42
137	Rheological and thermal properties of suspensions of microcapsules containing phase change materials. <i>Colloid and Polymer Science</i> , 2018 , 296, 981-988	2.4	11
136	Polymer coated liposomes for use in the oral cavity - a study of the in vitro toxicity, effect on cell permeability and interaction with mucin. <i>Journal of Liposome Research</i> , 2018 , 28, 62-73	6.1	20
135	Salinity Gradient Energy from Expansion and Contraction of Poly(allylamine hydrochloride) Hydrogels. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 22218-22225	9.5	16
134	Predicting microcapsules morphology and encapsulation efficiency by combining the spreading coefficient theory and polar surface energy component. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018 , 554, 49-59	5.1	7
133	The role of radical polymerization in the production of thermoregulating microcapsules or polymers from saturated and unsaturated fatty acids. <i>Journal of Applied Polymer Science</i> , 2018 , 135, 45970	2.0	6
132	Influence of Microcapsule Size and Shell Polarity on the Time-Dependent Viscosity of Geopolymer Paste. <i>Industrial & Engineering Chemistry Research</i> , 2018 , 57, 9457-9464	3.9	23
131	Thermal performance and numerical simulation of geopolymer concrete containing different types of thermoregulating materials for passive building applications. <i>Energy and Buildings</i> , 2018 , 173, 678-688	7	24
130	Influence of polymer coating on release of l-dopa from core-shell Fe@Au nanoparticle systems. <i>Colloid and Polymer Science</i> , 2017 , 295, 391-402	2.4	2
129	Equilibrium adsorption of polyvinylpyrrolidone and its role on thermoregulating microcapsules synthesis process. <i>Colloid and Polymer Science</i> , 2017 , 295, 783-792	2.4	11
128	Microencapsulated phase change materials for enhancing the thermal performance of Portland cement concrete and geopolymer concrete for passive building applications. <i>Energy Conversion and Management</i> , 2017 , 133, 56-66	10.6	144
127	Development of thermoregulating microcapsules with cyclotriphosphazene as a flame retardant agent. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017 , 251, 012120	0.4	3

126	Mechanical properties and microscale changes of geopolymer concrete and Portland cement concrete containing micro-encapsulated phase change materials. <i>Cement and Concrete Research</i> , 2017 , 100, 341-349	10.3	84
125	Temperature effects on the stability of gold nanoparticles in the presence of a cationic thermoresponsive copolymer. <i>Journal of Nanoparticle Research</i> , 2016 , 18, 1	2.3	4
124	Small-Angle X-ray Scattering Studies of Thermoresponsive Poly(N-isopropylacrylamide) Star Polymers in Water. <i>Macromolecules</i> , 2015 , 48, 2235-2243	5.5	17
123	Characterization of temperature induced changes in liposomes coated with poly(N-isopropylacrylamide-co-methacrylic acid). <i>Journal of Colloid and Interface Science</i> , 2015 , 450, 7-16 ^{9.3}	9.3	7
122	Stabilization of Pluronic Gels by Hydrophobically Modified Hydroxyethylcellulose. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2015 , 64, 76-83	3	6
121	Sustained release of naltrexone from poly(n-isopropylacrylamide) microgels. <i>Journal of Pharmaceutical Sciences</i> , 2014 , 103, 227-34	3.9	10
120	Stabilization of pluronic gels in the presence of different polysaccharides. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	13
119	The effect of cationic and anionic blocks on temperature-induced micelle formation. <i>Journal of Applied Crystallography</i> , 2014 , 47, 22-28	3.8	2
118	Microparticles based on hydrophobically modified chitosan as drug carriers. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	7
117	Influence of poly(ethylene glycol) block length on the adsorption of thermoresponsive copolymers onto gold surfaces. <i>Journal of Materials Science</i> , 2013 , 48, 7055-7062	4.3	4
116	Preparation of ionically cross-linked pectin nanoparticles in the presence of chlorides of divalent and monovalent cations. <i>Biomacromolecules</i> , 2013 , 14, 3523-31	6.9	54
115	Studies on pectin-coated liposomes and their interaction with mucin. <i>Colloids and Surfaces B: Biointerfaces</i> , 2013 , 103, 158-65	6	56
114	Temperature-responsive cationic block copolymers as nanocarriers for gene delivery. <i>International Journal of Pharmaceutics</i> , 2013 , 448, 105-14	6.5	29
113	In vitro cytotoxicity of a thermoresponsive gel system combining ethyl(hydroxyethyl) cellulose and lysine-based surfactants. <i>Colloids and Surfaces B: Biointerfaces</i> , 2013 , 102, 682-6	6	23
112	Characterization of low molecular mass thermosensitive diblock copolymers and their self-assembly by means of analytical ultracentrifugation. <i>Colloid and Polymer Science</i> , 2012 , 290, 297-306 ^{2.4}	2.4	4
111	Small-Angle X-ray Scattering Study of Charged Triblock Copolymers as a Function of Polymer Concentration, Temperature, and Charge Screening. <i>Macromolecules</i> , 2012 , 45, 246-255	5.5	12
110	Interactions between ethyl(hydroxyethyl) cellulose and lysine-based surfactants in aqueous media. <i>European Polymer Journal</i> , 2012 , 48, 1622-1631	5.2	12
109	Thermoresponsive hydrogels with low toxicity from mixtures of ethyl(hydroxyethyl) cellulose and arginine-based surfactants. <i>International Journal of Pharmaceutics</i> , 2012 , 436, 454-62	6.5	22

108	Effects of temperature and salt addition on the association behavior of charged amphiphilic diblock copolymers in aqueous solution. <i>Journal of Physical Chemistry B</i> , 2012 , 116, 11386-95	3.4	30
107	Cationic poly(N-isopropylacrylamide) block copolymer adsorption investigated by dual polarization interferometry and lattice mean-field theory. <i>Langmuir</i> , 2012 , 28, 14028-38	4	10
106	Thermoresponsive Poly(2-oxazoline) Block Copolymers Exhibiting Two Cloud Points: Complex Multistep Assembly Behavior. <i>Macromolecules</i> , 2012 , 45, 4337-4345	5.5	87
105	Structure and interactions of charged triblock copolymers studied by small-angle X-ray scattering: dependence on temperature and charge screening. <i>Langmuir</i> , 2012 , 28, 1105-14	4	14
104	Complex coacervate micelles formed by a C18-capped cationic triblock thermoresponsive copolymer interacting with SDS. <i>Soft Matter</i> , 2012 , 8, 11514	3.6	10
103	Stability of chitosan nanoparticles cross-linked with tripolyphosphate. <i>Biomacromolecules</i> , 2012 , 13, 3747-56	5.6	154
102	Effects of Hofmeister anions on the flocculation behavior of temperature-responsive poly(N-isopropylacrylamide) microgels. <i>Colloid and Polymer Science</i> , 2012 , 290, 1609-1616	2.4	18
101	Effects of ionic strength on the size and compactness of chitosan nanoparticles. <i>Colloid and Polymer Science</i> , 2012 , 290, 919-929	2.4	94
100	Effects of addition of anionic and cationic surfactants to poly(N-isopropylacrylamide) microgels with and without acrylic acid groups. <i>Colloid and Polymer Science</i> , 2012 , 290, 931-940	2.4	2
99	Effect of polyethylene glycol (PEG) length on the association properties of temperature-sensitive amphiphilic triblock copolymers (PNIPAAmm-b-PEGn-b-PNIPAAmm) in aqueous solution. <i>Soft Matter</i> , 2011 , 7, 8111	3.6	16
98	Characterization of temperature-induced association in aqueous solutions of charged ABCBA-type pentablock tercopolymers. <i>Soft Matter</i> , 2011 , 7, 1168-1175	3.6	25
97	Studies on pectin coating of liposomes for drug delivery. <i>Colloids and Surfaces B: Biointerfaces</i> , 2011 , 88, 664-73	6	69
96	Temperature-responsive self-assembly of charged and uncharged hydroxyethylcellulose-graft-poly(N-isopropylacrylamide) copolymer in aqueous solution. <i>Colloid and Polymer Science</i> , 2011 , 289, 993-1003	2.4	13
95	Gold Nanoparticles Affect Thermoresponse and Aggregation Properties of Mesoscopic Immunoglobulin G Clusters. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 11390-11399	3.8	6
94	Optical-scattering method for the determination of the local polymer concentration inside nanoparticles. <i>Physical Review E</i> , 2011 , 84, 022401	2.4	23
93	Effects of temperature and salt concentration on the structural and dynamical features in aqueous solutions of charged triblock copolymers. <i>Journal of Physical Chemistry B</i> , 2011 , 115, 2125-39	3.4	24
92	Temperature-induced aggregation kinetics in aqueous solutions of a temperature-sensitive amphiphilic block copolymer. <i>Journal of Physical Chemistry B</i> , 2011 , 115, 8975-80	3.4	11
91	Adsorption of cationic hydroxyethylcellulose derivatives onto planar and curved gold surfaces. <i>Langmuir</i> , 2010 , 26, 15925-32	4	6

90	Temperature-dependent optical properties of gold nanoparticles coated with a charged diblock copolymer and an uncharged triblock copolymer. <i>ACS Nano</i> , 2010 , 4, 1187-201	16.7	38
89	Single-molecule behavior of asymmetric thermoresponsive amphiphilic copolymers in dilute solution. <i>Journal of Physical Chemistry B</i> , 2010 , 114, 8887-93	3.4	14
88	Viscosification in polymer-surfactant mixtures at low temperatures. <i>Journal of Physical Chemistry B</i> , 2010 , 114, 6273-80	3.4	20
87	Temperature-Induced Flocculation of Gold Particles with an Adsorbed Thermoresponsive Cationic Copolymer. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 21960-21968	3.8	17
86	Friction in aqueous media tuned by temperature-responsive polymer layers. <i>Soft Matter</i> , 2010 , 6, 2489	3.6	66
85	Characterization of complexation and phase behavior of mixed systems of unmodified and hydrophobically modified oppositely charged polyelectrolytes. <i>Colloid and Polymer Science</i> , 2010 , 288, 1121-1130	2.4	11
84	Temperature-induced adsorption and optical properties of an amphiphilic diblock copolymer adsorbed onto flat and curved silver surfaces. <i>Journal of Colloid and Interface Science</i> , 2010 , 342, 142-6	9.3	5
83	Characterization of polyelectrolyte features in polysaccharide systems and mucin. <i>Advances in Colloid and Interface Science</i> , 2010 , 158, 108-18	14.3	22
82	Preparation and characterization of cross-linked polymeric nanoparticles for enhanced oil recovery applications. <i>Journal of Applied Polymer Science</i> , 2009 , 113, 1916-1924	2.9	13
81	Slow salt-induced aggregation of citrate-covered silver particles in aqueous solutions of cellulose derivatives. <i>Colloid and Polymer Science</i> , 2009 , 287, 1391-1404	2.4	22
80	Thermal response of low molecular weight poly-(N-isopropylacrylamide) polymers in aqueous solution. <i>Polymer Bulletin</i> , 2009 , 62, 487-502	2.4	98
79	Novel transition behavior in aqueous solutions of a charged thermoresponsive triblock copolymer. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2009 , 333, 32-45	5.1	22
78	Effects of temperature and pH on the contraction and aggregation of microgels in aqueous suspensions. <i>Journal of Physical Chemistry B</i> , 2009 , 113, 11115-23	3.4	56
77	Rheological and structural aspects on association of hydrophobically modified polysaccharides. <i>Soft Matter</i> , 2009 , 5, 1328	3.6	37
76	Effect of Surfactant Addition, Temperature, and Solvent conditions on Functional Microgels for Enhanced Oil recovery Applications 2009 ,		1
75	Effect of pH on the Behavior of Hyaluronic Acid in Dilute and Semidilute Aqueous Solutions. <i>Macromolecular Symposia</i> , 2008 , 274, 131-140	0.8	50
74	Temperature-induced formation and contraction of micelle-like aggregates in aqueous solutions of thermoresponsive short-chain copolymers. <i>Journal of Physical Chemistry B</i> , 2008 , 112, 3294-9	3.4	48
73	Temperature-induced intermicellization of "hairy" and "crew-cut" micelles in an aqueous solution of a thermoresponsive copolymer. <i>Langmuir</i> , 2008 , 24, 14227-33	4	32

72	Intramolecular and intermolecular association during chemical cross-linking of dilute solutions of different polysaccharides under the influence of shear flow. <i>Journal of Physical Chemistry B</i> , 2008 , 112, 1082-9	3.4	11
71	Nanoparticles formed by complexation of poly-gamma-glutamic acid with lead ions. <i>Journal of Hazardous Materials</i> , 2008 , 153, 1185-92	12.8	21
70	Structural and dynamical characterization of poly-gamma-glutamic acid-based cross-linked nanoparticles. <i>Colloid and Polymer Science</i> , 2008 , 286, 365-376	2.4	31
69	Temperature-induced intermicellization and contraction in aqueous mixtures of sodium dodecyl sulfate and an amphiphilic diblock copolymer. <i>Journal of Colloid and Interface Science</i> , 2008 , 326, 76-88	9.3	15
68	Interaction behaviors in aqueous solutions of negatively and positively charged hydrophobically modified hydroxyethylcellulose in the presence of an anionic surfactant. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2008 , 328, 79-89	5.1	24
67	Effect of pH on the association behavior in aqueous solutions of pig gastric mucin. <i>Carbohydrate Research</i> , 2008 , 343, 328-40	2.9	48
66	Modified polysaccharides for use in enhanced oil recovery applications. <i>European Polymer Journal</i> , 2008 , 44, 959-967	5.2	52
65	Anomalous turbidity, dynamical, and rheological properties in aqueous mixtures of a thermoresponsive PVCL-g-C11EO42 copolymer and an anionic surfactant. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2008 , 316, 159-170	5.1	4
64	Characterization of interactions in aqueous mixtures of hydrophobically modified alginate and different types of surfactant. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2007 , 293, 105-113	5.1	19
63	Brownian dynamics simulation of reversible polymer networks using a non-interacting bead-and-spring chain model. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2007 , 146, 3-10	2.7	11
62	Shrinking of Chemically Cross-Linked Polymer Networks in the Postgel Region. <i>Polymer Bulletin</i> , 2007 , 58, 435-445	2.4	5
61	Anomalous Viscosity Behavior in Aqueous Solutions of Hyaluronic Acid. <i>Polymer Bulletin</i> , 2007 , 59, 217-226	2.4	25
60	Characterization of the chemical degradation of hyaluronic acid during chemical gelation in the presence of different cross-linker agents. <i>Carbohydrate Research</i> , 2007 , 342, 2776-92	2.9	35
59	Effects of Cyclodextrin and Cyclodextrin polymer addition and temperature on the modulation of hydrophobic interactions in aqueous solutions of two hydrophobically modified biopolymers. <i>Journal of Non-Crystalline Solids</i> , 2007 , 353, 3906-3914	3.9	17
58	Effect of hydrophobic modification on rheological and swelling features during chemical gelation of aqueous polysaccharides. <i>Biomacromolecules</i> , 2007 , 8, 719-28	6.9	22
57	Anomalous transition in aqueous solutions of a thermoresponsive amphiphilic diblock copolymer. <i>Journal of Physical Chemistry B</i> , 2007 , 111, 10862-70	3.4	48
56	Rheological properties of pH-induced association and gelation of pectin. <i>Polymer Bulletin</i> , 2006 , 56, 239-246	2.4	17
55	Characterization of Gelation of Aqueous Pectin via the Ugi Multicomponent Condensation Reaction. <i>Polymer Bulletin</i> , 2006 , 56, 579-589	2.4	10

54	Effects of the Quantity and Structure of Hydrophobes on the Properties of Hydrophobically Modified Alginates in Aqueous Solutions. <i>Polymer Bulletin</i> , 2006 , 57, 563-574	2.4	27
53	Rheological and structural characterization of the interactions between cyclodextrin compounds and hydrophobically modified alginate. <i>Biomacromolecules</i> , 2006 , 7, 1871-8	6.9	45
52	Altering associations in aqueous solutions of a hydrophobically modified alginate in the presence of beta-cyclodextrin monomers. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 190-5	3.4	55
51	Characterization of interactions in aqueous solutions of hydroxyethylcellulose and its hydrophobically modified analogue in the presence of a cyclodextrin derivative. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 6601-8	3.4	40
50	Characterization of thermally sensitive interactions in aqueous mixtures of hydrophobically modified hydroxyethylcellulose and cyclodextrins. <i>Langmuir</i> , 2006 , 22, 9023-9	4	10
49	Dynamical and structural behavior of hydroxyethylcellulose hydrogels obtained by chemical gelation. <i>Polymer International</i> , 2006 , 55, 365-374	3.3	17
48	Effect of solvent composition on the association behavior of pectin in methanol/water mixtures. <i>European Polymer Journal</i> , 2006 , 42, 1164-1172	5.2	9
47	Interaction of unmodified and hydrophobically modified alginate with sodium dodecyl sulfate in dilute aqueous solution. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2006 , 278, 166-174	5.1	52
46	Structure and dynamics of aqueous mixtures of an anionic cellulose derivative and anionic or cationic surfactants. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2006 , 279, 40-49	5.1	21
45	The effect of riboflavin-photoinduced degradation of alginate matrices on the diffusion of poly(oxyethylene) probes in the polymer network. <i>European Polymer Journal</i> , 2006 , 42, 3050-3058	5.2	12
44	Effect of shear on intramolecular and intermolecular association during cross-linking of hydroxyethylcellulose in dilute aqueous solutions. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 12329-36	3.4	24
43	Effects of surfactant and temperature on rheological and structural properties of semidilute aqueous solutions of unmodified and hydrophobically modified alginate. <i>Langmuir</i> , 2005 , 21, 10923-30	4	54
42	Effects of beta-cyclodextrin addition and temperature on the modulation of hydrophobic interactions in aqueous solutions of an associative alginate. <i>Biomacromolecules</i> , 2005 , 6, 3129-36	6.9	13
41	Physical properties of aqueous solutions of a thermo-responsive neutral copolymer and an anionic surfactant: turbidity and small-angle neutron scattering studies. <i>Langmuir</i> , 2005 , 21, 8010-8	4	13
40	Viscoelastic and structural properties of pharmaceutical hydrogels containing monocaprin. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2005 , 59, 333-42	5.7	26
39	Rheological characterization and turbidity of riboflavin-photosensitized changes in alginate/GDL systems. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2005 , 59, 501-10	5.7	14
38	Association in Aqueous Solutions of a Thermo-responsive PVCL-g-C11EO42 Copolymer. <i>Macromolecules</i> , 2005 , 38, 948-960	5.5	59
37	Association under shear flow in aqueous solutions of pectin. <i>European Polymer Journal</i> , 2005 , 41, 761-770.2	5.9	59

36	Effects of pH on dynamics and rheology during association and gelation via the Ugi reaction of aqueous alginate. <i>European Polymer Journal</i> , 2005 , 41, 1708-1717	5.2	38
35	Structural and dynamical properties of aqueous mixtures of pectin and chitosan. <i>European Polymer Journal</i> , 2005 , 41, 1718-1728	5.2	23
34	Phase separation and structural properties of semidilute aqueous mixtures of ethyl(hydroxyethyl)cellulose and an ionic surfactant. <i>European Polymer Journal</i> , 2005 , 41, 1954-1964	5.2	28
33	Characterization of riboflavin-photosensitized changes in aqueous solutions of alginate by dynamic light scattering. <i>Macromolecular Bioscience</i> , 2004 , 4, 76-83	5.5	4
32	Rheological and structural properties of aqueous solutions of a hydrophobically modified polyelectrolyte and its unmodified analogue. <i>European Polymer Journal</i> , 2004 , 40, 721-733	5.2	20
31	Temperature-induced association and gelation of aqueous solutions of pectin. A dynamic light scattering study. <i>European Polymer Journal</i> , 2004 , 40, 2427-2435	5.2	26
30	Rheological characterization of photochemical changes of ethyl(hydroxyethyl)cellulose dissolved in water in the presence of an ionic surfactant and a photosensitizer. <i>Biomacromolecules</i> , 2004 , 5, 610-7	6.9	8
29	Rheological and structural properties of aqueous alginate during gelation via the Ugi multicomponent condensation reaction. <i>Biomacromolecules</i> , 2004 , 5, 1470-9	6.9	77
28	Influence of concentration and molecular weight on the photosensitized degradation of alginate in aqueous solutions. <i>Polymer Bulletin</i> , 2003 , 50, 373-380	2.4	5
27	Characterisation of thermally controlled chain association in aqueous solutions of poly(N-isopropyl acrylamide)-g-poly(ethylene oxide). <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2003 , 228, 75-83	5.1	37
26	Riboflavin-photosensitized changes in aqueous solutions of alginate. Rheological studies. <i>Biomacromolecules</i> , 2003 , 4, 429-36	6.9	20
25	Thermoreversible gelation of aqueous mixtures of pectin and chitosan. Rheology. <i>Biomacromolecules</i> , 2003 , 4, 337-43	6.9	80
24	Characterization of association and gelation of pectin in methanol-water mixtures. <i>Biomacromolecules</i> , 2003 , 4, 1623-9	6.9	31
23	Shear-Induced Association and Gelation of Aqueous Solutions of Pectin. <i>Journal of Physical Chemistry B</i> , 2003 , 107, 6324-6328	3.4	48
22	Dynamics in aqueous solutions of poly(vinyl alcohol) and its hydrophobically modified anionic analogues. <i>Polymer Bulletin</i> , 2002 , 49, 281-288	2.4	5
21	Colloid Polymer Interactions and Aggregation in Aqueous Mixtures of Polystyrene Latex, Sodium Dodecyl Sulfate, and a Hydrophobically Modified Polymer: A Dynamic Light Scattering Study. <i>Langmuir</i> , 2001 , 17, 924-930	4	20
20	Adsorption and Desorption of Unmodified and Hydrophobically Modified Ethyl(hydroxyethyl)cellulose on Polystyrene Latex Particles in the Presence of Ionic Surfactants Using Dynamic Light Scattering. <i>Langmuir</i> , 2000 , 16, 4478-4484	4	30
19	Effect of Surfactant on Dynamic and Viscoelastic Properties of Aqueous Solutions of Hydrophobically Modified Ethyl(hydroxyethyl)cellulose, with and without Spacer. <i>Macromolecules</i> , 2000 , 33, 877-886	5.5	39

18	Dynamic light scattering on semidilute aqueous systems of ethyl (hydroxyethyl) cellulose. Effects of temperature, surfactant concentration, and salinity. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 1999 , 149, 347-354	5.1	22
17	Characterization of association phenomena in aqueous systems of chitosan of different hydrophobicity 1 Part of this paper was presented at the conference on "Associating Polymer" Fontevraud, France, November 1997.1. <i>Advances in Colloid and Interface Science</i> , 1999 , 79, 81-103	14.3	114
16	Association and Thermal Gelation in Aqueous Mixtures of Ethyl(hydroxyethyl)cellulose and Ionic Surfactant: FTIR and Raman Study. <i>Macromolecules</i> , 1999 , 32, 1534-1540	5.5	35
15	Salt-Induced Aggregation of Polystyrene Latex Particles in Aqueous Solutions of a Hydrophobically Modified Nonionic Cellulose Derivative and Its Unmodified Analogue. <i>Journal of Physical Chemistry B</i> , 1999 , 103, 9818-9825	3.4	25
14	Dynamics and Rheology in Aqueous Solutions of Associating Diblock and Triblock Copolymers of the Same Type. <i>Journal of Physical Chemistry B</i> , 1999 , 103, 1425-1436	3.4	39
13	Light Scattering and Viscoelasticity in Aqueous Mixtures of Oppositely Charged and Hydrophobically Modified Polyelectrolytes. <i>Macromolecules</i> , 1999 , 32, 2974-2982	5.5	62
12	Light Scattering Study of Semidilute Aqueous Systems of Chitosan and Hydrophobically Modified Chitosans. <i>Macromolecules</i> , 1998 , 31, 8142-8148	5.5	48
11	Dynamic Viscoelasticity of Gelling and Nongelling Aqueous Mixtures of Ethyl(hydroxyethyl)cellulose and an Ionic Surfactant. <i>Macromolecules</i> , 1998 , 31, 1852-1858	5.5	74
10	Effects of Temperature, Surfactant Concentration, and Salinity on the Dynamics of Dilute Solutions of a Nonionic Cellulose Derivative. <i>Langmuir</i> , 1998 , 14, 5039-5045	4	30
9	Diffusion of Poly(ethylene oxide) Chains in Gelling and Nongelling Aqueous Mixtures of Ethyl(hydroxyethyl)cellulose and a Surfactant by Pulsed Field Gradient NMR. <i>Journal of Physical Chemistry B</i> , 1997 , 101, 8892-8897	3.4	8
8	Dynamic Light Scattering of a Poly(ethylene oxide) Poly(propylene oxide) Poly(ethylene oxide) Triblock Copolymer in Water. <i>Langmuir</i> , 1997 , 13, 4520-4526	4	26
7	Viscosity of Dilute Aqueous Solutions of Hydrophobically Modified Chitosan and Its Unmodified Analogue at Different Conditions of Salt and Surfactant Concentrations. <i>Langmuir</i> , 1997 , 13, 4948-4952	4	61
6	Effect of surfactant concentration, pH, and shear rate on the rheological properties of aqueous systems of a hydrophobically modified chitosan and its unmodified analogue. <i>Polymer Bulletin</i> , 1997 , 38, 71-79	2.4	27
5	Linear and nonlinear rheological responses in aqueous systems of hydrophobically modified chitosan and its unmodified analogue. <i>Polymer Bulletin</i> , 1997 , 39, 747-754	2.4	31
4	Effects of Polymer Concentration and Cross-Linking Density on Rheology of Chemically Cross-Linked Poly(vinyl alcohol) near the Gelation Threshold. <i>Macromolecules</i> , 1996 , 29, 5215-5222	5.5	105
3	Effects of Temperature, Surfactant, and Salt on the Rheological Behavior in Semidilute Aqueous Systems of a Nonionic Cellulose Ether. <i>Langmuir</i> , 1996 , 12, 3233-3240	4	51
2	Dynamic Light Scattering of Poly(vinyl alcohol) Solutions and Their Dynamical Behavior during the Chemical Gelation Process. <i>Macromolecules</i> , 1996 , 29, 7116-7123	5.5	41
1	Wearable Biofuel Cells: Advances from Fabrication to Application. <i>Advanced Functional Materials</i> , 2013 , 23, 2103-2115	5.6	12

