
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9510223/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Childhood adversities as risk factors for adult mental disorders. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 769-777.	1.6	130
2	Factors contributing to psychological distress in the working population, with a special reference to gender difference. BMC Public Health, 2021, 21, 611.	1.2	123
3	Depressed adolescents as young adults – Predictors of suicide attempt and non-suicidal self-injury during an 8-year follow-up. Journal of Affective Disorders, 2014, 152-154, 313-319.	2.0	112
4	Homicide–suicide—An event hard to prevent and separate from homicide or suicide. Forensic Science International, 2007, 166, 204-208.	1.3	86
5	Antidepressant utilisation patterns and determinants of short-term and non-psychiatric use in the Finnish general adult population. Journal of Affective Disorders, 2008, 110, 94-105.	2.0	70
6	AUDIT and AUDIT-C as screening instruments for alcohol problem use in adolescents. Drug and Alcohol Dependence, 2018, 188, 266-273.	1.6	67
7	Suicidal ideation, deliberate self-harm behaviour and suicide attempts among adolescent outpatients with depressive mood disorders and comorbid axis I disorders. European Child and Adolescent Psychiatry, 2006, 15, 199-206.	2.8	66
8	Trajectories of mothers' and fathers' depressive symptoms from pregnancy to 24 months postpartum. Journal of Affective Disorders, 2020, 260, 629-637.	2.0	64
9	Treatment of major depressive disorder in the Finnish general population. Depression and Anxiety, 2009, 26, 1049-1059.	2.0	59
10	Psychometric properties and clinical utility of the Scale for Suicidal Ideation (SSI) in adolescents. BMC Psychiatry, 2005, 5, 8.	1.1	57
11	Sleep complaints among adolescent outpatients with major depressive disorder. Sleep Medicine, 2012, 13, 816-823.	0.8	56
12	Current comorbidity among consecutive adolescent psychiatric outpatients with DSM-IV mood disorders. European Child and Adolescent Psychiatry, 2006, 15, 220-231.	2.8	54
13	Psychometric Properties of the Defense Style Questionnaire (DSQ-40) in Adolescents. Journal of Nervous and Mental Disease, 2006, 194, 98-105.	0.5	48
14	A prospective latent analyses study of psychiatric comorbidity of DSMâ€Ⅳ bipolar I and II disorders. Bipolar Disorders, 2010, 12, 271-284.	1.1	48
15	Effects of media exposure on adolescents traumatized in a school shooting. Journal of Traumatic Stress, 2011, 24, 70-77.	1.0	45
16	Associations between relationship status and mental well-being in different life phases from young to middle adulthood. SSM - Population Health, 2021, 14, 100774.	1.3	44
17	A 26-Year Follow-Up Study of Heavy Drinking Trajectories from Adolescence to Mid-Adulthood and Adult Disadvantage. Alcohol and Alcoholism, 2013, 48, 452-457.	0.9	43
18	Factors associated with deliberate self-harm behaviour among depressed adolescent outpatients. Journal of Adolescence, 2009, 32, 1125-1136.	1.2	40

#	Article	IF	CITATIONS
19	Maternal and paternal depressive symptoms and children's emotional problems at the age of 2 and 5Âyears: a longitudinal study. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2020, 61, 195-204.	3.1	37
20	Long-term impact of parental divorce on intimate relationship quality in adulthood and the mediating role of psychosocial resources Journal of Family Psychology, 2011, 25, 615-619.	1.0	33
21	Brief Behavioral Sleep Intervention for Adolescents: An Effectiveness Study. Behavioral Sleep Medicine, 2016, 14, 351-366.	1.1	31
22	An evaluation of ICD-11 posttraumatic stress disorder criteria in two samples of adolescents and young adults exposed to mass shootings: factor analysis and comparisons to ICD-10 and DSM-IV. BMC Psychiatry, 2016, 16, 140.	1.1	26
23	One-Year Course and Predictors of Outcome of Adolescent Depression. Journal of Clinical Psychiatry, 2008, 69, 844-853.	1.1	24
24	Self-esteem and Body Mass Index from Adolescence to Mid-adulthood. A 26-year Follow-up. International Journal of Behavioral Medicine, 2016, 23, 355-363.	0.8	23
25	High-dose electronic media use in five-year-olds and its association with their psychosocial symptoms: a cohort study. BMJ Open, 2021, 11, e040848.	0.8	23
26	Alcohol use and psychiatric comorbid disorders predict deliberate self-harm behaviour and other suicidality among depressed adolescent outpatients in 1-year follow-up. Nordic Journal of Psychiatry, 2012, 66, 268-275.	0.7	22
27	Self-esteem growth trajectory from adolescence to mid-adulthood and its predictors in adolescence. Advances in Life Course Research, 2015, 23, 29-43.	0.8	21
28	Treatment of anxiety disorders in the Finnish general population. Journal of Affective Disorders, 2006, 96, 31-38.	2.0	20
29	Psychosocial resources and depression among chronically ill young adults: Are males more vulnerable?. Social Science and Medicine, 2007, 65, 173-186.	1.8	20
30	Short-term effects of the "Together at School―intervention program on children's socio-emotional skills: a cluster randomized controlled trial. BMC Psychology, 2016, 4, 27.	0.9	20
31	Detecting suicidality among adolescent outpatients: evaluation of trained clinicians' suicidality assessment against a structured diagnostic assessment made by trained raters. BMC Psychiatry, 2008, 8, 97.	1.1	19
32	"Together at schoolâ€⊷ a school-based intervention program to promote socio-emotional skills and mental health in children: study protocol for a cluster randomized controlled trial. BMC Public Health, 2014, 14, 1042.	1.2	19
33	Group-based parenting program to improve parenting and children's behavioral problems in families using special services: A randomized controlled trial in a real-life setting. Children and Youth Services Review, 2019, 96, 420-429.	1.0	19
34	Pathways from problems in adolescent family relationships to midlife mental health via early adulthood disadvantages – a 26-year longitudinal study. PLoS ONE, 2017, 12, e0178136.	1.1	19
35	Changes in psychological resources moderate the effect of socioeconomic status on distress symptoms: A 10-year follow-up among young adults Health Psychology, 2013, 32, 627-636.	1.3	18
36	Outcome of depressive mood disorder among adolescent outpatients in an eight-year follow-up. Journal of Affective Disorders, 2020, 266, 520-527.	2.0	17

#	Article	IF	CITATIONS
37	Differences in the clinical characteristics of adolescent depressive disorders. Depression and Anxiety, 2007, 24, 421-432.	2.0	16
38	Pathways from poor family relationships in adolescence to economic adversity in mid-adulthood. Advances in Life Course Research, 2017, 32, 65-78.	0.8	14
39	Interpersonal Conflicts and Development of Self-Esteem from Adolescence to Mid-Adulthood. A 26-Year Follow-Up. PLoS ONE, 2016, 11, e0164942.	1.1	14
40	Sleep complaints in adolescent depression: one year naturalistic follow-up study. BMC Psychiatry, 2014, 14, 283.	1.1	13
41	Short Sleep Duration and Later Overweight in Infants. Journal of Pediatrics, 2019, 212, 13-19.	0.9	13
42	Defense Mechanisms in Adolescence as Predictors of Adult Personality Disorders. Journal of Nervous and Mental Disease, 2016, 204, 349-354.	0.5	12
43	Stability and Change in Personality Disorder Symptoms in 1-Year Follow-up of Depressed Adolescent Outpatients. Journal of Nervous and Mental Disease, 2017, 205, 15-22.	0.5	11
44	Suicides from 2016 to 2020 in Finland and the effect of the COVID-19 pandemic. British Journal of Psychiatry, 2022, 220, 1-3.	1.7	11
45	Longitudinal prospective associations between psychological symptoms and heavy episodic drinking from adolescence to midlife. Scandinavian Journal of Public Health, 2019, 47, 420-427.	1.2	10
46	The predictive capacity of AUDIT and AUDIT-C among adolescents in a one-year follow-up study. Drug and Alcohol Dependence, 2021, 218, 108424.	1.6	10
47	Associations between unemployment and heavy episodic drinking from adolescence to midlife in Sweden and Finland. European Journal of Public Health, 2018, 28, 258-263.	0.1	9
48	Social relationships in adolescence and heavy episodic drinking from youth to midlife in Finland and Sweden—Âexamining the role of individual, contextual and temporal factors. BMC Public Health, 2018, 18, 1000.	1.2	9
49	Brief Report: Excessive alcohol use negatively affects the course of adolescent depression: One year naturalistic follow-up study. Journal of Adolescence, 2010, 33, 221-226.	1.2	7
50	Treatment Characteristics and Outcome of Depression Among Depressed Adolescent Outpatients With and Without Comorbid Axis II Disorders. Journal of Personality Disorders, 2014, 28, 853-863.	0.8	7
51	Differences in Characteristics and Treatment Received among Depressed Adolescent Psychiatric Outpatients with and without Co-Occuring Alcohol Misuse: A 1-Year Follow-Up Study. Depression Research and Treatment, 2011, 2011, 1-9.	0.7	6
52	Sleep symptoms and long-term outcome in adolescents with major depressive disorder: a naturalistic follow-up study. European Child and Adolescent Psychiatry, 2020, 29, 595-603.	2.8	6
53	Longitudinal associations between inhibitory control and externalizing and internalizing symptoms in school-aged children. Development and Psychopathology, 2021, 33, 843-855.	1.4	6
54	Treatment Characteristics and Outcome of Depression Among Depressed Adolescent Outpatients With and Without Comorbid Axis II Disorders. Journal of Personality Disorders, 2013, , 1-11.	0.8	5

#	Article	IF	CITATIONS
55	Stress, development and mental health study, the follow-up study of Finnish TAM cohort from adolescence to midlife: cohort profile. BMJ Open, 2021, 11, e046654.	0.8	5
56	Parents' perceptions of a groupâ€based parenting programme in families with child protection and other family support services in a realâ€life setting. Child and Family Social Work, 2021, 26, 38-49.	0.6	2
57	The associations of socioeconomic status and financial strain with restrained and emotional eating among 42-year-old women and men. Appetite, 2022, 169, 105795.	1.8	2
58	Economic Recession, Teacher-Reported Cuts to School Resources, and Children's Economic and Psychiatric Problems in Young Adulthood. Scandinavian Journal of Educational Research, 2015, 59, 656-673.	1.0	1
59	Emotional School Engagement and Psychiatric Symptoms among 6–9-Year-old Children with an Immigrant Background in the First Years of School in Finland. Child Psychiatry and Human Development, 2021, 52, 1071-1081.	1.1	1
60	Parent- and teacher-reported long-term effects of parent training on child conduct problems in families with child protection and other support services: a randomized controlled trial. Child and Adolescent Psychiatry and Mental Health, 2021, 15, 7.	1.2	1
61	Life course associations between smoking and depressive symptoms. A 30-year Finnish follow-up study. Nordic Journal of Psychiatry, 2022, , 1-1.	0.7	0
62	Psychiatric symptoms and the association with parents' psychiatric symptoms among recently arrived asylum-seeking children in Finland. Child Psychiatry and Human Development, 2022, , .	1.1	0

5