

# Olli H Kiviruusu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9510223/publications.pdf>

Version: 2024-02-01

62  
papers

1,814  
citations

279487

23  
h-index

301761

39  
g-index

62  
all docs

62  
docs citations

62  
times ranked

2423  
citing authors

#	ARTICLE	IF	CITATIONS
1	Suicides from 2016 to 2020 in Finland and the effect of the COVID-19 pandemic. <i>British Journal of Psychiatry</i> , 2022, 220, 1-3.	1.7	11
2	The associations of socioeconomic status and financial strain with restrained and emotional eating among 42-year-old women and men. <i>Appetite</i> , 2022, 169, 105795.	1.8	2
3	Life course associations between smoking and depressive symptoms. A 30-year Finnish follow-up study. <i>Nordic Journal of Psychiatry</i> , 2022, , 1-1.	0.7	0
4	Psychiatric symptoms and the association with parents' psychiatric symptoms among recently arrived asylum-seeking children in Finland. <i>Child Psychiatry and Human Development</i> , 2022, , .	1.1	0
5	Longitudinal associations between inhibitory control and externalizing and internalizing symptoms in school-aged children. <i>Development and Psychopathology</i> , 2021, 33, 843-855.	1.4	6
6	Emotional School Engagement and Psychiatric Symptoms among 6-9-Year-old Children with an Immigrant Background in the First Years of School in Finland. <i>Child Psychiatry and Human Development</i> , 2021, 52, 1071-1081.	1.1	1
7	Parents' perceptions of a group-based parenting programme in families with child protection and other family support services in a real-life setting. <i>Child and Family Social Work</i> , 2021, 26, 38-49.	0.6	2
8	The predictive capacity of AUDIT and AUDIT-C among adolescents in a one-year follow-up study. <i>Drug and Alcohol Dependence</i> , 2021, 218, 108424.	1.6	10
9	Parent- and teacher-reported long-term effects of parent training on child conduct problems in families with child protection and other support services: a randomized controlled trial. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2021, 15, 7.	1.2	1
10	High-dose electronic media use in five-year-olds and its association with their psychosocial symptoms: a cohort study. <i>BMJ Open</i> , 2021, 11, e040848.	0.8	23
11	Factors contributing to psychological distress in the working population, with a special reference to gender difference. <i>BMC Public Health</i> , 2021, 21, 611.	1.2	123
12	Associations between relationship status and mental well-being in different life phases from young to middle adulthood. <i>SSM - Population Health</i> , 2021, 14, 100774.	1.3	44
13	Stress, development and mental health study, the follow-up study of Finnish TAM cohort from adolescence to midlife: cohort profile. <i>BMJ Open</i> , 2021, 11, e046654.	0.8	5
14	Trajectories of mothers' and fathers' depressive symptoms from pregnancy to 24 months postpartum. <i>Journal of Affective Disorders</i> , 2020, 260, 629-637.	2.0	64
15	Sleep symptoms and long-term outcome in adolescents with major depressive disorder: a naturalistic follow-up study. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 595-603.	2.8	6
16	Maternal and paternal depressive symptoms and children's emotional problems at the age of 2 and 5 years: a longitudinal study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2020, 61, 195-204.	3.1	37
17	Outcome of depressive mood disorder among adolescent outpatients in an eight-year follow-up. <i>Journal of Affective Disorders</i> , 2020, 266, 520-527.	2.0	17
18	Short Sleep Duration and Later Overweight in Infants. <i>Journal of Pediatrics</i> , 2019, 212, 13-19.	0.9	13

#	ARTICLE	IF	CITATIONS
19	Group-based parenting program to improve parenting and children's behavioral problems in families using special services: A randomized controlled trial in a real-life setting. <i>Children and Youth Services Review</i> , 2019, 96, 420-429.	1.0	19
20	Longitudinal prospective associations between psychological symptoms and heavy episodic drinking from adolescence to midlife. <i>Scandinavian Journal of Public Health</i> , 2019, 47, 420-427.	1.2	10
21	AUDIT and AUDIT-C as screening instruments for alcohol problem use in adolescents. <i>Drug and Alcohol Dependence</i> , 2018, 188, 266-273.	1.6	67
22	Associations between unemployment and heavy episodic drinking from adolescence to midlife in Sweden and Finland. <i>European Journal of Public Health</i> , 2018, 28, 258-263.	0.1	9
23	Social relationships in adolescence and heavy episodic drinking from youth to midlife in Finland and Sweden—Examining the role of individual, contextual and temporal factors. <i>BMC Public Health</i> , 2018, 18, 1000.	1.2	9
24	Stability and Change in Personality Disorder Symptoms in 1-Year Follow-up of Depressed Adolescent Outpatients. <i>Journal of Nervous and Mental Disease</i> , 2017, 205, 15-22.	0.5	11
25	Pathways from poor family relationships in adolescence to economic adversity in mid-adulthood. <i>Advances in Life Course Research</i> , 2017, 32, 65-78.	0.8	14
26	Pathways from problems in adolescent family relationships to midlife mental health via early adulthood disadvantages—a 26-year longitudinal study. <i>PLoS ONE</i> , 2017, 12, e0178136.	1.1	19
27	An evaluation of ICD-11 posttraumatic stress disorder criteria in two samples of adolescents and young adults exposed to mass shootings: factor analysis and comparisons to ICD-10 and DSM-IV. <i>BMC Psychiatry</i> , 2016, 16, 140.	1.1	26
28	Brief Behavioral Sleep Intervention for Adolescents: An Effectiveness Study. <i>Behavioral Sleep Medicine</i> , 2016, 14, 351-366.	1.1	31
29	Short-term effects of the “Together at School” intervention program on children’s socio-emotional skills: a cluster randomized controlled trial. <i>BMC Psychology</i> , 2016, 4, 27.	0.9	20
30	Defense Mechanisms in Adolescence as Predictors of Adult Personality Disorders. <i>Journal of Nervous and Mental Disease</i> , 2016, 204, 349-354.	0.5	12
31	Self-esteem and Body Mass Index from Adolescence to Mid-adulthood. A 26-year Follow-up. <i>International Journal of Behavioral Medicine</i> , 2016, 23, 355-363.	0.8	23
32	Interpersonal Conflicts and Development of Self-Esteem from Adolescence to Mid-Adulthood. A 26-Year Follow-Up. <i>PLoS ONE</i> , 2016, 11, e0164942.	1.1	14
33	Economic Recession, Teacher-Reported Cuts to School Resources, and Children's Economic and Psychiatric Problems in Young Adulthood. <i>Scandinavian Journal of Educational Research</i> , 2015, 59, 656-673.	1.0	1
34	Self-esteem growth trajectory from adolescence to mid-adulthood and its predictors in adolescence. <i>Advances in Life Course Research</i> , 2015, 23, 29-43.	0.8	21
35	“Together at school”—a school-based intervention program to promote socio-emotional skills and mental health in children: study protocol for a cluster randomized controlled trial. <i>BMC Public Health</i> , 2014, 14, 1042.	1.2	19
36	Sleep complaints in adolescent depression: one year naturalistic follow-up study. <i>BMC Psychiatry</i> , 2014, 14, 283.	1.1	13

#	ARTICLE	IF	CITATIONS
37	Treatment Characteristics and Outcome of Depression Among Depressed Adolescent Outpatients With and Without Comorbid Axis II Disorders. <i>Journal of Personality Disorders</i> , 2014, 28, 853-863.	0.8	7
38	Depressed adolescents as young adults – Predictors of suicide attempt and non-suicidal self-injury during an 8-year follow-up. <i>Journal of Affective Disorders</i> , 2014, 152-154, 313-319.	2.0	112
39	Treatment Characteristics and Outcome of Depression Among Depressed Adolescent Outpatients With and Without Comorbid Axis II Disorders. <i>Journal of Personality Disorders</i> , 2013, , 1-11.	0.8	5
40	A 26-Year Follow-Up Study of Heavy Drinking Trajectories from Adolescence to Mid-Adulthood and Adult Disadvantage. <i>Alcohol and Alcoholism</i> , 2013, 48, 452-457.	0.9	43
41	Changes in psychological resources moderate the effect of socioeconomic status on distress symptoms: A 10-year follow-up among young adults.. <i>Health Psychology</i> , 2013, 32, 627-636.	1.3	18
42	Alcohol use and psychiatric comorbid disorders predict deliberate self-harm behaviour and other suicidality among depressed adolescent outpatients in 1-year follow-up. <i>Nordic Journal of Psychiatry</i> , 2012, 66, 268-275.	0.7	22
43	Sleep complaints among adolescent outpatients with major depressive disorder. <i>Sleep Medicine</i> , 2012, 13, 816-823.	0.8	56
44	Effects of media exposure on adolescents traumatized in a school shooting. <i>Journal of Traumatic Stress</i> , 2011, 24, 70-77.	1.0	45
45	Differences in Characteristics and Treatment Received among Depressed Adolescent Psychiatric Outpatients with and without Co-Occurring Alcohol Misuse: A 1-Year Follow-Up Study. <i>Depression Research and Treatment</i> , 2011, 2011, 1-9.	0.7	6
46	Long-term impact of parental divorce on intimate relationship quality in adulthood and the mediating role of psychosocial resources.. <i>Journal of Family Psychology</i> , 2011, 25, 615-619.	1.0	33
47	A prospective latent analyses study of psychiatric comorbidity of DSM-IV bipolar I and II disorders. <i>Bipolar Disorders</i> , 2010, 12, 271-284.	1.1	48
48	Brief Report: Excessive alcohol use negatively affects the course of adolescent depression: One year naturalistic follow-up study. <i>Journal of Adolescence</i> , 2010, 33, 221-226.	1.2	7
49	Treatment of major depressive disorder in the Finnish general population. <i>Depression and Anxiety</i> , 2009, 26, 1049-1059.	2.0	59
50	Factors associated with deliberate self-harm behaviour among depressed adolescent outpatients. <i>Journal of Adolescence</i> , 2009, 32, 1125-1136.	1.2	40
51	Detecting suicidality among adolescent outpatients: evaluation of trained clinicians' suicidality assessment against a structured diagnostic assessment made by trained raters. <i>BMC Psychiatry</i> , 2008, 8, 97.	1.1	19
52	Antidepressant utilisation patterns and determinants of short-term and non-psychiatric use in the Finnish general adult population. <i>Journal of Affective Disorders</i> , 2008, 110, 94-105.	2.0	70
53	One-Year Course and Predictors of Outcome of Adolescent Depression. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 844-853.	1.1	24
54	Differences in the clinical characteristics of adolescent depressive disorders. <i>Depression and Anxiety</i> , 2007, 24, 421-432.	2.0	16

#	ARTICLE	IF	CITATIONS
55	Psychosocial resources and depression among chronically ill young adults: Are males more vulnerable?. <i>Social Science and Medicine</i> , 2007, 65, 173-186.	1.8	20
56	Homicideâ€“suicideâ€“An event hard to prevent and separate from homicide or suicide. <i>Forensic Science International</i> , 2007, 166, 204-208.	1.3	86
57	Psychometric Properties of the Defense Style Questionnaire (DSQ-40) in Adolescents. <i>Journal of Nervous and Mental Disease</i> , 2006, 194, 98-105.	0.5	48
58	Suicidal ideation, deliberate self-harm behaviour and suicide attempts among adolescent outpatients with depressive mood disorders and comorbid axis I disorders. <i>European Child and Adolescent Psychiatry</i> , 2006, 15, 199-206.	2.8	66
59	Current comorbidity among consecutive adolescent psychiatric outpatients with DSM-IV mood disorders. <i>European Child and Adolescent Psychiatry</i> , 2006, 15, 220-231.	2.8	54
60	Treatment of anxiety disorders in the Finnish general population. <i>Journal of Affective Disorders</i> , 2006, 96, 31-38.	2.0	20
61	Psychometric properties and clinical utility of the Scale for Suicidal Ideation (SSI) in adolescents. <i>BMC Psychiatry</i> , 2005, 5, 8.	1.1	57
62	Childhood adversities as risk factors for adult mental disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 769-777.	1.6	130