

# Paul Cals

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/9511007/paul-cales-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

188  
papers

9,594  
citations

53  
h-index

94  
g-index

213  
ext. papers

11,142  
ext. citations

6.6  
avg, IF

5.33  
L-index

#	Paper	IF	Citations
188	The severity of nonalcoholic fatty liver disease is associated with gut dysbiosis and shift in the metabolic function of the gut microbiota. <i>Hepatology</i> , <b>2016</b> , 63, 764-75	11.2	655
187	A novel panel of blood markers to assess the degree of liver fibrosis. <i>Hepatology</i> , <b>2005</b> , 42, 1373-81	11.2	403
186	Sources of variability in histological scoring of chronic viral hepatitis. <i>Hepatology</i> , <b>2005</b> , 41, 257-64	11.2	401
185	Beta-adrenergic-antagonist drugs in the prevention of gastrointestinal bleeding in patients with cirrhosis and esophageal varices. An analysis of data and prognostic factors in 589 patients from four randomized clinical trials. Franco-Italian Multicenter Study Group. <i>New England Journal of Medicine</i> , <b>1991</b> , 324, 1532-8	59.2	395
184	Determination of reliability criteria for liver stiffness evaluation by transient elastography. <i>Hepatology</i> , <b>2013</b> , 57, 1182-91	11.2	353
183	Noninvasive diagnosis of hepatic fibrosis or cirrhosis. <i>Gastroenterology</i> , <b>1997</b> , 113, 1609-16	13.3	311
182	Clinical outcomes in patients with chronic hepatitis C after direct-acting antiviral treatment: a prospective cohort study. <i>Lancet, The</i> , <b>2019</b> , 393, 1453-1464	40	287
181	Liver stiffness in nonalcoholic fatty liver disease: A comparison of supersonic shear imaging, FibroScan, and ARFI with liver biopsy. <i>Hepatology</i> , <b>2016</b> , 63, 1817-27	11.2	269
180	Ultrasonographic surveillance of hepatocellular carcinoma in cirrhosis: a randomized trial comparing 3- and 6-month periodicities. <i>Hepatology</i> , <b>2011</b> , 54, 1987-97	11.2	233
179	Diagnostic accuracy and prognostic significance of blood fibrosis tests and liver stiffness measurement by FibroScan in non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , <b>2016</b> , 65, 570-8	13.4	213
178	Ultrasonographic diagnosis of hepatic fibrosis or cirrhosis. <i>Journal of Hepatology</i> , <b>1999</b> , 30, 472-8	13.4	200
177	Severe portal hypertensive gastropathy and antral vascular ectasia are distinct entities in patients with cirrhosis. <i>Gastroenterology</i> , <b>1995</b> , 108, 138-44	13.3	199
176	Comparison of blood tests for liver fibrosis specific or not to NAFLD. <i>Journal of Hepatology</i> , <b>2009</b> , 50, 165-73	13.4	195
175	Early administration of vopreotide for variceal bleeding in patients with cirrhosis. <i>New England Journal of Medicine</i> , <b>2001</b> , 344, 23-8	59.2	173
174	Histopathological evaluation of liver fibrosis: quantitative image analysis vs semi-quantitative scores. Comparison with serum markers. <i>Journal of Hepatology</i> , <b>1998</b> , 28, 439-46	13.4	166
173	Gastroesophageal endoscopic features in cirrhosis: Observer variability, interassociations, and relationship to hepatic dysfunction. <i>Gastroenterology</i> , <b>1990</b> , 98, 156-162	13.3	157
172	Superior portosystemic collateral circulation estimated by azygos blood flow in patients with cirrhosis. Lack of correlation with oesophageal varices and gastrointestinal bleeding. Effect of propranolol. <i>Journal of Hepatology</i> , <b>1985</b> , 1, 37-46	13.4	140

171	Low-dose terlipressin improves systemic and splanchnic hemodynamics in fluid-challenged endotoxic rats. <i>Critical Care Medicine</i> , <b>2003</b> , 31, 215-20	1.4	126
170	Non-invasive diagnosis of esophageal varices in chronic liver diseases. <i>Journal of Hepatology</i> , <b>1999</b> , 31, 867-73	13.4	122
169	Lack of effect of propranolol in the prevention of large oesophageal varices in patients with cirrhosis: a randomized trial. French-Speaking Club for the Study of Portal Hypertension. <i>European Journal of Gastroenterology and Hepatology</i> , <b>1999</b> , 11, 741-5	2.2	122
168	Acoustic radiation force impulse: a new ultrasonographic technology for the widespread noninvasive diagnosis of liver fibrosis. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2010</b> , 22, 1074-84	2.2	113
167	Evolution of noninvasive tests of liver fibrosis is associated with prognosis in patients with chronic hepatitis C. <i>Hepatology</i> , <b>2014</b> , 60, 65-76	11.2	100
166	Reproducibility of liver stiffness measurement by ultrasonographic elastometry. <i>Clinical Gastroenterology and Hepatology</i> , <b>2008</b> , 6, 1263-9	6.9	97
165	Comparison of eight diagnostic algorithms for liver fibrosis in hepatitis C: new algorithms are more precise and entirely noninvasive. <i>Hepatology</i> , <b>2012</b> , 55, 58-67	11.2	96
164	The combination of a blood test and Fibroscan improves the non-invasive diagnosis of liver fibrosis. <i>Liver International</i> , <b>2009</b> , 29, 1507-15	7.9	94
163	IL-34 and macrophage colony-stimulating factor are overexpressed in hepatitis C virus fibrosis and induce profibrotic macrophages that promote collagen synthesis by hepatic stellate cells. <i>Hepatology</i> , <b>2014</b> , 60, 1879-90	11.2	89
162	Hemodynamic and antifibrotic effects of losartan in rats with liver fibrosis and/or portal hypertension. <i>Journal of Hepatology</i> , <b>2002</b> , 37, 773-80	13.4	88
161	Endoscopic detection of early esophageal cancer in a high-risk population: does Lugol staining improve videoendoscopy?. <i>Gastrointestinal Endoscopy</i> , <b>1997</b> , 45, 480-4	5.2	82
160	Evaluating the accuracy and increasing the reliable diagnosis rate of blood tests for liver fibrosis in chronic hepatitis C. <i>Liver International</i> , <b>2008</b> , 28, 1352-62	7.9	82
159	Detrimental hemodynamic and inflammatory effects of microparticles originating from septic rats. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 2045-50	1.4	79
158	Learning curve and interobserver reproducibility evaluation of liver stiffness measurement by transient elastography. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2008</b> , 20, 693-701	2.2	79
157	Vascular involvement of the liver in Turner's syndrome. <i>Hepatology</i> , <b>2004</b> , 39, 239-47	11.2	78
156	Ribavirin exposure after the first dose is predictive of sustained virological response in chronic hepatitis C. <i>Hepatology</i> , <b>2008</b> , 47, 1453-61	11.2	75
155	Characteristics of patients with chronic hepatitis B in France: predominant frequency of HBe antigen negative cases. <i>Journal of Hepatology</i> , <b>2006</b> , 45, 355-60	13.4	75
154	A new combination of blood test and fibroscan for accurate non-invasive diagnosis of liver fibrosis stages in chronic hepatitis C. <i>American Journal of Gastroenterology</i> , <b>2011</b> , 106, 1255-63	0.7	73

153	Complications and competing risks of death in compensated viral cirrhosis (ANRS CO12 CirVir prospective cohort). <i>Hepatology</i> , <b>2015</b> , 62, 737-50	11.2	69
152	Effects of hydrogen sulfide on hemodynamics, inflammatory response and oxidative stress during resuscitated hemorrhagic shock in rats. <i>Critical Care</i> , <b>2010</b> , 14, R165	10.8	67
151	Validation of Baveno VI Criteria for Screening and Surveillance of Esophageal Varices in Patients With Compensated Cirrhosis and a Sustained Response to Antiviral Therapy. <i>Gastroenterology</i> , <b>2019</b> , 156, 997-1009.e5	13.3	63
150	In vivo evaluation of lipid nanocapsules as a promising colloidal carrier for paclitaxel. <i>International Journal of Pharmaceutics</i> , <b>2007</b> , 344, 143-9	6.5	63
149	Hepatitis C, alpha interferon, anxiety and depression disorders: a prospective study of 71 patients. <i>World Journal of Biological Psychiatry</i> , <b>2003</b> , 4, 115-8	3.8	62
148	New sequential combinations of non-invasive fibrosis tests provide an accurate diagnosis of advanced fibrosis in NAFLD. <i>Journal of Hepatology</i> , <b>2019</b> , 71, 389-396	13.4	61
147	The osteopontin level in liver, adipose tissue and serum is correlated with fibrosis in patients with alcoholic liver disease. <i>PLoS ONE</i> , <b>2012</b> , 7, e35612	3.7	61
146	Prevention of recurrent variceal bleeding in alcoholic cirrhotic patients: prospective controlled trial of propranolol and sclerotherapy. <i>Journal of Hepatology</i> , <b>1991</b> , 12, 283-9	13.4	61
145	Inter-observer and intra-observer variability in hepatology. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2003</b> , 15, 959-66	2.2	58
144	Reproducibility of blood tests of liver fibrosis in clinical practice. <i>Clinical Biochemistry</i> , <b>2008</b> , 41, 10-8	3.5	57
143	Diagnostic accuracy, reproducibility and robustness of fibrosis blood tests in chronic hepatitis C: a meta-analysis with individual data. <i>Clinical Biochemistry</i> , <b>2008</b> , 41, 1368-76	3.5	57
142	Prothrombin index is an indirect marker of severe liver fibrosis. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2002</b> , 14, 1133-41	2.2	57
141	A stepwise algorithm using an at-a-glance first-line test for the non-invasive diagnosis of advanced liver fibrosis and cirrhosis. <i>Journal of Hepatology</i> , <b>2017</b> , 66, 1158-1165	13.4	56
140	Nomogram for individualized prediction of hepatocellular carcinoma occurrence in hepatitis C virus cirrhosis (ANRS CO12 CirVir). <i>Hepatology</i> , <b>2016</b> , 64, 1136-47	11.2	55
139	Respective roles of porto-septal fibrosis and centrilobular fibrosis in alcoholic liver disease. <i>Journal of Pathology</i> , <b>2003</b> , 201, 55-62	9.4	55
138	Reproducibility in ultrasonic characterization of carotid plaques. <i>Cerebrovascular Diseases</i> , <b>1998</b> , 8, 273-73.2		55
137	Effects of simvastatin, pentoxifylline and spironolactone on hepatic fibrosis and portal hypertension in rats with bile duct ligation. <i>Journal of Hepatology</i> , <b>1997</b> , 26, 1363-71	13.4	54
136	Comparison of elastography, serum marker scores, and histology for the assessment of liver fibrosis in hepatitis B virus (HBV)-infected patients in Burkina Faso. <i>American Journal of Tropical Medicine and Hygiene</i> , <b>2010</b> , 82, 454-8	3.2	53

135	Improved diagnostic accuracy of blood tests for severe fibrosis and cirrhosis in chronic hepatitis C. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2009</b> , 21, 28-38	2.2	51
134	Effects of long-term administration of interferon alpha in two models of liver fibrosis in rats. <i>Journal of Hepatology</i> , <b>1998</b> , 29, 263-70	13.4	51
133	New Doppler ultrasound signs improve the non-invasive diagnosis of cirrhosis or severe liver fibrosis. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2004</b> , 16, 743-51	2.2	48
132	An extension of STARD statements for reporting diagnostic accuracy studies on liver fibrosis tests: the Liver-FibroSTARD standards. <i>Journal of Hepatology</i> , <b>2015</b> , 62, 807-15	13.4	46
131	Current management of the complications of portal hypertension: variceal bleeding and ascites. <i>Cmaj</i> , <b>2006</b> , 174, 1433-43	3.5	46
130	Precise evaluation of liver histology by computerized morphometry shows that steatosis influences liver stiffness measured by transient elastography in chronic hepatitis C. <i>Journal of Gastroenterology</i> , <b>2014</b> , 49, 527-37	6.9	44
129	Antifibrotic and hemodynamic effects of the early and chronic administration of octreotide in two models of liver fibrosis in rats. <i>Hepatology</i> , <b>1998</b> , 28, 1525-31	11.2	43
128	Ursodeoxycholic acid for the treatment of primary biliary cirrhosis. Interim analysis of a double-blind multicentre randomized trial. The UDCA-PBC Study Group. <i>Journal of Hepatology</i> , <b>1990</b> , 11, 16-21	13.4	43
127	Fractal dimension can distinguish models and pharmacologic changes in liver fibrosis in rats. <i>Hepatology</i> , <b>2002</b> , 36, 840-9	11.2	41
126	IL-26 is overexpressed in chronically HCV-infected patients and enhances TRAIL-mediated cytotoxicity and interferon production by human NK cells. <i>Gut</i> , <b>2015</b> , 64, 1466-75	19.2	39
125	Refining the Baveno VI elastography criteria for the definition of compensated advanced chronic liver disease. <i>Journal of Hepatology</i> , <b>2021</b> , 74, 1109-1116	13.4	39
124	Optimization and robustness of blood tests for liver fibrosis and cirrhosis. <i>Clinical Biochemistry</i> , <b>2010</b> , 43, 1315-22	3.5	38
123	Effect of prolonged interferon therapy on the outcome of hepatitis C virus-related cirrhosis: a randomized trial. <i>Clinical Gastroenterology and Hepatology</i> , <b>2007</b> , 5, 502-7	6.9	37
122	FibroMeters: a family of blood tests for liver fibrosis. <i>Gastroenterologie Clinique Et Biologique</i> , <b>2008</b> , 32, 40-51		36
121	Diagnosis of different liver fibrosis characteristics by blood tests in non-alcoholic fatty liver disease. <i>Liver International</i> , <b>2010</b> , 30, 1346-54	7.9	35
120	Comparison of liver fibrosis blood tests developed for HCV with new specific tests in HIV/HCV co-infection. <i>Journal of Hepatology</i> , <b>2010</b> , 53, 238-44	13.4	35
119	Acute effect of propranolol on splanchnic circulation in normal and portal hypertensive rats. <i>Journal of Hepatology</i> , <b>1985</b> , 1, 349-57	13.4	34
118	Fibrinogen angers with a new deletion (gamma G V Y Y Q 346-350) causes hypofibrinogenemia with hepatic storage. <i>Journal of Thrombosis and Haemostasis</i> , <b>2007</b> , 5, 1999-2005	15.4	33

117	Combination of blood tests for significant fibrosis and cirrhosis improves the assessment of liver-prognosis in chronic hepatitis C. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2014</b> , 40, 178-88	6.1	32
116	Screening for therapeutic trials and treatment indication in clinical practice: MACK-3, a new blood test for the diagnosis of fibrotic NASH. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2018</b> , 47, 1387-1396	6.1	31
115	Factors limiting complete tumor ablation by radiofrequency ablation. <i>CardioVascular and Interventional Radiology</i> , <b>2008</b> , 31, 107-15	2.7	31
114	Diagnosis and measurement of liver fibrosis by MRI in bile duct ligated rats. <i>Digestive Diseases and Sciences</i> , <b>2007</b> , 52, 2601-9	4	30
113	Evaluation of Baveno recommendations for grading esophageal varices. <i>Journal of Hepatology</i> , <b>2003</b> , 39, 657-9	13.4	29
112	Association Between Severity of Obstructive Sleep Apnea and Blood Markers of Liver Injury. <i>Clinical Gastroenterology and Hepatology</i> , <b>2016</b> , 14, 1657-1661	6.9	28
111	Screening of esophageal varices by esophageal capsule endoscopy: results of a French multicenter prospective study. <i>Endoscopy</i> , <b>2015</b> , 47, 486-92	3.4	27
110	Internal radiotherapy of liver cancer with rat hepatocarcinoma-intestine-pancreas gene as a liver tumor-specific promoter. <i>Human Gene Therapy</i> , <b>2008</b> , 19, 915-26	4.8	26
109	A novel spleen-dedicated stiffness measurement by FibroScan <sup>®</sup> improves the screening of high-risk oesophageal varices. <i>Liver International</i> , <b>2020</b> , 40, 175-185	7.9	26
108	Improved fibrosis staging by elastometry and blood test in chronic hepatitis C. <i>Liver International</i> , <b>2014</b> , 34, 907-17	7.9	25
107	Prevention of portal hypertension by propranolol and spironolactone in rats with bile duct ligation. <i>Journal of Hepatology</i> , <b>1997</b> , 26, 167-73	13.4	24
106	Weakness of mucosal barrier in portal hypertensive gastropathy of alcoholic cirrhosis. Effects of propranolol and enprostil. <i>Journal of Hepatology</i> , <b>1995</b> , 23, 689-96	13.4	24
105	Metabolic and hepatic effects of bloodletting in dysmetabolic iron overload syndrome: A randomized controlled study in 274 patients. <i>Hepatology</i> , <b>2017</b> , 65, 465-474	11.2	23
104	Noninvasive liver steatosis quantification using MRI techniques combined with blood markers. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2010</b> , 22, 973-82	2.2	22
103	Interobserver agreement on endoscopic diagnosis of bleeding peptic ulcers. <i>Gastrointestinal Endoscopy</i> , <b>1997</b> , 46, 27-32	5.2	21
102	Hepatic hyper-vitaminosis A. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2000</b> , 12, 361-364	2.2	21
101	Prospective study on the application of the Baveno II Consensus Conference criteria in patients with cirrhosis and gastrointestinal bleeding. <i>Journal of Hepatology</i> , <b>2000</b> , 33, 738-41	13.4	21
100	Effect of propranolol on metabolic activity of the liver in patients with alcoholic cirrhosis. <i>Journal of Hepatology</i> , <b>1988</b> , 7, 186-92	13.4	21

99	A Single Test Combining Blood Markers and Elastography is More Accurate Than Other Fibrosis Tests in the Main Causes of Chronic Liver Diseases. <i>Journal of Clinical Gastroenterology</i> , <b>2017</b> , 51, 639-649	20
98	Resolution of chronic hepatitis Delta after 1 year of combined therapy with pegylated interferon, tenofovir and emtricitabine. <i>Journal of Clinical Virology</i> , <b>2010</b> , 47, 97-9	14.5 20
97	Sodium iodide symporter is expressed at the preneoplastic stages of liver carcinogenesis and in human cholangiocarcinoma. <i>Gastroenterology</i> , <b>2007</b> , 132, 1495-503	13.3 20
96	Hemodynamic effects of terlipressin and octreotide administration alone or in combination in portal hypertensive rats. <i>Journal of Hepatology</i> , <b>1998</b> , 29, 103-11	13.4 19
95	New method of cardiac output measurement using ultrasound velocity dilution in rats. <i>Journal of Applied Physiology</i> , <b>2001</b> , 91, 1274-82	3.7 19
94	Multicenter prospective validation of the Baveno IV and Baveno II/III criteria in cirrhosis patients with variceal bleeding. <i>Hepatology</i> , <b>2015</b> , 61, 1024-32	11.2 18
93	Personalized surveillance for hepatocellular carcinoma in cirrhosis - using machine learning adapted to HCV status. <i>Journal of Hepatology</i> , <b>2020</b> , 73, 1434-1445	13.4 18
92	Renal macro- and microcirculation autoregulatory capacity during early sepsis and norepinephrine infusion in rats. <i>Critical Care</i> , <b>2013</b> , 17, R139	10.8 18
91	Comparison of accuracy of fibrosis degree classifications by liver biopsy and non-invasive tests in chronic hepatitis C. <i>BMC Gastroenterology</i> , <b>2011</b> , 11, 132	3 18
90	A not so solitary fibrous tumor of the liver. <i>Gastroenterologie Clinique Et Biologique</i> , <b>2010</b> , 34, 716-20	18
89	Direct comparison of the specialised blood fibrosis tests FibroMeter and Enhanced Liver Fibrosis score in patients with non-alcoholic fatty liver disease from tertiary care centres. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2019</b> , 50, 1214-1222	6.1 17
88	Large oesophageal varice screening by a sequential algorithm using a cirrhosis blood test and optionally capsule endoscopy. <i>Liver International</i> , <b>2018</b> , 38, 84-93	7.9 17
87	Apoptosis and liver fibrosis: antifibrotic strategies. <i>Biomedicine and Pharmacotherapy</i> , <b>1998</b> , 52, 259-63	7.5 17
86	Late onset of Wilson's disease in a family with genetic haemochromatosis. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2006</b> , 18, 43-7	2.2 17
85	Increased liver stiffness in patients with severe sleep apnoea and metabolic comorbidities. <i>European Respiratory Journal</i> , <b>2018</b> , 51,	13.6 16
84	Quantification of portal-bridging fibrosis area more accurately reflects fibrosis stage and liver stiffness than whole fibrosis or perisinusoidal fibrosis areas in chronic hepatitis C. <i>Modern Pathology</i> , <b>2014</b> , 27, 1035-45	9.8 16
83	MRI measurement of liver fat content predicts the metabolic syndrome. <i>Diabetes and Metabolism</i> , <b>2013</b> , 39, 314-21	5.4 16
82	Liver fibrosis diagnosis by blood test and elastography in chronic hepatitis C: agreement or combination?. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2017</b> , 45, 991-1003	6.1 15

81	Pharmacodynamic and pharmacokinetic study of propranolol in patients with cirrhosis and portal hypertension. <i>British Journal of Clinical Pharmacology</i> , <b>1989</b> , 27, 763-70	3.8	15
80	Gastroesophageal endoscopic signs of cirrhosis: independent diagnostic accuracy, interassociation, and relationship to etiology and hepatic dysfunction. <i>Gastrointestinal Endoscopy</i> , <b>1998</b> , 48, 148-57	5.2	14
79	Improving estimation of liver fibrosis using combination and newer noninvasive biomarker scoring systems in hepatitis C-infected haemophilia patients. <i>Haemophilia</i> , <b>2007</b> , 13, 722-9	3.3	14
78	Verapamil has no effect on porto-hepatic pressure gradient, hepatic blood flow and elimination function of the liver in patients with liver cirrhosis. <i>Journal of Hepatology</i> , <b>1989</b> , 8, 302-7	13.4	13
77	How to clarify the Baveno VI criteria for ruling out varices needing treatment by noninvasive tests. <i>Liver International</i> , <b>2019</b> , 39, 49-53	7.9	12
76	Steatosis degree, measured by morphometry, is linked to other liver lesions and metabolic syndrome components in patients with NAFLD. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2011</b> , 23, 974-81	2.2	12
75	Splenorenal shunt blood flow by transit-time ultrasound as an index of collateral circulation in portal hypertensive rats. <i>Hepatology</i> , <b>1998</b> , 28, 1269-74	11.2	12
74	Different precore/core mutations of hepatitis B interact with, limit, or favor liver fibrosis severity. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2016</b> , 31, 1750-1756	4	12
73	A Novel FibroScan Examination Dedicated to Spleen Stiffness Measurement. <i>Ultrasound in Medicine and Biology</i> , <b>2018</b> , 44, 1616-1626	3.5	11
72	The noninvasive diagnosis of esophageal varices and its application in clinical practice. <i>Clinics and Research in Hepatology and Gastroenterology</i> , <b>2018</b> , 42, 6-16	2.4	11
71	The effects of vasopressin and its analogues on the liver and its disorders in the critically ill. <i>Current Opinion in Critical Care</i> , <b>2010</b> , 16, 148-52	3.5	11
70	Evaluation and improvement of a reliable diagnosis of cirrhosis by blood tests. <i>Gastroenterologie Clinique Et Biologique</i> , <b>2008</b> , 32, 1050-60		11
69	Colonic investigations in the elderly: colonoscopy or barium enema?. <i>Aging Clinical and Experimental Research</i> , <b>1995</b> , 7, 190-4	4.8	11
68	Effects of octreotide on intestinal transit and bacterial translocation in conscious rats with portal hypertension and liver fibrosis. <i>Digestive Diseases and Sciences</i> , <b>2001</b> , 46, 2367-73	4	10
67	Gastric mucosal surface in cirrhosis evaluated by magnifying endoscopy and scanning electronic microscopy. <i>Endoscopy</i> , <b>2000</b> , 32, 614-23	3.4	10
66	Spleno-renal shunt blood flow is an accurate index of collateral circulation in different models of portal hypertension and after pharmacological changes in rats. <i>Journal of Hepatology</i> , <b>2000</b> , 32, 434-40	13.4	10
65	Long-term administration of PGE1 increases liver fibrosis and collateral blood flow in bile-duct-ligated rats. <i>Journal of Hepatology</i> , <b>1999</b> , 30, 70-6	13.4	10
64	Automated morphometry provides accurate and reproducible virtual staging of liver fibrosis in chronic hepatitis C. <i>Journal of Pathology Informatics</i> , <b>2015</b> , 6, 20	4.4	10



63	Criteria to Determine Reliability of Noninvasive Assessment of Liver Fibrosis With Virtual Touch Quantification. <i>Clinical Gastroenterology and Hepatology</i> , <b>2019</b> , 17, 164-171.e5	6.9	9
62	AST/ALT ratio is not an index of liver fibrosis in chronic hepatitis C when aminotransferase activities are determinate according to the international recommendations. <i>Clinics and Research in Hepatology and Gastroenterology</i> , <b>2013</b> , 37, 467-72	2.4	9
61	Assessment of new hyaluronic acid assays and their impact on FibroMeter scores. <i>Clinica Chimica Acta</i> , <b>2011</b> , 412, 347-52	6.2	9
60	Intrafamilial hepatitis E in France. <i>Journal of Clinical Virology</i> , <b>2007</b> , 39, 51-3	14.5	9
59	Combination of fibrosis tests: sequential or synchronous?. <i>Hepatology</i> , <b>2009</b> , 50, 656-7; author reply 657	11.2	8
58	Liver fibrosis in patients with non-alcoholic fatty liver disease: diagnostic options in clinical practice. <i>Expert Opinion on Medical Diagnostics</i> , <b>2012</b> , 6, 381-94		8
57	Radiofrequency thermal ablation of liver carcinoma. Prospective study of 82 lesions. <i>Gastroenterologie Clinique Et Biologique</i> , <b>2006</b> , 30, 130-5		8
56	Relationship between vascular reactivity in vitro and blood flows in rats with cirrhosis. <i>Clinical Science</i> , <b>1999</b> , 97, 313	6.5	8
55	Fibrosis progression under maintenance interferon in hepatitis C is better detected by blood test than liver morphometry. <i>Journal of Viral Hepatitis</i> , <b>2012</b> , 19, e143-53	3.4	7
54	Treatment of liver fibrosis: clinical aspects. <i>Gastroenterologie Clinique Et Biologique</i> , <b>2009</b> , 33, 958-66		7
53	Hemodynamic effects of the early and long-term administration of propranolol in rats with intrahepatic portal hypertension. <i>Hepatology International</i> , <b>2008</b> , 2, 457-64	8.8	7
52	Interferon alpha therapy in haemophilic patients with chronic hepatitis C: a French multicentre pilot study of 58 patients. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2001</b> , 13, 859-64	2.2	7
51	Prevention of relapse in patients with chronic non-A, non-B/C hepatitis who respond to alpha-interferon. A controlled multicenter trial of low-dose maintenance therapy. Groupe d'Etude Multicentrique de l'Interferon dans les Hépatites. <i>Journal of Hepatology</i> , <b>1994</b> , 21, 774-8	13.4	7
50	Laser ablation of microdroplets for copper isotopic analysis via MC-ICP-MS. Analysis of serum microsamples for the diagnosis and follow-up treatment of Wilson's disease. <i>Journal of Analytical Atomic Spectrometry</i> , <b>2021</b> , 36, 968-980	3.7	7
49	Cirrhosis Diagnosis and Liver Fibrosis Staging: Transient Elastometry Versus Cirrhosis Blood Test. <i>Journal of Clinical Gastroenterology</i> , <b>2015</b> , 49, 512-9	3	6
48	Including Ratio of Platelets to Liver Stiffness Improves Accuracy of Screening for Esophageal Varices That Require Treatment. <i>Clinical Gastroenterology and Hepatology</i> , <b>2021</b> , 19, 777-787.e17	6.9	6
47	Effects of positive pressure on both femoral venous and arterial blood velocities and the cutaneous microcirculation of the forefoot. <i>Cardiovascular Research</i> , <b>1997</b> , 36, 372-6	9.9	5
46	beta-blockers and variceal haemorrhage. <i>Lancet, The</i> , <b>1990</b> , 336, 506	40	5

45	Alteration in response of the portal tributary vascular bed to the beta-agonist dobutamine in rats with extrahepatic portal hypertension. <i>Journal of Hepatology</i> , <b>1986</b> , 2, 267-75	13.4	5
44	Fibrosis assessment using FibroMeter combined to first generation tests in hepatitis C. <i>World Journal of Hepatology</i> , <b>2017</b> , 9, 310-317	3.4	5
43	Performance of FibroScan $\square$ to detect large esophageal varices in chronic liver diseases is improved by a novel spleen-dedicated examination. <i>Journal of Hepatology</i> , <b>2017</b> , 66, S374	13.4	4
42	Hemodynamic and pharmacokinetic study of tertatolol in patients with alcoholic cirrhosis and portal hypertension. <i>Journal of Hepatology</i> , <b>1993</b> , 19, 43-50	13.4	4
41	A single blood test adjusted for different liver fibrosis targets improves fibrosis staging and especially cirrhosis diagnosis. <i>Hepatology Communications</i> , <b>2018</b> , 2, 455-466	6	3
40	Radiation-induced cholangitis with hepatocellular carcinoma. <i>Gastroenterologie Clinique Et Biologique</i> , <b>2010</b> , 34, 35-9		3
39	Should measurements of hemodynamics in portal hypertension be dynamic?. <i>Journal of Hepatology</i> , <b>1998</b> , 29, 829-31	13.4	3
38	Vapreotide acetate for the treatment of esophageal variceal bleeding. <i>Expert Review of Gastroenterology and Hepatology</i> , <b>2008</b> , 2, 185-92	4.2	3
37	Hemodynamic effects of acute and chronic administration of vapreotide in rats with cirrhosis. <i>Digestive Diseases and Sciences</i> , <b>2003</b> , 48, 154-61	4	3
36	Spontaneous regression of esophageal varices is a phenomenon that has spontaneously disappeared from our memory. <i>Journal of Hepatology</i> , <b>1991</b> , 12, 263-4	13.4	3
35	Cross-linkage between bacterial taxonomy and gene functions: a study of metagenome-assembled genomes of gut microbiota in adult non-alcoholic fatty liver disease. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2021</b> , 53, 722-732	6.1	3
34	Doppler ultrasonography devices, including elastography, allow for accurate diagnosis of severe liver fibrosis. <i>European Journal of Radiology</i> , <b>2018</b> , 108, 133-139	4.7	3
33	Predictive factors for hepatocellular carcinoma in chronic hepatitis B using structural equation modeling: a prospective cohort study. <i>Clinics and Research in Hepatology and Gastroenterology</i> , <b>2021</b> , 45, 101713	2.4	3
32	1045 SEVERAL PATHOLOGICAL LESIONS INFLUENCE NON-INVASIVE TESTS OF LIVER FIBROSIS. <i>Journal of Hepatology</i> , <b>2012</b> , 56, S408-S409	13.4	2
31	Ultrasonographic elastometry vs. blood tests for the diagnosis of cirrhosis: a Pyrrhic victory?. <i>Journal of Hepatology</i> , <b>2009</b> , 51, 228-9; author reply 229	13.4	2
30	Physiopathologie de la cirrhose et de ses complications. <i>Reanimation: Journal De La Societe De Reanimation De Langue Francaise</i> , <b>2007</b> , 16, 557-562		2
29	Diagnostic des h�patopathies et de leur s�mpt�mes. <i>IRBM News</i> , <b>2002</b> , 23, 41-48		2
28	Propranolol in the primary prevention of upper gastrointestinal tract haemorrhage in patients with cirrhosis of the liver and oesophageal varices. <i>Drugs</i> , <b>1989</b> , 37 Suppl 2, 52-61; discussion 74-6	12.1	2

27	COVID-19 infection in first trimester of pregnancy marked by a liver cytolysis in a woman previously treated by hydroxychloroquine for repeated implantation failure: a case report. <i>BMC Infectious Diseases</i> , <b>2020</b> , 20, 845	4	2
26	Simple blood fibrosis tests reduce unnecessary referrals for specialized evaluations of liver fibrosis in NAFLD and ALD patients. <i>Clinics and Research in Hepatology and Gastroenterology</i> , <b>2020</b> , 44, 349-355	2.4	2
25	Obstructive sleep apnoea and non-alcoholic fatty liver disease: Which patients should be referred to hepatologists?. <i>Clinics and Research in Hepatology and Gastroenterology</i> , <b>2019</b> , 43, e90-e92	2.4	1
24	A pragmatic non-invasive assessment of liver fibrosis in patients with psoriasis, rheumatoid arthritis or Crohn's disease receiving methotrexate therapy. <i>Clinics and Research in Hepatology and Gastroenterology</i> , <b>2020</b> , 44S, 100003	2.4	1
23	Metastatic hepatocellular carcinoma: when surgery and successive palliative treatments lead to remission. <i>Clinics and Research in Hepatology and Gastroenterology</i> , <b>2014</b> , 38, e19-22	2.4	1
22	Blood tests to diagnose fibrosis or cirrhosis in patients with chronic hepatitis C virus infection. <i>Annals of Internal Medicine</i> , <b>2013</b> , 159, 371-2	8	1
21	Fractal dimension can distinguish models and pharmacologic changes in liver fibrosis in rats. <i>Hepatology</i> , <b>2002</b> , 36, 840-849	11.2	1
20	Liver haemangioma and pregnancy. <i>Lancet, The</i> , <b>1996</b> , 347, 1693-4	40	1
19	Non-selective beta-blockers increase overall and liver mortality in alcoholic cirrhosis with MELD $\geq$ 2 over 5 years of follow-up. <i>Liver International</i> , <b>2021</b> , 41, 168-179	7.9	1
18	Liver fibrosis staging by computed tomography: Prospective randomized multicentric evaluation of image analyses. <i>Clinics and Research in Hepatology and Gastroenterology</i> , <b>2021</b> , 46, 101797	2.4	1
17	Session 1: Definition of Key Events [Last Attempt?]11-39		1
16	Laser Doppler flowmetry signals to quantify effects of isoflurane on the peripheral cardiovascular system of healthy rats. <i>Applied Physics Letters</i> , <b>2007</b> , 91, 263901	3.4	0
15	Propranolol in the prevention of ascites. <i>Lancet, The</i> , <b>1991</b> , 338, 509-10	40	0
14	Clinical outcomes after treatment with direct antiviral agents: beyond the virological response in patients with previous HCV-related decompensated cirrhosis.. <i>BMC Infectious Diseases</i> , <b>2022</b> , 22, 94	4	0
13	Comparison of screening strategies with two new tests to score and diagnose varices needing treatment.. <i>Clinics and Research in Hepatology and Gastroenterology</i> , <b>2022</b> , 101925	2.4	0
12	Systematic screening for advanced liver fibrosis in patients with coronary artery disease: The CORONASH study. <i>PLoS ONE</i> , <b>2022</b> , 17, e0266965	3.7	0
11	Reply to: "Pitfalls in the non-invasive assessment of liver fibrosis with eLIFT-FM algorithm" and to "Application of the new eLIFT test for the non-invasive diagnosis of advanced liver fibrosis in people with type 2 diabetes". <i>Journal of Hepatology</i> , <b>2018</b> , 68, 605-606	13.4	
10	Reply:. <i>Hepatology</i> , <b>2012</b> , 55, 653-653	11.2	

- 9 Failure to Control Bleeding and Failure to Control Rebleeding **2010**, 75-90
- 8 Which would you prefer for a liver fibrosis test: A limited fixed menu or a gourmet buffet?. *Gastroenterologie Clinique Et Biologique*, **2009**, 33, 388-389
- 7 Response to Munteanu et al.. *American Journal of Gastroenterology*, **2011**, 106, 1853-1854 0.7
- 6 Can we precisely classify liver fibrosis without biopsy in hepatitis C?. *Clinical Practice (London, England)*, **2012**, 9, 233-235 3
- 5 Actualité sur les co-infections VIH/VHC. *Antibiotiques*, **2008**, 10, 167-175
- 4 Évaluation non invasive de la fibrose hépatique au cours des co-infections VIH et VHC et/ou VHB. *Journal Africain DjHepato-Gastroenterologie*, **2007**, 1, 54-58
- 3 Médicaments ayant un effet sur la fibrose hépatique. *Journal Africain DjHepato-Gastroenterologie*, **2007**, 1, 110-114
- 2 Lésions muqueuses gastriques de l'hypertension portale. *Acta Endoscopica*, **1995**, 25, 327-335
- 1 Automatic detection of cirrhosis in hospitalized patients: a pragmatic experience. *European Journal of Gastroenterology and Hepatology*, **2016**, 28, 74-81 2.2