

Paul Cals

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9511007/paul-cales-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

188
papers

9,594
citations

53
h-index

94
g-index

213
ext. papers

11,142
ext. citations

6.6
avg, IF

5.33
L-index

#	Paper	IF	Citations
188	Clinical outcomes after treatment with direct antiviral agents: beyond the virological response in patients with previous HCV-related decompensated cirrhosis.. <i>BMC Infectious Diseases</i> , 2022 , 22, 94	4	0
187	Comparison of screening strategies with two new tests to score and diagnose varices needing treatment.. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2022 , 101925	2.4	0
186	Systematic screening for advanced liver fibrosis in patients with coronary artery disease: The CORONASH study. <i>PLoS ONE</i> , 2022 , 17, e0266965	3.7	0
185	Cross-linkage between bacterial taxonomy and gene functions: a study of metagenome-assembled genomes of gut microbiota in adult non-alcoholic fatty liver disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2021 , 53, 722-732	6.1	3
184	Including Ratio of Platelets to Liver Stiffness Improves Accuracy of Screening for Esophageal Varices That Require Treatment. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 777-787.e17	6.9	6
183	Non-selective beta-blockers increase overall and liver mortality in alcoholic cirrhosis with MELD \geq 2 over 5 years of follow-up. <i>Liver International</i> , 2021 , 41, 168-179	7.9	1
182	Refining the Baveno VI elastography criteria for the definition of compensated advanced chronic liver disease. <i>Journal of Hepatology</i> , 2021 , 74, 1109-1116	13.4	39
181	Laser ablation of microdroplets for copper isotopic analysis via MC-ICP-MS. Analysis of serum microsamples for the diagnosis and follow-up treatment of Wilson's disease. <i>Journal of Analytical Atomic Spectrometry</i> , 2021 , 36, 968-980	3.7	7
180	Predictive factors for hepatocellular carcinoma in chronic hepatitis B using structural equation modeling: a prospective cohort study. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2021 , 45, 101713	2.4	3
179	Liver fibrosis staging by computed tomography: Prospective randomized multicentric evaluation of image analyses. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2021 , 46, 101797	2.4	1
178	Personalized surveillance for hepatocellular carcinoma in cirrhosis ¹ using machine learning adapted to HCV status. <i>Journal of Hepatology</i> , 2020 , 73, 1434-1445	13.4	18
177	A pragmatic non-invasive assessment of liver fibrosis in patients with psoriasis, rheumatoid arthritis or Crohn's disease receiving methotrexate therapy. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2020 , 44S, 100003	2.4	1
176	COVID-19 infection in first trimester of pregnancy marked by a liver cytolysis in a woman previously treated by hydroxychloroquine for repeated implantation failure: a case report. <i>BMC Infectious Diseases</i> , 2020 , 20, 845	4	2
175	Simple blood fibrosis tests reduce unnecessary referrals for specialized evaluations of liver fibrosis in NAFLD and ALD patients. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2020 , 44, 349-355	2.4	2
174	A novel spleen-dedicated stiffness measurement by FibroScan [®] improves the screening of high-risk oesophageal varices. <i>Liver International</i> , 2020 , 40, 175-185	7.9	26
173	Direct comparison of the specialised blood fibrosis tests FibroMeter and Enhanced Liver Fibrosis score in patients with non-alcoholic fatty liver disease from tertiary care centres. <i>Alimentary Pharmacology and Therapeutics</i> , 2019 , 50, 1214-1222	6.1	17
172	New sequential combinations of non-invasive fibrosis tests provide an accurate diagnosis of advanced fibrosis in NAFLD. <i>Journal of Hepatology</i> , 2019 , 71, 389-396	13.4	61

171	Obstructive sleep apnoea and non-alcoholic fatty liver disease: Which patients should be referred to hepatologists?. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2019 , 43, e90-e92	2.4	1
170	Validation of Baveno VI Criteria for Screening and Surveillance of Esophageal Varices in Patients With Compensated Cirrhosis and a Sustained Response to Antiviral Therapy. <i>Gastroenterology</i> , 2019 , 156, 997-1009.e5	13.3	63
169	Clinical outcomes in patients with chronic hepatitis C after direct-acting antiviral treatment: a prospective cohort study. <i>Lancet, The</i> , 2019 , 393, 1453-1464	40	287
168	How to clarify the Baveno VI criteria for ruling out varices needing treatment by noninvasive tests. <i>Liver International</i> , 2019 , 39, 49-53	7.9	12
167	Criteria to Determine Reliability of Noninvasive Assessment of Liver Fibrosis With Virtual Touch Quantification. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 164-171.e5	6.9	9
166	Screening for therapeutic trials and treatment indication in clinical practice: MACK-3, a new blood test for the diagnosis of fibrotic NASH. <i>Alimentary Pharmacology and Therapeutics</i> , 2018 , 47, 1387-1396	6.1	31
165	A single blood test adjusted for different liver fibrosis targets improves fibrosis staging and especially cirrhosis diagnosis. <i>Hepatology Communications</i> , 2018 , 2, 455-466	6	3
164	A Novel FibroScan Examination Dedicated to Spleen Stiffness Measurement. <i>Ultrasound in Medicine and Biology</i> , 2018 , 44, 1616-1626	3.5	11
163	Large oesophageal varice screening by a sequential algorithm using a cirrhosis blood test and optionally capsule endoscopy. <i>Liver International</i> , 2018 , 38, 84-93	7.9	17
162	Reply to: "Pitfalls in the non-invasive assessment of liver fibrosis with eLIFT-FM algorithm" and to "Application of the new eLIFT test for the non-invasive diagnosis of advanced liver fibrosis in people with type 2 diabetes". <i>Journal of Hepatology</i> , 2018 , 68, 605-606	13.4	
161	The noninvasive diagnosis of esophageal varices and its application in clinical practice. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2018 , 42, 6-16	2.4	11
160	Increased liver stiffness in patients with severe sleep apnoea and metabolic comorbidities. <i>European Respiratory Journal</i> , 2018 , 51,	13.6	16
159	Doppler ultrasonography devices, including elastography, allow for accurate diagnosis of severe liver fibrosis. <i>European Journal of Radiology</i> , 2018 , 108, 133-139	4.7	3
158	A stepwise algorithm using an at-a-glance first-line test for the non-invasive diagnosis of advanced liver fibrosis and cirrhosis. <i>Journal of Hepatology</i> , 2017 , 66, 1158-1165	13.4	56
157	Liver fibrosis diagnosis by blood test and elastography in chronic hepatitis C: agreement or combination?. <i>Alimentary Pharmacology and Therapeutics</i> , 2017 , 45, 991-1003	6.1	15
156	A Single Test Combining Blood Markers and Elastography is More Accurate Than Other Fibrosis Tests in the Main Causes of Chronic Liver Diseases. <i>Journal of Clinical Gastroenterology</i> , 2017 , 51, 639-649		20
155	Performance of FibroScan □ to detect large esophageal varices in chronic liver diseases is improved by a novel spleen-dedicated examination. <i>Journal of Hepatology</i> , 2017 , 66, S374	13.4	4
154	Metabolic and hepatic effects of bloodletting in dysmetabolic iron overload syndrome: A randomized controlled study in 274 patients. <i>Hepatology</i> , 2017 , 65, 465-474	11.2	23

153	Fibrosis assessment using FibroMeter combined to first generation tests in hepatitis C. <i>World Journal of Hepatology</i> , 2017 , 9, 310-317	3.4	5
152	Nomogram for individualized prediction of hepatocellular carcinoma occurrence in hepatitis C virus cirrhosis (ANRS CO12 CirVir). <i>Hepatology</i> , 2016 , 64, 1136-47	11.2	55
151	The severity of nonalcoholic fatty liver disease is associated with gut dysbiosis and shift in the metabolic function of the gut microbiota. <i>Hepatology</i> , 2016 , 63, 764-75	11.2	655
150	Automatic detection of cirrhosis in hospitalized patients: a pragmatic experience. <i>European Journal of Gastroenterology and Hepatology</i> , 2016 , 28, 74-81	2.2	
149	Liver stiffness in nonalcoholic fatty liver disease: A comparison of supersonic shear imaging, FibroScan, and ARFI with liver biopsy. <i>Hepatology</i> , 2016 , 63, 1817-27	11.2	269
148	Different precore/core mutations of hepatitis B interact with, limit, or favor liver fibrosis severity. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 1750-1756	4	12
147	Diagnostic accuracy and prognostic significance of blood fibrosis tests and liver stiffness measurement by FibroScan in non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2016 , 65, 570-8	13.4	213
146	Association Between Severity of Obstructive Sleep Apnea and Blood Markers of Liver Injury. <i>Clinical Gastroenterology and Hepatology</i> , 2016 , 14, 1657-1661	6.9	28
145	Screening of esophageal varices by esophageal capsule endoscopy: results of a French multicenter prospective study. <i>Endoscopy</i> , 2015 , 47, 486-92	3.4	27
144	An extension of STARD statements for reporting diagnostic accuracy studies on liver fibrosis tests: the Liver-FibroSTARD standards. <i>Journal of Hepatology</i> , 2015 , 62, 807-15	13.4	46
143	Multicenter prospective validation of the Baveno IV and Baveno II/III criteria in cirrhosis patients with variceal bleeding. <i>Hepatology</i> , 2015 , 61, 1024-32	11.2	18
142	Cirrhosis Diagnosis and Liver Fibrosis Staging: Transient Elastometry Versus Cirrhosis Blood Test. <i>Journal of Clinical Gastroenterology</i> , 2015 , 49, 512-9	3	6
141	Complications and competing risks of death in compensated viral cirrhosis (ANRS CO12 CirVir prospective cohort). <i>Hepatology</i> , 2015 , 62, 737-50	11.2	69
140	IL-26 is overexpressed in chronically HCV-infected patients and enhances TRAIL-mediated cytotoxicity and interferon production by human NK cells. <i>Gut</i> , 2015 , 64, 1466-75	19.2	39
139	Automated morphometry provides accurate and reproducible virtual staging of liver fibrosis in chronic hepatitis C. <i>Journal of Pathology Informatics</i> , 2015 , 6, 20	4.4	10
138	Quantification of portal-bridging fibrosis area more accurately reflects fibrosis stage and liver stiffness than whole fibrosis or perisinusoidal fibrosis areas in chronic hepatitis C. <i>Modern Pathology</i> , 2014 , 27, 1035-45	9.8	16
137	Improved fibrosis staging by elastometry and blood test in chronic hepatitis C. <i>Liver International</i> , 2014 , 34, 907-17	7.9	25
136	Evolution of noninvasive tests of liver fibrosis is associated with prognosis in patients with chronic hepatitis C. <i>Hepatology</i> , 2014 , 60, 65-76	11.2	100

135	Metastatic hepatocellular carcinoma: when surgery and successive palliative treatments lead to remission. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2014 , 38, e19-22	2.4	1
134	Combination of blood tests for significant fibrosis and cirrhosis improves the assessment of liver-prognosis in chronic hepatitis C. <i>Alimentary Pharmacology and Therapeutics</i> , 2014 , 40, 178-88	6.1	32
133	IL-34 and macrophage colony-stimulating factor are overexpressed in hepatitis C virus fibrosis and induce profibrotic macrophages that promote collagen synthesis by hepatic stellate cells. <i>Hepatology</i> , 2014 , 60, 1879-90	11.2	89
132	Precise evaluation of liver histology by computerized morphometry shows that steatosis influences liver stiffness measured by transient elastography in chronic hepatitis C. <i>Journal of Gastroenterology</i> , 2014 , 49, 527-37	6.9	44
131	AST/ALT ratio is not an index of liver fibrosis in chronic hepatitis C when aminotransferase activities are determinate according to the international recommendations. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2013 , 37, 467-72	2.4	9
130	MRI measurement of liver fat content predicts the metabolic syndrome. <i>Diabetes and Metabolism</i> , 2013 , 39, 314-21	5.4	16
129	Determination of reliability criteria for liver stiffness evaluation by transient elastography. <i>Hepatology</i> , 2013 , 57, 1182-91	11.2	353
128	Renal macro- and microcirculation autoregulatory capacity during early sepsis and norepinephrine infusion in rats. <i>Critical Care</i> , 2013 , 17, R139	10.8	18
127	Blood tests to diagnose fibrosis or cirrhosis in patients with chronic hepatitis C virus infection. <i>Annals of Internal Medicine</i> , 2013 , 159, 371-2	8	1
126	Comparison of eight diagnostic algorithms for liver fibrosis in hepatitis C: new algorithms are more precise and entirely noninvasive. <i>Hepatology</i> , 2012 , 55, 58-67	11.2	96
125	Reply:. <i>Hepatology</i> , 2012 , 55, 653-653	11.2	
124	1045 SEVERAL PATHOLOGICAL LESIONS INFLUENCE NON-INVASIVE TESTS OF LIVER FIBROSIS. <i>Journal of Hepatology</i> , 2012 , 56, S408-S409	13.4	2
123	The osteopontin level in liver, adipose tissue and serum is correlated with fibrosis in patients with alcoholic liver disease. <i>PLoS ONE</i> , 2012 , 7, e35612	3.7	61
122	Fibrosis progression under maintenance interferon in hepatitis C is better detected by blood test than liver morphometry. <i>Journal of Viral Hepatitis</i> , 2012 , 19, e143-53	3.4	7
121	Liver fibrosis in patients with non-alcoholic fatty liver disease: diagnostic options in clinical practice. <i>Expert Opinion on Medical Diagnostics</i> , 2012 , 6, 381-94		8
120	Can we precisely classify liver fibrosis without biopsy in hepatitis C?. <i>Clinical Practice (London, England)</i> , 2012 , 9, 233-235	3	
119	Assessment of new hyaluronic acid assays and their impact on FibroMeter scores. <i>Clinica Chimica Acta</i> , 2011 , 412, 347-52	6.2	9
118	Steatosis degree, measured by morphometry, is linked to other liver lesions and metabolic syndrome components in patients with NAFLD. <i>European Journal of Gastroenterology and Hepatology</i> , 2011 , 23, 974-81	2.2	12

117	Comparison of accuracy of fibrosis degree classifications by liver biopsy and non-invasive tests in chronic hepatitis C. <i>BMC Gastroenterology</i> , 2011 , 11, 132	3	18
116	Ultrasonographic surveillance of hepatocellular carcinoma in cirrhosis: a randomized trial comparing 3- and 6-month periodicities. <i>Hepatology</i> , 2011 , 54, 1987-97	11.2	233
115	A new combination of blood test and fibroscan for accurate non-invasive diagnosis of liver fibrosis stages in chronic hepatitis C. <i>American Journal of Gastroenterology</i> , 2011 , 106, 1255-63	0.7	73
114	Response to Munteanu et al.. <i>American Journal of Gastroenterology</i> , 2011 , 106, 1853-1854	0.7	
113	Diagnosis of different liver fibrosis characteristics by blood tests in non-alcoholic fatty liver disease. <i>Liver International</i> , 2010 , 30, 1346-54	7.9	35
112	Comparison of elastography, serum marker scores, and histology for the assessment of liver fibrosis in hepatitis B virus (HBV)-infected patients in Burkina Faso. <i>American Journal of Tropical Medicine and Hygiene</i> , 2010 , 82, 454-8	3.2	53
111	Effects of hydrogen sulfide on hemodynamics, inflammatory response and oxidative stress during resuscitated hemorrhagic shock in rats. <i>Critical Care</i> , 2010 , 14, R165	10.8	67
110	Comparison of liver fibrosis blood tests developed for HCV with new specific tests in HIV/HCV co-infection. <i>Journal of Hepatology</i> , 2010 , 53, 238-44	13.4	35
109	Resolution of chronic hepatitis Delta after 1 year of combined therapy with pegylated interferon, tenofovir and emtricitabine. <i>Journal of Clinical Virology</i> , 2010 , 47, 97-9	14.5	20
108	Failure to Control Bleeding and Failure to Control Rebleeding 2010 , 75-90		
107	The effects of vasopressin and its analogues on the liver and its disorders in the critically ill. <i>Current Opinion in Critical Care</i> , 2010 , 16, 148-52	3.5	11
106	Noninvasive liver steatosis quantification using MRI techniques combined with blood markers. <i>European Journal of Gastroenterology and Hepatology</i> , 2010 , 22, 973-82	2.2	22
105	Acoustic radiation force impulse: a new ultrasonographic technology for the widespread noninvasive diagnosis of liver fibrosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2010 , 22, 1074-84	2.2	113
104	Radiation-induced cholangitis with hepatocellular carcinoma. <i>Gastroenterologie Clinique Et Biologique</i> , 2010 , 34, 35-9		3
103	A not so solitary fibrous tumor of the liver. <i>Gastroenterologie Clinique Et Biologique</i> , 2010 , 34, 716-20		18
102	Optimization and robustness of blood tests for liver fibrosis and cirrhosis. <i>Clinical Biochemistry</i> , 2010 , 43, 1315-22	3.5	38
101	Which would you prefer for a liver fibrosis test: A limited fixed menu or a gourmet buffet?. <i>Gastroenterologie Clinique Et Biologique</i> , 2009 , 33, 388-389		
100	Combination of fibrosis tests: sequential or synchronous?. <i>Hepatology</i> , 2009 , 50, 656-7; author reply 657	11.2	8

99	The combination of a blood test and Fibroscan improves the non-invasive diagnosis of liver fibrosis. <i>Liver International</i> , 2009 , 29, 1507-15	7.9	94
98	Comparison of blood tests for liver fibrosis specific or not to NAFLD. <i>Journal of Hepatology</i> , 2009 , 50, 165-73	13.4	195
97	Ultrasonographic elastometry vs. blood tests for the diagnosis of cirrhosis: a Pyrrhic victory?. <i>Journal of Hepatology</i> , 2009 , 51, 228-9; author reply 229	13.4	2
96	Treatment of liver fibrosis: clinical aspects. <i>Gastroenterologie Clinique Et Biologique</i> , 2009 , 33, 958-66		7
95	Improved diagnostic accuracy of blood tests for severe fibrosis and cirrhosis in chronic hepatitis C. <i>European Journal of Gastroenterology and Hepatology</i> , 2009 , 21, 28-38	2.2	51
94	Detrimental hemodynamic and inflammatory effects of microparticles originating from septic rats. <i>Critical Care Medicine</i> , 2009 , 37, 2045-50	1.4	79
93	Evaluating the accuracy and increasing the reliable diagnosis rate of blood tests for liver fibrosis in chronic hepatitis C. <i>Liver International</i> , 2008 , 28, 1352-62	7.9	82
92	Evaluation and improvement of a reliable diagnosis of cirrhosis by blood tests. <i>Gastroenterologie Clinique Et Biologique</i> , 2008 , 32, 1050-60		11
91	FibroMeters: a family of blood tests for liver fibrosis. <i>Gastroenterologie Clinique Et Biologique</i> , 2008 , 32, 40-51		36
90	Actualité sur les co-infections VIH/HCV. <i>Antibiotiques</i> , 2008 , 10, 167-175		
89	Internal radiotherapy of liver cancer with rat hepatocarcinoma-intestine-pancreas gene as a liver tumor-specific promoter. <i>Human Gene Therapy</i> , 2008 , 19, 915-26	4.8	26
88	Reproducibility of liver stiffness measurement by ultrasonographic elastometry. <i>Clinical Gastroenterology and Hepatology</i> , 2008 , 6, 1263-9	6.9	97
87	Vapreotide acetate for the treatment of esophageal variceal bleeding. <i>Expert Review of Gastroenterology and Hepatology</i> , 2008 , 2, 185-92	4.2	3
86	Learning curve and interobserver reproducibility evaluation of liver stiffness measurement by transient elastography. <i>European Journal of Gastroenterology and Hepatology</i> , 2008 , 20, 693-701	2.2	79
85	Reproducibility of blood tests of liver fibrosis in clinical practice. <i>Clinical Biochemistry</i> , 2008 , 41, 10-8	3.5	57
84	Factors limiting complete tumor ablation by radiofrequency ablation. <i>CardioVascular and Interventional Radiology</i> , 2008 , 31, 107-15	2.7	31
83	Hemodynamic effects of the early and long-term administration of propranolol in rats with intrahepatic portal hypertension. <i>Hepatology International</i> , 2008 , 2, 457-64	8.8	7
82	Ribavirin exposure after the first dose is predictive of sustained virological response in chronic hepatitis C. <i>Hepatology</i> , 2008 , 47, 1453-61	11.2	75

81	Diagnostic accuracy, reproducibility and robustness of fibrosis blood tests in chronic hepatitis C: a meta-analysis with individual data. <i>Clinical Biochemistry</i> , 2008 , 41, 1368-76	3.5	57
80	Physiopathologie de la cirrhose et de ses complications. <i>Reanimation: Journal De La Societe De Reanimation De Langue Francaise</i> , 2007 , 16, 557-562		2
79	Sodium iodide symporter is expressed at the preneoplastic stages of liver carcinogenesis and in human cholangiocarcinoma. <i>Gastroenterology</i> , 2007 , 132, 1495-503	13.3	20
78	In vivo evaluation of lipid nanocapsules as a promising colloidal carrier for paclitaxel. <i>International Journal of Pharmaceutics</i> , 2007 , 344, 143-9	6.5	63
77	Improving estimation of liver fibrosis using combination and newer noninvasive biomarker scoring systems in hepatitis C-infected haemophilia patients. <i>Haemophilia</i> , 2007 , 13, 722-9	3.3	14
76	Fibrinogen angers with a new deletion (gamma G V Y Y Q 346-350) causes hypofibrinogenemia with hepatic storage. <i>Journal of Thrombosis and Haemostasis</i> , 2007 , 5, 1999-2005	15.4	33
75	Diagnosis and measurement of liver fibrosis by MRI in bile duct ligated rats. <i>Digestive Diseases and Sciences</i> , 2007 , 52, 2601-9	4	30
74	Évaluation non invasive de la fibrose hépatique au cours des co-infections VIH et VHC et/ou VHB. <i>Journal Africain DjHepato-Gastroenterologie</i> , 2007 , 1, 54-58		
73	Médicaments ayant un effet sur la fibrose hépatique. <i>Journal Africain DjHepato-Gastroenterologie</i> , 2007 , 1, 110-114		
72	Laser Doppler flowmetry signals to quantify effects of isoflurane on the peripheral cardiovascular system of healthy rats. <i>Applied Physics Letters</i> , 2007 , 91, 263901	3.4	0
71	Intrafamilial hepatitis E in France. <i>Journal of Clinical Virology</i> , 2007 , 39, 51-3	14.5	9
70	Effect of prolonged interferon therapy on the outcome of hepatitis C virus-related cirrhosis: a randomized trial. <i>Clinical Gastroenterology and Hepatology</i> , 2007 , 5, 502-7	6.9	37
69	Radiofrequency thermal ablation of liver carcinoma. Prospective study of 82 lesions. <i>Gastroenterologie Clinique Et Biologique</i> , 2006 , 30, 130-5		8
68	Current management of the complications of portal hypertension: variceal bleeding and ascites. <i>Cmaj</i> , 2006 , 174, 1433-43	3.5	46
67	Characteristics of patients with chronic hepatitis B in France: predominant frequency of HBe antigen negative cases. <i>Journal of Hepatology</i> , 2006 , 45, 355-60	13.4	75
66	Late onset of Wilson's disease in a family with genetic haemochromatosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2006 , 18, 43-7	2.2	17
65	Sources of variability in histological scoring of chronic viral hepatitis. <i>Hepatology</i> , 2005 , 41, 257-64	11.2	401
64	A novel panel of blood markers to assess the degree of liver fibrosis. <i>Hepatology</i> , 2005 , 42, 1373-81	11.2	403

63	Vascular involvement of the liver in Turner's syndrome. <i>Hepatology</i> , 2004 , 39, 239-47	11.2	78
62	New Doppler ultrasound signs improve the non-invasive diagnosis of cirrhosis or severe liver fibrosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2004 , 16, 743-51	2.2	48
61	Low-dose terlipressin improves systemic and splanchnic hemodynamics in fluid-challenged endotoxic rats. <i>Critical Care Medicine</i> , 2003 , 31, 215-20	1.4	126
60	Inter-observer and intra-observer variability in hepatology. <i>European Journal of Gastroenterology and Hepatology</i> , 2003 , 15, 959-66	2.2	58
59	Hemodynamic effects of acute and chronic administration of vapreotide in rats with cirrhosis. <i>Digestive Diseases and Sciences</i> , 2003 , 48, 154-61	4	3
58	Respective roles of porto-septal fibrosis and centrilobular fibrosis in alcoholic liver disease. <i>Journal of Pathology</i> , 2003 , 201, 55-62	9.4	55
57	Hepatitis C, alpha interferon, anxiety and depression disorders: a prospective study of 71 patients. <i>World Journal of Biological Psychiatry</i> , 2003 , 4, 115-8	3.8	62
56	Evaluation of Baveno recommendations for grading esophageal varices. <i>Journal of Hepatology</i> , 2003 , 39, 657-9	13.4	29
55	Diagnostic des hépatopathies et de leur suivi. <i>IRBM News</i> , 2002 , 23, 41-48		2
54	Fractal dimension can distinguish models and pharmacologic changes in liver fibrosis in rats. <i>Hepatology</i> , 2002 , 36, 840-9	11.2	41
53	Prothrombin index is an indirect marker of severe liver fibrosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2002 , 14, 1133-41	2.2	57
52	Hemodynamic and antifibrotic effects of losartan in rats with liver fibrosis and/or portal hypertension. <i>Journal of Hepatology</i> , 2002 , 37, 773-80	13.4	88
51	Fractal dimension can distinguish models and pharmacologic changes in liver fibrosis in rats. <i>Hepatology</i> , 2002 , 36, 840-849	11.2	1
50	Effects of octreotide on intestinal transit and bacterial translocation in conscious rats with portal hypertension and liver fibrosis. <i>Digestive Diseases and Sciences</i> , 2001 , 46, 2367-73	4	10
49	Early administration of vapreotide for variceal bleeding in patients with cirrhosis. <i>New England Journal of Medicine</i> , 2001 , 344, 23-8	59.2	173
48	New method of cardiac output measurement using ultrasound velocity dilution in rats. <i>Journal of Applied Physiology</i> , 2001 , 91, 1274-82	3.7	19
47	Interferon alpha therapy in haemophilic patients with chronic hepatitis C: a French multicentre pilot study of 58 patients. <i>European Journal of Gastroenterology and Hepatology</i> , 2001 , 13, 859-64	2.2	7
46	Hepatic hyper-vitaminosis A. <i>European Journal of Gastroenterology and Hepatology</i> , 2000 , 12, 361-364	2.2	21

45	Gastric mucosal surface in cirrhosis evaluated by magnifying endoscopy and scanning electronic microscopy. <i>Endoscopy</i> , 2000 , 32, 614-23	3.4	10
44	Prospective study on the application of the Baveno II Consensus Conference criteria in patients with cirrhosis and gastrointestinal bleeding. <i>Journal of Hepatology</i> , 2000 , 33, 738-41	13.4	21
43	Spleno-renal shunt blood flow is an accurate index of collateral circulation in different models of portal hypertension and after pharmacological changes in rats. <i>Journal of Hepatology</i> , 2000 , 32, 434-40	13.4	10
42	Long-term administration of PGE1 increases liver fibrosis and collateral blood flow in bile-duct-ligated rats. <i>Journal of Hepatology</i> , 1999 , 30, 70-6	13.4	10
41	Ultrasonographic diagnosis of hepatic fibrosis or cirrhosis. <i>Journal of Hepatology</i> , 1999 , 30, 472-8	13.4	200
40	Non-invasive diagnosis of esophageal varices in chronic liver diseases. <i>Journal of Hepatology</i> , 1999 , 31, 867-73	13.4	122
39	Relationship between vascular reactivity in vitro and blood flows in rats with cirrhosis. <i>Clinical Science</i> , 1999 , 97, 313	6.5	8
38	Lack of effect of propranolol in the prevention of large oesophageal varices in patients with cirrhosis: a randomized trial. French-Speaking Club for the Study of Portal Hypertension. <i>European Journal of Gastroenterology and Hepatology</i> , 1999 , 11, 741-5	2.2	122
37	Splenorenal shunt blood flow by transit-time ultrasound as an index of collateral circulation in portal hypertensive rats. <i>Hepatology</i> , 1998 , 28, 1269-74	11.2	12
36	Antifibrotic and hemodynamic effects of the early and chronic administration of octreotide in two models of liver fibrosis in rats. <i>Hepatology</i> , 1998 , 28, 1525-31	11.2	43
35	Apoptosis and liver fibrosis: antifibrotic strategies. <i>Biomedicine and Pharmacotherapy</i> , 1998 , 52, 259-63	7.5	17
34	Gastroesophageal endoscopic signs of cirrhosis: independent diagnostic accuracy, interassociation, and relationship to etiology and hepatic dysfunction. <i>Gastrointestinal Endoscopy</i> , 1998 , 48, 148-57	5.2	14
33	Effects of long-term administration of interferon alpha in two models of liver fibrosis in rats. <i>Journal of Hepatology</i> , 1998 , 29, 263-70	13.4	51
32	Hemodynamic effects of terlipressin and octreotide administration alone or in combination in portal hypertensive rats. <i>Journal of Hepatology</i> , 1998 , 29, 103-11	13.4	19
31	Should measurements of hemodynamics in portal hypertension be dynamic?. <i>Journal of Hepatology</i> , 1998 , 29, 829-31	13.4	3
30	Histopathological evaluation of liver fibrosis: quantitative image analysis vs semi-quantitative scores. Comparison with serum markers. <i>Journal of Hepatology</i> , 1998 , 28, 439-46	13.4	166
29	Reproducibility in ultrasonic characterization of carotid plaques. <i>Cerebrovascular Diseases</i> , 1998 , 8, 273-73.2		55
28	Effects of positive pressure on both femoral venous and arterial blood velocities and the cutaneous microcirculation of the forefoot. <i>Cardiovascular Research</i> , 1997 , 36, 372-6	9.9	5

27	Noninvasive diagnosis of hepatic fibrosis or cirrhosis. <i>Gastroenterology</i> , 1997 , 113, 1609-16	13.3	311
26	Prevention of portal hypertension by propranolol and spironolactone in rats with bile duct ligation. <i>Journal of Hepatology</i> , 1997 , 26, 167-73	13.4	24
25	Effects of simvastatin, pentoxifylline and spironolactone on hepatic fibrosis and portal hypertension in rats with bile duct ligation. <i>Journal of Hepatology</i> , 1997 , 26, 1363-71	13.4	54
24	Endoscopic detection of early esophageal cancer in a high-risk population: does Lugol staining improve videoendoscopy?. <i>Gastrointestinal Endoscopy</i> , 1997 , 45, 480-4	5.2	82
23	Interobserver agreement on endoscopic diagnosis of bleeding peptic ulcers. <i>Gastrointestinal Endoscopy</i> , 1997 , 46, 27-32	5.2	21
22	Liver haemangioma and pregnancy. <i>Lancet, The</i> , 1996 , 347, 1693-4	4.0	1
21	Lésions muqueuses gastriques de l'hypertension portale. <i>Acta Endoscopica</i> , 1995 , 25, 327-335		
20	Severe portal hypertensive gastropathy and antral vascular ectasia are distinct entities in patients with cirrhosis. <i>Gastroenterology</i> , 1995 , 108, 138-44	13.3	199
19	Weakness of mucosal barrier in portal hypertensive gastropathy of alcoholic cirrhosis. Effects of propranolol and enprostil. <i>Journal of Hepatology</i> , 1995 , 23, 689-96	13.4	24
18	Colonic investigations in the elderly: colonoscopy or barium enema?. <i>Aging Clinical and Experimental Research</i> , 1995 , 7, 190-4	4.8	11
17	Prevention of relapse in patients with chronic non-A, non-B/C hepatitis who respond to alpha-interferon. A controlled multicenter trial of low-dose maintenance therapy. Groupe d'Etude Multicentrique de l'Interféron dans les Hépatites. <i>Journal of Hepatology</i> , 1994 , 21, 774-8	13.4	7
16	Hemodynamic and pharmacokinetic study of tertatolol in patients with alcoholic cirrhosis and portal hypertension. <i>Journal of Hepatology</i> , 1993 , 19, 43-50	13.4	4
15	Beta-adrenergic-antagonist drugs in the prevention of gastrointestinal bleeding in patients with cirrhosis and esophageal varices. An analysis of data and prognostic factors in 589 patients from four randomized clinical trials. Franco-Italian Multicenter Study Group. <i>New England Journal of Medicine</i> , 1991 , 324, 1532-8	59.2	395
14	Propranolol in the prevention of ascites. <i>Lancet, The</i> , 1991 , 338, 509-10	4.0	0
13	Prevention of recurrent variceal bleeding in alcoholic cirrhotic patients: prospective controlled trial of propranolol and sclerotherapy. <i>Journal of Hepatology</i> , 1991 , 12, 283-9	13.4	61
12	Spontaneous regression of esophageal varices is a phenomenon that has spontaneously disappeared from our memory. <i>Journal of Hepatology</i> , 1991 , 12, 263-4	13.4	3
11	Gastroesophageal endoscopic features in cirrhosis: Observer variability, interassociations, and relationship to hepatic dysfunction. <i>Gastroenterology</i> , 1990 , 98, 156-162	13.3	157
10	Ursodeoxycholic acid for the treatment of primary biliary cirrhosis. Interim analysis of a double-blind multicentre randomized trial. The UDCA-PBC Study Group. <i>Journal of Hepatology</i> , 1990 , 11, 16-21	13.4	43

9	beta-blockers and variceal haemorrhage. <i>Lancet, The</i> , 1990 , 336, 506	40	5
8	Propranolol in the primary prevention of upper gastrointestinal tract haemorrhage in patients with cirrhosis of the liver and oesophageal varices. <i>Drugs</i> , 1989 , 37 Suppl 2, 52-61; discussion 74-6	12.1	2
7	Verapamil has no effect on porto-hepatic pressure gradient, hepatic blood flow and elimination function of the liver in patients with liver cirrhosis. <i>Journal of Hepatology</i> , 1989 , 8, 302-7	13.4	13
6	Pharmacodynamic and pharmacokinetic study of propranolol in patients with cirrhosis and portal hypertension. <i>British Journal of Clinical Pharmacology</i> , 1989 , 27, 763-70	3.8	15
5	Effect of propranolol on metabolic activity of the liver in patients with alcoholic cirrhosis. <i>Journal of Hepatology</i> , 1988 , 7, 186-92	13.4	21
4	Alteration in response of the portal tributary vascular bed to the beta-agonist dobutamine in rats with extrahepatic portal hypertension. <i>Journal of Hepatology</i> , 1986 , 2, 267-75	13.4	5
3	Acute effect of propranolol on splanchnic circulation in normal and portal hypertensive rats. <i>Journal of Hepatology</i> , 1985 , 1, 349-57	13.4	34
2	Superior portosystemic collateral circulation estimated by azygos blood flow in patients with cirrhosis. Lack of correlation with oesophageal varices and gastrointestinal bleeding. Effect of propranolol. <i>Journal of Hepatology</i> , 1985 , 1, 37-46	13.4	140
1	Session 1: Definition of Key Events [Last Attempt?11-39		1