

# Paul CalÃs

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9511007/publications.pdf>

Version: 2024-02-01

194  
papers

12,308  
citations

26567

56  
h-index

27345

106  
g-index

213  
all docs

213  
docs citations

213  
times ranked

10657  
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical outcomes after treatment with direct antiviral agents: beyond the virological response in patients with previous HCV-related decompensated cirrhosis. <i>BMC Infectious Diseases</i> , 2022, 22, 94.	1.3	6
2	ABO blood group does not influence Child-Pugh A cirrhosis outcome: An observational study from CIRRAL and ANRS CO12 CIRVIR cohorts. <i>Liver International</i> , 2022, 42, 1386-1400.	1.9	2
3	Comparison of screening strategies with two new tests to score and diagnose varices needing treatment. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2022, 46, 101925.	0.7	2
4	Systematic screening for advanced liver fibrosis in patients with coronary artery disease: The CORONASH study. <i>PLoS ONE</i> , 2022, 17, e0266965.	1.1	4
5	Including Ratio of Platelets to Liver Stiffness Improves Accuracy of Screening for Esophageal Varices That Require Treatment. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 777-787.e17.	2.4	19
6	Non-selective beta-blockers increase overall and liver mortality in alcoholic cirrhosis with MELD <sub>12</sub> over 5 years of follow-up. <i>Liver International</i> , 2021, 41, 168-179.	1.9	4
7	Refining the Baveno VI elastography criteria for the definition of compensated advanced chronic liver disease. <i>Journal of Hepatology</i> , 2021, 74, 1109-1116.	1.8	112
8	Laser ablation of microdroplets for copper isotopic analysis via MC-ICP-MS. Analysis of serum microsamples for the diagnosis and follow-up treatment of Wilson's disease. <i>Journal of Analytical Atomic Spectrometry</i> , 2021, 36, 968-980.	1.6	13
9	Predictive factors for hepatocellular carcinoma in chronic hepatitis B using structural equation modeling: a prospective cohort study. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2021, 45, 101713.	0.7	10
10	Liver fibrosis staging by computed tomography: prospective randomized multicentric evaluation of image analyses. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2021, 46, 101797.	0.7	3
11	Cross-linkage between bacterial taxonomy and gene functions: a study of metagenome-assembled genomes of gut microbiota in adult non-alcoholic fatty liver disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 53, 722-732.	1.9	7
12	Simple blood fibrosis tests reduce unnecessary referrals for specialized evaluations of liver fibrosis in NAFLD and ALD patients. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2020, 44, 349-355.	0.7	3
13	A novel spleen-dedicated stiffness measurement by FibroScan <sup>®</sup> improves the screening of high-risk oesophageal varices. <i>Liver International</i> , 2020, 40, 175-185.	1.9	60
14	Non-invasive diagnosis of variceal bleeding: choose the right target population and identify the right culprit. <i>Annals of Translational Medicine</i> , 2020, 8, 774-774.	0.7	0
15	COVID-19 infection in first trimester of pregnancy marked by a liver cytolysis in a woman previously treated by hydroxychloroquine for repeated implantation failure: a case report. <i>BMC Infectious Diseases</i> , 2020, 20, 845.	1.3	4
16	Personalized surveillance for hepatocellular carcinoma in cirrhosis using machine learning adapted to HCV status. <i>Journal of Hepatology</i> , 2020, 73, 1434-1445.	1.8	52
17	A pragmatic non-invasive assessment of liver fibrosis in patients with psoriasis, rheumatoid arthritis or Crohn's disease receiving methotrexate therapy. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2020, 44, 100003.	0.7	14
18	How to clarify the Baveno VI criteria for ruling out varices needing treatment by noninvasive tests. <i>Liver International</i> , 2019, 39, 49-53.	1.9	21

#	ARTICLE	IF	CITATIONS
19	Criteria to Determine Reliability of Noninvasive Assessment of Liver Fibrosis With Virtual Touch Quantification. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 164-171.e5.	2.4	11
20	Direct comparison of the specialised blood fibrosis tests FibroMeter <sup>V2G</sup> and Enhanced Liver Fibrosis score in patients with non-alcoholic fatty liver disease from tertiary care centres. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 50, 1214-1222.	1.9	38
21	New sequential combinations of non-invasive fibrosis tests provide an accurate diagnosis of advanced fibrosis in NAFLD. <i>Journal of Hepatology</i> , 2019, 71, 389-396.	1.8	107
22	Obstructive sleep apnoea and non-alcoholic fatty liver disease: Which patients should be referred to hepatologists?. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2019, 43, e90-e92.	0.7	1
23	Validation of Baveno VI Criteria for Screening and Surveillance of Esophageal Varices in Patients With Compensated Cirrhosis and a Sustained Response to Antiviral Therapy. <i>Gastroenterology</i> , 2019, 156, 997-1009.e5.	0.6	100
24	Clinical outcomes in patients with chronic hepatitis C after direct-acting antiviral treatment: a prospective cohort study. <i>Lancet, The</i> , 2019, 393, 1453-1464.	6.3	449
25	Screening for therapeutic trials and treatment indication in clinical practice: MACK, a new blood test for the diagnosis of fibrotic NASH. <i>Alimentary Pharmacology and Therapeutics</i> , 2018, 47, 1387-1396.	1.9	55
26	A single blood test adjusted for different liver fibrosis targets improves fibrosis staging and especially cirrhosis diagnosis. <i>Hepatology Communications</i> , 2018, 2, 455-466.	2.0	4
27	A Novel FibroScan Examination Dedicated to Spleen Stiffness Measurement. <i>Ultrasound in Medicine and Biology</i> , 2018, 44, 1616-1626.	0.7	27
28	Large oesophageal varice screening by a sequential algorithm using a cirrhosis blood test and optionally capsule endoscopy. <i>Liver International</i> , 2018, 38, 84-93.	1.9	27
29	Reply to: "Pitfalls in the non-invasive assessment of liver fibrosis with eLIFT-FM VCTE algorithm" and to "Application of the new eLIFT test for the non-invasive diagnosis of advanced liver fibrosis in people with type 2 diabetes" <i>Journal of Hepatology</i> , 2018, 68, 605-606.	1.8	0
30	The noninvasive diagnosis of esophageal varices and its application in clinical practice. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2018, 42, 6-16.	0.7	13
31	Doppler ultrasonography devices, including elastography, allow for accurate diagnosis of severe liver fibrosis. <i>European Journal of Radiology</i> , 2018, 108, 133-139.	1.2	5
32	Increased liver stiffness in patients with severe sleep apnoea and metabolic comorbidities. <i>European Respiratory Journal</i> , 2018, 51, 1800601.	3.1	23
33	A stepwise algorithm using an at-a-glance first-line test for the non-invasive diagnosis of advanced liver fibrosis and cirrhosis. <i>Journal of Hepatology</i> , 2017, 66, 1158-1165.	1.8	71
34	Liver fibrosis diagnosis by blood test and elastography in chronic hepatitis C: agreement or combination?. <i>Alimentary Pharmacology and Therapeutics</i> , 2017, 45, 991-1003.	1.9	16
35	Editorial: combining elastography with blood test for fibrosis assessment in chronic hepatitis C "authors" reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2017, 45, 1276-1277.	1.9	0
36	A Single Test Combining Blood Markers and Elastography is More Accurate Than Other Fibrosis Tests in the Main Causes of Chronic Liver Diseases. <i>Journal of Clinical Gastroenterology</i> , 2017, 51, 639-649.	1.1	26

#	ARTICLE	IF	CITATIONS
37	Performance of FibroScan Â® to detect large esophageal varices in chronic liver diseases is improved by a novel spleen-dedicated examination. <i>Journal of Hepatology</i> , 2017, 66, S374.	1.8	4
38	Metabolic and hepatic effects of bloodletting in dysmetabolic iron overload syndrome: A randomized controlled study in 274 patients. <i>Hepatology</i> , 2017, 65, 465-474.	3.6	45
39	Fibrosis assessment using FibroMeter combined to first generation tests in hepatitis C. <i>World Journal of Hepatology</i> , 2017, 9, 310.	0.8	6
40	Automatic detection of cirrhosis in hospitalized patients. <i>European Journal of Gastroenterology and Hepatology</i> , 2016, 28, 74-81.	0.8	0
41	Liver stiffness in nonalcoholic fatty liver disease: A comparison of supersonic shear imaging, FibroScan, and ARFI with liver biopsy. <i>Hepatology</i> , 2016, 63, 1817-1827.	3.6	388
42	Different precore/core mutations of hepatitis B interact with, limit, or favor liver fibrosis severity. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 1750-1756.	1.4	15
43	Diagnostic accuracy and prognostic significance of blood fibrosis tests and liver stiffness measurement by FibroScan in non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2016, 65, 570-578.	1.8	300
44	Association Between Severity of Obstructive Sleep Apnea and Blood Markers of Liver Injury. <i>Clinical Gastroenterology and Hepatology</i> , 2016, 14, 1657-1661.	2.4	37
45	Nomogram for individualized prediction of hepatocellular carcinoma occurrence in hepatitis C virus cirrhosis (ANRS CO12 CirVir). <i>Hepatology</i> , 2016, 64, 1136-1147.	3.6	75
46	The severity of nonalcoholic fatty liver disease is associated with gut dysbiosis and shift in the metabolic function of the gut microbiota. <i>Hepatology</i> , 2016, 63, 764-775.	3.6	1,029
47	Cirrhosis Diagnosis and Liver Fibrosis Staging. <i>Journal of Clinical Gastroenterology</i> , 2015, 49, 512-519.	1.1	7
48	Complications and competing risks of death in compensated viral cirrhosis (ANRS CO12 CirVir) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 30	3.6	96
49	IL-26 is overexpressed in chronically HCV-infected patients and enhances TRAIL-mediated cytotoxicity and interferon production by human NK cells. <i>Gut</i> , 2015, 64, 1466-1475.	6.1	49
50	Screening of esophageal varices by esophageal capsule endoscopy: results of a French multicenter prospective study. <i>Endoscopy</i> , 2015, 47, 486-492.	1.0	33
51	An extension of STARD statements for reporting diagnostic accuracy studies on liver fibrosis tests: The Liver-FibroSTARD standards. <i>Journal of Hepatology</i> , 2015, 62, 807-815.	1.8	54
52	Liver-FibroSTARD checklist and glossary: tools for standardized design and reporting of diagnostic accuracy studies of liver fibrosis tests. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015, 53, 1135-7.	1.4	3
53	Multicenter prospective validation of the Baveno IV and Baveno II/III criteria in cirrhosis patients with variceal bleeding. <i>Hepatology</i> , 2015, 61, 1024-1032.	3.6	23
54	Automated morphometry provides accurate and reproducible virtual staging of liver fibrosis in chronic hepatitis C. <i>Journal of Pathology Informatics</i> , 2015, 6, 20.	0.8	11

#	ARTICLE	IF	CITATIONS
55	Combination of blood tests for significant fibrosis and cirrhosis improves the assessment of liverâ€prognosis in chronic hepatitis C. <i>Alimentary Pharmacology and Therapeutics</i> , 2014, 40, 178-188.	1.9	36
56	ILâ€34 and macrophage colonyâ€stimulating factor are overexpressed in hepatitis C virus fibrosis and induce profibrotic macrophages that promote collagen synthesis by hepatic stellate cells. <i>Hepatology</i> , 2014, 60, 1879-1890.	3.6	107
57	Precise evaluation of liver histology by computerized morphometry shows that steatosis influences liver stiffness measured by transient elastography in chronic hepatitis C. <i>Journal of Gastroenterology</i> , 2014, 49, 527-537.	2.3	53
58	Quantification of portalâ€bridging fibrosis area more accurately reflects fibrosis stage and liver stiffness than whole fibrosis or perisinusoidal fibrosis areas in chronic hepatitis C. <i>Modern Pathology</i> , 2014, 27, 1035-1045.	2.9	19
59	Improved fibrosis staging by elastometry and blood test in chronic hepatitis C. <i>Liver International</i> , 2014, 34, 907-917.	1.9	28
60	Evolution of noninvasive tests of liver fibrosis is associated with prognosis in patients with chronic hepatitis C. <i>Hepatology</i> , 2014, 60, 65-76.	3.6	118
61	Metastatic hepatocellular carcinoma: When surgery and successive palliative treatments lead to remission. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2014, 38, e19-e22.	0.7	3
62	AST/ALT ratio is not an index of liver fibrosis in chronic hepatitis C when aminotransferase activities are determinate according to the international recommendations. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2013, 37, 467-472.	0.7	18
63	MRI measurement of liver fat content predicts the metabolic syndrome. <i>Diabetes and Metabolism</i> , 2013, 39, 314-321.	1.4	18
64	A major new step in nonâ€invasive evaluation of portal hypertension: elastography. <i>Liver International</i> , 2013, 33, 4-6.	1.9	2
65	Determination of reliability criteria for liver stiffness evaluation by transient elastography. <i>Hepatology</i> , 2013, 57, 1182-1191.	3.6	466
66	Renal macro- and microcirculation autoregulatory capacity during early sepsis and norepinephrine infusion in rats. <i>Critical Care</i> , 2013, 17, R139.	2.5	22
67	Blood Tests to Diagnose Fibrosis or Cirrhosis in Patients With Chronic Hepatitis C Virus Infection. <i>Annals of Internal Medicine</i> , 2013, 159, 371.	2.0	1
68	Liver fibrosis in patients with non-alcoholic fatty liver disease: diagnostic options in clinical practice. <i>Expert Opinion on Medical Diagnostics</i> , 2012, 6, 381-394.	1.6	8
69	Can we precisely classify liver fibrosis without biopsy in hepatitis C?. <i>Clinical Practice (London, England)</i> 11(1):0.784314. <a href="#">View at Oerlock 10</a>	0.1	0
70	Controlled attenuation parameter (<scp>CAP</scp>): a new device for fast evaluation of liver fat?. <i>Liver International</i> , 2012, 32, 875-877.	1.9	24
71	1045 SEVERAL PATHOLOGICAL LESIONS INFLUENCE NON-INVASIVE TESTS OF LIVER FIBROSIS. <i>Journal of Hepatology</i> , 2012, 56, S408-S409.	1.8	2
72	The Osteopontin Level in Liver, Adipose Tissue and Serum Is Correlated with Fibrosis in Patients with Alcoholic Liver Disease. <i>PLoS ONE</i> , 2012, 7, e35612.	1.1	74

#	ARTICLE	IF	CITATIONS
73	Fibrosis progression under maintenance interferon in hepatitis C is better detected by blood test than liver morphometry. <i>Journal of Viral Hepatitis</i> , 2012, 19, e143-53.	1.0	7
74	Comparison of eight diagnostic algorithms for liver fibrosis in hepatitis C: new algorithms are more precise and entirely noninvasive. <i>Hepatology</i> , 2012, 55, 58-67.	3.6	112
75	Reply:. <i>Hepatology</i> , 2012, 55, 653-653.	3.6	0
76	Assessment of new hyaluronic acid assays and their impact on FibroMeter scores. <i>Clinica Chimica Acta</i> , 2011, 412, 347-352.	0.5	11
77	Steatosis degree, measured by morphometry, is linked to other liver lesions and metabolic syndrome components in patients with NAFLD. <i>European Journal of Gastroenterology and Hepatology</i> , 2011, 23, 974-981.	0.8	16
78	Comparison of accuracy of fibrosis degree classifications by liver biopsy and non-invasive tests in chronic hepatitis C. <i>BMC Gastroenterology</i> , 2011, 11, 132.	0.8	22
79	Ultrasonographic surveillance of hepatocellular carcinoma in cirrhosis: A randomized trial comparing 3- and 6-month periodicities. <i>Hepatology</i> , 2011, 54, 1987-1997.	3.6	309
80	A New Combination of Blood Test and Fibroscan for Accurate Non-Invasive Diagnosis of Liver Fibrosis Stages in Chronic Hepatitis C. <i>American Journal of Gastroenterology</i> , 2011, 106, 1255-1263.	0.2	87
81	Response to Munteanu et al.. <i>American Journal of Gastroenterology</i> , 2011, 106, 1853-1854.	0.2	0
82	The effects of vasopressin and its analogues on the liver and its disorders in the critically ill. <i>Current Opinion in Critical Care</i> , 2010, 16, 148-152.	1.6	11
83	Noninvasive liver steatosis quantification using MRI techniques combined with blood markers. <i>European Journal of Gastroenterology and Hepatology</i> , 2010, 22, 973-982.	0.8	24
84	Acoustic radiation force impulse: a new ultrasonographic technology for the widespread noninvasive diagnosis of liver fibrosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2010, 22, 1074-1084.	0.8	126
85	Radiation-induced cholangitis with hepatocellular carcinoma. <i>Gastroenterologie Clinique Et Biologique</i> , 2010, 34, 35-39.	0.9	6
86	A not so solitary fibrous tumor of the liver. <i>Gastroenterologie Clinique Et Biologique</i> , 2010, 34, 716-720.	0.9	18
87	Optimization and robustness of blood tests for liver fibrosis and cirrhosis. <i>Clinical Biochemistry</i> , 2010, 43, 1315-1322.	0.8	42
88	Diagnosis of different liver fibrosis characteristics by blood tests in non-alcoholic fatty liver disease. <i>Liver International</i> , 2010, 30, 1346-1354.	1.9	41
89	Clinical interpretation of Fibroscan® results: a real challenge. <i>Liver International</i> , 2010, 30, 1400-1402.	1.9	14
90	Comparison of Elastography, Serum Marker Scores, and Histology for the Assessment of Liver Fibrosis in Hepatitis B Virus (HBV)-Infected Patients in Burkina Faso. <i>American Journal of Tropical Medicine and Hygiene</i> , 2010, 82, 454-458.	0.6	66

#	ARTICLE	IF	CITATIONS
91	Effects of hydrogen sulfide on hemodynamics, inflammatory response and oxidative stress during resuscitated hemorrhagic shock in rats. <i>Critical Care</i> , 2010, 14, R165.	2.5	75
92	Comparison of liver fibrosis blood tests developed for HCV with new specific tests in HIV/HCV co-infection. <i>Journal of Hepatology</i> , 2010, 53, 238-244.	1.8	38
93	Resolution of chronic hepatitis Delta after 1 year of combined therapy with pegylated interferon, tenofovir and emtricitabine. <i>Journal of Clinical Virology</i> , 2010, 47, 97-99.	1.6	21
94	Which would you prefer for a liver fibrosis test: A limited fixed menu or a gourmet buffet?. <i>Gastroenterologie Clinique Et Biologique</i> , 2009, 33, 388-389.	0.9	0
95	Combination of fibrosis tests: Sequential or synchronous?. <i>Hepatology</i> , 2009, 50, 656-657.	3.6	9
96	The combination of a blood test and Fibroscan improves the non-invasive diagnosis of liver fibrosis. <i>Liver International</i> , 2009, 29, 1507-1515.	1.9	105
97	Comparison of blood tests for liver fibrosis specific or not to NAFLD. <i>Journal of Hepatology</i> , 2009, 50, 165-173.	1.8	230
98	Ultrasonographic elastometry vs. blood tests for the diagnosis of cirrhosis: A Pyrrhic victory?. <i>Journal of Hepatology</i> , 2009, 51, 228-229.	1.8	2
99	Treatment of liver fibrosis: Clinical aspects. <i>Gastroenterologie Clinique Et Biologique</i> , 2009, 33, 958-966.	0.9	7
100	Improved diagnostic accuracy of blood tests for severe fibrosis and cirrhosis in chronic hepatitis C. <i>European Journal of Gastroenterology and Hepatology</i> , 2009, 21, 28-38.	0.8	58
101	Detrimental hemodynamic and inflammatory effects of microparticles originating from septic rats*. <i>Critical Care Medicine</i> , 2009, 37, 2045-2050.	0.4	99
102	Reproducibility of blood tests of liver fibrosis in clinical practice. <i>Clinical Biochemistry</i> , 2008, 41, 10-18.	0.8	63
103	Factors Limiting Complete Tumor Ablation by Radiofrequency Ablation. <i>CardioVascular and Interventional Radiology</i> , 2008, 31, 107-115.	0.9	37
104	Hemodynamic effects of the early and long-term administration of propranolol in rats with intrahepatic portal hypertension. <i>Hepatology International</i> , 2008, 2, 457-464.	1.9	8
105	Ribavirin exposure after the first dose is predictive of sustained virological response in chronic hepatitis C. <i>Hepatology</i> , 2008, 47, 1453-1461.	3.6	80
106	Diagnostic accuracy, reproducibility and robustness of fibrosis blood tests in chronic hepatitis C: A meta-analysis with individual data. <i>Clinical Biochemistry</i> , 2008, 41, 1368-1376.	0.8	69
107	Evaluating the accuracy and increasing the reliable diagnosis rate of blood tests for liver fibrosis in chronic hepatitis C. <i>Liver International</i> , 2008, 28, 1352-1362.	1.9	94
108	Evaluation and improvement of a reliable diagnosis of cirrhosis by blood tests. <i>Gastroenterologie Clinique Et Biologique</i> , 2008, 32, 1050-1060.	0.9	12

#	ARTICLE	IF	CITATIONS
109	FibroMeters: a family of blood tests for liver fibrosis. <i>Gastroenterologie Clinique Et Biologique</i> , 2008, 32, 40-51.	0.9	47
110	Laser Doppler flowmetry in healthy rats: impact of isoflurane anesthetic on signal complexity. , 2008, , .		0
111	Actualités sur les co-infections VIH-VHC. <i>Antibiotiques</i> , 2008, 10, 167-175.	0.1	0
112	Internal Radiotherapy of Liver Cancer with Rat Hepatocarcinoma-Intestine-Pancreas Gene as a Liver Tumor-Specific Promoter. <i>Human Gene Therapy</i> , 2008, 19, 915-926.	1.4	28
113	Reproducibility of Liver Stiffness Measurement by Ultrasonographic Elastometry. <i>Clinical Gastroenterology and Hepatology</i> , 2008, 6, 1263-1269.	2.4	113
114	Vapreotide acetate for the treatment of esophageal variceal bleeding. <i>Expert Review of Gastroenterology and Hepatology</i> , 2008, 2, 185-192.	1.4	4
115	Learning curve and interobserver reproducibility evaluation of liver stiffness measurement by transient elastography. <i>European Journal of Gastroenterology and Hepatology</i> , 2008, 20, 693-701.	0.8	95
116	Laser Doppler flowmetry signals to quantify effects of isoflurane on the peripheral cardiovascular system of healthy rats. <i>Applied Physics Letters</i> , 2007, 91, 263901.	1.5	1
117	Intrafamilial hepatitis E in France. <i>Journal of Clinical Virology</i> , 2007, 39, 51-53.	1.6	9
118	Effect of Prolonged Interferon Therapy on the Outcome of Hepatitis C Virus-Related Cirrhosis: A Randomized Trial. <i>Clinical Gastroenterology and Hepatology</i> , 2007, 5, 502-507.	2.4	45
119	Physiopathologie de la cirrhose et de ses complications. <i>Reanimation: Journal De La Societe De Reanimation De Langue Francaise</i> , 2007, 16, 557-562.	0.1	3
120	Sodium Iodide Symporter Is Expressed at the Preneoplastic Stages of Liver Carcinogenesis and in Human Cholangiocarcinoma. <i>Gastroenterology</i> , 2007, 132, 1495-1503.	0.6	24
121	In vivo evaluation of lipid nanocapsules as a promising colloidal carrier for paclitaxel. <i>International Journal of Pharmaceutics</i> , 2007, 344, 143-149.	2.6	72
122	Improving estimation of liver fibrosis using combination and newer noninvasive biomarker scoring systems in hepatitis C-infected haemophilia patients. <i>Haemophilia</i> , 2007, 13, 722-729.	1.0	15
123	Fibrinogen angers with a new deletion (? G V Y Y Q 346-350) causes hypofibrinogenemia with hepatic storage. <i>Journal of Thrombosis and Haemostasis</i> , 2007, 5, 1999-2005.	1.9	38
124	Diagnosis and Measurement of Liver Fibrosis by MRI in Bile Duct Ligated Rats. <i>Digestive Diseases and Sciences</i> , 2007, 52, 2601-2609.	1.1	37
125	Évaluation non invasive de la fibrose hépatique au cours des co-infections VIH et VHC et/ou VHB. <i>Journal Africain D'Hepato-Gastroenterologie</i> , 2007, 1, 54-58.	0.0	0
126	Current management of the complications of portal hypertension: variceal bleeding and ascites. <i>Cmaj</i> , 2006, 174, 1433-1443.	0.9	55



#	ARTICLE	IF	CITATIONS
127	Characteristics of patients with chronic hepatitis B in France: Predominant frequency of HBe antigen negative cases. <i>Journal of Hepatology</i> , 2006, 45, 355-360.	1.8	96
128	Late onset of Wilson's disease in a family with genetic haemochromatosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2006, 18, 43-47.	0.8	22
129	Radiofrequency thermal ablation of liver carcinoma. <i>Gastroenterologie Clinique Et Biologique</i> , 2006, 30, 130-135.	0.9	9
130	Sources of variability in histological scoring of chronic viral hepatitis. <i>Hepatology</i> , 2005, 41, 257-264.	3.6	471
131	A novel panel of blood markers to assess the degree of liver fibrosis. <i>Hepatology</i> , 2005, 42, 1373-1381.	3.6	482
132	Vascular involvement of the liver in Turner's syndrome. <i>Hepatology</i> , 2004, 39, 239-247.	3.6	110
133	New Doppler ultrasound signs improve the non-invasive diagnosis of cirrhosis or severe liver fibrosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2004, 16, 743-751.	0.8	62
134	Hemodynamic effects of acute and chronic administration of vapreotide in rats with cirrhosis. <i>Digestive Diseases and Sciences</i> , 2003, 48, 154-161.	1.1	3
135	Respective roles of porto-septal fibrosis and centrilobular fibrosis in alcoholic liver disease. <i>Journal of Pathology</i> , 2003, 201, 55-62.	2.1	65
136	Hepatitis C, alpha interferon, anxiety and depression disorders: A prospective study of 71 patients. <i>World Journal of Biological Psychiatry</i> , 2003, 4, 115-118.	1.3	74
137	Evaluation of Baveno recommendations for grading esophageal varices. <i>Journal of Hepatology</i> , 2003, 39, 658-659.	1.8	36
138	Low-dose terlipressin improves systemic and splanchnic hemodynamics in fluid-challenged endotoxic rats*. <i>Critical Care Medicine</i> , 2003, 31, 215-220.	0.4	142
139	Inter-observer and intra-observer variability in hepatology. <i>European Journal of Gastroenterology and Hepatology</i> , 2003, 15, 959-966.	0.8	63
140	Prothrombin index is an indirect marker of severe liver fibrosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2002, 14, 1133-1141.	0.8	75
141	Hemodynamic and antifibrotic effects of losartan in rats with liver fibrosis and/or portal hypertension. <i>Journal of Hepatology</i> , 2002, 37, 773-780.	1.8	105
142	Fractal dimension can distinguish models and pharmacologic changes in liver fibrosis in rats. <i>Hepatology</i> , 2002, 36, 840-849.	3.6	1
143	Diagnostic des h�patopathies et de leur s�v�rit�. <i>IRBM News</i> , 2002, 23, 41-48.	0.1	2
144	Fractal dimension can distinguish models and pharmacologic changes in liver fibrosis in rats. <i>Hepatology</i> , 2002, 36, 840-849.	3.6	48

#	ARTICLE	IF	CITATIONS
145	Early Administration of Vapreotide for Variceal Bleeding in Patients with Cirrhosis. <i>New England Journal of Medicine</i> , 2001, 344, 23-28.	13.9	218
146	New method of cardiac output measurement using ultrasound velocity dilution in rats. <i>Journal of Applied Physiology</i> , 2001, 91, 1274-1282.	1.2	19
147	Interferon alpha therapy in haemophilic patients with chronic hepatitis C: a French multicentre pilot study of 58 patients. <i>European Journal of Gastroenterology and Hepatology</i> , 2001, 13, 859-864.	0.8	7
148	Effects of octreotide on intestinal transit and bacterial translocation in conscious rats with portal hypertension and liver fibrosis. <i>Digestive Diseases and Sciences</i> , 2001, 46, 2367-2373.	1.1	11
149	Hepatic hyper-vitaminosis A. <i>European Journal of Gastroenterology and Hepatology</i> , 2000, 12, 361-364.	0.8	23
150	Gastric Mucosal Surface In Cirrhosis Evaluated By Magnifying Endoscopy And Scanning Electronic Microscopy. <i>Endoscopy</i> , 2000, 32, 614-623.	1.0	10
151	Prospective study on the application of the Baveno II Consensus Conference criteria in patients with cirrhosis and gastrointestinal bleeding. <i>Journal of Hepatology</i> , 2000, 33, 738-741.	1.8	29
152	Spleno-renal shunt blood flow is an accurate index of collateral circulation in different models of portal hypertension and after pharmacological changes in rats. <i>Journal of Hepatology</i> , 2000, 32, 434-440.	1.8	13
153	Long-term administration of PGE1 increases liver fibrosis and collateral blood flow in bile-duct-ligated rats. <i>Journal of Hepatology</i> , 1999, 30, 70-76.	1.8	14
154	Ultrasonographic diagnosis of hepatic fibrosis or cirrhosis. <i>Journal of Hepatology</i> , 1999, 30, 472-478.	1.8	237
155	Non-invasive diagnosis of esophageal varices in chronic liver diseases. <i>Journal of Hepatology</i> , 1999, 31, 867-873.	1.8	157
156	Relationship between vascular reactivity in vitro and blood flows in rats with cirrhosis. <i>Clinical Science</i> , 1999, 97, 313.	1.8	8
157	Lack of effect of propranolol in the prevention of large oesophageal varices in patients with cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , 1999, 11, 741.	0.8	144
158	Splenorenal shunt blood flow by transit-time ultrasound as an index of collateral circulation in portal hypertensive rats. <i>Hepatology</i> , 1998, 28, 1269-1274.	3.6	12
159	Antifibrotic and hemodynamic effects of the early and chronic administration of octreotide in two models of liver fibrosis in rats. <i>Hepatology</i> , 1998, 28, 1525-1531.	3.6	51
160	Apoptosis and liver fibrosis: antifibrotic strategies. <i>Biomedicine and Pharmacotherapy</i> , 1998, 52, 259-263.	2.5	18
161	Gastroesophageal endoscopic signs of cirrhosis: independent diagnostic accuracy, interassociation, and relationship to etiology and hepatic dysfunction. <i>Gastrointestinal Endoscopy</i> , 1998, 48, 148-157.	0.5	16
162	Effects of long-term administration of interferon $\beta$ in two models of liver fibrosis in rats. <i>Journal of Hepatology</i> , 1998, 29, 263-270.	1.8	59

#	ARTICLE	IF	CITATIONS
163	Hemodynamic effects of terlipressin and octreotide administration alone or in combination in portal hypertensive rats. <i>Journal of Hepatology</i> , 1998, 29, 103-111.	1.8	22
164	Should measurements of hemodynamics in portal hypertension be dynamic?. <i>Journal of Hepatology</i> , 1998, 29, 829-831.	1.8	3
165	Histopathological evaluation of liver fibrosis: quantitative image analysis vs semi-quantitative scores. <i>Journal of Hepatology</i> , 1998, 28, 439-446.	1.8	189
166	Reproducibility in Ultrasonic Characterization of Carotid Plaques. <i>Cerebrovascular Diseases</i> , 1998, 8, 273-277.	0.8	57
167	Effects of positive pressure on both femoral venous and arterial blood velocities and the cutaneous microcirculation of the forefoot. <i>Cardiovascular Research</i> , 1997, 36, 372-376.	1.8	7
168	Noninvasive diagnosis of hepatic fibrosis or cirrhosis. <i>Gastroenterology</i> , 1997, 113, 1609-1616.	0.6	349
169	Prevention of portal hypertension by propranolol and spironolactone in rats with bile duct ligation. <i>Journal of Hepatology</i> , 1997, 26, 167-173.	1.8	29
170	Effects of simvastatin, pentoxifylline and spironolactone on hepatic fibrosis and portal hypertension in rats with bile duct ligation. <i>Journal of Hepatology</i> , 1997, 26, 1363-1371.	1.8	56
171	Endoscopic detection of early esophageal cancer in a high-risk population: does Lugol staining improve videoendoscopy?. <i>Gastrointestinal Endoscopy</i> , 1997, 45, 480-484.	0.5	97
172	Interobserver agreement on endoscopic diagnosis of bleeding peptic ulcers. <i>Gastrointestinal Endoscopy</i> , 1997, 46, 27-32.	0.5	30
173	Liver haemangioma and pregnancy. <i>Lancet, The</i> , 1996, 347, 1693-1694.	6.3	3
174	Lésions muqueuses gastriques de l'œdème hypertension portale. <i>Acta Endoscopica</i> , 1995, 25, 327-335.	0.0	0
175	Severe portal hypertensive gastropathy and antral vascular ectasia are distinct entities in patients with cirrhosis. <i>Gastroenterology</i> , 1995, 108, 138-144.	0.6	238
176	Weakness of mucosal barrier in portal hypertensive gastropathy of alcoholic cirrhosis. Effects of propranolol and enprostil. <i>Journal of Hepatology</i> , 1995, 23, 689-696.	1.8	28
177	Colonic investigations in the elderly: Colonoscopy or barium enema?. <i>Aging Clinical and Experimental Research</i> , 1995, 7, 190-194.	1.4	16
178	Prevention of relapse in patients with chronic non-A, non-B/C hepatitis who respond to alpha-interferon. A controlled multicenter trial of low-dose maintenance therapy. <i>Journal of Hepatology</i> , 1994, 21, 774-778.	1.8	9
179	Hemodynamic and pharmacokinetic study of tertatolol in patients with alcoholic cirrhosis and portal hypertension. <i>Journal of Hepatology</i> , 1993, 19, 43-50.	1.8	5
180	Propranolol in the prevention of ascites. <i>Lancet, The</i> , 1991, 338, 509-510.	6.3	1

#	ARTICLE	IF	CITATIONS
181	Prevention of recurrent variceal bleeding in alcoholic cirrhotic patients: prospective controlled trial of propranolol and sclerotherapy. <i>Journal of Hepatology</i> , 1991, 12, 283-289.	1.8	69
182	Spontaneous regression of esophageal varices is a phenomenon that has spontaneously disappeared from our memory. <i>Journal of Hepatology</i> , 1991, 12, 263-264.	1.8	3
183	Beta-Adrenergic Antagonist Drugs in the Prevention of Gastrointestinal Bleeding in Patients with Cirrhosis and Esophageal Varices. <i>New England Journal of Medicine</i> , 1991, 324, 1532-1538.	13.9	485
184	Gastroesophageal endoscopic features in cirrhosis. <i>Gastroenterology</i> , 1990, 98, 156-162.	0.6	190
185	Ursodeoxycholic acid for the treatment of primary biliary cirrhosis. <i>Journal of Hepatology</i> , 1990, 11, 16-21.	1.8	52
186	$\beta_2$ -blockers and variceal haemorrhage. <i>Lancet</i> , The, 1990, 336, 506.	6.3	5
187	Propranolol in the Primary Prevention of Upper Gastrointestinal Tract Haemorrhage in Patients with Cirrhosis of the Liver and Oesophageal Varices. <i>Drugs</i> , 1989, 37, 52-61.	4.9	3
188	Verapamil has no effect on porto-hepatic pressure gradient, hepatic blood flow and elimination function of the liver in patients with liver cirrhosis. <i>Journal of Hepatology</i> , 1989, 8, 302-307.	1.8	17
189	Pharmacodynamic and pharmacokinetic study of propranolol in patients with cirrhosis and portal hypertension. <i>British Journal of Clinical Pharmacology</i> , 1989, 27, 763-770.	1.1	22
190	Effect of propranolol on metabolic activity of the liver in patients with alcoholic cirrhosis. <i>Journal of Hepatology</i> , 1988, 7, 186-192.	1.8	25
191	Alteration in response of the portal tributary vascular bed to the $\beta_2$ -agonist dobutamine in rats with extrahepatic portal hypertension. <i>Journal of Hepatology</i> , 1986, 2, 267-275.	1.8	6
192	Acute effect of propranolol on splanchnic circulation in normal and portal hypertensive rats. <i>Journal of Hepatology</i> , 1985, 1, 349-357.	1.8	39
193	Superior portosystemic collateral circulation estimated by azygos blood flow in patients with cirrhosis. <i>Journal of Hepatology</i> , 1985, 1, 37-46.	1.8	159
194	Session 1: Definition of Key Events Last Attempt? . , 0 , , 11-39.		3