

# Serpil Salman

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9511408/publications.pdf>

Version: 2024-02-01

41  
papers

1,984  
citations

586496

16  
h-index

340414

39  
g-index

42  
all docs

42  
docs citations

42  
times ranked

2661  
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical Characteristics and Outcomes of COVID-19 Patients with Overweight and Obesity: Turkish Nationwide Cohort Study (TurCOBesity). <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2022, 130, 115-124.	0.6	9
2	Higher rate of COVID-19 mortality in patients with type 1 than type 2 diabetes: a nationwide study. <i>Endokrynologia Polska</i> , 2022, , .	0.3	3
3	Characteristics of patients with hypertension in a population with type 2 diabetes mellitus. Results from the Turkish Nationwide Survey of Glycemic and Other Metabolic Parameters of Patients with Diabetes Mellitus (TEMd Hypertension Study). <i>Primary Care Diabetes</i> , 2021, 15, 332-339.	0.9	13
4	Clinical characteristics and outcomes of COVID-19 in patients with type 2 diabetes in Turkey: A nationwide study (TurCoviDia). <i>Journal of Diabetes</i> , 2021, 13, 585-595.	0.8	26
5	Unexpectedly lower mortality rates in COVID-19 patients with and without type 2 diabetes in Istanbul. <i>Diabetes Research and Clinical Practice</i> , 2021, 174, 108753.	1.1	13
6	The clinical outcomes of COVID-19 infection in patients with a history of thyroid cancer: A nationwide study. <i>Clinical Endocrinology</i> , 2021, 95, 628-637.	1.2	7
7	Clinical outcomes of non-diabetic COVID-19 patients with different blood glucose levels: a nationwide Turkish study (TurCoGlycemia). <i>Endocrine</i> , 2021, 73, 261-269.	1.1	4
8	Lower COVID-19 Mortality in Patients with Type 2 Diabetes Mellitus Taking Dipeptidyl Peptidase-4 Inhibitors: Results from a Turkish Nationwide Study. <i>Diabetes Therapy</i> , 2021, 12, 2857-2870.	1.2	11
9	Consensus Statement of Endocrinology, Cardiology, and Nephrology (ENCARNE) Experts on Prevention, Diagnosis, and Management of Cardiovascular and Renal Complications of Diabetes. <i>Turkish Journal of Endocrinology and Metabolism</i> , 2021, 25, 392-411.	0.5	3
10	No association of Gaucher disease with COVID-19 related outcomes: a nationwide cohort study. <i>Internal Medicine Journal</i> , 2021, , .	0.5	2
11	Rates and associates of influenza and pneumococcus vaccination in diabetes mellitus: A nationwide cross-sectional study (TEMd vaccination study). <i>World Journal of Diabetes</i> , 2021, 12, 2107-2118.	1.3	3
12	Utilization of statins and LDL-cholesterol target attainment in Turkish patients with type 2 diabetes - a nationwide cross-sectional study (TEMd dyslipidemia study). <i>Lipids in Health and Disease</i> , 2020, 19, 237.	1.2	8
13	A Cross-Sectional Study of Overtreatment and Deintensification of Antidiabetic and Antihypertensive Medications in Diabetes Mellitus: The TEMd Overtreatment Study. <i>Diabetes Therapy</i> , 2020, 11, 1045-1059.	1.2	14
14	Clinical Usefulness of an Intraoperative "Quick Parathyroid Hormone" Measurement in Primary Hyperparathyroidism Management. , 2019, , 451-455.		0
15	Turkish nationwide survey of glycemic and other Metabolic parameters of patients with Diabetes mellitus (TEMd study). <i>Diabetes Research and Clinical Practice</i> , 2018, 146, 138-147.	1.1	25
16	Laparoscopic Sleeve Gastrectomy Outcomes of 750 Patients: A 2.5-Year Experience at a Bariatric Center of Excellence. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2016, 26, e145-e148.	0.4	4
17	Twelve-year trends in the prevalence and risk factors of diabetes and prediabetes in Turkish adults. <i>European Journal of Epidemiology</i> , 2013, 28, 169-180.	2.5	487
18	Effects of Ramadan Fasting on Daily Life and Metabolic Condition in Patients with Type 2 Diabetes. <i>Turkiye Klinikleri Journal of Medical Sciences</i> , 2013, 33, 1266-1273.	0.1	5

#	ARTICLE	IF	CITATIONS
19	Serum adipokines and low density lipoprotein subfraction profile in hypopituitary patients with growth hormone deficiency. <i>Pituitary</i> , 2012, 15, 386-392.	1.6	7
20	Effects of vitamin D replacement therapy on serum FGF23 concentrations in vitamin D-deficient women in short term. <i>European Journal of Endocrinology</i> , 2010, 163, 825-831.	1.9	39
21	Effects of Nasal CPAP Treatment on Insulin Resistance, Lipid Profile, and Plasma Leptin in Sleep Apnea. <i>Lung</i> , 2009, 187, 75-81.	1.4	101
22	Parathyroid changes after high dose radioactive iodine in patients with thyroid cancer. <i>Annals of Nuclear Medicine</i> , 2009, 23, 437-441.	1.2	16
23	Propylthiouracil induced anti-neutrophil cytoplasmic antibody-associated vasculitis with bone marrow plasmacytosis and granulocytopenia. <i>Chinese Medical Journal</i> , 2009, 122, 1112-4.	0.9	4
24	Pathogens Isolated From Deep Soft Tissue and Bone in Patients With Diabetic Foot Infections. <i>Journal of the American Podiatric Medical Association</i> , 2008, 98, 290-295.	0.2	34
25	Effect of acute maximal exercise on lymphocyte subgroups in type 1 diabetes. <i>Acta Physiologica Hungarica</i> , 2008, 95, 77-86.	0.9	3
26	Alexithymia in Diabetes Mellitus. <i>Scottish Medical Journal</i> , 2006, 51, 15-20.	0.7	36
27	The diagnosis of osteomyelitis of the foot in diabetes: microbiological examination vs. magnetic resonance imaging and labelled leucocyte scanning. <i>Diabetic Medicine</i> , 2006, 23, 649-653.	1.2	83
28	Heart Rate Variability in Diabetes Patients. <i>Journal of International Medical Research</i> , 2006, 34, 291-296.	0.4	92
29	The electrophysiological findings of subclinical neuropathy in patients with recently diagnosed type 1 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2005, 67, 211-219.	1.1	68
30	Rationale, design and recruitment characteristics of a large, simple international trial of diabetes prevention: the DREAM trial. <i>Diabetologia</i> , 2004, 47, 1519-1527.	2.9	157
31	Effect of human somatotropin hormone on cultured rat islets. <i>Transplantation Proceedings</i> , 2004, 36, 1613-1614.	0.3	2
32	Factors affecting therapeutic response of adhesive capsulitis in type II diabetes mellitus. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2004, 17, 3-7.	0.4	8
33	Lessons Learnt from Influences of the Marmara Earthquake on Glycemic Control and Quality of Life in People with Type 1 Diabetes. <i>Endocrine Journal</i> , 2004, 51, 407-414.	0.7	45
34	Relationship between lipid profile and lipid hydroperoxide levels in early stage type 1 diabetic patients. <i>Biomedical Research</i> , 2004, 25, 189-193.	0.3	0
35	Diabetes education: a chance to improve well-being of Turkish people with type 2 diabetes. <i>Patient Education and Counseling</i> , 2003, 51, 39-44.	1.0	17
36	Population-Based Study of Diabetes and Risk Characteristics in Turkey: Results of the Turkish Diabetes Epidemiology Study (TURDEP). <i>Diabetes Care</i> , 2002, 25, 1551-1556.	4.3	425

#	ARTICLE	IF	CITATIONS
37	The prevalence of manifest and latent celiac disease in type 1 diabetes mellitus. Turkish Journal of Gastroenterology, 2002, 13, 103-7.	0.4	8
38	Comparison of Acarbose and Gliclazide as First-line Agents in Patients with Type 2 Diabetes. Current Medical Research and Opinion, 2001, 16, 296-306.	0.9	38
39	Oxidative protein damage in early stage Type 1 diabetic patients. Diabetes Research and Clinical Practice, 2000, 50, 213-223.	1.1	117
40	Oxidative Protein Damage in Type I Diabetic Patients With and Without Complications. Endocrine Research, 2000, 26, 365-379.	0.6	44
41	Comparison of Acarbose and Gliclazide as First-line Agents in Patients with Type 2 Diabetes. Current Medical Research and Opinion, 2000, 16, 296-306.	0.9	3