Priyatansh Gurha

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9511613/publications.pdf

Version: 2024-02-01

394421 1,597 30 19 citations h-index papers

g-index 30 30 30 2542 docs citations times ranked citing authors all docs

501196

28

#	Article	IF	Citations
1	The EP300/TP53 pathway, a suppressor of the Hippo and canonical WNT pathways, is activated in human hearts with arrhythmogenic cardiomyopathy in the absence of overt heart failure. Cardiovascular Research, 2022, 118, 1466-1478.	3.8	20
2	The "guiding―principles of noncoding <scp>RNA</scp> function. Wiley Interdisciplinary Reviews RNA, 2022, 13, e1704.	6.4	22
3	Effects of tamoxifen inducible MerCreMer on gene expression in cardiac myocytes in mice., 2022, 2, .		9
4	The WNT/ \hat{l}^2 -catenin pathway regulates expression of the genes involved in cell cycle progression and mitochondrial oxidative phosphorylation in the postmitotic cardiac myocytes. , 2022, 2, .		7
5	Haploinsufficiency of <i>Tmem43 < /i> in cardiac myocytes activates the DNA damage response pathway leading to a late-onset senescence-associated pro-fibrotic cardiomyopathy. Cardiovascular Research, 2021, 117, 2377-2394.</i>	3.8	25
6	Single-Cell RNA Sequencing Uncovers Paracrine Functions of the Epicardial-Derived Cells in Arrhythmogenic Cardiomyopathy. Circulation, 2021, 143, 2169-2187.	1.6	22
7	Exercise restores dysregulated gene expression in a mouse model of arrhythmogenic cardiomyopathy. Cardiovascular Research, 2020, 116, 1199-1213.	3.8	44
8	Identification of Genes and Pathways Regulated by Lamin A in Heart. Journal of the American Heart Association, 2020, 9, e015690.	3.7	9
9	BET bromodomain inhibition attenuates cardiac phenotype in myocyte-specific lamin A/C–deficient mice. Journal of Clinical Investigation, 2020, 130, 4740-4758.	8.2	42
10	DNA Damage Response/TP53 Pathway Is Activated and Contributes to the Pathogenesis of Dilated Cardiomyopathy Associated With LMNA (Lamin A/C) Mutations. Circulation Research, 2019, 124, 856-873.	4.5	95
11	Genomic Reorganization of Lamin-Associated Domains in Cardiac Myocytes Is Associated With Differential Gene Expression and DNA Methylation in Human Dilated Cardiomyopathy. Circulation Research, 2019, 124, 1198-1213.	4.5	72
12	Knock Down of Plakophillin 2 Dysregulates Adhesion Pathway through Upregulation of miR200b and Alters the Mechanical Properties in Cardiac Cells. Cells, 2019, 8, 1639.	4.1	18
13	Noncoding RNAs in cardiovascular diseases. Current Opinion in Cardiology, 2019, 34, 241-245.	1.8	25
14	Classification and experimental identification of plant long non-coding RNAs. Genomics, 2019, 111, 997-1005.	2.9	88
15	Suppression of Activated FOXO Transcription Factors in the Heart Prolongs Survival in a Mouse Model of Laminopathies. Circulation Research, 2018, 122, 678-692.	4.5	54
16	Cardiac Fibro-Adipocyte Progenitors Express Desmosome Proteins and Preferentially Differentiate to Adipocytes Upon Deletion of the Desmoplakin Gene. Circulation Research, 2016, 119, 41-54.	4.5	85
17	Knockdown of Plakophilin 2 Downregulates miR-184 Through CpG Hypermethylation and Suppression of the E2F1 Pathway and Leads to Enhanced Adipogenesis In Vitro. Circulation Research, 2016, 119, 731-750.	4.5	43
18	MicroRNAs in cardiovascular disease. Current Opinion in Cardiology, 2016, 31, 249-254.	1.8	70

#	Article	IF	CITATION
19	The Hippo Pathway Is Activated and Is a Causal Mechanism for Adipogenesis in Arrhythmogenic Cardiomyopathy. Circulation Research, 2014, 114, 454-468.	4.5	227
20	Small noncoding differentially methylated copy-number variants, including lncRNA genes, cause a lethal lung developmental disorder. Genome Research, 2013, 23, 23-33.	5 . 5	127
21	Noncoding RNAs in Cardiovascular Biology and Disease. Circulation Research, 2013, 113, e115-20.	4.5	15
22	Role of forefinger and thumb loops in production of $\hat{\Gamma}$ 54 and $\hat{\Gamma}$ 55 in tRNAs by archaeal Pus10. Rna, 2013, 19, 1279-1294.	3.5	14
23	microRNA-22 Promotes Heart Failure through Coordinate Suppression of PPAR/ERR-Nuclear Hormone Receptor Transcription. PLoS ONE, 2013, 8, e75882.	2.5	72
24	Targeted Deletion of MicroRNA-22 Promotes Stress-Induced Cardiac Dilation and Contractile Dysfunction. Circulation, 2012, 125, 2751-2761.	1.6	161
25	Dynamic guide–target interactions contribute to sequential 2′- <i>O</i> -methylation by a unique archaeal dual guide box C/D sRNP. Rna, 2008, 14, 1411-1423.	3.5	14
26	Box C/D RNA-Guided 2′-O Methylations and the Intron of tRNA Trp Are Not Essential for the Viability of Haloferax volcanii. Journal of Bacteriology, 2008, 190, 7308-7313.	2.2	10
27	Archaeal Pus10 proteins can produce both pseudouridine 54 and 55 in tRNA. Rna, 2008, 14, 2521-2527.	3.5	41
28	Differential Roles of Archaeal Box H/ACA Proteins in Guide RNA-Dependent and Independent Pseudouridine Formation. RNA Biology, 2007, 4, 101-109.	3.1	27
29	Sequential 2′-O-Methylation of Archaeal Pre-tRNATrp Nucleotides Is Guided by the Intron-encoded but trans-Acting Box C/D Ribonucleoprotein of Pre-tRNA. Journal of Biological Chemistry, 2004, 279, 47661-47671.	3.4	68
30	Two reactions of Haloferax volcanii RNA splicing enzymes: Joining of exons and circularization of introns. Rna, 2003, 9, 319-330.	3.5	71