

Wisuit Pradidarcheep

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9512169/publications.pdf>

Version: 2024-02-01

21
papers

429
citations

932766

10
h-index

887659

17
g-index

22
all docs

22
docs citations

22
times ranked

543
citing authors

#	ARTICLE	IF	CITATIONS
1	Hepatoprotective Effect of Probiotic Lactic Acid Bacteria on Thioacetamide-Induced Liver Fibrosis in Rats. <i>Probiotics and Antimicrobial Proteins</i> , 2021, 13, 40-50.	1.9	42
2	Î±-mangostin preserves hepatic microvascular architecture in fibrotic rats as shown by scanning electron microscopy of vascular corrosion casts. <i>Biomedical Reports</i> , 2021, 14, 48.	0.9	1
3	Therapeutic efficacy of a <i>Dioscorea membranacea</i> extract in a rat model of hepatocellular carcinoma: Histopathological aspects. <i>Journal of Traditional and Complementary Medicine</i> , 2021, 11, 400-408.	1.5	2
4	Anti-angiogenic and anti-proliferative effects of Benja-ummarit extract in rats with hepatocellular carcinoma. <i>Biomedical Reports</i> , 2020, 12, 109-120.	0.9	6
5	Protective effect of alpha-mangostin on thioacetamide-induced liver fibrosis in rats as revealed by morpho-functional analysis. <i>Histology and Histopathology</i> , 2019, 34, 419-430.	0.5	10
6	Proteomics study of the antifibrotic effects of Î±-mangostin in a rat model of renal fibrosis. <i>Asian Biomedicine</i> , 2019, 12, 149-160.	0.2	0
7	Use of Antibodies in the Research on Muscarinic Receptor Subtypes. <i>Neuromethods</i> , 2016, , 83-94.	0.2	2
8	Collagen arrangement in space of Disse correlates with fluid flow in normal and cirrhotic rat livers. <i>Microscopy Research and Technique</i> , 2015, 78, 187-193.	1.2	3
9	Rat Î²3-adrenoceptor protein expression: antibody validation and distribution in rat gastrointestinal and urogenital tissues. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2014, 387, 1117-1127.	1.4	17
10	Anatomy and Histology of the Lower Urinary Tract. <i>Handbook of Experimental Pharmacology</i> , 2011, , 117-148.	0.9	45
11	Altered distribution of M2 and M4 muscarinic receptor expression in vitiligo. <i>Journal of Dermatology</i> , 2011, 38, 493-497.	0.6	1
12	Distribution of Hepatic Myofibroblasts and Type I and III Collagen in Rat Liver Cirrhosis Induced by Thioacetamide. <i>International Journal of Morphology</i> , 2011, 29, 501-508.	0.1	5
13	Lack of specificity of commercially available antisera against muscarinergic and adrenergic receptors. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2009, 379, 397-402.	1.4	131
14	From prenatal life into senescence, testosterone is essential requirement for manhood. <i>Journal of the Medical Association of Thailand = Chotmaihet Thangphaet</i> , 2009, 92, 573-87.	0.4	0
15	Lower urinary tract symptoms and its potential relation with late-onset hypogonadism. <i>Aging Male</i> , 2008, 11, 51-55.	0.9	33
16	Lack of Specificity of Commercially Available Antisera: Better Specifications Needed. <i>Journal of Histochemistry and Cytochemistry</i> , 2008, 56, 1099-1111.	1.3	84
17	Microscopic anatomy of the orbital harderian gland in the common tree shrew (<i>tupaia glis</i>). <i>Journal of Morphology</i> , 2003, 255, 328-336.	0.6	15
18	Pre-arterialisation of the arterialised venous flap: an experimental study in the rat. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2001, 54, 621-630.	1.1	16

#	ARTICLE	IF	CITATIONS
19	Cerebral microvascular architecture in the common tree shrew (<i>Tupaia glis</i>) revealed by plastic corrosion casts. <i>Microscopy Research and Technique</i> , 2000, 50, 411-418.	1.2	10
20	Angioarchitecture of the coeliac sympathetic ganglion complex in the common tree shrew (<i>Tupaia</i>) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	0.9	6
21	Angioarchitecture of the coeliac sympathetic ganglion complex in the common tree shrew (<i>Tupaia</i>) <i>Tj ETQq1 1 0,784314 rgBT /Over</i>	0.9	6