

Maximilian Knig

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9514363/maximilian-konig-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

24
papers

400
citations

9
h-index

19
g-index

27
ext. papers

585
ext. citations

4.8
avg, IF

3.3
L-index

#	Paper	IF	Citations
24	Muscle Mass and Inflammation in Older Adults: Impact of the Metabolic Syndrome.. <i>Gerontology</i> , 2022 , 1-10	5.5	3
23	Cardiovascular health is associated with the epigenetic clock in the Berlin Aging Study II (BASE-II). <i>Mechanisms of Ageing and Development</i> , 2021 , 201, 111616	5.6	3
22	Acidosis, cognitive dysfunction and motor impairments in patients with kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2021 ,	4.3	4
21	Chronic kidney disease and neurological disorders: are uraemic toxins the missing piece of the puzzle?. <i>Nephrology Dialysis Transplantation</i> , 2021 ,	4.3	7
20	Low muscle strength and increased arterial stiffness go hand in hand. <i>Scientific Reports</i> , 2021 , 11, 2906	4.9	4
19	Cognitive disorders in patients with chronic kidney disease: specificities of clinical assessment. <i>Nephrology Dialysis Transplantation</i> , 2021 ,	4.3	4
18	Mild cognitive impairment and kidney disease: clinical aspects. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 10-17	4.3	21
17	Sex differences in arterial wave reflection and the role of exogenous and endogenous sex hormones: results of the Berlin Aging Study II. <i>Journal of Hypertension</i> , 2020 , 38, 1040-1046	1.9	8
16	Hyperlipidemias in elderly patients: results from the Berlin Aging Study II (BASEII), a cross-sectional study. <i>Lipids in Health and Disease</i> , 2020 , 19, 92	4.4	11
15	Problematic drinking in the old and its association with muscle mass and muscle function in type II diabetes. <i>Scientific Reports</i> , 2019 , 9, 12005	4.9	6
14	Cohort profile: role of lipoproteins in cardiovascular disease-the LipidCardio study. <i>BMJ Open</i> , 2019 , 9, e030097	3	4
13	Exploring the Relationship of Relative Telomere Length and the Epigenetic Clock in the LipidCardio Cohort. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	13
12	Sex-specific differences in the association of vitamin D with low lean mass and frailty: Results from the Berlin Aging Study II. <i>Nutrition</i> , 2019 , 62, 1-6	4.8	11
11	Potentially inappropriate medication in older participants of the Berlin Aging Study II (BASE-II) - Sex differences and associations with morbidity and medication use. <i>PLoS ONE</i> , 2019 , 14, e0226511	3.7	13
10	Knowledge-based best of breed approach for automated detection of clinical events based on German free text digital hospital discharge letters. <i>PLoS ONE</i> , 2019 , 14, e0224916	3.7	3
9	Historical trends in modifiable indicators of cardiovascular health and self-rated health among older adults: Cohort differences over 20 years between the Berlin Aging Study (BASE) and the Berlin Aging Study II (BASE-II). <i>PLoS ONE</i> , 2018 , 13, e0191699	3.7	15
8	Mild-to-Moderate Chronic Kidney Disease and Geriatric Outcomes: Analysis of Cross-Sectional Data from the Berlin Aging Study II. <i>Gerontology</i> , 2018 , 64, 118-126	5.5	6

7	Antihypertensive Treatment Patterns and Blood Pressure Control in Older Adults: Results from the Berlin Aging Study II. <i>Drugs and Aging</i> , 2018 , 35, 993-1003	4.7	3
6	Prevalence of Impaired Kidney Function in the German Elderly: Results from the Berlin Aging Study II (BASE-II). <i>Gerontology</i> , 2017 , 63, 201-209	5.5	7
5	Polypharmacy as a Risk Factor for Clinically Relevant Sarcopenia: Results From the Berlin Aging Study II. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017 , 73, 117-122	6.4	48
4	How should I treat recurrent chest pain and systolic dysfunction after chemotherapy with anthracyclines?. <i>EuroIntervention</i> , 2017 , 12, 1674-1677	3.1	2
3	High phosphate directly affects endothelial function by downregulating annexin II. <i>Kidney International</i> , 2013 , 83, 213-22	9.9	72
2	The soluble VEGF receptor sFlt1 contributes to endothelial dysfunction in CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2009 , 20, 2235-45	12.7	131
1	Cohort profile: The LipidCardio Study - Role of Lipoproteins in Cardiovascular Disease		1