

Rajmohan Murali Mbbs,, Frcpa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/951525/publications.pdf>

Version: 2024-02-01

195
papers

13,324
citations

22153

59
h-index

24982

109
g-index

199
all docs

199
docs citations

199
times ranked

17725
citing authors

#	ARTICLE	IF	CITATIONS
1	Glucocorticoid Receptor Confers Resistance to Antiandrogens by Bypassing Androgen Receptor Blockade. <i>Cell</i> , 2013, 155, 1309-1322.	28.9	801
2	Tumor-Infiltrating Lymphocyte Grade Is an Independent Predictor of Sentinel Lymph Node Status and Survival in Patients With Cutaneous Melanoma. <i>Journal of Clinical Oncology</i> , 2012, 30, 2678-2683.	1.6	691
3	Germline mutations in BAP1 predispose to melanocytic tumors. <i>Nature Genetics</i> , 2011, 43, 1018-1021.	21.4	662
4	HER kinase inhibition in patients with HER2- and HER3-mutant cancers. <i>Nature</i> , 2018, 554, 189-194.	27.8	572
5	Kinase fusions are frequent in Spitz tumours and spitzoid melanomas. <i>Nature Communications</i> , 2014, 5, 3116.	12.8	521
6	Classification of endometrial carcinoma: more than two types. <i>Lancet Oncology</i> , The, 2014, 15, e268-e278.	10.7	479
7	Copy number alteration burden predicts prostate cancer relapse. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 11139-11144.	7.1	299
8	A recurrent germline PAX5 mutation confers susceptibility to pre-B cell acute lymphoblastic leukemia. <i>Nature Genetics</i> , 2013, 45, 1226-1231.	21.4	270
9	A Distinct Subset of Atypical Spitz Tumors is Characterized by BRAF Mutation and Loss of BAP1 Expression. <i>American Journal of Surgical Pathology</i> , 2012, 36, 818-830.	3.7	264
10	Tumours associated with BAP1 mutations. <i>Pathology</i> , 2013, 45, 116-126.	0.6	242
11	Exome sequencing of desmoplastic melanoma identifies recurrent NFKBIE promoter mutations and diverse activating mutations in the MAPK pathway. <i>Nature Genetics</i> , 2015, 47, 1194-1199.	21.4	221
12	Tumor copy number alteration burden is a pan-cancer prognostic factor associated with recurrence and death. <i>ELife</i> , 2018, 7, .	6.0	217
13	TERT Promoter Mutation Status as an Independent Prognostic Factor in Cutaneous Melanoma. <i>Journal of the National Cancer Institute</i> , 2014, 106, .	6.3	204
14	Diverse <i>BRCA1</i> and <i>BRCA2</i> Reversion Mutations in Circulating Cell-Free DNA of Therapy-Resistant Breast or Ovarian Cancer. <i>Clinical Cancer Research</i> , 2017, 23, 6708-6720.	7.0	194
15	Alternative transcription initiation leads to expression of a novel ALK isoform in cancer. <i>Nature</i> , 2015, 526, 453-457.	27.8	191
16	Conjunctival Melanomas Harbor <i>BRAF</i> and <i>NRAS</i> Mutations and Copy Number Changes Similar to Cutaneous and Mucosal Melanomas. <i>Clinical Cancer Research</i> , 2013, 19, 3143-3152.	7.0	187
17	<i>BRAF</i> mutations in cutaneous melanoma are independently associated with age, anatomic site of the primary tumor, and the degree of solar elastosis at the primary tumor site. <i>Pigment Cell and Melanoma Research</i> , 2011, 24, 345-351.	3.3	180
18	Comprehensive Study of the Clinical Phenotype of Germline <i>BAP1</i> Variant-Carrying Families Worldwide. <i>Journal of the National Cancer Institute</i> , 2018, 110, 1328-1341.	6.3	164

#	ARTICLE	IF	CITATIONS
19	High-grade Endometrial Carcinomas: Morphologic and Immunohistochemical Features, Diagnostic Challenges and Recommendations. <i>International Journal of Gynecological Pathology</i> , 2019, 38, S40-S63.	1.4	164
20	Phylogenetic analyses of melanoma reveal complex patterns of metastatic dissemination. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 10995-11000.	7.1	146
21	Squamous precursor lesions of the vulva: current classification and diagnostic challenges. <i>Pathology</i> , 2016, 48, 291-302.	0.6	146
22	Genomic aberrations in spitzoid melanocytic tumours and their implications for diagnosis, prognosis and therapy. <i>Pathology</i> , 2016, 48, 113-131.	0.6	145
23	Blue Nevi and Related Lesions. <i>Advances in Anatomic Pathology</i> , 2009, 16, 365-382.	4.3	141
24	TFE3 Translocation-associated Perivascular Epithelioid Cell Neoplasm (PEComa) of the Gynecologic Tract. <i>American Journal of Surgical Pathology</i> , 2015, 39, 394-404.	3.7	140
25	Desmoplastic neurotropic melanoma. <i>Cancer</i> , 2008, 113, 2770-2778.	4.1	131
26	ZC3H7B-BCOR high-grade endometrial stromal sarcomas: a report of 17 cases of a newly defined entity. <i>Modern Pathology</i> , 2018, 31, 674-684.	5.5	130
27	The prognostic significance of sentinel node tumour burden in melanoma patients: An international, multicenter study of 1539 sentinel node-positive melanoma patients. <i>European Journal of Cancer</i> , 2014, 50, 111-120.	2.8	127
28	Sentinel Lymph Node Biopsy in Histologically Ambiguous Melanocytic Tumors With Spitzoid Features (So-Called Atypical Spitzoid Tumors). <i>Annals of Surgical Oncology</i> , 2008, 15, 302-309.	1.5	116
29	Non-Sentinel Node Risk Score (N-SNORE): A Scoring System for Accurately Stratifying Risk of Non-Sentinel Node Positivity in Patients With Cutaneous Melanoma With Positive Sentinel Lymph Nodes. <i>Journal of Clinical Oncology</i> , 2010, 28, 4441-4449.	1.6	111
30	Pigmented Epithelioid Melanocytoma: Favorable Outcome After 5-year Follow-up. <i>American Journal of Surgical Pathology</i> , 2009, 33, 1778-1782.	3.7	110
31	Prognostic factors in cutaneous desmoplastic melanoma. <i>Cancer</i> , 2010, 116, 4130-4138.	4.1	109
32	TERT promoter mutations are frequent in atypical fibroxanthomas and pleomorphic dermal sarcomas. <i>Modern Pathology</i> , 2014, 27, 502-508.	5.5	108
33	Sentinel Lymph Node Biopsy in Patients With Thin Primary Cutaneous Melanoma. <i>Annals of Surgery</i> , 2012, 255, 128-133.	4.2	103
34	Targeted massively parallel sequencing of angiosarcomas reveals frequent activation of the mitogen activated protein kinase pathway. <i>Oncotarget</i> , 2015, 6, 36041-36052.	1.8	103
35	Pathologic examination of sentinel lymph nodes from melanoma patients. <i>Seminars in Diagnostic Pathology</i> , 2008, 25, 100-111.	1.5	102
36	Dabrafenib and its potential for the treatment of metastatic melanoma. <i>Drug Design, Development and Therapy</i> , 2012, 6, 391.	4.3	102

#	ARTICLE	IF	CITATIONS
37	Clinical Utility of Prospective Molecular Characterization in Advanced Endometrial Cancer. <i>Clinical Cancer Research</i> , 2018, 24, 5939-5947.	7.0	100
38	Toward an Improved Definition of the Tumor Spectrum Associated With <i>BAP1</i> Germline Mutations. <i>Journal of Clinical Oncology</i> , 2012, 30, e337-e340.	1.6	99
39	Epigenome-wide DNA methylation landscape of melanoma progression to brain metastasis reveals aberrations on homeobox D cluster associated with prognosis. <i>Human Molecular Genetics</i> , 2014, 23, 226-238.	2.9	96
40	Atypical Spitzoid Melanocytic Tumors With Positive Sentinel Lymph Nodes in Children and Teenagers, and Comparison With Histologically Unambiguous and Lethal Melanomas. <i>American Journal of Surgical Pathology</i> , 2009, 33, 1386-1395.	3.7	95
41	The prognostic and staging implications of bone invasion in oral squamous cell carcinoma. <i>Cancer</i> , 2011, 117, 4460-4467.	4.1	95
42	Diagnosis of cutaneous melanocytic tumours by four-colour fluorescence in situ hybridisation. <i>Pathology</i> , 2009, 41, 383-387.	0.6	92
43	SF3B1 and BAP1 mutations in blue nevus-like melanoma. <i>Modern Pathology</i> , 2017, 30, 928-939.	5.5	81
44	Genetic and clinico-pathologic analysis of metastatic uveal melanoma. <i>Modern Pathology</i> , 2014, 27, 175-183.	5.5	78
45	TERT Promoter Mutations Are Frequent in Cutaneous Basal Cell Carcinoma and Squamous Cell Carcinoma. <i>PLoS ONE</i> , 2013, 8, e80354.	2.5	78
46	Carcinoid Tumors of the Urinary Tract and Prostate. <i>Archives of Pathology and Laboratory Medicine</i> , 2006, 130, 1693-1706.	2.5	77
47	Interobserver reproducibility of histologic parameters of melanoma deposits in sentinel lymph nodes. <i>Cancer</i> , 2009, 115, 5026-5037.	4.1	75
48	Perivascular epithelioid tumours (PEComas) of the gynaecological tract. <i>Journal of Clinical Pathology</i> , 2015, 68, 418-426.	2.0	75
49	GNA11 Q209L Mouse Model Reveals RasGRP3 as an Essential Signaling Node in Uveal Melanoma. <i>Cell Reports</i> , 2018, 22, 2455-2468.	6.4	75
50	Evolving Roles of Histologic Evaluation and Molecular/Genomic Profiling in the Management of Endometrial Cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2018, 16, 201-209.	4.9	75
51	Atypical fibroxanthoma and pleomorphic dermal sarcoma harbor frequent NOTCH1/2 and FAT1 mutations and similar DNA copy number alteration profiles. <i>Modern Pathology</i> , 2018, 31, 418-428.	5.5	75
52	Diagnosis of Metastatic Melanoma by Fine-Needle Biopsy. <i>American Journal of Clinical Pathology</i> , 2007, 127, 385-397.	0.7	72
53	BAP1 protein loss by immunohistochemistry: A potentially useful tool for prognostic prediction in patients with uveal melanoma. <i>Pathology</i> , 2013, 45, 651-656.	0.6	71
54	Sentinel Lymph Node Biopsy in Pediatric and Adolescent Cutaneous Melanoma Patients. <i>Annals of Surgical Oncology</i> , 2010, 17, 138-143.	1.5	68

#	ARTICLE	IF	CITATIONS
55	Lactate dehydrogenase 5 expression in melanoma increases with disease progression and is associated with expression of Bcl-XL and Mcl-1, but not Bcl-2 proteins. <i>Modern Pathology</i> , 2010, 23, 45-53.	5.5	68
56	So-called "malignant blue nevus". <i>Cancer</i> , 2009, 115, 2949-2955.	4.1	66
57	DNA methylation and gene deletion analysis of brain metastases in melanoma patients identifies mutually exclusive molecular alterations. <i>Neuro-Oncology</i> , 2014, 16, 1499-1509.	1.2	65
58	Genetic Alterations and Personalized Medicine in Melanoma: Progress and Future Prospects. <i>Journal of the National Cancer Institute</i> , 2014, 106, djt435-djt435.	6.3	64
59	Functional RET G691S polymorphism in cutaneous malignant melanoma. <i>Oncogene</i> , 2009, 28, 3058-3068.	5.9	62
60	Prognostic Importance of the Extent of Ulceration in Patients With Clinically Localized Cutaneous Melanoma. <i>Annals of Surgery</i> , 2012, 255, 1165-1170.	4.2	62
61	Morphological and Immunohistochemical Reevaluation of Tumors Initially Diagnosed as Ovarian Endometrioid Carcinoma With Emphasis on High-grade Tumors. <i>American Journal of Surgical Pathology</i> , 2016, 40, 302-312.	3.7	61
62	Endocrine mucin-producing sweat gland carcinoma: report of a case and review of the literature. <i>Journal of Cutaneous Pathology</i> , 2006, 33, 812-816.	1.3	60
63	Osteolysis in Third-Generation Alumina Ceramic-on-Ceramic Hip Bearings With Severe Impingement and Titanium Metallosis. <i>Journal of Arthroplasty</i> , 2008, 23, 1240.e13-1240.e19.	3.1	60
64	Assessment of Copy Number Status of Chromosomes 6 and 11 by FISH Provides Independent Prognostic Information in Primary Melanoma. <i>American Journal of Surgical Pathology</i> , 2011, 35, 1146-1150.	3.7	60
65	GNAQ and GNA11 mutations in melanocytomas of the central nervous system. <i>Acta Neuropathologica</i> , 2012, 123, 457-459.	7.7	60
66	Increasing Tumor Thickness is Associated with Recurrence and Poorer Survival in Patients with Merkel Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2012, 19, 3325-3334.	1.5	59
67	Genomic Landscape of Uterine Sarcomas Defined Through Prospective Clinical Sequencing. <i>Clinical Cancer Research</i> , 2020, 26, 3881-3888.	7.0	59
68	Cutaneous Head and Neck Squamous Cell Carcinoma with Regional Metastases: The Prognostic Importance of Soft Tissue Metastases and Extranodal Spread. <i>Annals of Surgical Oncology</i> , 2012, 19, 274-279.	1.5	57
69	Activating cysteinyl leukotriene receptor 2 (CYSLTR2) mutations in blue nevi. <i>Modern Pathology</i> , 2017, 30, 350-356.	5.5	56
70	Mycosis fungoides with large cell transformation: clinicopathological features and prognostic factors. <i>Pathology</i> , 2014, 46, 610-616.	0.6	55
71	Targeted next generation sequencing reveals unique mutation profile of primary melanocytic tumors of the central nervous system. <i>Journal of Neuro-Oncology</i> , 2016, 127, 435-444.	2.9	55
72	Cytologic Features of Epithelioid Hemangioendothelioma. <i>American Journal of Clinical Pathology</i> , 2011, 136, 739-746.	0.7	52

#	ARTICLE	IF	CITATIONS
73	Secondary Involvement of the Adnexa and Uterine Corpus by Carcinomas of the Uterine Cervix. International Journal of Gynecological Pathology, 2015, 34, 551-563.	1.4	52
74	OncoTree: A Cancer Classification System for Precision Oncology. JCO Clinical Cancer Informatics, 2021, 5, 221-230.	2.1	51
75	Clear cell atypical fibroxanthoma - report of a case with review of the literature. Journal of Cutaneous Pathology, 2006, 33, 343-348.	1.3	49
76	DIAGNOSIS AND MANAGEMENT OF SEBACEOUS CARCINOMA: AN AUSTRALIAN EXPERIENCE. ANZ Journal of Surgery, 2008, 78, 158-163.	0.7	49
77	MAL2 and tumor protein D52 (TPD52) are frequently overexpressed in ovarian carcinoma, but differentially associated with histological subtype and patient outcome. BMC Cancer, 2010, 10, 497.	2.6	49
78	Cancerâ€™testis antigen expression in primary cutaneous melanoma has independent prognostic value comparable to that of Breslow thickness, ulceration and mitotic rate. European Journal of Cancer, 2011, 47, 460-469.	2.8	49
79	Clinicopathologic and Genomic Analysis of <i>TP53</i>-Mutated Endometrial Carcinomas. Clinical Cancer Research, 2021, 27, 2613-2623.	7.0	49
80	The detection and significance of melanoma micrometastases in sentinel nodes. Surgical Oncology, 2008, 17, 165-174.	1.6	48
81	Histologically Ambiguous (â€œBorderlineâ€œ) Primary Cutaneous Melanocytic Tumors: Approaches to Patient Management Including the Roles of Molecular Testing and Sentinel Lymph Node Biopsy. Archives of Pathology and Laboratory Medicine, 2010, 134, 1770-1777.	2.5	47
82	Interobserver Variation in the Histopathologic Reporting of Key Prognostic Parameters, Particularly Clark Level, Affects Pathologic Staging of Primary Cutaneous Melanoma. Annals of Surgery, 2009, 249, 641-647.	4.2	45
83	Clinicopathologic Features of Incident and Subsequent Tumors in Patients with Multiple Primary Cutaneous Melanomas. Annals of Surgical Oncology, 2012, 19, 1024-1033.	1.5	45
84	Sentinel Lymph Nodes Containing Very Small (<math><0.1\text{mm}</math>) Deposits of Metastatic Melanoma Cannot Be Safely Regarded as Tumor-Negative. Annals of Surgical Oncology, 2012, 19, 1089-1099.	1.5	45
85	Histological and genetic evidence for a variant of superficial spreading melanoma composed predominantly of large nests. Modern Pathology, 2012, 25, 838-845.	5.5	41
86	MAGI-2 scaffold protein is critical for kidney barrier function. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 14876-14881.	7.1	38
87	Frequent <i>GNAQ</i>, <i>GNA11</i>, and <i>EIF1AX</i> Mutations in Iris Melanoma. , 2017, 58, 3464.		38
88	Assessment of SLX4 Mutations in Hereditary Breast Cancers. PLoS ONE, 2013, 8, e66961.	2.5	37
89	Connective tissue growth factor as a novel therapeutic target in high grade serous ovarian cancer. Oncotarget, 2015, 6, 44551-44562.	1.8	37
90	Outcomes following parotidectomy for metastatic squamous cell carcinoma with microscopic residual disease: Implications for facial nerve preservation. Head and Neck, 2009, 31, 21-27.	2.0	35

#	ARTICLE	IF	CITATIONS
91	Factors Predicting Recurrence and Survival in Sentinel Lymph Node-Positive Melanoma Patients. <i>Annals of Surgery</i> , 2011, 253, 1155-1164.	4.2	34
92	Development of a risk stratification system to guide treatment for female germ cell tumors. <i>Gynecologic Oncology</i> , 2015, 138, 566-572.	1.4	34
93	Clinical and genetic analysis of melanomas arising in acral sites. <i>European Journal of Cancer</i> , 2019, 119, 66-76.	2.8	34
94	Ablation of B7-H3 but Not B7-H4 Results in Highly Increased Tumor Burden in a Murine Model of Spontaneous Prostate Cancer. <i>Cancer Immunology Research</i> , 2015, 3, 849-854.	3.4	32
95	Pathology and genetics of uveal melanoma. <i>Pathology</i> , 2013, 45, 18-27.	0.6	31
96	Primary calvarial meningioma. <i>Journal of Clinical Neuroscience</i> , 2007, 14, 1235-1239.	1.5	30
97	Clinical and Pathologic Factors Associated with Distant Metastasis and Survival in Patients with Thin Primary Cutaneous Melanoma. <i>Annals of Surgical Oncology</i> , 2012, 19, 1782-1789.	1.5	30
98	BAP1 expression in cutaneous melanoma: a pilot study. <i>Pathology</i> , 2013, 45, 606-609.	0.6	30
99	Genomic Profiling Aids Classification of Diagnostically Challenging Uterine Mesenchymal Tumors With Myomelanocytic Differentiation. <i>American Journal of Surgical Pathology</i> , 2021, 45, 77-92.	3.7	30
100	Number of primary melanomas is an independent predictor of survival in patients with metastatic melanoma. <i>Cancer</i> , 2012, 118, 4519-4529.	4.1	29
101	Lymphatic vessel density in primary melanomas predicts sentinel lymph node status and risk of metastasis. <i>Histopathology</i> , 2012, 61, 702-710.	2.9	29
102	Diagnostic Accuracy of Fine Needle Biopsy for Metastatic Melanoma and Its Implications for Patient Management. <i>Annals of Surgical Oncology</i> , 2008, 15, 323-332.	1.5	28
103	Integrated Genomic Classification of Melanocytic Tumors of the Central Nervous System Using Mutation Analysis, Copy Number Alterations, and DNA Methylation Profiling. <i>Clinical Cancer Research</i> , 2018, 24, 4494-4504.	7.0	28
104	PGR Gene Fusions Identify a Molecular Subset of Uterine Epithelioid Leiomyosarcoma With Rhabdoid Features. <i>American Journal of Surgical Pathology</i> , 2019, 43, 810-818.	3.7	28
105	Massively parallel sequencing analysis of 68 gastric-type cervical adenocarcinomas reveals mutations in cell cycle-related genes and potentially targetable mutations. <i>Modern Pathology</i> , 2021, 34, 1213-1225.	5.5	28
106	CD10 Immunohistochemical Staining in Urothelial Neoplasms. <i>American Journal of Clinical Pathology</i> , 2005, 124, 371-379.	0.7	26
107	Cytologic Features of Metastatic and Recurrent Melanoma in Patients with Primary Cutaneous Desmoplastic Melanoma. <i>American Journal of Clinical Pathology</i> , 2008, 130, 715-723.	0.7	24
108	Activating CYSLTR2 and PLCB4 Mutations in Primary Leptomeningeal Melanocytic Tumors. <i>Journal of Investigative Dermatology</i> , 2017, 137, 2033-2035.	0.7	24

#	ARTICLE	IF	CITATIONS
109	The roles of pathology in targeted therapy of women with gynecologic cancers. <i>Gynecologic Oncology</i> , 2018, 148, 213-221.	1.4	24
110	Disseminated mucormycosis and orbital ischaemia in combination immunosuppression with a tumour necrosis factor alpha inhibitor. <i>Clinical and Experimental Ophthalmology</i> , 2007, 35, 275-280.	2.6	22
111	^V mutations and immunohistochemical expression of ^{600E}1 protein in low-grade serous neoplasms of the ovary. <i>Histopathology</i> , 2018, 73, 438-443.	2.9	22
112	Molecular Subclasses of Clear Cell Ovarian Carcinoma and Their Impact on Disease Behavior and Outcomes. <i>Clinical Cancer Research</i> , 2022, 28, 4947-4956.	7.0	22
113	Subcutaneous dermatofibrosarcoma protuberans in skin of the breast: may mimic a primary breast lesion. <i>Pathology</i> , 2007, 39, 446-448.	0.6	21
114	Usefulness of smears in intra-operative diagnosis of newly described entities of CNS. <i>Neuropathology</i> , 2009, 29, 641-648.	1.2	21
115	High molecular weight-melanoma-associated antigen as a biomarker of desmoplastic melanoma. <i>Pigment Cell and Melanoma Research</i> , 2010, 23, 137-140.	3.3	21
116	Rare De Novo Germline Copy-Number Variation in Testicular Cancer. <i>American Journal of Human Genetics</i> , 2012, 91, 379-383.	6.2	21
117	The genetic landscape of metaplastic breast cancers and uterine carcinosarcomas. <i>Molecular Oncology</i> , 2021, 15, 1024-1039.	4.6	21
118	Histopathological features of breast cancer in carriers of ATM gene variants. <i>Histopathology</i> , 2006, 49, 523-532.	2.9	20
119	Sentinel lymph node biopsy for melanoma: aspects of pathologic assessment. <i>Future Oncology</i> , 2008, 4, 535-551.	2.4	20
120	Merkel cell carcinoma with fibrosarcomatous differentiation. <i>Pathology</i> , 2008, 40, 314-316.	0.6	20
121	Fine-needle biopsy of metastatic melanoma: clinical use and new applications. <i>Lancet Oncology</i> , The, 2010, 11, 391-400.	10.7	20
122	Cytologic features of upper gynecologic tract adenocarcinomas exhibiting mesonephric-like differentiation. <i>Cancer Cytopathology</i> , 2019, 127, 521-528.	2.4	20
123	Clinical and pathological features of metastases of primary cutaneous desmoplastic melanoma. <i>Histopathology</i> , 2011, 58, 886-895.	2.9	19
124	Morphologic Features of Gastric-type Cervical Adenocarcinoma in Small Surgical and Cytology Specimens. <i>International Journal of Gynecological Pathology</i> , 2019, 38, 263-275.	1.4	18
125	Risk-based stratification of carcinomas concurrently involving the endometrium and ovary. <i>Gynecologic Oncology</i> , 2019, 152, 38-45.	1.4	18
126	Clinical relevance of melanoma micrometastases in sentinel nodes: too early to tell. <i>Annals of Oncology</i> , 2007, 18, 806-808.	1.2	17

#	ARTICLE	IF	CITATIONS
127	The Pleura in Health and Disease. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2010, 31, 649-673.	2.1	17
128	Melanocytic nevus with focal atypical epithelioid components (clonal nevus) is a combined nevus. <i>Journal of the American Academy of Dermatology</i> , 2007, 56, 889-890.	1.2	16
129	Deletion of 3p13-14 locus spanning FOXP1 to SHQ1 cooperates with PTEN loss in prostate oncogenesis. <i>Nature Communications</i> , 2017, 8, 1081.	12.8	16
130	Genetic and molecular subtype heterogeneity in newly diagnosed early- and advanced-stage endometrial cancer. <i>Gynecologic Oncology</i> , 2021, 161, 535-544.	1.4	16
131	CD10 Immunohistochemical Staining in Urothelial Neoplasms. <i>American Journal of Clinical Pathology</i> , 2005, 124, 371-379.	0.7	16
132	TSC2-mutant uterine sarcomas with JAZF1-SUZ12 fusions demonstrate hybrid features of endometrial stromal sarcoma and PEComa and are responsive to mTOR inhibition. <i>Modern Pathology</i> , 2022, 35, 117-127.	5.5	16
133	Histiocytoid Change in Breast Carcinoma. <i>Acta Cytologica</i> , 2006, 50, 548-552.	1.3	15
134	Pigmented epithelioid melanocytoma: a recently described melanocytic tumour of low malignant potential. <i>Pathology</i> , 2010, 42, 284-286.	0.6	15
135	Digital papillary adenocarcinoma: a tumour that should be considered in the differential diagnosis of neoplasms involving the digits. <i>Pathology</i> , 2013, 45, 55-61.	0.6	15
136	Lymphoma occurring in patients with cutaneous melanoma. <i>Journal of Clinical Pathology</i> , 2010, 63, 777-781.	2.0	13
137	Melanotic schwannoma mimicking metastatic pigmented melanoma: a pitfall in cytological diagnosis. <i>Pathology</i> , 2010, 42, 287-289.	0.6	13
138	NF1-mutated melanomas reveal distinct clinical characteristics depending on tumour origin and respond favourably to immune checkpoint inhibitors. <i>European Journal of Cancer</i> , 2021, 159, 113-124.	2.8	13
139	TAC1 mutation with invasive polyclonal CD8+ T-cell lymphoproliferation in a patient with common variable immunodeficiency. <i>Journal of Allergy and Clinical Immunology</i> , 2006, 117, 870-877.	2.9	11
140	A 57-YEAR-OLD MAN WITH A DURAL-BASED PARIETAL LOBE TUMOR. <i>Brain Pathology</i> , 2007, 17, 460-463.	4.1	11
141	The Prognostic Significance of Isolated Immunohistochemically Positive Cells in Sentinel Lymph Nodes of Melanoma Patients. <i>American Journal of Surgical Pathology</i> , 2008, 32, 1106-1107.	3.7	11
142	Melanoma exhibiting cartilaginous differentiation. <i>Histopathology</i> , 2010, 56, 815-821.	2.9	11
143	Papillary tumour of the pineal region: cytological features and implications for intraoperative diagnosis. <i>Pathology</i> , 2010, 42, 474-479.	0.6	11
144	Approach to Lung Biopsies From Patients With Pneumothorax. <i>Archives of Pathology and Laboratory Medicine</i> , 2014, 138, 257-265.	2.5	11

#	ARTICLE	IF	CITATIONS
145	Somatic genetic alterations in synchronous and metachronous low- and high-grade serous tumours and high-grade carcinomas of the adnexa. <i>Histopathology</i> , 2019, 74, 638-650.	2.9	11
146	TERT promoter mutations are associated with longer progression-free and overall survival in patients with BRAF-mutant melanoma receiving BRAF and MEK inhibitor therapy. <i>European Journal of Cancer</i> , 2022, 161, 99-107.	2.8	10
147	Cytological features of melanoma in exfoliative fluid specimens. <i>Journal of Clinical Pathology</i> , 2009, 62, 638-643.	2.0	9
148	The Prognostic Value of Tumor Mitotic Rate and Other Clinicopathologic Factors in Patients with Locoregional Recurrences of Melanoma. <i>Annals of Surgical Oncology</i> , 2010, 17, 2992-2999.	1.5	9
149	Diagnosing a Primary Leptomeningeal Melanoma by Gene Mutation Signature. <i>Journal of Investigative Dermatology</i> , 2016, 136, 1526-1528.	0.7	9
150	Analysis of SDHD promoter mutations in various types of melanoma. <i>Oncotarget</i> , 2015, 6, 25868-25882.	1.8	9
151	Mucinous cyst exhibiting severe dysplasia in gastric heterotopic pancreas associated with gastrointestinal stromal tumour. <i>World Journal of Gastroenterology</i> , 2007, 13, 5781.	3.3	9
152	Confirmation of Sentinel Lymph Node Identity by Analysis of Fine-Needle Biopsy Samples Using Inductively Coupled Plasma-Mass Spectrometry. <i>Annals of Surgical Oncology</i> , 2008, 15, 934-940.	1.5	8
153	Synchronous and metachronous malignancies in patients with melanoma: a clinicopathologic study highlighting the role of fine-needle biopsy cytology and potential diagnostic pitfalls. <i>Melanoma Research</i> , 2010, 20, 203-211.	1.2	8
154	Aberrant hypermethylation in primary tumours and sentinel lymph node metastases in paediatric patients with cutaneous melanoma. <i>British Journal of Dermatology</i> , 2012, 166, 1319-1326.	1.5	8
155	RNASeq analysis reveals biological processes governing the clinical behaviour of endometrioid and serous endometrial cancers. <i>European Journal of Cancer</i> , 2016, 64, 149-158.	2.8	8
156	Frequent Occurrence of NRAS and BRAF Mutations in Human Acral Naevi. <i>Cancers</i> , 2019, 11, 546.	3.7	8
157	Positron Lymphography via Intracervical ¹⁸ F-FDG Injection for Presurgical Lymphatic Mapping in Cervical and Endometrial Malignancies. <i>Journal of Nuclear Medicine</i> , 2020, 61, 1123-1130.	5.0	8
158	Can We Better Identify Thin Cutaneous Melanomas That are Likely to Metastasize and Cause Death?. <i>Annals of Surgical Oncology</i> , 2012, 19, 3310-3312.	1.5	7
159	Metaplastic Ossification in Mammary Fibroadenoma. <i>Breast Journal</i> , 2006, 12, 276-277.	1.0	6
160	Atypical fibroxanthoma: differential diagnosis from other sarcomatoid skin lesions. <i>Diagnostic Histopathology</i> , 2010, 16, 401-408.	0.4	6
161	Outcome of cervical intraepithelial neoplasia 2 diagnosed by punch biopsy in 131 women. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011, 37, 754-761.	1.3	6
162	Fine-needle biopsy as a diagnostic technique for metastatic melanoma. <i>Expert Opinion on Medical Diagnostics</i> , 2008, 2, 1-10.	1.6	5

#	ARTICLE	IF	CITATIONS
163	Location of Melanoma Metastases in Sentinel Lymph Nodes: What are the Implications for Histologic Processing of Sentinel Lymph Nodes in Routine Practice?. American Journal of Surgical Pathology, 2010, 34, 127-129.	3.7	5
164	Molecular pathology as a diagnostic aid in difficult-to-classify melanocytic tumours with spitzoid morphology. European Journal of Cancer, 2021, 148, 340-347.	2.8	5
165	Cytologic features of sex cord-stromal tumors in women. Cancer Cytopathology, 2022, 130, 55-71.	2.4	5
166	Characterization, isolation, and in vitro culture of leptomeningeal fibroblasts. Journal of Neuroimmunology, 2021, 361, 577727.	2.3	5
167	Treatment of ovarian clear cell carcinoma with immune checkpoint blockade: a case series. International Journal of Gynecological Cancer, 2022, , ijgc-2022-003430.	2.5	5
168	MALIGNANT OPTIC GLIOMA PRESENTING AS AN ACUTE ANTERIOR OPTIC NEUROPATHY. Retinal Cases and Brief Reports, 2009, 3, 156-160.	0.6	4
169	Cytological features of transitional cell metaplasia of the lower female genital tract. Pathology, 2010, 42, 113-118.	0.6	4
170	Tumor-infiltrating lymphocytes and mitotic index in metastatic melanoma as predictors of patient survival. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, E46; author reply E47.	7.1	4
171	Concurrent involvement of thyroid gland by Wegener's granulomatosis and papillary thyroid carcinoma. Pathology, 2011, 43, 381-383.	0.6	4
172	Absence of loss of heterozygosity of BRCA1 in a renal tumor from a BRCA1 germline mutation carrier. Familial Cancer, 2013, 12, 125-127.	1.9	3
173	Re: van Poppel et al.: Genetic background of iris melanomas and iris melanocytic tumors of uncertain malignant potential (Ophthalmology. 2018;125:904-912). Ophthalmology, 2018, 125, e78-e79.	5.2	3
174	Cytologic features of undifferentiated and dedifferentiated carcinomas of the endometrium. Cancer Cytopathology, 2021, 129, 121-131.	2.4	3
175	An Asymptomatic, Incidentally Discovered Pulmonary Tumor in a 41-Year-Old Woman. Archives of Pathology and Laboratory Medicine, 2005, 129, e191-e194.	2.5	3
176	Cutaneous Metastases. , 2010, , 637-650.		2
177	Completion lymph node dissection in melanoma patients with positive sentinel lymph nodes. European Journal of Surgical Oncology, 2013, 39, 1164-1165.	1.0	2
178	Multiple primary cutaneous melanomas: recent studies highlight features associated with more indolent behaviour. Pathology, 2013, 45, 1-3.	0.6	2
179	Genetic analysis of a morphologically heterogeneous ovarian endometrioid carcinoma. Histopathology, 2017, 71, 480-487.	2.9	2
180	A guided tour of selected issues pertaining to metastatic carcinomas involving or originating from the gynecologic tract. Seminars in Diagnostic Pathology, 2018, 35, 95-107.	1.5	2

#	ARTICLE	IF	CITATIONS
181	Transducin-Like Enhancer of Split 3 (TLE3) Expression Is Associated with Taxane Sensitivity in Nonserous Ovarian Carcinoma in a Three-Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018, 27, 680-688.	2.5	2
182	Molecular Pathology and Genomics of Melanoma. , 2019, , 1-42.		2
183	Can Histologic Parameters of Melanoma Metastases in Sentinel Lymph Nodes Reliably Select Patients Who Can Be Safely Spared Completion Lymph Node Dissection?. <i>Annals of Surgery</i> , 2010, 251, 1188-1189.	4.2	1
184	Molecular Pathology and Genomics of Melanoma. , 2020, , 381-422.		1
185	Female germ cell tumors (GCT): The Memorial Sloan Kettering Cancer Center (MSKCC) experience.. <i>Journal of Clinical Oncology</i> , 2014, 32, 5539-5539.	1.6	1
186	TCR Repertoires in Graft-Versus-Host-Disease (GVHD)-Target Tissues Reveals Tissue Specificity of the Alloimmune Response. <i>Blood</i> , 2020, 136, 21-23.	1.4	1
187	Florid (Floral) Synovitis. <i>International Journal of Surgical Pathology</i> , 2006, 14, 146-146.	0.8	0
188	Fine Needle Aspiration Cytology. <i>Pathology</i> , 2007, 39, 191.	0.6	0
189	Genetic alterations in uveal melanoma. <i>Expert Review of Ophthalmology</i> , 2011, 6, 129-132.	0.6	0
190	Reply to I. Satzger et al. <i>Journal of Clinical Oncology</i> , 2011, 29, e316-e317.	1.6	0
191	Response. <i>Journal of the National Cancer Institute</i> , 2015, 107, djv051-djv051.	6.3	0
192	A pragmatic approach to carcinomas concurrently involving the endometrium and ovary. <i>Gynecologic Oncology Reports</i> , 2019, 27, 74.	0.6	0
193	Melanocytic Proliferations of the Eye. , 2014, , 509-527.		0
194	Melanocytic Neoplasms of the Mucosa. , 2014, , 489-508.		0
195	Abstract 1537: 3p13-14FOXP1-SHQ1deletion spanning multiple potential tumor suppressor genes cooperates withPTENloss in cancer. , 2017, , .		0