

Monika Kubacka

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9516488/monika-kubacka-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

26

papers

182

citations

8

h-index

12

g-index

27

ext. papers

229

ext. citations

4.7

avg, IF

2.44

L-index

#	Paper	IF	Citations
26	Novel D/5-HT receptor modulators related to cariprazine with potential implication to schizophrenia treatment.. <i>European Journal of Medicinal Chemistry</i> , 2022 , 232, 114193	6.8	0
25	Exploring the antiplatelet activity of serotonin 5-HT receptor antagonists bearing 6-fluorobenzo[d]isoxazol-3-yl)propyl) motif- as potential therapeutic agents in the prevention of cardiovascular diseases. <i>Biomedicine and Pharmacotherapy</i> , 2021 , 145, 112424	7.5	1
24	MH-76, a Novel Non-Quinazoline α Adrenoceptor Antagonist, but Not Prazosin Reduces Inflammation and Improves Insulin Signaling in Adipose Tissue of Fructose-Fed Rats. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	2
23	Antiepileptic Drug Tiagabine Does Not Directly Target Key Cardiac Ion Channels Kv11.1, Nav1.5 and Cav1.2. <i>Molecules</i> , 2021 , 26,	4.8	2
22	Novel serotonin 5-HT receptor antagonists derived from 4-phenylcyclohexane-5-spiro-and 5-methyl-5-phenyl-hydantoin, for use as potential antiplatelet agents. <i>Pharmacological Reports</i> , 2021 , 73, 1361-1372	3.9	0
21	Effects of GPR18 Ligands on Body Weight and Metabolic Parameters in a Female Rat Model of Excessive Eating. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	3
20	The GPR18 Agonist PSB-KD-107 Exerts Endothelium-Dependent Vasorelaxant Effects. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	2
19	KM-416, a novel phenoxyalkylaminoalkanol derivative with anticonvulsant properties exerts analgesic, local anesthetic, and antidepressant-like activities. Pharmacodynamic, pharmacokinetic, and forced degradation studies. <i>European Journal of Pharmacology</i> , 2020 , 886, 173540	5.3	0
18	Beneficial effects of non-quinazoline β adrenolytics on hypertension and altered metabolism in fructose-fed rats. A comparison with prazosin. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019 , 29, 751-760	4.5	3
17	Reversal of cardiac, vascular, and renal dysfunction by non-quinazoline β -adrenolytics in DOCA-salt hypertensive rats: a comparison with prazosin, a quinazoline-based β -adrenoceptor antagonist. <i>Hypertension Research</i> , 2019 , 42, 1125-1141	4.7	5
16	Synthesis and biological evaluation of N-arylpiperazine derivatives of 4,4-dimethylisoquinoline-1,3(2H,4H)-dione as potential antiplatelet agents. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2018 , 33, 536-545	5.6	7
15	Synthesis and biological activity of novel tert-butyl and tert-pentylphenoxyalkyl piperazine derivatives as histamine HR ligands. <i>European Journal of Medicinal Chemistry</i> , 2018 , 152, 223-234	6.8	16
14	Involvement of the NO/sGC/cGMP/K channels pathway in vascular relaxation evoked by two non-quinazoline β adrenoceptor antagonists. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 103, 157-166	7.5	4
13	Anti-aggregation effect of aroxyalkyl derivatives of 2-methoxyphenylpiperazine is due to their 5-HT and β adrenoceptor antagonistic properties. A comparison with ketanserin, sarpogrelate, prazosin, yohimbine and ARC239. <i>European Journal of Pharmacology</i> , 2018 , 818, 263-270	5.3	5
12	Biphenyloxy-alkyl-piperidine and azepane derivatives as histamine H receptor ligands. <i>Bioorganic and Medicinal Chemistry</i> , 2017 , 25, 5341-5354	3.4	9
11	Relaxant effects of selected sildenafil analogues in the rat aorta. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2016 , 31, 381-8	5.6	2
10	Antidepressant-like activity of aroxyalkyl derivatives of 2-methoxyphenylpiperazine and evidence for the involvement of serotonin receptor subtypes in their mechanism of action. <i>Pharmacology Biochemistry and Behavior</i> , 2016 , 141, 28-41	3.9	14

9	Synthesis and activity of newly designed aroxyalkyl or aroxyethoxyethyl derivatives of piperazine on the cardiovascular and the central nervous systems. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016 , 26, 5315-5321	2.9	5
8	NEW SPIROHYDANTOIN DERIVATIVES - SYNTHESIS, PHARMACOLOGICAL EVALUATION, AND MOLECULAR MODELING STUDY. <i>Acta Poloniae Pharmaceutica</i> , 2016 , 73, 1545-1554	1.3	2
7	Antinociceptive, anti-inflammatory and smooth muscle relaxant activities of the pyrrolo[3,4-d]pyridazinone derivatives: Possible mechanisms of action. <i>Pharmacology Biochemistry and Behavior</i> , 2015 , 133, 99-110	3.9	29
6	Antiarrhythmic, hypotensive and β -adrenolytic properties of new 2-methoxyphenylpiperazine derivatives of xanthone. <i>European Journal of Pharmacology</i> , 2014 , 735, 10-6	5.3	10
5	Pharmacological evaluation of the anxiolytic-like effects of EMD 386088, a partial 5-HT ₆ receptor agonist, in the rat elevated plus-maze and Vogel conflict tests. <i>Neuropharmacology</i> , 2014 , 85, 253-62	5.5	17
4	The nitric oxide/soluble cyclic guanylate/cyclic guanosine monophosphate pathway is involved in the cardiovascular effects of a novel α - and β -adrenoceptor antagonist. <i>Pharmacology</i> , 2014 , 94, 287-95	2.3	2
3	The hypotensive activity and α 1-adrenoceptor antagonistic properties of some aroxyalkyl derivatives of 2-methoxyphenylpiperazine. <i>European Journal of Pharmacology</i> , 2013 , 698, 335-44	5.3	23
2	Antiarrhythmic properties of some 1,4-disubstituted piperazine derivatives with β -adrenoceptor affinities. <i>European Journal of Pharmacology</i> , 2013 , 720, 237-46	5.3	10
1	Anticonvulsant and antidepressant activity of the selected terpene GABA derivatives in experimental tests in mice. <i>Pharmacological Reports</i> , 2006 , 58, 936-43	3.9	8