

Peer M. Schenk

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9516644/peer-m-schenk-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

200
papers

15,002
citations

58
h-index

120
g-index

206
ext. papers

17,688
ext. citations

5.6
avg, IF

6.81
L-index

#	Paper	IF	Citations
200	Fast-Tracking Isolation, Identification and Characterization of New Microalgae for Nutraceutical and Feed Applications. <i>Phycology</i> , 2022 , 2, 86-107		2
199	Development of large-scale microalgae production in the Middle East. <i>Bioresource Technology</i> , 2022 , 343, 126036	11	0
198	Microbial Biopesticides against Bacterial, Fungal and Oomycete Pathogens of Tomato, Cabbage and Chickpea. <i>Applied Microbiology</i> , 2022 , 2, 288-301		1
197	Biostimulation of Bacteria in Liquid Culture for Identification of New Antimicrobial Compounds.. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	1
196	Osmotic shock pre-treatment of <i>Chaetoceros muelleri</i> wet biomass enhanced solvent-free lipid extraction and biogas production. <i>Algal Research</i> , 2021 , 54, 102177	5	7
195	DEFECTIVE EMBRYO AND MERISTEMS genes are required for cell division and gamete viability in Arabidopsis. <i>PLoS Genetics</i> , 2021 , 17, e1009561	6	0
194	Development of a <i>Phaeodactylum tricornutum</i> biorefinery to sustainably produce omega-3 fatty acids and protein. <i>Journal of Cleaner Production</i> , 2021 , 300, 126839	10.3	4
193	Sugarcane Bagasse Hydrolysate as Organic Carbon Substrate for Mixotrophic Cultivation of <i>Nannochloropsis</i> sp. BR2. <i>Waste and Biomass Valorization</i> , 2021 , 12, 2321-2331	3.2	3
192	Development of High-Level Omega-3 Eicosapentaenoic Acid (EPA) Production from <i>Phaeodactylum tricornutum</i> . <i>Journal of Phycology</i> , 2021 , 57, 258-268	3	7
191	Microalgal biofuel production at national scales: Reducing conflicts with agricultural lands and biodiversity within countries. <i>Energy</i> , 2021 , 215, 119033	7.9	11
190	Arbuscular mycorrhizae and rhizobacteria improve growth, nutritional status and essential oil production in <i>Ocimum basilicum</i> and <i>Satureja hortensis</i> . <i>Industrial Crops and Products</i> , 2021 , 160, 113163 ^{5.9}		10
189	Evidence for the plant recruitment of beneficial microbes to suppress soil-borne pathogens. <i>New Phytologist</i> , 2021 , 229, 2873-2885	9.8	45
188	Plant-produced bacteriocins inhibit plant pathogens and confer disease resistance in tomato. <i>New Biotechnology</i> , 2021 , 63, 54-61	6.4	3
187	Phytomicrobiome for promoting sustainable agriculture and food security: Opportunities, challenges, and solutions. <i>Microbiological Research</i> , 2021 , 248, 126763	5.3	11
186	Suppression of Mediator Subunit-Encoding Confers Broad Resistance Against DNA and RNA Viruses While Is Required for Virus Defense. <i>Frontiers in Plant Science</i> , 2020 , 11, 162	6.2	3
185	Microbiome-Mediated Stress Resistance in Plants. <i>Trends in Plant Science</i> , 2020 , 25, 733-743	13.1	129
184	Plant Microbiome Engineering: Expected Benefits for Improved Crop Growth and Resilience. <i>Trends in Biotechnology</i> , 2020 , 38, 1385-1396	15.1	84

183	Freeing land from biofuel production through microalgal cultivation in the Neotropical region. <i>Environmental Research Letters</i> , 2020 , 15, 094094	6.2	7
182	Cold and dark treatments induce omega-3 fatty acid and carotenoid production in <i>Nannochloropsis oceanica</i> . <i>Algal Research</i> , 2020 , 51, 102059	5	11
181	Effective Harvesting of Microalgae Using Mushroom Chitosan: A Pilot-Scale Study. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020 , 8, 771	5.8	7
180	Growth-promoting bacteria double eicosapentaenoic acid yield in microalgae. <i>Bioresource Technology</i> , 2020 , 316, 123916	11	11
179	Biomass Production from Marine Microalgae 2020 , 693-710		
178	Evaluation of microalgae and cyanobacteria as potential sources of antimicrobial compounds. <i>Saudi Pharmaceutical Journal</i> , 2020 , 28, 1834-1841	4.4	25
177	Mixotrophic cultivation of <i>Scenedesmus dimorphus</i> in sugarcane bagasse hydrolysate. <i>Environmental Progress and Sustainable Energy</i> , 2020 , 39, e13334	2.5	12
176	<i>Phaeodactylum tricornutum</i> microalgae as a rich source of omega-3 oil: Progress in lipid induction techniques towards industry adoption. <i>Food Chemistry</i> , 2019 , 297, 124937	8.5	23
175	Heavy metal bioremediation of coal-fired flue gas using microalgae under different CO concentrations. <i>Journal of Environmental Management</i> , 2019 , 241, 243-250	7.9	18
174	Soil amendments with ethylene precursor alleviate negative impacts of salinity on soil microbial properties and productivity. <i>Scientific Reports</i> , 2019 , 9, 6892	4.9	12
173	Assessing the fertilizing potential of microalgal digestates using the marine diatom <i>Chaetoceros muelleri</i> . <i>Algal Research</i> , 2019 , 41, 101534	5	9
172	Impact of osmotic shock pre-treatment on microalgae lipid extraction and subsequent methane production. <i>Bioresource Technology Reports</i> , 2019 , 7, 100214	4.1	15
171	Sugarcane bagasse as a novel low/no cost organic carbon source for growth of <i>Chlorella</i> sp. BR2. <i>Biofuels</i> , 2019 , 1-7	2	6
170	Towards the implementation of sustainable biofuel production systems. <i>Renewable and Sustainable Energy Reviews</i> , 2019 , 107, 250-263	16.2	105
169	Global mapping of cost-effective microalgal biofuel production areas with minimal environmental impact. <i>GCB Bioenergy</i> , 2019 , 11, 914-929	5.6	21
168	Plant Defense by VOC-Induced Microbial Priming. <i>Trends in Plant Science</i> , 2019 , 24, 187-189	13.1	48
167	An Ecological Loop: Host Microbiomes across Multitrophic Interactions. <i>Trends in Ecology and Evolution</i> , 2019 , 34, 1118-1130	10.9	39
166	Soil bacterial diffusible and volatile organic compounds inhibit <i>Phytophthora capsici</i> and promote plant growth. <i>Science of the Total Environment</i> , 2019 , 692, 267-280	10.2	32

165	The Gene Expression Is Mediated by Diverse Signals that Link Biotic and Abiotic Stress Factors with ROS and Can Be a Useful Molecular Marker for Oxidative Stress. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	16
164	Introducing the hydrate gel membrane technology for filtration of mine tailings. <i>Minerals Engineering</i> , 2019 , 135, 1-8	4.9	6
163	Chromosome-Scale Genome Assembly of Two Australian <i>Nannochloropsis oceanica</i> Isolates Exhibiting Superior Lipid Characteristics. <i>Microbiology Resource Announcements</i> , 2019 , 8,	1.3	8
162	Transcriptome-wide analysis of <i>Chlorella</i> reveals auxin-induced carotenogenesis pathway in green microalgae. <i>Algal Research</i> , 2019 , 37, 320-335	5	14
161	The ability of plants to produce strigolactones affects rhizosphere community composition of fungi but not bacteria. <i>Rhizosphere</i> , 2019 , 9, 18-26	3.5	30
160	Suppression of <i>Phytophthora capsici</i> infection and promotion of tomato growth by soil bacteria. <i>Rhizosphere</i> , 2019 , 9, 72-75	3.5	18
159	Efficient Harvesting of Microalgae via Optimized Chitosan-Mediated Flocculation. <i>Global Challenges</i> , 2019 , 3, 1800038	4.3	12
158	Mixed microalgae consortia growth under higher concentration of CO from unfiltered coal fired flue gas: Fatty acid profiling and biodiesel production. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2018 , 179, 126-133	6.7	45
157	LED power efficiency of biomass, fatty acid, and carotenoid production in <i>Nannochloropsis</i> microalgae. <i>Bioresource Technology</i> , 2018 , 252, 118-126	11	45
156	Strategic tillage in conservation agricultural systems of north-eastern Australia: why, where, when and how?. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 1000-1015	5.1	35
155	Integrated biodiesel and biogas production from microalgae: Towards a sustainable closed loop through nutrient recycling. <i>Renewable and Sustainable Energy Reviews</i> , 2018 , 82, 1137-1148	16.2	57
154	Activation of the salicylic acid signalling pathway in wheat had no significant short-term impact on the diversity of root-associated microbiomes. <i>Pedobiologia</i> , 2018 , 70, 6-11	1.7	6
153	Gene expression profiling of astaxanthin and fatty acid pathways in <i>Haematococcus pluvialis</i> in response to different LED lighting conditions. <i>Bioresource Technology</i> , 2018 , 250, 591-602	11	50
152	Emerging microbial biocontrol strategies for plant pathogens. <i>Plant Science</i> , 2018 , 267, 102-111	5.3	258
151	Identification of Soil Bacterial Isolates Suppressing Different spp. and Promoting Plant Growth. <i>Frontiers in Plant Science</i> , 2018 , 9, 1502	6.2	36
150	Blue light enhances astaxanthin biosynthesis metabolism and extraction efficiency in <i>Haematococcus pluvialis</i> by inducing haematocyst germination. <i>Algal Research</i> , 2018 , 35, 215-222	5	22
149	Biogas production coupled to repeat microalgae cultivation using a closed nutrient loop. <i>Bioresource Technology</i> , 2018 , 263, 625-630	11	24
148	Effects of jasmonic acid signalling on the wheat microbiome differ between body sites. <i>Scientific Reports</i> , 2017 , 7, 41766	4.9	66

147	Selection and adaptation of microalgae to growth in 100% unfiltered coal-fired flue gas. <i>Bioresource Technology</i> , 2017 , 233, 271-283	11	69
146	UV-C radiation increases sterol production in the microalga <i>Pavlova lutheri</i> . <i>Phytochemistry</i> , 2017 , 139, 25-32	4	24
145	Jasmonic acid signalling and the plant holobiont. <i>Current Opinion in Microbiology</i> , 2017 , 37, 42-47	7.9	39
144	A biorefinery for <i>Nannochloropsis</i> : Induction, harvesting, and extraction of EPA-rich oil and high-value protein. <i>Bioresource Technology</i> , 2017 , 244, 1416-1424	11	83
143	RNA-Seq and metabolic flux analysis of <i>Tetraselmis</i> sp. M8 during nitrogen starvation reveals a two-stage lipid accumulation mechanism. <i>Bioresource Technology</i> , 2017 , 244, 1281-1293	11	22
142	Biodiversity impacts of bioenergy production: Microalgae vs. first generation biofuels. <i>Renewable and Sustainable Energy Reviews</i> , 2017 , 74, 1131-1146	16.2	72
141	Microalgae as a Sustainable Source of Nutraceuticals 2017 , 1-19		3
140	Toward Plant Defense Mechanisms Against Root Pathogens 2017 , 293-313		0
139	Tiny Microbes, Big Yields: enhancing food crop production with biological solutions. <i>Microbial Biotechnology</i> , 2017 , 10, 999-1003	6.3	68
138	Complete Nucleotide Sequence of Australian Isolate TSWV-QLD2. <i>Genome Announcements</i> , 2017 , 5,		2
137	High flux water purification using aluminium hydroxide hydrate gels. <i>Scientific Reports</i> , 2017 , 7, 17437	4.9	13
136	An Optimized Transient Dual Luciferase Assay for Quantifying MicroRNA Directed Repression of Targeted Sequences. <i>Frontiers in Plant Science</i> , 2017 , 8, 1631	6.2	18
135	Inner Plant Values: Diversity, Colonization and Benefits from Endophytic Bacteria. <i>Frontiers in Microbiology</i> , 2017 , 8, 2552	5.7	283
134	MEDIATOR18 and MEDIATOR20 confer susceptibility to <i>Fusarium oxysporum</i> in <i>Arabidopsis thaliana</i> . <i>PLoS ONE</i> , 2017 , 12, e0176022	3.7	19
133	Functional metabolomics as a tool to analyze Mediator function and structure in plants. <i>PLoS ONE</i> , 2017 , 12, e0179640	3.7	7
132	Microalgae selection and improvement as oil crops: GM vs non-GM strain engineering. <i>AIMS Bioengineering</i> , 2017 , 4, 151-161	3.4	14
131	Analysis of the first complete genome sequence of an Australian tomato spotted wilt virus isolate. <i>Australasian Plant Pathology</i> , 2016 , 45, 509-512	1.4	4
130	Strategic tillage increased the relative abundance of Acidobacteria but did not impact on overall soil microbial properties of a 19-year no-till Solonetz. <i>Biology and Fertility of Soils</i> , 2016 , 52, 1021-1035	6.1	11

129	Lipid extraction from wet <i>Chaetoceros muelleri</i> culture and evaluation of remaining defatted biomass. <i>Algal Research</i> , 2016 , 20, 205-212	5	13
128	Strategic tillage on a Grey Vertosol after fifteen years of no-till management had no short-term impact on soil properties and agronomic productivity. <i>Geoderma</i> , 2016 , 267, 146-155	6.7	27
127	One-time strategic tillage does not cause major impacts on soil microbial properties in a no-till Calcisol. <i>Soil and Tillage Research</i> , 2016 , 158, 91-99	6.5	25
126	Occasional tillage has no effect on soil microbial biomass, activity and composition in Vertisols under long-term no-till. <i>Biology and Fertility of Soils</i> , 2016 , 52, 191-202	6.1	15
125	Comparison of Microalgae Cultivation in Photobioreactor, Open Raceway Pond, and a Two-Stage Hybrid System. <i>Frontiers in Energy Research</i> , 2016 , 4,	3.8	129
124	Global Plant Stress Signaling: Reactive Oxygen Species at the Cross-Road. <i>Frontiers in Plant Science</i> , 2016 , 7, 187	6.2	330
123	Dissolved air flotation and centrifugation as methods for oil recovery from ruptured microalgal cells. <i>Bioresource Technology</i> , 2016 , 218, 428-35	11	26
122	Progress on lipid extraction from wet algal biomass for biodiesel production. <i>Microbial Biotechnology</i> , 2016 , 9, 718-726	6.3	110
121	Complete Nucleotide Sequence of an Australian Isolate of Turnip mosaic virus before and after Seven Years of Serial Passaging. <i>Genome Announcements</i> , 2016 , 4,		4
120	Short-term impact of an occasional tillage on microbial communities in a Vertosol after 43 years of no-tillage or conventional tillage. <i>European Journal of Soil Biology</i> , 2016 , 74, 32-38	2.9	14
119	Development of marker genes for jasmonic acid signaling in shoots and roots of wheat. <i>Plant Signaling and Behavior</i> , 2016 , 11, e1176654	2.5	21
118	Rapid induction of omega-3 fatty acids (EPA) in <i>Nannochloropsis</i> sp. by UV-C radiation. <i>Biotechnology and Bioengineering</i> , 2015 , 112, 1243-9	4.9	22
117	Enhanced triacylglyceride extraction from microalgae using free nitrous acid pre-treatment. <i>Applied Energy</i> , 2015 , 154, 183-189	10.7	7
116	Investigating Cellular Responses During Photohydrogen Production by the Marine Microalga <i>Tetraselmis subcordiformis</i> by Quantitative Proteome Analysis. <i>Applied Biochemistry and Biotechnology</i> , 2015 , 177, 649-61	3.2	6
115	Rapid Lipid Induction in <i>Chlorella</i> sp. by UV-C Radiation. <i>Bioenergy Research</i> , 2015 , 8, 1824-1830	3.1	13
114	Induced carotenoid accumulation in <i>Dunaliella salina</i> and <i>Tetraselmis suecica</i> by plant hormones and UV-C radiation. <i>Applied Microbiology and Biotechnology</i> , 2015 , 99, 9407-16	5.7	30
113	Effect of drying, storage temperature and air exposure on astaxanthin stability from <i>Haematococcus pluvialis</i> . <i>Food Research International</i> , 2015 , 74, 231-236	7	51
112	Protocols on Lipid Extraction from Wet Algal Biomass. <i>Springer Protocols</i> , 2015 , 75-79	0.3	

111	Comparison of astaxanthin accumulation and biosynthesis gene expression of three <i>Haematococcus pluvialis</i> strains upon salinity stress. <i>Journal of Applied Phycology</i> , 2015 , 27, 1853-1860	3.2	37
110	Proteomic analysis of protein methylation in the yeast <i>Saccharomyces cerevisiae</i> . <i>Journal of Proteomics</i> , 2015 , 114, 226-33	3.9	27
109	Isolation of High-Lipid <i>Tetraselmis suecica</i> Strains Following Repeated UV-C Mutagenesis, FACS, and High-Throughput Growth Selection. <i>Bioenergy Research</i> , 2015 , 8, 750-759	3.1	18
108	Changes in the soil quality attributes of continuous no-till farming systems following a strategic tillage. <i>Soil Research</i> , 2015 , 53, 263	1.8	32
107	Nutraceuticals from Microalgae 2015 , 673-684		5
106	UV-C mediated rapid carotenoid induction and settling performance of <i>Dunaliella salina</i> and <i>Haematococcus pluvialis</i> . <i>Biotechnology and Bioengineering</i> , 2015 , 112, 2106-14	4.9	16
105	New feed sources key to ambitious climate targets. <i>Carbon Balance and Management</i> , 2015 , 10, 26	3.6	39
104	High protein- and high lipid-producing microalgae from northern Australia as potential feedstock for animal feed and biodiesel. <i>Frontiers in Bioengineering and Biotechnology</i> , 2015 , 3, 53	5.8	65
103	Growth and lipid accumulation of microalgae from fluctuating brackish and sea water locations in South East Queensland-Australia. <i>Frontiers in Plant Science</i> , 2015 , 6, 359	6.2	37
102	<i>Pavlova lutheri</i> is a high-level producer of phytosterols. <i>Algal Research</i> , 2015 , 10, 210-217	5	46
101	Linking Jasmonic Acid Signaling, Root Exudates, and Rhizosphere Microbiomes. <i>Molecular Plant-Microbe Interactions</i> , 2015 , 28, 1049-58	3.6	151
100	Flotation separation of marine microalgae from aqueous medium. <i>Separation and Purification Technology</i> , 2015 , 156, 636-641	8.3	23
99	Oleaginous Microalgae Isolation and Screening for Lipid Productivity Using a Standard Protocol. <i>Springer Protocols</i> , 2015 , 283-298	0.3	1
98	Root defense analysis against <i>Fusarium oxysporum</i> reveals new regulators to confer resistance. <i>Scientific Reports</i> , 2014 , 4, 5584	4.9	64
97	A comparative study: the impact of different lipid extraction methods on current microalgal lipid research. <i>Microbial Cell Factories</i> , 2014 , 13, 14	6.4	149
96	New host record of a <i>Candidatus Phytoplasma asteris</i> -related strain infecting peach in India. <i>Australasian Plant Disease Notes</i> , 2014 , 9, 1	0.8	4
95	UV-C-mediated lipid induction and settling, a step change towards economical microalgal biodiesel production. <i>Green Chemistry</i> , 2014 , 16, 3539-3548	10	52
94	Plant defence inducers rapidly influence the diversity of bacterial communities in a potting mix. <i>Applied Soil Ecology</i> , 2014 , 84, 1-5	5	23

93	Effective harvesting of low surface-hydrophobicity microalgae by froth flotation. <i>Bioresource Technology</i> , 2014 , 159, 437-41	11	41
92	Reduced peroxisomal citrate synthase activity increases substrate availability for polyhydroxyalkanoate biosynthesis in plant peroxisomes. <i>Plant Biotechnology Journal</i> , 2014 , 12, 1044-52 ^{11.6}		9
91	Profiling of carotenoids and antioxidant capacity of microalgae from subtropical coastal and brackish waters. <i>Food Chemistry</i> , 2014 , 165, 300-6	8.5	110
90	Effects of long chain fatty acid synthesis and associated gene expression in microalga <i>Tetraselmis</i> sp. <i>Marine Drugs</i> , 2014 , 12, 3381-98	6	46
89	Comparative Effects of Biomass Pre-Treatments for Direct and Indirect Transesterification to Enhance Microalgal Lipid Recovery. <i>Frontiers in Energy Research</i> , 2014 , 2,	3.8	15
88	Transcriptome Analysis of Induced Resistance 2014 , 41-57		
87	Molecular defense responses in roots and the rhizosphere against <i>Fusarium oxysporum</i> . <i>Plant Signaling and Behavior</i> , 2014 , 9, e977710	2.5	18
86	Towards sustainable sources for omega-3 fatty acids production. <i>Current Opinion in Biotechnology</i> , 2014 , 26, 14-8	11.4	153
85	Rapid cloning of genes and promoters for functional analyses. <i>Methods in Molecular Biology</i> , 2014 , 1099, 123-32	1.4	2
84	Critical analysis of current Microalgae dewatering techniques. <i>Biofuels</i> , 2013 , 4, 397-407	2	101
83	Culture-Independent Molecular Tools for Soil and Rhizosphere Microbiology. <i>Diversity</i> , 2013 , 5, 581-612	2.5	69
82	The Role of Transcription Factors in Wheat Under Different Abiotic Stresses 2013 ,		19
81	Rhizosphere Metatranscriptomics: Challenges and Opportunities 2013 , 1137-1144		9
80	Plant growth in <i>Arabidopsis</i> is assisted by compost soil-derived microbial communities. <i>Frontiers in Plant Science</i> , 2013 , 4, 235	6.2	35
79	Sample processing and cDNA preparation for microbial metatranscriptomics in complex soil communities. <i>Methods in Enzymology</i> , 2013 , 531, 251-67	1.7	7
78	Thinking outside of the box: potential of zooplankton for microalgae harvesting. <i>Biofuels</i> , 2013 , 4, 263-266		3
77	Activation of the jasmonic acid plant defence pathway alters the composition of rhizosphere bacterial communities. <i>PLoS ONE</i> , 2013 , 8, e56457	3.7	122
76	Ethylene response factor 6 is a regulator of reactive oxygen species signaling in <i>Arabidopsis</i> . <i>PLoS ONE</i> , 2013 , 8, e70289	3.7	102

75	Unraveling plant-microbe interactions: can multi-species transcriptomics help?. <i>Trends in Biotechnology</i> , 2012 , 30, 177-84	15.1	152
74	Perspectives on metabolic engineering for increased lipid contents in microalgae. <i>Biofuels</i> , 2012 , 3, 71-86		50
73	Current research and perspectives of microalgal biofuels in Australia. <i>Biofuels</i> , 2012 , 3, 427-439	2	12
72	Application of metatranscriptomics to soil environments. <i>Journal of Microbiological Methods</i> , 2012 , 91, 246-51	2.8	107
71	Microalgal biofactories: a promising approach towards sustainable omega-3 fatty acid production. <i>Microbial Cell Factories</i> , 2012 , 11, 96	6.4	339
70	Microalgae Isolation and Selection for Prospective Biodiesel Production. <i>Energies</i> , 2012 , 5, 1835-1849	3.1	108
69	Flotation of marine microalgae: effect of algal hydrophobicity. <i>Bioresource Technology</i> , 2012 , 121, 471-411		58
68	Algal Biorefinery: Sustainable Production of Biofuels and Aquaculture Feed?. <i>Cellular Origin and Life in Extreme Habitats</i> , 2012 , 21-41		7
67	Isolation and evaluation of oil-producing microalgae from subtropical coastal and brackish waters. <i>PLoS ONE</i> , 2012 , 7, e40751	3.7	124
66	High Lipid Induction in Microalgae for Biodiesel Production. <i>Energies</i> , 2012 , 5, 1532-1553	3.1	601
65	MEDIATOR25 acts as an integrative hub for the regulation of jasmonate-responsive gene expression in Arabidopsis. <i>Plant Physiology</i> , 2012 , 160, 541-55	6.6	171
64	Auxin signaling and transport promote susceptibility to the root-infecting fungal pathogen <i>Fusarium oxysporum</i> in Arabidopsis. <i>Molecular Plant-Microbe Interactions</i> , 2011 , 24, 733-48	3.6	106
63	Diverse roles of the Mediator complex in plants. <i>Seminars in Cell and Developmental Biology</i> , 2011 , 22, 741-8	7.5	74
62	Peroxisomal polyhydroxyalkanoate biosynthesis is a promising strategy for bioplastic production in high biomass crops. <i>Plant Biotechnology Journal</i> , 2011 , 9, 958-69	11.6	32
61	The proteome analysis of oleaginous yeast <i>Lipomyces starkeyi</i> . <i>FEMS Yeast Research</i> , 2011 , 11, 42-51	3.1	40
60	Is the effect of priming plants, and a functional JAR1, negligible on the foraging behaviour and development of a generalist lepidopteran, <i>Helicoverpa armigera</i> ?. <i>Entomologia Experimentalis Et Applicata</i> , 2011 , 141, 78-87	2.1	2
59	Isolation of mRNA from Environmental Microbial Communities for Metatranscriptomic Analyses 2011 , 567-574		
58	Sequential extraction leading to improved proteomic analysis of the oleaginous yeast <i>Lipomyces starkeyi</i> . <i>Chinese Journal of Chromatography (Se Pu)</i> , 2011 , 29, 382-8	0.2	

57	Transcription profiling of the isoflavone phenylpropanoid pathway in soybean in response to Bradyrhizobium japonicum inoculation. <i>Functional Plant Biology</i> , 2010 , 38, 13-24	2.7	8
56	Massively parallel sequencing and analysis of expressed sequence tags in a successful invasive plant. <i>Annals of Botany</i> , 2010 , 106, 1009-17	4.1	26
55	Development of an environmental functional gene microarray for soil microbial communities. <i>Applied and Environmental Microbiology</i> , 2010 , 76, 7161-70	4.8	34
54	DNA is taken up by root hairs and pollen, and stimulates root and pollen tube growth. <i>Plant Physiology</i> , 2010 , 153, 799-805	6.6	51
53	Plant mediator: mediating the jasmonate response. <i>Plant Signaling and Behavior</i> , 2010 , 5, 718-20	2.5	10
52	Efficient targeting of polyhydroxybutyrate biosynthetic enzymes to plant peroxisomes requires more than three amino acids in the carboxyl-terminal signal. <i>Journal of Plant Physiology</i> , 2010 , 167, 329-32 ⁶	3.6	11
51	The race for highly productive microalgae strains. <i>Biofuels</i> , 2010 , 1, 835-837	2	6
50	A MYB gene from wheat (<i>Triticum aestivum</i> L.) is up-regulated during salt and drought stresses and differentially regulated between salt-tolerant and sensitive genotypes. <i>Plant Cell Reports</i> , 2010 , 29, 835-44	5.1	72
49	The metabolome of <i>Chlamydomonas reinhardtii</i> following induction of anaerobic H ₂ production by sulfur depletion. <i>Journal of Biological Chemistry</i> , 2009 , 284, 23415-25	5.4	110
48	The metabolome of <i>Chlamydomonas reinhardtii</i> following induction of anaerobic H ₂ production by sulfur depletion.. <i>Journal of Biological Chemistry</i> , 2009 , 284, 35996	5.4	46
47	The mediator complex subunit PFT1 is a key regulator of jasmonate-dependent defense in Arabidopsis. <i>Plant Cell</i> , 2009 , 21, 2237-52	11.6	246
46	Nitrogen affects cluster root formation and expression of putative peptide transporters. <i>Journal of Experimental Botany</i> , 2009 , 60, 2665-76	7	45
45	Comparative proteomic analysis of <i>Rhodospiridium toruloides</i> during lipid accumulation. <i>Yeast</i> , 2009 , 26, 553-66	3.4	62
44	Heterotrimeric G proteins-mediated resistance to necrotrophic pathogens includes mechanisms independent of salicylic acid-, jasmonic acid/ethylene- and abscisic acid-mediated defense signaling. <i>Plant Journal</i> , 2009 , 58, 69-81	6.9	118
43	Phylogenetic and transcriptional analysis of a strictosidine synthase-like gene family in Arabidopsis thaliana reveals involvement in plant defence responses. <i>Plant Biology</i> , 2009 , 11, 105-17	3.7	32
42	Reproductive biology of <i>Corymbia citriodora</i> subsp. <i>variegata</i> and effective pollination across its native range in Queensland, Australia. <i>Southern Forests</i> , 2009 , 71, 125-132	0.6	14
41	Phylogenetic and molecular analysis of hydrogen-producing green algae. <i>Journal of Experimental Botany</i> , 2009 , 60, 1691-702	7	53
40	Identification of plant defence genes in canola using Arabidopsis cDNA microarrays. <i>Plant Biology</i> , 2008 , 10, 539-47	3.7	10

39	The Fusarium mycotoxin deoxynivalenol elicits hydrogen peroxide production, programmed cell death and defence responses in wheat. <i>Molecular Plant Pathology</i> , 2008 , 9, 435-45	5.7	209
38	Isolation and analysis of mRNA from environmental microbial communities. <i>Journal of Microbiological Methods</i> , 2008 , 75, 172-6	2.8	82
37	Gene expression analysis of the wheat response to infection by Fusarium pseudograminearum. <i>Physiological and Molecular Plant Pathology</i> , 2008 , 73, 40-47	2.6	62
36	Plants can use protein as a nitrogen source without assistance from other organisms. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 4524-9	11.5	244
35	Transcriptome for photobiological hydrogen production induced by sulfur deprivation in the green alga <i>Chlamydomonas reinhardtii</i> . <i>Eukaryotic Cell</i> , 2008 , 7, 1965-79		114
34	UV-induced DNA damage promotes resistance to the biotrophic pathogen <i>Hyaloperonospora parasitica</i> in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2008 , 148, 1021-31	6.6	49
33	Second Generation Biofuels: High-Efficiency Microalgae for Biodiesel Production. <i>Bioenergy Research</i> , 2008 , 1, 20-43	3.1	1644
32	Engineering photosynthetic light capture: impacts on improved solar energy to biomass conversion. <i>Plant Biotechnology Journal</i> , 2007 , 5, 802-14	11.6	265
31	pGFPGUSPlus, a new binary vector for gene expression studies and optimising transformation systems in plants. <i>Biotechnology Letters</i> , 2007 , 29, 1793-6	3	33
30	Phylogenetic and molecular analysis of the ribulose-1,5-bisphosphate carboxylase small subunit gene family in banana. <i>Journal of Experimental Botany</i> , 2007 , 58, 2685-97	7	11
29	Promoters of orthologous <i>Glycine max</i> and <i>Lotus japonicus</i> nodulation autoregulation genes interchangeably drive phloem-specific expression in transgenic plants. <i>Molecular Plant-Microbe Interactions</i> , 2007 , 20, 769-80	3.6	69
28	MYC2 differentially modulates diverse jasmonate-dependent functions in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2007 , 19, 2225-45	11.6	722
27	Salicylic acid mediates resistance to the vascular wilt pathogen <i>Fusarium oxysporum</i> in the model host <i>Arabidopsis thaliana</i> . <i>Australasian Plant Pathology</i> , 2006 , 35, 581	1.4	71
26	Heterotrimeric G proteins facilitate <i>Arabidopsis</i> resistance to necrotrophic pathogens and are involved in jasmonate signaling. <i>Plant Physiology</i> , 2006 , 140, 210-20	6.6	182
25	Methyl jasmonate induced gene expression in wheat delays symptom development by the crown rot pathogen <i>Fusarium pseudograminearum</i> . <i>Physiological and Molecular Plant Pathology</i> , 2005 , 67, 171-179	2.6	79
24	Identification of functional sequences in the pregenomic RNA promoter of the Banana streak virus Cavendish strain (BSV-Cav). <i>Virus Research</i> , 2005 , 108, 177-86	6.4	3
23	The SEN1 gene of <i>Arabidopsis</i> is regulated by signals that link plant defence responses and senescence. <i>Plant Physiology and Biochemistry</i> , 2005 , 43, 997-1005	5.4	73
22	Functional promoter analysis using an approach based on an in vitro evolution strategy. <i>BioTechniques</i> , 2005 , 38, 209-10, 212, 214-6	2.5	9

21	Improved photobiological H ₂ production in engineered green algal cells. <i>Journal of Biological Chemistry</i> , 2005 , 280, 34170-7	5.4	274
20	Repressor- and activator-type ethylene response factors functioning in jasmonate signaling and disease resistance identified via a genome-wide screen of Arabidopsis transcription factor gene expression. <i>Plant Physiology</i> , 2005 , 139, 949-59	6.6	448
19	Antagonistic interaction between abscisic acid and jasmonate-ethylene signaling pathways modulates defense gene expression and disease resistance in Arabidopsis. <i>Plant Cell</i> , 2004 , 16, 3460-79	11.6	849
18	The Arabidopsis mutant <i>iop1</i> exhibits induced over-expression of the plant defensin gene PDF1.2 and enhanced pathogen resistance. <i>Molecular Plant Pathology</i> , 2003 , 4, 479-86	5.7	15
17	Pathogen-responsive expression of a putative ATP-binding cassette transporter gene conferring resistance to the diterpenoid sclareol is regulated by multiple defense signaling pathways in Arabidopsis. <i>Plant Physiology</i> , 2003 , 133, 1272-84	6.6	177
16	Systemic gene expression in Arabidopsis during an incompatible interaction with <i>Alternaria brassicicola</i> . <i>Plant Physiology</i> , 2003 , 132, 999-1010	6.6	149
15	Using biplots to interpret gene expression patterns in plants. <i>Bioinformatics</i> , 2002 , 18, 202-4	7.2	93
14	DNA microarrays: new tools in the analysis of plant defence responses. <i>Molecular Plant Pathology</i> , 2001 , 2, 177-85	5.7	32
13	Promoters for pregenomic RNA of banana streak badnavirus are active for transgene expression in monocot and dicot plants. <i>Plant Molecular Biology</i> , 2001 , 47, 399-412	4.6	57
12	Coordinated plant defense responses in Arabidopsis revealed by microarray analysis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 11655-60	11.5	1159
11	A promoter from sugarcane bacilliform badnavirus drives transgene expression in banana and other monocot and dicot plants. <i>Plant Molecular Biology</i> , 1999 , 39, 1221-30	4.6	48
10	A Protocol for the Fluorometric Quantification of mGFP5-ER and sGFP(S65T) in Transgenic Plants. <i>Plant Molecular Biology Reporter</i> , 1999 , 17, 385-395	1.7	33
9	Assessment of Transient Gene Expression in Plant Tissues Using the Green Fluorescent Protein as a Reference. <i>Plant Molecular Biology Reporter</i> , 1998 , 16, 313-322	1.7	27
8	Cloning and sequence analysis of RNA-2 of a mechanically transmitted UK isolate of barley mild mosaic bymovirus (BaMMV). <i>Virus Research</i> , 1995 , 37, 99-111	6.4	23
7	Movement of barley mild mosaic and barley yellow mosaic viruses in leaves and roots of barley. <i>Annals of Applied Biology</i> , 1995 , 126, 291-305	2.6	11
6	Association of two barley yellow mosaic virus (RNA 2) encoded proteins with cytoplasmic inclusion bodies revealed by immunogold localisation. <i>Protoplasma</i> , 1993 , 173, 113-122	3.4	4
5	Effective colonisation by a bacterial synthetic community promotes plant growth and alters soil microbial community		2
4	Transcriptome-wide analysis of auxin-induced carotenoid accumulation in <i>Chlorella</i> microalgae		1

3	Recent trends in microalgal harvesting: an overview. <i>Environment, Development and Sustainability</i> ,1	4-5	1
2	Genomics in Induced Resistance31-64		6
1	Transcriptomics of Plants Interacting with Pathogens and Beneficial Microbes525-536		3