

Pablo Steinberg

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9516858/pablo-steinberg-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77
papers

827
citations

15
h-index

26
g-index

86
ext. papers

996
ext. citations

5.8
avg. IF

4.15
L-index

#	Paper	IF	Citations
77	Repair of O6-carboxymethylguanine adducts by O6-methylguanine-DNA methyltransferase in human colon epithelial cells. <i>Carcinogenesis</i> , 2021 , 42, 1110-1118	4.6	2
76	Mode of action-based risk assessment of genotoxic carcinogens. <i>Archives of Toxicology</i> , 2020 , 94, 1787-1887	3.87	46
75	Comparison of points of departure between subchronic and chronic toxicity studies on food additives, food contaminants and natural food constituents. <i>Food and Chemical Toxicology</i> , 2020 , 146, 111784	4.7	2
74	Synthesis and in vitro characterization of the genotoxic, mutagenic and cell-transforming potential of nitrosylated heme. <i>Archives of Toxicology</i> , 2020 , 94, 3911-3927	5.8	5
73	Non-targeted and targeted analysis of oxylipins in combination with charge-switch derivatization by ion mobility high-resolution mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2020 , 412, 5743-5757	4.4	5
72	Dietary Polyphenols Inhibit the Cytochrome P450 Monooxygenase Branch of the Arachidonic Acid Cascade with Remarkable Structure-Dependent Selectivity and Potency. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 9235-9244	5.7	3
71	Biperiden and mepazine effectively inhibit MALT1 activity and tumor growth in pancreatic cancer. <i>International Journal of Cancer</i> , 2020 , 146, 1618-1630	7.5	5
70	Isolation and Quantification of Sphingosine and Sphinganine from Rat Serum Revealed Gender Differences. <i>Biomolecules</i> , 2019 , 9,	5.9	2
69	Hazard assessment of quinaldine-, alkylcarbazole-, benzene- and toluene-based liquid organic hydrogen carrier (LOHCs) systems. <i>Energy and Environmental Science</i> , 2019 , 12, 366-383	35.4	11
68	Surface defects reduce Carbon Nanotube toxicity in vitro. <i>Toxicology in Vitro</i> , 2019 , 60, 12-18	3.6	16
67	Gut microbial transformation of the dietary mutagen MeIQx may reduce exposure levels without altering intestinal transport. <i>Toxicology in Vitro</i> , 2019 , 59, 238-245	3.6	8
66	Red Meat-Derived Nitroso Compounds, Lipid Peroxidation Products and Colorectal Cancer. <i>Foods</i> , 2019 , 8,	4.9	11
65	The Setup of the National Reference Centre for Authentic Food (NRZ-Authent) in Germany. <i>European Journal of Lipid Science and Technology</i> , 2019 , 121, 1900023	3	5
64	Assessment of mixture toxicity of (tri)azoles and their hepatotoxic effects in vitro by means of omics technologies. <i>Archives of Toxicology</i> , 2019 , 93, 2321-2333	5.8	20
63	Lack of adverse effects in subchronic and chronic toxicity/carcinogenicity studies on the glyphosate-resistant genetically modified maize NK603 in Wistar Han RCC rats. <i>Archives of Toxicology</i> , 2019 , 93, 1095-1139	5.8	24
62	Effects of a Grapevine Shoot Extract Containing Resveratrol and Resveratrol Oligomers on Intestinal Adenoma Development in Mice: In Vitro and In Vivo Studies. <i>Molecular Nutrition and Food Research</i> , 2018 , 62, 1700450	5.9	6
61	Humoral and cellular immune response in Wistar Han RCC rats fed two genetically modified maize MON810 varieties for 90 days (EU 7th Framework Programme project GRACE). <i>Archives of Toxicology</i> , 2018 , 92, 2385-2399	5.8	6

60	The influence of a chronic L-carnitine administration on the plasma metabolome of male Fischer 344 rats. <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 1600651	5.9	13
59	Screening of molecular cell targets for carcinogenic heterocyclic aromatic amines by using CALUX reporter gene assays. <i>Cell Biology and Toxicology</i> , 2017 , 33, 283-293	7.4	6
58	In Vitro-In Vivo Carcinogenicity. <i>Advances in Biochemical Engineering/Biotechnology</i> , 2017 , 157, 81-96	1.7	9
57	Folic acid modulates cancer-associated micro RNAs and inflammatory mediators in neoplastic and non-neoplastic colonic cells in a different way. <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 1700260	5.9	4
56	Establishment of an In Vitro Intestinal Epithelial Cell Culture Model of Avian Origin. <i>Avian Diseases</i> , 2017 , 61, 229-236	1.6	17
55	Fatty acid composition of free-living and parasitic stages of the bovine lungworm <i>Dictyocaulus viviparus</i> . <i>Molecular and Biochemical Parasitology</i> , 2017 , 216, 39-44	1.9	7
54	Gut Microbial Transformation of the Dietary Imidazoquinoxaline Mutagen MelQx Reduces Its Cytotoxic and Mutagenic Potency. <i>Toxicological Sciences</i> , 2017 , 159, 266-276	4.4	21
53	Variability of control data and relevance of observed group differences in five oral toxicity studies with genetically modified maize MON810 in rats. <i>Archives of Toxicology</i> , 2017 , 91, 1977-2006	5.8	15
52	Safety aspects of the production of foods and food ingredients from insects. <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 1600520	5.9	82
51	Transcriptomic Analysis of Intestinal Tissues from Two 90-Day Feeding Studies in Rats Using Genetically Modified MON810 Maize Varieties. <i>Frontiers in Genetics</i> , 2017 , 8, 222	4.5	5
50	Growth-Inhibiting Activity of Resveratrol Imine Analogs on Tumor Cells In Vitro. <i>PLoS ONE</i> , 2017 , 12, e0170502	3.7	9
49	One-year oral toxicity study on a genetically modified maize MON810 variety in Wistar Han RCC rats (EU 7th Framework Programme project GRACE). <i>Archives of Toxicology</i> , 2016 , 90, 2531-62	5.8	25
48	DNA damage response curtails detrimental replication stress and chromosomal instability induced by the dietary carcinogen PhIP. <i>Nucleic Acids Research</i> , 2016 , 44, 10259-10276	20.1	19
47	Proposed criteria for the evaluation of the scientific quality of mandatory rat and mouse feeding trials with whole food/feed derived from genetically modified plants. <i>Archives of Toxicology</i> , 2016 , 90, 2287-2291	5.8	3
46	Enhancing the interpretation of statistical P values in toxicology studies: implementation of linear mixed models (LMMs) and standardized effect sizes (SEs). <i>Archives of Toxicology</i> , 2016 , 90, 731-51	5.8	14
45	Impact of dextran sulphate sodium-induced colitis on the intestinal transport of the colon carcinogen PhIP. <i>Archives of Toxicology</i> , 2016 , 90, 1093-102	5.8	4
44	Mixture Effects of Estrogenic Pesticides at the Human Estrogen Receptor and <i>PLoS ONE</i> , 2016 , 11, e0147490	3.7	20
43	The ability of the YAS and AR CALUX assays to detect the additive effects of anti-androgenic fungicide mixtures. <i>Toxicology Letters</i> , 2016 , 241, 193-9	4.4	5

42	Susceptibility of primary chicken intestinal epithelial cells for low pathogenic avian influenza virus and velogenic viscerotropic Newcastle disease virus. <i>Virus Research</i> , 2016 , 225, 50-63	6.4	12
41	Methionine restriction inhibits chemically-induced malignant transformation in the BALB/c 3T3 cell transformation assay. <i>Food and Chemical Toxicology</i> , 2016 , 95, 196-202	4.7	4
40	Intestinal absorption and cell transforming potential of PhIP-M1, a bacterial metabolite of the heterocyclic aromatic amine 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine (PhIP). <i>Toxicology Letters</i> , 2015 , 234, 92-8	4.4	13
39	Response to a report and press release by Bauer-Panskus and Then (2014) criticizing the presentation and interpretation of the results of recently published 90-day feeding studies with diets containing genetically modified MON810-maize varieties and their comparators (Zeljenkov <i>et al.</i> 2014). <i>Toxicology Letters</i> , 2015 , 234, 107-110	5.8	3
38	Development of an online-SPE-LC-MS method for the investigation of the intestinal absorption of 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine (PHIP) and its bacterial metabolite PHIP-M1 in a Caco-2 Transwell system. <i>Food Chemistry</i> , 2015 , 166, 537-543	8.5	13
37	Nitrate and nitrite in the diet: how to assess their benefit and risk for human health. <i>Molecular Nutrition and Food Research</i> , 2015 , 59, 106-28	5.9	140
36	The influence of chronic L-carnitine supplementation on the formation of preneoplastic and atherosclerotic lesions in the colon and aorta of male F344 rats. <i>Archives of Toxicology</i> , 2015 , 89, 2079-87	5.8	8
35	Phytosterol oxidation products in enriched foods: Occurrence, exposure, and biological effects. <i>Molecular Nutrition and Food Research</i> , 2015 , 59, 1339-52	5.9	43
34	The Resveratrol Tetramer r-Viniferin Induces a Cell Cycle Arrest Followed by Apoptosis in the Prostate Cancer Cell Line LNCaP. <i>Phytotherapy Research</i> , 2015 , 29, 1640-5	6.7	19
33	Effect of acute and chronic DSS induced colitis on plasma eicosanoid and oxylipin levels in the rat. <i>Prostaglandins and Other Lipid Mediators</i> , 2015 , 120, 155-60	3.7	10
32	Ninety-day oral toxicity studies on two genetically modified maize MON810 varieties in Wistar Han RCC rats (EU 7th Framework Programme project GRACE). <i>Archives of Toxicology</i> , 2014 , 88, 2289-314	5.8	44
31	The colon carcinogen 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine (PhIP) is actively secreted in the distal colon of the rat: an integrated view on the role of PhIP transport and metabolism in PhIP-induced colon carcinogenesis. <i>Archives of Toxicology</i> , 2013 , 87, 895-904	5.8	11
30	ToxCast: Predicting Toxicity Potential Through High-Throughput Bioactivity Profiling 2013 , 1-31		1
29	High-Throughput Toxicity Testing in Drug Development: Aims, Strategies, and Novel Trends 2013 , 33-75		2
28	Incorporating Human Dosimetry and Exposure Information with High-Throughput Screening Data in Chemical Toxicity Assessment 2013 , 77-95		2
27	The Use of Human Embryonic Stem Cells in High-Throughput Toxicity Assays 2013 , 97-105		
26	High-Throughput Screening Assays for the Assessment of Cytotoxicity 2013 , 107-127		2
25	High-Throughput Flow Cytometry Analysis of Apoptosis 2013 , 129-142		1

24	High Content Imaging-Based Screening for Cellular Toxicity Pathways 2013 , 143-157	
23	The Keratinosens Assay: A High-Throughput Screening Assay to Assess Chemical Skin Sensitization 2013 , 159-175	1
22	High-Throughput Screening Assays to Assess Chemical Phototoxicity 2013 , 177-190	
21	Ames II and Ames Liquid Format Mutagenicity Screening Assays 2013 , 191-211	
20	High-Throughput Bacterial Mutagenicity Testing: Vitotox Assay 2013 , 213-232	5
19	Genotoxicity and Carcinogenicity: Regulatory and Novel Test Methods 2013 , 233-269	1
18	Embryonic Stem Cell Test (EST): Molecular Endpoints Toward High-Throughput Analysis of Chemical Embryotoxic Potential 2013 , 357-370	
17	Zebrafish Development: High-Throughput Test Systems to Assess Developmental Toxicity 2013 , 371-383	1
16	Single Cell Imaging Cytometry-Based High-Throughput Analysis of Drug-Induced Cardiotoxicity 2013 , 385-402	
15	High-Throughput Screening Assays to Evaluate the Cardiotoxic Potential of Drugs 2013 , 403-420	1
14	High-Throughput Screening Assays to Evaluate the Hematotoxic Potential of Drugs 2013 , 421-429	
13	High-Throughput Enzyme Biocolloid Systems for Drug Metabolism and Genotoxicity Profiling Using LCMS/MS 2013 , 431-452	
12	High-Throughput Genotoxicity Testing: The Greenscreen Assay 2013 , 271-284	
11	High-Throughput Assays to Quantify the Formation of DNA Strand Breaks 2013 , 285-294	3
10	High-Throughput Versions of the Comet Assay 2013 , 295-308	
9	Automated Soft Agar Colony Formation Assay for the High-Throughput Screening of Malignant Cell Transformation 2013 , 309-316	1
8	High-Throughput Quantification of Morphologically Transformed Foci in Bhas 42 Cells (v-Ha-ras Transfected Balb/c 3T3) Using Spectrophotometry 2013 , 317-339	1
7	ReProGlo: A New Stem-Cell-Based High-Throughput Assay to Predict the Embryotoxic Potential of Chemicals 2013 , 341-355	

6	Higher-Throughput Screening Methods to Identify Cytochrome P450 Inhibitors and Inducers: Current Applications and Practice 2013 , 453-477		
5	High-Throughput Yeast-Based Assays to Study Receptor-Mediated Toxicity 2013 , 479-499		
4	Evaluating the Peroxisomal Phenotype in High Content Toxicity Profiling 2013 , 501-517		1
3	A Panel of Quantitative Calux [®] Reporter Gene Assays for Reliable High-Throughput Toxicity Screening of Chemicals and Complex Mixtures 2013 , 519-532		10
2	Dr-Calux [®] : A High-Throughput Screening Assay for the Detection of Dioxin and Dioxin-Like Compounds in Food and Feed. 2013 , 533-546		4
1	Uptake of the colon carcinogen 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine by different segments of the rat gastrointestinal tract: its implication in colorectal carcinogenesis. <i>Toxicology Letters</i> , 2010 , 196, 60-6	4.4	10