

Subramanyan Vasudevan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9517078/subramanyan-vasudevan-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

95
papers

3,506
citations

38
h-index

57
g-index

96
ext. papers

3,908
ext. citations

4.5
avg, IF

5.89
L-index

#	Paper	IF	Citations
95	New Insight into the Electrocatalysis of Ni-Rich Trimetallic NCM-Based Hydroxides for Water Oxidation. <i>ACS Applied Energy Materials</i> , 2021 , 4, 6520-6530	6.1	1
94	Nitrogen doped Graphene Nano sheets (NGNs) as Electrocatalyst for Electro-Fenton Process for the Degradation of Highly Toxic Chlorophenoxy acid Herbicides from Water. <i>ChemistrySelect</i> , 2021 , 6, 2804-2810	1.8	3
93	Nitrogen Doped Carbon Nanomaterial as Electrocatalyst for Oxygen Reduction Reaction in Acidic Media: To use in Electro-Fenton. <i>ChemistrySelect</i> , 2020 , 5, 10034-10040	1.8	4
92	Sulfur-Doped Carbon Chain Network as High-Performance Electrocatalyst for Electro-Fenton System. <i>ChemistrySelect</i> , 2019 , 4, 2428-2435	1.8	11
91	OPAC (orange peel activated carbon) derived from waste orange peel for the adsorption of chlorophenoxyacetic acid herbicides from water: Adsorption isotherm, kinetic modelling and thermodynamic studies. <i>Bioresource Technology</i> , 2018 , 261, 329-341	11	115
90	Facile one-pot electrosynthesis of zinc hydroxide for the adsorption of hazardous 2-(2-methyl-4-chlorophenoxy) propionic acid (MCP) from water and its modelling studies. <i>Journal of Environmental Chemical Engineering</i> , 2018 , 6, 2017-2026	6.8	19
89	An Investigation of Interfacial and Photoelectrochemical Performance of Thermally Prepared C,N-codoped TiO ₂ Photoanodes for Water Splitting. <i>ChemistrySelect</i> , 2017 , 2, 288-294	1.8	15
88	Eco-friendly and Easily Prepared Graphene Nanosheets for Safe Drinking Water: Removal of Chlorophenoxyacetic Acid Herbicides. <i>ChemistrySelect</i> , 2017 , 2, 342-355	1.8	32
87	Enhanced removal of cephalosporin based antibiotics (CBA) from water by one-pot electrosynthesized Mg(OH) ₂ : a combined theoretical and experimental study to pilot scale. <i>New Journal of Chemistry</i> , 2017 , 41, 4518-4530	3.6	28
86	Fe ₂ O ₃ /TiO ₂ heterostructured photoanode on titanium substrate for photoelectrochemical water electrolysis. <i>Materials Chemistry and Physics</i> , 2017 , 199, 249-256	4.4	9
85	Adsorption kinetics, isotherms, and thermodynamic studies for Hg ²⁺ adsorption from aqueous medium using alizarin red-S-loaded amberlite IRA-400 resin. <i>Desalination and Water Treatment</i> , 2016 , 57, 18551-18559		168
84	Graphene and Graphene-Based Composites: A Rising Star in Water Purification - A Comprehensive Overview. <i>ChemistrySelect</i> , 2016 , 1, 4358-4385	1.8	61
83	Facile one-pot electrosynthesis of Al(OH) ₃ [kinetics and equilibrium modeling for adsorption of 2,4,5-trichlorophenoxyacetic acid from aqueous solution. <i>New Journal of Chemistry</i> , 2016 , 40, 2249-2258	3.6	30
82	Eco-friendly and facile integrated biological-cum-photo assisted electrooxidation process for degradation of textile wastewater. <i>Water Research</i> , 2016 , 93, 230-241	12.5	50
81	Kinetics, thermodynamics and isotherm modeling for removal of nitrate from liquids by facile one-pot electrosynthesized nano zinc hydroxide. <i>Journal of Molecular Liquids</i> , 2016 , 215, 204-211	6	77
80	Facile one-pot synthesis of nano-zinc hydroxide by electro-dissolution of zinc as a sacrificial anode and the application for adsorption of Th ⁴⁺ , U ⁴⁺ , and Ce ⁴⁺ from aqueous solution. <i>Research on Chemical Intermediates</i> , 2016 , 42, 4077-4095	2.8	40
79	An Overview of Electrochemical Processes for Purification of Water Contaminated by Agricultural Activities 2016 , 365-372		

78	Can Electrochemistry Make the Worlds Water Clean? A Systematic and Comprehensive Overview. <i>International Journal of Waste Resources</i> , 2016 , 6,		4
77	New Insight into Understand the Enhanced Photoconductivity Properties of Ti (O ₂) Plate Sputtered with Al ₂ O ₃ for Water Oxidation. <i>ChemistrySelect</i> , 2016 , 1, 5037-5041	1.8	2
76	Novel cross-linked anion exchange membrane based on hexaminium functionalized poly(vinylbenzyl chloride). <i>RSC Advances</i> , 2015 , 5, 27365-27371	3.7	28
75	Eco-friendly and facily prepared silica modified amorphous titania (TiO ₂ /BiO ₂) electrocatalyst for the O ₂ and H ₂ evolution reactions. <i>Catalysis Science and Technology</i> , 2015 , 5, 5016-5022	5.5	20
74	Adsorption of herbicide 2-(2,4-dichlorophenoxy)propanoic acid by electrochemically generated aluminum hydroxides: an alternative to chemical dosing. <i>RSC Advances</i> , 2015 , 5, 39799-39809	3.7	51
73	Evaluation of electrocoagulation process for the removal of strontium and cesium from aqueous solution. <i>Chemical Engineering Research and Design</i> , 2015 , 93, 522-530	5.5	72
72	Removal of lead from aqueous solutions by electrocoagulation: isotherm, kinetics and thermodynamic studies. <i>International Journal of Environmental Science and Technology</i> , 2015 , 12, 683-692	3.3	47
71	Decontamination of selenate from aqueous solution by oxidized multi-walled carbon nanotubes. <i>Powder Technology</i> , 2015 , 274, 268-275	5.2	33
70	Platinum deposition on the nafion membrane by impregnation reduction using nonionic surfactant for water electrolysis An alternate approach. <i>Energy</i> , 2014 , 68, 148-151	7.9	11
69	An in situ electrosynthesis of metal hydroxides and their application for adsorption of 4-chloro-2-methylphenoxyacetic acid (MCPA) from aqueous solution. <i>Journal of Environmental Chemical Engineering</i> , 2014 , 2, 2068-2077	6.8	27
68	An efficient removal of phenol from water by peroxi-electrocoagulation processes. <i>Journal of Water Process Engineering</i> , 2014 , 2, 53-57	6.7	46
67	Use of hydrous titanium dioxide as potential sorbent for the removal of manganese from water. <i>Journal of Electrochemical Science and Engineering</i> , 2014 , 4,	1.9	5
66	Adsorption of 2,4-dichlorophenoxyacetic acid (2,4-D) from water by in situ generated metal hydroxides using sacrificial anodes. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2014 , 45, 2943-2949	5.3	38
65	Electrochemistry: as cause and cure in water pollution An overview. <i>Environmental Chemistry Letters</i> , 2014 , 12, 97-108	13.3	245
64	Removal of manganese from water by electrocoagulation: Adsorption, kinetics and thermodynamic studies. <i>Canadian Journal of Chemical Engineering</i> , 2013 , 91, 448-458	2.3	45
63	A critical study on the removal of copper by an electrochemically assisted coagulation: equilibrium, kinetics, and thermodynamics. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2013 , 8, 162-171	1.3	27
62	Graphene-a promising material for removal of perchlorate (ClO ₄ ⁻) from water. <i>Environmental Science and Pollution Research</i> , 2013 , 20, 5114-24	5.1	49
61	Recovery of hydrogen and removal of nitrate from water by electrocoagulation process. <i>Environmental Science and Pollution Research</i> , 2013 , 20, 2184-92	5.1	41

60	Removal of copper from water by electrocoagulation process--effect of alternating current (AC) and direct current (DC). <i>Environmental Science and Pollution Research</i> , 2013 , 20, 399-412	5.1	61
59	Oxidized multiwalled carbon nanotubes as adsorbent for the removal of manganese from aqueous solution. <i>Environmental Science and Pollution Research</i> , 2013 , 20, 987-96	5.1	41
58	Studies on polymer modified metal oxide anode for oxygen evolution reaction in saline water. <i>Journal of Electroanalytical Chemistry</i> , 2013 , 697, 1-4	4.1	20
57	Application of isotherm, kinetic and thermodynamic models for the adsorption of nitrate ions on graphene from aqueous solution. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2013 , 44, 808-814	5.3	104
56	Electrochemically assisted coagulation for the removal of boron from water using zinc anode. <i>Desalination</i> , 2013 , 310, 122-129	10.3	57
55	Electrochemistry and Water Pollution. <i>Environmental Chemistry for A Sustainable World</i> , 2013 , 27-68	0.8	1
54	Process Conditions and Kinetics for the Removal of Copper from Water by Electrocoagulation. <i>Environmental Engineering Science</i> , 2012 , 29, 563-572	2	33
53	Simultaneous removal of Co, Cu, and Cr from water by electrocoagulation. <i>Toxicological and Environmental Chemistry</i> , 2012 , 94, 1930-1940	1.4	43
52	The adsorption of phosphate by graphene from aqueous solution. <i>RSC Advances</i> , 2012 , 2, 5234	3.7	160
51	Electrochemical removal of boron from water: Adsorption and thermodynamic studies. <i>Canadian Journal of Chemical Engineering</i> , 2012 , 90, 1017-1026	2.3	57
50	Effects of alternating current (AC) and direct current (DC) in electrocoagulation process for the removal of iron from water. <i>Canadian Journal of Chemical Engineering</i> , 2012 , 90, 1160-1169	2.3	20
49	Effect of alternating and direct current in an electrocoagulation process on the removal of cadmium from water. <i>Water Science and Technology</i> , 2012 , 65, 353-60	2.2	21
48	Electrocoagulation studies on the removal of copper from water using mild steel electrode. <i>Water Environment Research</i> , 2012 , 84, 209-19	2.8	20
47	Studies on the removal of arsenate from water through electrocoagulation using direct and alternating current. <i>Desalination and Water Treatment</i> , 2012 , 48, 163-173		23
46	Optimization of electrocoagulation process for the simultaneous removal of mercury, lead, and nickel from contaminated water. <i>Environmental Science and Pollution Research</i> , 2011 , 19, 2734-44	5.1	52
45	Studies relating to an electrochemically assisted coagulation for the removal of chromium from water using zinc anode. <i>Water Science and Technology: Water Supply</i> , 2011 , 11, 142-150	1.4	24
44	Effects of alternating and direct current in electrocoagulation process on the removal of fluoride from water. <i>Journal of Chemical Technology and Biotechnology</i> , 2011 , 86, 428-436	3.5	84
43	Sulfonated Poly (Ether Ether Ketone)-Based Composite Proton-Exchange Membrane for Energy Production. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2011 , 60, 742-753	3	19

42	Studies on the AlZnIn-alloy as anode material for the removal of chromium from drinking water in electrocoagulation process. <i>Desalination</i> , 2011 , 275, 260-268	10.3	74
41	Development and performance evaluation of Proton Exchange Membrane (PEM) based hydrogen generator for portable applications. <i>International Journal of Hydrogen Energy</i> , 2011 , 36, 1399-1403	6.7	30
40	Nitrate reduction in water: influence of the addition of a second metal on the performances of the Pd/CeO(2) catalyst. <i>Journal of Hazardous Materials</i> , 2011 , 185, 1412-7	12.8	66
39	Effects of alternating and direct current in electrocoagulation process on the removal of cadmium from water. <i>Journal of Hazardous Materials</i> , 2011 , 192, 26-34	12.8	89
38	Effects of alternating and direct current in electrocoagulation process on the removal of cadmium from water – A novel approach. <i>Separation and Purification Technology</i> , 2011 , 80, 643-651	8.3	68
37	Polyvinyl Alcohol Based Membrane as Separator for Alkaline Water Electrolyzer. <i>Separation Science and Technology</i> , 2011 , 46, 1563-1570	2.5	7
36	Removal of iron from drinking water by electrocoagulation: Adsorption and kinetics studies 2011 , 26, 1058		2
35	Optimization of the process parameters for an electrochemical preparation of strontium perchlorate 2011 , 26, 1246		
34	Sulfonated Polystyrene-Block-(Ethylene-Ran-Butylene)-Block-Polystyrene (SPSEBS) Membrane for Sea Water Electrolysis to Generate Hydrogen. <i>ECS Transactions</i> , 2010 , 33, 157-166	1	3
33	Studies Relating to Removal of Arsenate by Electrochemical Coagulation: Optimization, Kinetics, Coagulant Characterization. <i>Separation Science and Technology</i> , 2010 , 45, 1313-1325	2.5	41
32	Chlorine Oxides and Chlorine Oxygen Acids 2010 ,		18
31	Electrocoagulation studies on removal of cadmium using magnesium electrode. <i>Journal of Applied Electrochemistry</i> , 2010 , 40, 2023-2032	2.6	41
30	Electrochemical Coagulation for Chromium Removal: Process Optimization, Kinetics, Isotherms and Sludge Characterization. <i>Clean - Soil, Air, Water</i> , 2010 , 38, 9-16	1.6	50
29	Removal of NO ₃ ⁻ From Drinking Water by Electrocoagulation – An Alternate Approach. <i>Clean - Soil, Air, Water</i> , 2010 , 38, 225-229	1.6	50
28	Studies on the Removal of Arsenate by Electrochemical Coagulation Using Aluminum Alloy Anode. <i>Clean - Soil, Air, Water</i> , 2010 , 38, 506-515	1.6	39
27	Optimization of the process parameters for the removal of boron from drinking water by electrocoagulation – clean technology. <i>Journal of Chemical Technology and Biotechnology</i> , 2010 , 85, 926-933	3.5	34
26	Optimization of the process parameters for the removal of phosphate from drinking water by electrocoagulation. <i>Desalination and Water Treatment</i> , 2009 , 12, 407-414		35
25	Studies on the Removal of Iron from Drinking Water by Electrocoagulation – A Clean Process. <i>Clean - Soil, Air, Water</i> , 2009 , 37, 45-51	1.6	53

24	Studies on a Mg-Al-Zn Alloy as an Anode for the Removal of Fluoride from Drinking Water in an Electrocoagulation Process. <i>Clean - Soil, Air, Water</i> , 2009 , 37, 372-378	1.6	56
23	Removal of iron from drinking water by electrocoagulation: Adsorption and kinetics studies. <i>Korean Journal of Chemical Engineering</i> , 2009 , 26, 1058-1064	2.8	49
22	Optimization of the process parameters for an electrochemical preparation of strontium perchlorate. <i>Korean Journal of Chemical Engineering</i> , 2009 , 26, 1246-1251	2.8	1
21	An alternative approach to selective sea water oxidation for hydrogen production. <i>Electrochemistry Communications</i> , 2009 , 11, 1700-1702	5.1	49
20	Remediation of phosphate-contaminated water by electrocoagulation with aluminium, aluminium alloy and mild steel anodes. <i>Journal of Hazardous Materials</i> , 2009 , 164, 1480-6	12.8	106
19	Studies on the Removal of Phosphate from Drinking Water by Electrocoagulation Process. <i>Industrial & Engineering Chemistry Research</i> , 2008 , 47, 2018-2023	3.9	82
18	Studies Relating To Cathodic Reactions In Neutral Chloride Solutions Used In Chlorate Processes. <i>Industrial & Engineering Chemistry Research</i> , 2008 , 47, 5742-5745	3.9	2
17	Studies Relating to Electrolytic Preparation of Potassium Bromate. <i>Industrial & Engineering Chemistry Research</i> , 2008 , 47, 1743-1746	3.9	1
16	Effect of Cations of Alkali and Alkaline-Earth Metal Chlorides for Chlorine Evolution Reaction. <i>Industrial & Engineering Chemistry Research</i> , 2008 , 47, 976-979	3.9	4
15	Studies on the Electrolytic Preparation of Ba(ClO ₄) ₂ . <i>Industrial & Engineering Chemistry Research</i> , 2007 , 46, 6211-6216	3.9	1
14	Studies on the Electrochemical Preparation of Sb ₂ O ₃ . <i>Industrial & Engineering Chemistry Research</i> , 2007 , 46, 7870-7874	3.9	10
13	Electrochemical Regeneration of Chromium Containing Solution from Metal Finishing Industry. <i>Industrial & Engineering Chemistry Research</i> , 2007 , 46, 2898-2901	3.9	20
12	Recovery of Chromium from the Solid Residue by In-Situ-Generated Hypochlorite. <i>Industrial & Engineering Chemistry Research</i> , 2006 , 45, 7743-7747	3.9	12
11	Electrochemical Preparation of Barium Chlorate from Barium Chloride. <i>Industrial & Engineering Chemistry Research</i> , 2006 , 45, 2923-2928	3.9	7
10	Studies on the Oxidation of As(III) to As(V) by In-Situ-Generated Hypochlorite. <i>Industrial & Engineering Chemistry Research</i> , 2006 , 45, 7729-7732	3.9	31
9	Electrochemical behaviour of mono-chloronitrobenzene as cathode material for magnesium reserve batteries. <i>Journal of Power Sources</i> , 2005 , 148, 112-115	8.9	9
8	An electrochemical process for the separation of cerium from rare earths. <i>Hydrometallurgy</i> , 2005 , 76, 115-121	4	23
7	Performance characteristics of organic/inorganic composite electrodes in magnesium reserve batteries. <i>Journal of Applied Electrochemistry</i> , 2005 , 35, 1141-1144	2.6	2

6	1-Nitronaphthalene as a cathode material for magnesium reserve batteries. <i>Journal of Power Sources</i> , 1996 , 58, 213-215	8.9	10
5	Performance characteristics of chloro-substituted dinitrobenzene for magnesium reserve batteries. <i>Journal of Power Sources</i> , 1993 , 45, 119-130	8.9	4
4	Electrolytic preparation of magnesium perchlorate. <i>Journal of Applied Electrochemistry</i> , 1992 , 22, 877-882.6		10
3	Conductivity of low-temperature electrolytes for magnesium batteries. <i>Journal of Power Sources</i> , 1992 , 39, 155-161	8.9	8
2	Electrolytic preparation of magnesium chlorate from magnesium chloride. <i>Journal of Applied Electrochemistry</i> , 1992 , 22, 1201-1204	2.6	6
1	Dodecyl sulfate chain anchored bio-char to sequester triaryl methane dyes: equilibrium, kinetics, and adsorption mechanism. <i>Journal of Applied Electrochemistry</i> , 2017 , 47, 357-370		9