Marina Carvalho Moraes Barros

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/951966/publications.pdf

Version: 2024-02-01

933447 677142 26 512 10 22 citations g-index h-index papers 28 28 28 614 docs citations times ranked citing authors all docs

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 1 | The impact of maternal experience of violence and common mental disorders on neonatal outcomes: a survey of adolescent mothers in Sao Paulo, Brazil. BMC Public Health, 2007, 7, 209. | 2.9 | 84 |
| 2 | Exposure to marijuana during pregnancy alters neurobehavior in the early neonatal period. Journal of Pediatrics, 2006, 149, 781-787. | 1.8 | 67 |
| 3 | Teenage pregnancy: use of drugs in the third trimester and prevalence of psychiatric disorders. Revista Brasileira De Psiquiatria, 2006, 28, 122-125. | 1.7 | 36 |
| 4 | Functional capacity during exercise in veryâ€lowâ€birthâ€weight premature children. Pediatric Pulmonology, 2014, 49, 91-98. | 2.0 | 27 |
| 5 | Neurobehavioral profile of healthy full-term newborn infants of adolescent mothers. Early Human Development, 2008, 84, 281-287. | 1.8 | 24 |
| 6 | Brief report: Prevalence of psychiatric disorders in pregnant teenagers. Journal of Adolescence, 2009, 32, 747-752. | 2.4 | 23 |
| 7 | Neurobehavior of Late Preterm Infants of Adolescent Mothers. Neonatology, 2011, 99, 133-139. | 2.0 | 22 |
| 8 | Neurodevelopmental assessment of very low birth weight preterm infants at corrected age of 18-24 months by Bayley III scales. Jornal De Pediatria, 2012, 88, 471-8. | 2.0 | 20 |
| 9 | Kangaroo–mother care method and neurobehavior of preterm infants. Early Human Development, 2016, 95, 55-59. | 1.8 | 17 |
| 10 | Prenatal tobacco exposure is related to neurobehavioral modifications in infants of adolescent mothers. Clinics, 2011, 66, 1597-1603. | 1.5 | 11 |
| 11 | Underdetection of Psychiatric Disorders During Prenatal Care: A Survey of Adolescents in Sao Paulo, Brazil. Journal of Adolescent Health, 2012, 50, 93-96. | 2.5 | 11 |
| 12 | Bundle to reduce unplanned extubation in a neonatal intensive care unit. Journal of Maternal-Fetal and Neonatal Medicine, 2020, 33, 3077-3085. | 1.5 | 11 |
| 13 | Prevalence of cocaine and marijuana use in the last trimester of adolescent pregnancy: Socio-demographic, psychosocial and behavioral characteristics. Addictive Behaviors, 2007, 32, 392-397. | 3.0 | 10 |
| 14 | Brief report: A socio-demographic profile of multiparous teenage mothers. Journal of Adolescence, 2009, 32, 715-721. | 2.4 | 8 |
| 15 | Habituation responses to external stimuli: is the habituation of preterm infants at a postconceptual age of 40â€weeks equal to that of term infants?. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2014, 99, F402-F407. | 2.8 | 7 |
| 16 | Identification of pain in neonates: the adults' visual perception of neonatal facial features. Journal of Perinatology, 2021, 41, 2304-2308. | 2.0 | 7 |
| 17 | A Visual Perception Framework toÂAnalyse Neonatal Pain in Face Images. Lecture Notes in Computer Science, 2020, , 233-243. | 1.3 | 6 |
| 18 | Depression during gestation in adolescent mothers interferes with neonatal neurobehavior. Revista Brasileira De Psiquiatria, 2013, 35, 353-359. | 1.7 | 5 |

| # | Article | lF | CITATIONS |
|----|---|-----|-----------|
| 19 | Neurobehavior of preterm infants from 32 to 48 weeks post-menstrual age. Journal of Perinatology, 2019, 39, 800-807. | 2.0 | 5 |
| 20 | What Facial Features Does the Pediatrician Look to Decide That a Newborn Is Feeling Pain?. American Journal of Perinatology, 2023, 40, 851-857. | 1.4 | 5 |
| 21 | Neonatal pain assessment: A Kendall analysis between clinical and visually perceived facial features. Computer Methods in Biomechanics and Biomedical Engineering: Imaging and Visualization, 2023, 11, 331-340. | 1.9 | 5 |
| 22 | Looking at neonatal facial features of pain: do health and non-health professionals differ?. Jornal De Pediatria, 2022, 98, 406-412. | 2.0 | 4 |
| 23 | Correlates of substance use during adolescent pregnancy in São Paulo, Brazil. Revista Brasileira De Psiquiatria, 2010, 32, 66-69. | 1.7 | 3 |
| 24 | Preterm infants with peri/intraventricular hemorrhage have poorer habituation responses to external stimuli. Jornal De Pediatria, 2019, 95, 728-735. | 2.0 | 3 |
| 25 | Neonatal Pain Scales and Human Visual Perception: An Exploratory Analysis Based on Facial Expression Recognition and Eye-Tracking. Lecture Notes in Computer Science, 2021, , 62-76. | 1.3 | O |
| 26 | A Convolutional Neural Network-based Mobile Application to Bedside Neonatal Pain Assessment. , 2021, | | 0 |