

Hassan Y Naim

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9519758/hassan-y-naim-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

153
papers

3,322
citations

31
h-index

50
g-index

164
ext. papers

3,934
ext. citations

4.8
avg, IF

5.5
L-index

#	Paper	IF	Citations
153	The HSP90 Family: Structure, Regulation, Function, and Implications in Health and Disease. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	170
152	Requirement for galectin-3 in apical protein sorting. <i>Current Biology</i> , 2006 , 16, 408-14	6.3	164
151	O-linked glycans mediate apical sorting of human intestinal sucrase-isomaltase through association with lipid rafts. <i>Current Biology</i> , 1999 , 9, 593-6	6.3	146
150	Structural basis for substrate selectivity in human maltase-glucoamylase and sucrase-isomaltase N-terminal domains. <i>Journal of Biological Chemistry</i> , 2010 , 285, 17763-70	5.4	138
149	Apical membrane proteins are transported in distinct vesicular carriers. <i>Current Biology</i> , 2001 , 11, 1444-50	5.3	103
148	Domains in biological membranes. <i>Experimental Cell Research</i> , 2009 , 315, 2871-8	4.2	85
147	Impaired trafficking of mutants of lysosomal glucocerebrosidase in Gaucher's disease. <i>International Journal of Biochemistry and Cell Biology</i> , 2005 , 37, 2310-20	5.6	84
146	The antimicrobial peptide LL-37 facilitates the formation of neutrophil extracellular traps. <i>Biochemical Journal</i> , 2014 , 464, 3-11	3.8	81
145	Functional variants in the sucrase-isomaltase gene associate with increased risk of irritable bowel syndrome. <i>Gut</i> , 2018 , 67, 263-270	19.2	79
144	Distinct cytoskeletal tracks direct individual vesicle populations to the apical membrane of epithelial cells. <i>Current Biology</i> , 2003 , 13, 607-12	6.3	66
143	Structural determinants required for apical sorting of an intestinal brush-border membrane protein. <i>Journal of Biological Chemistry</i> , 2000 , 275, 6566-72	5.4	65
142	Temporal association of the N- and O-linked glycosylation events and their implication in the polarized sorting of intestinal brush border sucrase-isomaltase, aminopeptidase N, and dipeptidyl peptidase IV. <i>Journal of Biological Chemistry</i> , 1999 , 274, 17961-7	5.4	65
141	The prostate specific membrane antigen regulates the expression of IL-6 and CCL5 in prostate tumour cells by activating the MAPK pathways. <i>PLoS ONE</i> , 2009 , 4, e4608	3.7	62
140	The impact of hypoxia on intestinal epithelial cell functions: consequences for invasion by bacterial pathogens. <i>Molecular and Cellular Pediatrics</i> , 2016 , 3, 14	3.3	57
139	Polymorphisms in dipeptidyl peptidase 4 reduce host cell entry of Middle East respiratory syndrome coronavirus. <i>Emerging Microbes and Infections</i> , 2020 , 9, 155-168	18.9	53
138	Endocytotic segregation of gliadin peptide 31-49 in enterocytes. <i>Gut</i> , 2010 , 59, 300-10	19.2	53
137	A novel type of detergent-resistant membranes may contribute to an early protein sorting event in epithelial cells. <i>Journal of Biological Chemistry</i> , 2005 , 280, 42636-43	5.4	52

136	Intestinal dipeptidyl peptidase IV is efficiently sorted to the apical membrane through the concerted action of N- and O-glycans as well as association with lipid microdomains. <i>Journal of Biological Chemistry</i> , 2002 , 277, 10683-90	5.4	51
135	Cross-talk between intestinal epithelial cells and immune cells in inflammatory bowel disease. <i>Scientific Reports</i> , 2016 , 6, 29783	4.9	46
134	Intracellular transport of acid beta-glucosidase and lysosome-associated membrane proteins is affected in Gaucher's disease (G202R mutation). <i>Journal of Pathology</i> , 1999 , 188, 407-14	9.4	46
133	Formation of Neutrophil Extracellular Traps under Low Oxygen Level. <i>Frontiers in Immunology</i> , 2016 , 7, 518	8.4	45
132	Compound heterozygous mutations affect protein folding and function in patients with congenital sucrase-isomaltase deficiency. <i>Gastroenterology</i> , 2009 , 136, 883-92	13.3	42
131	Novel mutations in the human sucrase-isomaltase gene (SI) that cause congenital carbohydrate malabsorption. <i>Human Mutation</i> , 2006 , 27, 119	4.7	42
130	Congenital sucrase-isomaltase deficiency arising from cleavage and secretion of a mutant form of the enzyme. <i>Journal of Clinical Investigation</i> , 2000 , 106, 281-7	15.9	39
129	The effect of Eglucan on formation and functionality of neutrophil extracellular traps in carp (<i>Cyprinus carpio</i> L.). <i>Developmental and Comparative Immunology</i> , 2014 , 44, 280-5	3.2	37
128	The multiple roles of sucrase-isomaltase in the intestinal physiology. <i>Molecular and Cellular Pediatrics</i> , 2016 , 3, 2	3.3	35
127	Antigen transport and cytoskeletal characteristics of a distinct enterocyte population in inflammatory bowel diseases. <i>American Journal of Pathology</i> , 2004 , 165, 425-37	5.8	34
126	Hierarchy of sorting signals in chimeras of intestinal lactase-phlorizin hydrolase and the influenza virus hemagglutinin. <i>Journal of Biological Chemistry</i> , 1999 , 274, 8061-7	5.4	33
125	Congenital sucrase-isomaltase deficiency: heterogeneity of inheritance, trafficking, and function of an intestinal enzyme complex. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012 , 55 Suppl 2, S13-20	2.8	31
124	The prosequence of human lactase-phlorizin hydrolase modulates the folding of the mature enzyme. <i>Journal of Biological Chemistry</i> , 2002 , 277, 8217-25	5.4	31
123	Striking structural and functional similarities suggest that intestinal sucrase-isomaltase, human lysosomal alpha-glucosidase and <i>Schwanniomyces occidentalis</i> glucoamylase are derived from a common ancestral gene. <i>FEBS Letters</i> , 1991 , 294, 109-12	3.8	31
122	Congenital sucrase-isomaltase deficiency because of an accumulation of the mutant enzyme in the endoplasmic reticulum. <i>Gastroenterology</i> , 2003 , 125, 1678-85	13.3	30
121	Identification of a novel DNase of <i>Streptococcus suis</i> (EndAsuis) important for neutrophil extracellular trap degradation during exponential growth. <i>Microbiology (United Kingdom)</i> , 2015 , 161, 838-50	2.9	29
120	Drug-induced trafficking of p-glycoprotein in human brain capillary endothelial cells as demonstrated by exposure to mitomycin C. <i>PLoS ONE</i> , 2014 , 9, e88154	3.7	29
119	Molecular basis of aberrant apical protein transport in an intestinal enzyme disorder. <i>Journal of Biological Chemistry</i> , 2001 , 276, 23506-10	5.4	29

118	Additional N-glycosylation and its impact on the folding of intestinal lactase-phlorizin hydrolase. <i>Journal of Biological Chemistry</i> , 2000 , 275, 10630-7	5.4	29
117	Lipid alterations in human blood-derived neutrophils lead to formation of neutrophil extracellular traps. <i>European Journal of Cell Biology</i> , 2014 , 93, 347-54	6.1	28
116	Maturation of human intestinal lactase-phlorizin hydrolase: generation of the brush border form of the enzyme involves at least two proteolytic cleavage steps. <i>FEBS Journal</i> , 1996 , 236, 789-95		25
115	Heat Shock Proteins and Ovarian Cancer: Important Roles and Therapeutic Opportunities. <i>Cancers</i> , 2019 , 11,	6.6	24
114	The Diverse Forms of Lactose Intolerance and the Putative Linkage to Several Cancers. <i>Nutrients</i> , 2015 , 7, 7209-30	6.7	23
113	Alterations in membrane trafficking and pathophysiological implications in lysosomal storage disorders. <i>Biochimie</i> , 2016 , 130, 152-162	4.6	23
112	Inflammation induced ER stress affects absorptive intestinal epithelial cells function and integrity. <i>International Immunopharmacology</i> , 2018 , 55, 336-344	5.8	22
111	Altered folding, turnover, and polarized sorting act in concert to define a novel pathomechanism of congenital sucrase-isomaltase deficiency. <i>Journal of Biological Chemistry</i> , 2006 , 281, 14393-9	5.4	22
110	What to do with high autofluorescence background in pancreatic tissues - an efficient Sudan black B quenching method for specific immunofluorescence labelling. <i>Histopathology</i> , 2016 , 69, 406-22	7.3	22
109	The Multiple Roles and Therapeutic Potential of Molecular Chaperones in Prostate Cancer. <i>Cancers</i> , 2019 , 11,	6.6	21
108	Enrofloxacin enhances the formation of neutrophil extracellular traps in bovine granulocytes. <i>Journal of Innate Immunity</i> , 2014 , 6, 706-12	6.9	21
107	Impairment of protein trafficking by direct interaction of gliadin peptides with actin. <i>Experimental Cell Research</i> , 2011 , 317, 2124-35	4.2	21
106	Congenital lactose intolerance is triggered by severe mutations on both alleles of the lactase gene. <i>BMC Gastroenterology</i> , 2015 , 15, 36	3	20
105	Impact of glycosylation and detergent-resistant membranes on the function of intestinal sucrase-isomaltase. <i>Biological Chemistry</i> , 2009 , 390, 545-9	4.5	20
104	Impaired trafficking and subcellular localization of a mutant lactase associated with congenital lactase deficiency. <i>Gastroenterology</i> , 2009 , 136, 2295-303	13.3	20
103	Mechanism of drug extrusion by brain endothelial cells via lysosomal drug trapping and disposal by neutrophils. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E9590-E9599	11.5	20
102	Miglustat-induced intestinal carbohydrate malabsorption is due to the inhibition of β -glucosidases, but not β -galactosidases. <i>Journal of Inherited Metabolic Disease</i> , 2012 , 35, 949-54	5.4	19
101	Iron-chelating agent desferrioxamine stimulates formation of neutrophil extracellular traps (NETs) in human blood-derived neutrophils. <i>Bioscience Reports</i> , 2016 , 36,	4.1	19

100	Different Niemann-Pick C1 Genotypes Generate Protein Phenotypes that Vary in their Intracellular Processing, Trafficking and Localization. <i>Scientific Reports</i> , 2019 , 9, 5292	4.9	18
99	<i>Yersinia enterocolitica</i> -mediated degradation of neutrophil extracellular traps (NETs). <i>FEMS Microbiology Letters</i> , 2015 , 362, fmv192	2.9	18
98	Cellular and Molecular Adaptation of Arabian Camel to Heat Stress. <i>Frontiers in Genetics</i> , 2019 , 10, 588	4.5	18
97	Protein domains implicated in intracellular transport and sorting of lactase-phlorizin hydrolase. <i>Journal of Biological Chemistry</i> , 1998 , 273, 13861-9	5.4	18
96	Molecular pathogenicity of novel sucrase-isomaltase mutations found in congenital sucrase-isomaltase deficiency patients. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017 , 1863, 817-826	6.9	17
95	Structure-function analysis of human sucrase-isomaltase identifies key residues required for catalytic activity. <i>Journal of Biological Chemistry</i> , 2017 , 292, 11070-11078	5.4	17
94	Isolation and analysis of membrane lipids and lipid rafts in common carp (<i>Cyprinus carpio</i> L.). <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2014 , 169, 9-15	2.3	17
93	Hypoxia Modulates the Response of Mast Cells to Infection. <i>Frontiers in Immunology</i> , 2017 , 8, 541	8.4	17
92	A glutamine to proline exchange at amino acid residue 1098 in sucrase causes a temperature-sensitive arrest of sucrase-isomaltase in the endoplasmic reticulum and cis-Golgi. <i>Journal of Biological Chemistry</i> , 2003 , 278, 16310-4	5.4	17
91	Proteolytic processing of human lactase-phlorizin hydrolase is a two-step event: identification of the cleavage sites. <i>Archives of Biochemistry and Biophysics</i> , 1996 , 336, 27-34	4.1	17
90	A Novel SLC27A4 Splice Acceptor Site Mutation in Great Danes with Ichthyosis. <i>PLoS ONE</i> , 2015 , 10, e0141514	3.7	17
89	Antimicrobial activity of HL-60 cells compared to primary blood-derived neutrophils against <i>Staphylococcus aureus</i> . <i>Journal of Negative Results in BioMedicine</i> , 2017 , 16, 2		16
88	The dual role of annexin II in targeting of brush border proteins and in intestinal cell polarity. <i>Differentiation</i> , 2011 , 81, 243-52	3.5	16
87	In vitro activity of human and animal cathelicidins against livestock-associated methicillin-resistant <i>Staphylococcus aureus</i> . <i>Veterinary Microbiology</i> , 2016 , 194, 107-111	3.3	16
86	Central Nervous System Demyelination and Remyelination is Independent from Systemic Cholesterol Level in Theiler's Murine Encephalomyelitis. <i>Brain Pathology</i> , 2016 , 26, 102-19	6	16
85	Measuring oxygen levels in Caco-2 cultures. <i>Hypoxia (Auckland, N Z)</i> , 2015 , 3, 53-66	2.1	15
84	Congenital and putatively acquired forms of sucrase-isomaltase deficiency in infancy: effects of sacrosidase therapy. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2009 , 49, 485-7	2.8	15
83	Different glycoforms of prostate-specific membrane antigen are intracellularly transported through their association with distinct detergent-resistant membranes. <i>Biochemical Journal</i> , 2008 , 409, 149-57	3.8	15

82	Hypoxia Decreases Invasin-Mediated <i>Yersinia enterocolitica</i> Internalization into Caco-2 Cells. <i>PLoS ONE</i> , 2016 , 11, e0146103	3.7	15
81	Congenital Lactase Deficiency: Mutations, Functional and Biochemical Implications, and Future Perspectives. <i>Nutrients</i> , 2019 , 11,	6.7	14
80	Association of a GPI-anchored protein with detergent-resistant membranes facilitates its trafficking through the early secretory pathway. <i>Experimental Cell Research</i> , 2009 , 315, 348-56	4.2	14
79	Case study on the pathophysiology of Fabry disease: abnormalities of cellular membranes can be reversed by substrate reduction. <i>Bioscience Reports</i> , 2017 , 37,	4.1	13
78	Long term differential consequences of miglustat therapy on intestinal disaccharidases. <i>Journal of Inherited Metabolic Disease</i> , 2014 , 37, 929-37	5.4	13
77	Routing and processing of lactase-phlorizin hydrolase in transfected Caco-2 cells. <i>Journal of Biological Chemistry</i> , 1998 , 273, 6650-5	5.4	13
76	Intercellular transfer of P-glycoprotein in human blood-brain barrier endothelial cells is increased by histone deacetylase inhibitors. <i>Scientific Reports</i> , 2016 , 6, 29253	4.9	12
75	Toxic peptides in Frazer's fraction interact with the actin cytoskeleton and affect the targeting and function of intestinal proteins. <i>Experimental Cell Research</i> , 2009 , 315, 3442-52	4.2	12
74	A modified lipid composition in Fabry disease leads to an intracellular block of the detergent-resistant membrane-associated dipeptidyl peptidase IV. <i>Journal of Inherited Metabolic Disease</i> , 2010 , 33, 445-9	5.4	12
73	Cholesterol-rich lipid rafts play an important role in the Cyprinid herpesvirus 3 replication cycle. <i>Veterinary Microbiology</i> , 2015 , 179, 204-12	3.3	11
72	Sucrase is an intramolecular chaperone located at the C-terminal end of the sucrase-isomaltase enzyme complex. <i>Journal of Biological Chemistry</i> , 2002 , 277, 32141-8	5.4	11
71	Folding of human intestinal lactase-phlorizin hydrolase. <i>Journal of Biological Chemistry</i> , 1995 , 270, 18678-84	5.4	11
70	Processing and transport of human small intestinal lactase-phlorizin hydrolase (LPH). Role of N-linked oligosaccharide modification. <i>FEBS Letters</i> , 1994 , 342, 302-7	3.8	11
69	Prostate-specific membrane antigen (PSMA) assembles a macromolecular complex regulating growth and survival of prostate cancer cells "in vitro" and correlating with progression "in vivo". <i>Oncotarget</i> , 2016 , 7, 74189-74202	3.3	11
68	Characterization of Mucosal Disaccharidases from Human Intestine. <i>Nutrients</i> , 2017 , 9,	6.7	10
67	Dietary starch breakdown product sensing mobilizes and apically activates α -glucosidases in small intestinal enterocytes. <i>FASEB Journal</i> , 2018 , 32, 3903-3911	0.9	9
66	Apical transport and folding of prostate-specific membrane antigen occurs independent of glycan processing. <i>Journal of Biological Chemistry</i> , 2006 , 281, 3505-12	5.4	9
65	Effects of SecDF on the antimicrobial functions of cathelicidins against <i>Staphylococcus aureus</i> . <i>Veterinary Microbiology</i> , 2017 , 200, 52-58	3.3	8

64	The Functions and Therapeutic Potential of Heat Shock Proteins in Inflammatory Bowel Disease-An Update. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	8
63	Structural hierarchy of regulatory elements in the folding and transport of an intestinal multidomain protein. <i>Journal of Biological Chemistry</i> , 2010 , 285, 4143-4152	5.4	8
62	A mutation in aminopeptidase N (CD13) isolated from a patient suffering from leukemia leads to an arrest in the endoplasmic reticulum. <i>Journal of Biological Chemistry</i> , 2006 , 281, 11894-900	5.4	8
61	Mesenchymal to epithelial transition driven by canine distemper virus infection of canine histiocytic sarcoma cells contributes to a reduced cell motility in vitro. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 9332-9348	5.6	8
60	Precision-cut intestinal slices as a culture system to analyze the infection of differentiated intestinal epithelial cells by avian influenza viruses. <i>Journal of Virological Methods</i> , 2015 , 212, 71-5	2.6	7
59	Quantification of sterols from carp cell lines by using HPLC ^{MS} . <i>Separation Science Plus</i> , 2018 , 1, 11-21	1.1	7
58	Cloning and characterization of canine prostate-specific membrane antigen. <i>Prostate</i> , 2013 , 73, 642-50	4.2	7
57	Discriminatory Role of Detergent-Resistant Membranes in the Dimerization and Endocytosis of Prostate-Specific Membrane Antigen. <i>PLoS ONE</i> , 2013 , 8, e66193	3.7	7
56	The Vitamin E Derivative Gamma Tocotrienol Promotes Anti-Tumor Effects in Acute Myeloid Leukemia Cell Lines. <i>Nutrients</i> , 2019 , 11,	6.7	7
55	Differential Glycosylation and Modulation of Camel and Human HSP Isoforms in Response to Thermal and Hypoxic Stresses. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	7
54	Differentiation and Functionality of Bone Marrow-Derived Mast Cells Depend on Varying Physiologic Oxygen Conditions. <i>Frontiers in Immunology</i> , 2017 , 8, 1665	8.4	6
53	Basic structural and functional characteristics of the epidermal barrier in wild mammals living in different habitats and climates. <i>European Journal of Wildlife Research</i> , 2011 , 57, 873-885	2	6
52	Impaired cell surface expression and digestive function of sucrase-isomaltase gene variants are associated with reduced efficacy of low FODMAPs diet in patients with IBS-D. <i>Gut</i> , 2020 , 69, 1538-1539	19.2	6
51	Axonopathy and Reduction of Membrane Resistance: Key Features in a New Murine Model of Human G-Gangliosidosis. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	6
50	TRAPECDG shows asymmetric glycosylation and an effect on processing of proteins required in higher organisms. <i>Journal of Medical Genetics</i> , 2021 , 58, 213-216	5.8	6
49	Posttranslational Processing and Function of Mucosal Maltases. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2018 , 66 Suppl 3, S18-S23	2.8	6
48	Impact of Virtual Patients as Optional Learning Material in Veterinary Biochemistry Education. <i>Journal of Veterinary Medical Education</i> , 2018 , 45, 177-187	1.3	6
47	Heat Shock Protein 60 in Hepatocellular Carcinoma: Insights and Perspectives. <i>Frontiers in Molecular Biosciences</i> , 2020 , 7, 60	5.6	5

46	Dextran Sodium Sulfate-Induced Impairment of Protein Trafficking and Alterations in Membrane Composition in Intestinal Caco-2 Cell Line. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	5
45	Phylogenetic analysis reveals key residues in substrate hydrolysis in the isomaltase domain of sucrase-isomaltase and its role in starch digestion. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2019 , 1863, 1410-1416	4	5
44	Heterozygotes Are a Potential New Entity among Homozygotes and Compound Heterozygotes in Congenital Sucrase-Isomaltase Deficiency. <i>Nutrients</i> , 2019 , 11,	6.7	5
43	Genetic reporter analysis reveals an expandable reservoir of OCT4+ cells in adult skin. <i>Cell Regeneration</i> , 2014 , 3, 9	2.5	5
42	Molecular cloning, cellular expression and characterization of Arabian camel (<i>Camelus dromedarius</i>) endoplasmin. <i>International Journal of Biological Macromolecules</i> , 2018 , 117, 574-585	7.9	5
41	The Pathobiochemistry of Gastrointestinal Symptoms in a Patient with Niemann-Pick Type C Disease. <i>JIMD Reports</i> , 2016 , 25, 25-29	1.9	4
40	Endocytosis in enterocytes. <i>Wiener Medizinische Wochenschrift</i> , 2016 , 166, 205-10	2.9	4
39	Methods to Study Lipid Alterations in Neutrophils and the Subsequent Formation of Neutrophil Extracellular Traps. <i>Journal of Visualized Experiments</i> , 2017 ,	1.6	4
38	Canine epidermal lipid sampling by skin scrub revealed variations between different body sites and normal and atopic dogs. <i>BMC Veterinary Research</i> , 2014 , 10, 152	2.7	4
37	Protocadherin of the liver, kidney, and colon associates with detergent-resistant membranes during cellular differentiation. <i>Journal of Biological Chemistry</i> , 2010 , 285, 13193-200	5.4	4
36	Mosaic pattern of sucrase isomaltase deficiency in two brothers. <i>Pediatric Research</i> , 2008 , 63, 79-83	3.2	4
35	Guarea kunthiana Bark Extract Enhances the Antimicrobial Activities of Human and Bovine Neutrophils. <i>Natural Product Communications</i> , 2016 , 11, 767-70	0.9	4
34	In Vitro Testing of Crude Natural Plant Extracts from Costa Rica for Their Ability to Boost Innate Immune Cells against <i>Staphylococcus aureus</i> . <i>Biomedicines</i> , 2017 , 5,	4.8	3
33	Transient sucrose and starch intolerance. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012 , 55 Suppl 2, S39-40	2.8	3
32	Cloning and expression of human intestinal sucrase-isomaltase. <i>Biochemical Society Transactions</i> , 1995 , 23, 304S	5.1	3
31	Utilization and acceptance of virtual patients in veterinary basic sciences - the vetVIP-project. <i>GMS Journal for Medical Education</i> , 2017 , 34, Doc19	0.8	3
30	Differential Effects of Sucrase-Isomaltase Mutants on Its Trafficking and Function in Irritable Bowel Syndrome: Similarities to Congenital Sucrase-Isomaltase Deficiency. <i>Nutrients</i> , 2020 , 13,	6.7	3
29	Ketogenic Diet: Impact on Cellular Lipids in Hippocampal Murine Neurons. <i>Nutrients</i> , 2020 , 12,	6.7	3

28	Starch Tolerance and the Short Bowel. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2018 , 66 Suppl 3, S68-S71	2.8	3
27	Isolation and Quantification of Sphingosine and Sphinganine from Rat Serum Revealed Gender Differences. <i>Biomolecules</i> , 2019 , 9,	5.9	2
26	Different Trafficking Phenotypes of Niemann-Pick C1 Gene Mutations Correlate with Various Alterations in Lipid Storage, Membrane Composition and Miglustat Amenability. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	2
25	A mutation map for human glycoside hydrolase genes. <i>Glycobiology</i> , 2020 , 30, 500-515	5.8	2
24	Digestive enzyme expression in the large intestine of children with short bowel syndrome in a late stage of adaptation. <i>FASEB Journal</i> , 2020 , 34, 3983-3995	0.9	2
23	Structural determinants for transport of lactase phlorizin-hydrolase in the early secretory pathway as a multi-domain membrane glycoprotein. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2017 , 1861, 3119-3128	4	2
22	Lipid raft abnormalities and subsequent protein trafficking effects in Niemann-Pick type C1 (LB158). <i>FASEB Journal</i> , 2014 , 28, LB158	0.9	2
21	. Can Restore Endoplasmic Reticulum Alterations, Protein Trafficking and Membrane Integrity in a Dextran Sulfate Sodium-Induced Inflammatory Bowel Disease Phenotype. <i>Nutrients</i> , 2021 , 13,	6.7	2
20	Infection Influences the Function of Intestinal Cells by Altering the Lipid Raft-Dependent Sorting of Sucrase-Isomaltase. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 699970	5.7	2
19	Lidocaine effect on flotillin-2 distribution in detergent-resistant membranes of equine jejunal smooth muscle in vitro. <i>Veterinary Journal</i> , 2014 , 200, 325-7	2.5	1
18	Cadherin-related protein 24 induces morphological changes and partial cell polarization by facilitating direct cell-cell interactions. <i>Biological Chemistry</i> , 2012 , 393, 495-503	4.5	1
17	Analysis of the putative cleavage site in human lactase-phlorizin hydrolase. <i>Biochemical Society Transactions</i> , 1995 , 23, 305S	5.1	1
16	Molecular and cellular analysis of intestinal lactase-phlorizin hydrolase gene variants unravel a heterogeneous pathogenic pattern of congenital lactase deficiency. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	1
15	Rare Hypomorphic Sucrase Isomaltase Variants in Relation to Irritable Bowel Syndrome Risk in UK Biobank. <i>Gastroenterology</i> , 2021 , 161, 1712-1714	13.3	1
14	Guarea kunthiana Bark Extract Enhances the Antimicrobial Activities of Human and Bovine Neutrophils. <i>Natural Product Communications</i> , 2016 , 11, 1934578X1601100	0.9	1
13	Adult sucrase-isomaltase deficiency masquerading as IBS. <i>Gut</i> , 2021 ,	19.2	0
12	The glucose-regulated protein GRP94 interacts avidly in the endoplasmic reticulum with sucrase-isomaltase isoforms that are associated with congenital sucrase-isomaltase deficiency. <i>International Journal of Biological Macromolecules</i> , 2021 , 186, 237-243	7.9	0
11	Protein and membrane trafficking in a dextran sulfate sodium-induced ER stress in absorptive intestinal Caco-2 cells. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	

10	Hypomorphic variants of lactase-phlorizin hydrolase in congenital lactase deficiency are trafficking incompetent and functionally inactive.. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2022 , 1868, 166338	6.9
9	GPI-Anchor Dictates Trafficking of Membrane Dipeptidase. <i>FASEB Journal</i> , 2007 , 21, A610	0.9
8	Niemann-Pick C1 Pathophysiology Associates with Different Classes of Protein Trafficking Phenotypes Elicited by NPC-1 Mutations. <i>FASEB Journal</i> , 2019 , 33, 461.18	0.9
7	Protocadherin of the liver, kidney and colon associates with detergent-resistant membranes during cellular differentiation. <i>FASEB Journal</i> , 2010 , 24, 852.2	0.9
6	Signalling pathway of prostate-specific membrane antigen implicates different types of detergent-resistant membranes. <i>FASEB Journal</i> , 2010 , 24, lb179	0.9
5	Role of calcium in the structure and function of protocadherin of the liver, kidney and colon. <i>FASEB Journal</i> , 2010 , 24, 869.1	0.9
4	Kongenitale Diarrh 2013 , 189-202	
3	The effect of N-butyl-deoxyojirimycin on the structure, function and trafficking of intestinal glycoproteins. <i>FASEB Journal</i> , 2013 , 27, 553.16	0.9
2	Maturation and trafficking of a HMW sucrase-isomaltase species expressed via maltose sensing. <i>FASEB Journal</i> , 2013 , 27, 596.2	0.9
1	Cholesterol-depletion in human blood-derived neutrophils by methyl- β -cyclodextrin leads to the formation of neutrophil extracellular traps (1001.5). <i>FASEB Journal</i> , 2014 , 28, 1001.5	0.9