

Peter Andreas Fasching

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9520251/peter-andreas-fasching-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

435
papers

27,852
citations

75
h-index

159
g-index

465
ext. papers

35,009
ext. citations

7.9
avg, IF

5.95
L-index

#	Paper	IF	Citations
435	Rare germline copy number variants (CNVs) and breast cancer risk.. <i>Communications Biology</i> , 2022 , 5, 65	6.7	0
434	Common variants in breast cancer risk loci predispose to distinct tumor subtypes.. <i>Breast Cancer Research</i> , 2022 , 24, 2	8.3	3
433	ABC6 Consensus: Assessment by a Group of German Experts.. <i>Breast Care</i> , 2022 , 17, 90-100	2.4	0
432	Pathology of Tumors Associated With Pathogenic Germline Variants in 9 Breast Cancer Susceptibility Genes.. <i>JAMA Oncology</i> , 2022 ,	13.4	4
431	Genetic polymorphisms and correlation with treatment induced cardiotoxicity and prognosis in breast cancer patients.. <i>Clinical Cancer Research</i> , 2022 ,	12.9	1
430	Update Breast Cancer 2021 Part 4 - Prevention and Early Stages.. <i>Geburtshilfe Und Frauenheilkunde</i> , 2022 , 82, 206-214	2	1
429	Event-free Survival with Pembrolizumab in Early Triple-Negative Breast Cancer.. <i>New England Journal of Medicine</i> , 2022 , 386, 556-567	59.2	29
428	Update Breast Cancer 2021 Part 5 - Advanced Breast Cancer.. <i>Geburtshilfe Und Frauenheilkunde</i> , 2022 , 82, 215-225	2	2
427	Prevalence of SARS-CoV-2 in Pregnant Women Assessed by RT-PCR in Franconia, Germany: First Results of the SCENARIO Study (SARS-CoV-2 prevalence in pregnancy and at birth in Franconia).. <i>Geburtshilfe Und Frauenheilkunde</i> , 2022 , 82, 226-234	2	0
426	Implementation of an Electronic Patient-Reported Outcome App for Health-Related Quality of Life in Breast Cancer Patients: Evaluation and Acceptability Analysis in a Two-Center Prospective Trial.. <i>Journal of Medical Internet Research</i> , 2022 , 24, e16128	7.6	0
425	Abstract PD8-01: Phase 3 SOPHIA study of margetuximab (M) + chemotherapy (CTX) vs trastuzumab (T) + CTX in patients (pts) with HER2+ metastatic breast cancer (MBC) after prior anti-HER2 therapies: Final overall survival (OS) analysis. <i>Cancer Research</i> , 2022 , 82, PD8-01-PD8-01	10.1	1
424	The impact of anthracyclines in intermediate and high-risk HER2-negative early breast cancer-a pooled analysis of the randomised clinical trials PlanB and SUCCESS C.. <i>British Journal of Cancer</i> , 2022 ,	8.7	1
423	Abstract PD13-06: Neoadjuvant giredestrant (GDC-9545) + palbociclib versus anastrozole + palbociclib in postmenopausal women with estrogen receptor-positive, HER2-negative, untreated early breast cancer: Primary analysis of the randomized, open-label, phase II coopERA breast cancer study. <i>Cancer Research</i> , 2022 , 82, PD13-06-PD13-06	10.1	1
422	Heart Rate Measurement Accuracy of Fitbit Charge 4 and Samsung Galaxy Watch Active2: Device Evaluation Study.. <i>JMIR Formative Research</i> , 2022 , 6, e33635	2.5	0
421	Update Mammakarzinom 2021 Teil 3 [aktuelle Entwicklungen bei der Behandlung von Brustkrebspatientinnen mit frühen Krankheitsstadien: Bersicht und Beurteilung von speziellen Therapiesituationen durch ein internationales Expertenpanel. <i>Senologie - Zeitschrift für Mammadiagnostik Und Therapie</i> , 2022 , 19, 75-87	0	0
420	Update Breast Cancer 2022 Part 2 [Advanced Stage Breast Cancer. <i>Geburtshilfe Und Frauenheilkunde</i> , 2022 , 82, 590-600	2	1
419	Update Breast Cancer 2022 Part 1 [Early Stage Breast Cancer. <i>Geburtshilfe Und Frauenheilkunde</i> , 2022 , 82, 580-589	2	

418	Cross-Cancer Genome-Wide Association Study of Endometrial Cancer and Epithelial Ovarian Cancer Identifies Genetic Risk Regions Associated with Risk of Both Cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 217-228	4	7
417	Endocrine Treatment for Breast Cancer Patients Revisited-History, Standard of Care, and Possibilities of Improvement. <i>Cancers</i> , 2021 , 13,	6.6	3
416	MCM3 is a novel proliferation marker associated with longer survival for patients with tubo-ovarian high-grade serous carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021 ,	5.1	2
415	Survival analysis of the randomised phase III GeparOcto trial comparing neoadjuvant chemotherapy of intense dose-dense epirubicin, paclitaxel, cyclophosphamide versus weekly paclitaxel, liposomal doxorubicin (plus carboplatin in triple-negative breast cancer) for patients with high-risk early breast cancer. <i>European Journal of Cancer</i> , 2021 ,	7.5	1
414	Germline variants and breast cancer survival in patients with distant metastases at primary breast cancer diagnosis. <i>Scientific Reports</i> , 2021 , 11, 19787	4.9	0
413	A careful reassessment of anthracycline use in curable breast cancer. <i>Npj Breast Cancer</i> , 2021 , 7, 134	7.8	6
412	Germline BRCA1/2 mutations and severe haematological toxicities in patients with breast cancer treated with neoadjuvant chemotherapy. <i>European Journal of Cancer</i> , 2021 , 145, 44-52	7.5	2
411	Update Breast Cancer 2020 Part 5 - Moving Therapies From Advanced to Early Breast Cancer Patients. <i>Geburtshilfe Und Frauenheilkunde</i> , 2021 , 81, 469-480	2	3
410	Associations between Genetically Predicted Circulating Protein Concentrations and Endometrial Cancer Risk. <i>Cancers</i> , 2021 , 13,	6.6	3
409	Efficacy of Margetuximab vs Trastuzumab in Patients With Pretreated ERBB2-Positive Advanced Breast Cancer: A Phase 3 Randomized Clinical Trial. <i>JAMA Oncology</i> , 2021 , 7, 573-584	13.4	65
408	Mutations in and Other Panel Genes in Patients With Metastatic Breast Cancer -Association With Patient and Disease Characteristics and Effect on Prognosis. <i>Journal of Clinical Oncology</i> , 2021 , 39, 1619-1630	22	11
407	Update Breast Cancer 2021 Part 2 - Advanced Stages, Long-Term Consequences and Biomarkers. <i>Geburtshilfe Und Frauenheilkunde</i> , 2021 , 81, 539-548	2	2
406	Treatment of Patients with Early Breast Cancer: Evidence, Controversies, Consensus: German Expert Opinions on the 17th International St.Gallen Consensus Conference. <i>Geburtshilfe Und Frauenheilkunde</i> , 2021 , 81, 637-653	2	1
405	Subgroup of post-neoadjuvant luminal-B tumors assessed by HTG in PENELOPE-B investigating palbociclib in high risk HER2-/HR+ breast cancer with residual disease.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 519-519	2.2	2
404	Update Breast Cancer 2021 Part 1 - Prevention and Early Stages. <i>Geburtshilfe Und Frauenheilkunde</i> , 2021 , 81, 526-538	2	3
403	Association of genomic variants at PAX8 and PBX2 with cervical cancer risk. <i>International Journal of Cancer</i> , 2021 , 149, 893	7.5	3
402	Therapy response and prognosis of patients with early breast cancer with low positivity for hormone receptors - An analysis of 2765 patients from neoadjuvant clinical trials. <i>European Journal of Cancer</i> , 2021 , 148, 159-170	7.5	12
401	Identification of a Locus Near Associated With Progression-Free Survival in Ovarian Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 1669-1680	4	2

400	Patterns and Trends of Herbal Medicine Use among Patients with Gynecologic Cancer. <i>Geburtshilfe Und Frauenheilkunde</i> , 2021 , 81, 699-707	2	0
399	Update Breast Cancer 2021 Part 3 - Current Developments in the Treatment of Early Breast Cancer: Review and Assessment of Specialised Treatment Scenarios by an International Expert Panel. <i>Geburtshilfe Und Frauenheilkunde</i> , 2021 , 81, 654-665	2	3
398	Behandlung von Patientinnen mit fr̈hem Mammakarzinom: Evidenz, Kontroversen, Konsens □ Meinungsbild deutscher Expert*innen zur 17. Internationalen St.-Gallen-Konsensuskonferenz. <i>Senologie - Zeitschrift F̈r Mammadiagnostik Und -therapie</i> , 2021 , 18, 163-181	0	
397	Functional annotation of the 2q35 breast cancer risk locus implicates a structural variant in influencing activity of a long-range enhancer element. <i>American Journal of Human Genetics</i> , 2021 , 108, 1190-1203	11	1
396	Association of Prenatal Alcohol Exposure and Prenatal Maternal Depression with Offspring Low-Grade Inflammation in Early Adolescence. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3
395	Refined cut-off for TP53 immunohistochemistry improves prediction of TP53 mutation status in ovarian mucinous tumors: implications for outcome analyses. <i>Modern Pathology</i> , 2021 , 34, 194-206	9.8	6
394	Influence of Family History of Breast or Ovarian Cancer on Pathological Complete Response and Long-Term Prognosis in Breast Cancer Patients Treated with Neoadjuvant Chemotherapy. <i>Breast Care</i> , 2021 , 16, 254-262	2.4	
393	Mendelian randomization analyses suggest a role for cholesterol in the development of endometrial cancer. <i>International Journal of Cancer</i> , 2021 , 148, 307-319	7.5	13
392	Analysis of Oncological Second Opinions in a Certified University Breast and Gynecological Cancer Center Regarding Consensus between the First and Second Opinion and Conformity with the Guidelines. <i>Breast Care</i> , 2021 , 16, 291-298	2.4	0
391	Genetic variations in estrogen and progesterone pathway genes in preeclampsia patients and controls in Bavaria. <i>Archives of Gynecology and Obstetrics</i> , 2021 , 303, 897-904	2.5	0
390	The association between prenatal alcohol consumption and preschool child stress system disturbance. <i>Developmental Psychobiology</i> , 2021 , 63, 687-697	3	4
389	Genetic variants in the glucocorticoid pathway genes and birth weight. <i>Archives of Gynecology and Obstetrics</i> , 2021 , 303, 427-434	2.5	
388	Prenatal Alcohol Exposure and the Facial Phenotype in Adolescents: A Study Based on Meconium Ethyl Glucuronide. <i>Brain Sciences</i> , 2021 , 11,	3.4	1
387	CYP3A7*1C allele: linking premenopausal oestrone and progesterone levels with risk of hormone receptor-positive breast cancers. <i>British Journal of Cancer</i> , 2021 , 124, 842-854	8.7	2
386	Active Participation, Mind-Body Stabilization, and Coping Strategies with Integrative Medicine in Breast Cancer Patients. <i>Integrative Cancer Therapies</i> , 2021 , 20, 1534735421990108	3	
385	Challenges and Opportunities for Real-World Evidence in Metastatic Luminal Breast Cancer. <i>Breast Care</i> , 2021 , 16, 108-114	2.4	1
384	A case-only study to identify genetic modifiers of breast cancer risk for BRCA1/BRCA2 mutation carriers. <i>Nature Communications</i> , 2021 , 12, 1078	17.4	4
383	Immune-related Gene Expression Predicts Response to Neoadjuvant Chemotherapy but not Additional Benefit from PD-L1 Inhibition in Women with Early Triple-negative Breast Cancer. <i>Clinical Cancer Research</i> , 2021 , 27, 2584-2591	12.9	10

382	Breast Cancer Risk Genes - Association Analysis in More than 113,000 Women. <i>New England Journal of Medicine</i> , 2021 , 384, 428-439	59.2	143
381	NGS zur Selektion innovativer Therapien – Was bringt das?. <i>Der Gynakologe</i> , 2021 , 54, 164-174	0.1	
380	Update Mammakarzinom 2020 Teil 3 – Frühes Mammakarzinom. <i>Senologie - Zeitschrift für Mammadiagnostik Und -therapie</i> , 2021 , 18, 39-48	0	
379	Update Mammakarzinom 2020 Teil 4 – Fortgeschrittenes Mammakarzinom. <i>Senologie - Zeitschrift für Mammadiagnostik Und -therapie</i> , 2021 , 18, 49-57	0	
378	Genetic analyses of gynecological disease identify genetic relationships between uterine fibroids and endometrial cancer, and a novel endometrial cancer genetic risk region at the WNT4 1p36.12 locus. <i>Human Genetics</i> , 2021 , 140, 1353-1365	6.3	5
377	Clinical effectiveness of olaparib monotherapy in germline BRCA-mutated, HER2-negative metastatic breast cancer in a real-world setting: phase IIIb LUCY interim analysis. <i>European Journal of Cancer</i> , 2021 , 152, 68-77	7.5	5
376	Comparison of methods for isolation and quantification of circulating cell-free DNA from patients with endometriosis. <i>Reproductive BioMedicine Online</i> , 2021 , 43, 788-798	4	0
375	Association of germline genetic variants with breast cancer-specific survival in patient subgroups defined by clinic-pathological variables related to tumor biology and type of systemic treatment. <i>Breast Cancer Research</i> , 2021 , 23, 86	8.3	1
374	Clinical and molecular characteristics of HER2-low-positive breast cancer: pooled analysis of individual patient data from four prospective, neoadjuvant clinical trials. <i>Lancet Oncology</i> , 2021 , 22, 1151-1161	21.7	32
373	Mendelian randomisation study of smoking exposure in relation to breast cancer risk. <i>British Journal of Cancer</i> , 2021 , 125, 1135-1145	8.7	0
372	Comprehensive characterization of endometriosis patients and disease patterns in a large clinical cohort. <i>Archives of Gynecology and Obstetrics</i> , 2021 , 1	2.5	0
371	Prognostic effect of low-level HER2 expression in patients with clinically negative HER2 status. <i>European Journal of Cancer</i> , 2021 , 155, 1-12	7.5	6
370	Disseminated tumour cells from the bone marrow of early breast cancer patients: Results from an international pooled analysis. <i>European Journal of Cancer</i> , 2021 , 154, 128-137	7.5	5
369	Update Mammakarzinom 2020 Teil 5 – Einführung von Substanzen aus der metastasierten Therapiesituation in die frühe Therapiesituation. <i>Senologie - Zeitschrift für Mammadiagnostik Und -therapie</i> , 2021 , 18, 254-265	0	
368	Mammographic density and prognosis in primary breast cancer patients. <i>Breast</i> , 2021 , 59, 51-57	3.6	3
367	Breast Cancer Risk Factors and Survival by Tumor Subtype: Pooled Analyses from the Breast Cancer Association Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 623-642	4	4
366	AGO Recommendations for the Diagnosis and Treatment of Patients with Locally Advanced and Metastatic Breast Cancer: Update 2021. <i>Breast Care</i> , 2021 , 16, 228-235	2.4	7
365	AGO Recommendations for the Diagnosis and Treatment of Patients with Early Breast Cancer: Update 2021. <i>Breast Care</i> , 2021 , 16, 214-227	2.4	19

364	Comparison of C-Reactive Protein in Dried Blood Spots and Saliva of Healthy Adolescents.. <i>Frontiers in Immunology</i> , 2021 , 12, 795580	8.4	1
363	Das Nicht-Pseudogen HLA-J ist ein neuer prognostischer Marker für das Ansprechen auf Therapie und das Überleben bei Brustkrebs. <i>Senologie - Zeitschrift für Mammadiagnostik Und -therapie</i> , 2021 , 18, 353-364	0	
362	Update Mammakarzinom 2021 Teil 1 Prävention und frühe Krankheitsstadien. <i>Senologie - Zeitschrift für Mammadiagnostik Und -therapie</i> , 2021 , 18, 377-390	0	
361	Gemcitabine as adjuvant chemotherapy in patients with high-risk early breast cancer-results from the randomized phase III SUCCESS-A trial. <i>Breast Cancer Research</i> , 2020 , 22, 111	8.3	6
360	Genome-wide association study identifies 32 novel breast cancer susceptibility loci from overall and subtype-specific analyses. <i>Nature Genetics</i> , 2020 , 52, 572-581	36.3	76
359	Development and Validation of the Gene Expression Predictor of High-grade Serous Ovarian Carcinoma Molecular SubTYPE (ProTYPE). <i>Clinical Cancer Research</i> , 2020 , 26, 5411-5423	12.9	21
358	Klinische Endpunkte in Real-World-Register-Studien. <i>Onkologe</i> , 2020 , 26, 530-541	0.1	1
357	International Consensus Conference for Advanced Breast Cancer, Lisbon 2019: ABC5 Consensus - Assessment by a German Group of Experts. <i>Breast Care</i> , 2020 , 15, 82-95	2.4	20
356	Association of Germline Variant Status With Therapy Response in High-risk Early-Stage Breast Cancer: A Secondary Analysis of the GeparOcto Randomized Clinical Trial. <i>JAMA Oncology</i> , 2020 , 6, 744-748	12.4	21
355	Update Breast Cancer 2020 Part 1 - Early Breast Cancer: Consolidation of Knowledge About Known Therapies. <i>Geburtshilfe Und Frauenheilkunde</i> , 2020 , 80, 277-287	2	14
354	RANKL and OPG and their influence on breast volume changes during pregnancy in healthy women. <i>Scientific Reports</i> , 2020 , 10, 5171	4.9	0
353	Locoregional recurrence risk after neoadjuvant chemotherapy: A pooled analysis of nine prospective neoadjuvant breast cancer trials. <i>European Journal of Cancer</i> , 2020 , 130, 92-101	7.5	11
352	A Small Hypoxia Signature Predicted pCR Response to Bevacizumab in the Neoadjuvant GeparQuinto Breast Cancer Trial. <i>Clinical Cancer Research</i> , 2020 , 26, 1896-1904	12.9	7
351	AGO Recommendations for the Diagnosis and Treatment of Patients with Locally Advanced and Metastatic Breast Cancer: Update 2020. <i>Breast Care</i> , 2020 , 15, 294-309	2.4	30
350	Association of genomic variants at the human leukocyte antigen locus with cervical cancer risk, HPV status and gene expression levels. <i>International Journal of Cancer</i> , 2020 , 147, 2458-2468	7.5	6
349	ABC5 International Consensus Conference on Advanced Breast Cancer, Lisbon, 16 November 2019: Commentary by the German panel of experts on the ABC5 voting results. <i>Geburtshilfe Und Frauenheilkunde</i> , 2020 , 80, 588-600	2	1
348	Pembrolizumab for Early Triple-Negative Breast Cancer. <i>New England Journal of Medicine</i> , 2020 , 382, 810-821	59.2	599
347	Transcriptome-wide association study of breast cancer risk by estrogen-receptor status. <i>Genetic Epidemiology</i> , 2020 , 44, 442-468	2.6	9

346	A network analysis to identify mediators of germline-driven differences in breast cancer prognosis. <i>Nature Communications</i> , 2020 , 11, 312	17.4	20
345	Prediction of contralateral breast cancer: external validation of risk calculators in 20 international cohorts. <i>Breast Cancer Research and Treatment</i> , 2020 , 181, 423-434	4.4	7
344	Evaluation of Pathologic Complete Response as a Surrogate for Long-Term Survival Outcomes in Triple-Negative Breast Cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2020 , 18, 1096-1104	7.3	13
343	A phase II single-arm, multicenter, open-label neoadjuvant study of pembrolizumab in combination with nab-paclitaxel followed by pembrolizumab in combination with epirubicin and cyclophosphamide in patients with triple-negative breast cancer: Neoimmunoboost.. <i>Journal of Clinical Oncology</i> , 2020 , 38, e12647-e12647	2.2	
342	Fine-mapping of 150 breast cancer risk regions identifies 191 likely target genes. <i>Nature Genetics</i> , 2020 , 52, 56-73	36.3	56
341	Risk of postmenopausal hormone therapy and patient history factors for the survival rate in women with endometrial carcinoma. <i>Archives of Gynecology and Obstetrics</i> , 2020 , 301, 289-294	2.5	4
340	Overall Survival with Ribociclib plus Fulvestrant in Advanced Breast Cancer. <i>New England Journal of Medicine</i> , 2020 , 382, 514-524	59.2	251
339	Gene Expression Signatures of BRCAness and Tumor Inflammation Define Subgroups of Early-Stage Hormone Receptor-Positive Breast Cancer Patients. <i>Clinical Cancer Research</i> , 2020 , 26, 6523-6534	12.9	4
338	Assessment of the additional clinical potential of X-ray dark-field imaging for breast cancer in a preclinical setup. <i>Therapeutic Advances in Medical Oncology</i> , 2020 , 12, 1758835920957932	5.4	2
337	Characteristics and Clinical Outcome of Breast Cancer Patients with Asymptomatic Brain Metastases. <i>Cancers</i> , 2020 , 12,	6.6	4
336	HLA-G and HLA-F protein isoform expression in breast cancer patients receiving neoadjuvant treatment. <i>Scientific Reports</i> , 2020 , 10, 15750	4.9	6
335	ABC5 Internationale Konsensuskonferenz zum fortgeschrittenen Mammakarzinom, Lissabon, 16.11.2019 Deutsche Expertengruppe kommentiert ABC5-Abstimmungsergebnisse. <i>Senologie - Zeitschrift für Mammadiagnostik Und -therapie</i> , 2020 , 17, 173-186	0	
334	PIWI-Like 1 and PIWI-Like 2 Expression in Breast Cancer. <i>Cancers</i> , 2020 , 12,	6.6	3
333	Ribociclib plus fulvestrant for advanced breast cancer: Health-related quality-of-life analyses from the MONALEESA-3 study. <i>Breast</i> , 2020 , 54, 148-154	3.6	8
332	Progression-Free Survival and Overall Survival in Patients with Advanced HER2-Positive Breast Cancer Treated with Trastuzumab Emtansine (T-DM1) after Previous Treatment with Pertuzumab. <i>Cancers</i> , 2020 , 12,	6.6	3
331	Does anxiety impact the neural processing of child faces in mothers of school-aged children? An ERP study using an emotional Go/NoGo task. <i>Social Neuroscience</i> , 2020 , 15, 530-543	2	1
330	Update Breast Cancer 2020 Part 3 - Early Breast Cancer. <i>Geburtshilfe Und Frauenheilkunde</i> , 2020 , 80, 1105-11148		
329	Update Breast Cancer 2020 Part 4 - Advanced Breast Cancer. <i>Geburtshilfe Und Frauenheilkunde</i> , 2020 , 80, 1115-1122	2	6

328	HLA-J, a Non-Pseudogene as a New Prognostic Marker for Therapy Response and Survival in Breast Cancer. <i>Geburtshilfe Und Frauenheilkunde</i> , 2020 , 80, 1123-1133	2	3
327	Treatment Landscape and Prognosis After Treatment with Trastuzumab Emtansine. <i>Geburtshilfe Und Frauenheilkunde</i> , 2020 , 80, 1134-1142	2	1
326	Heregulin (HRG) assessment for clinical trial eligibility testing in a molecular registry (PRAEGNANT) in Germany. <i>BMC Cancer</i> , 2020 , 20, 1091	4.8	0
325	Translationale Highlights Mamma- und Ovarialkarzinom 2019 □ Immuntherapien, DNA-Reparatur, PI3K-Inhibition und CDK4/6-Therapien. <i>Senologie - Zeitschrift Für Mammadiagnostik Und -therapie</i> , 2020 , 17, 31-41	0	
324	Breast MRI texture analysis for prediction of BRCA-associated genetic risk. <i>BMC Medical Imaging</i> , 2020 , 20, 86	2.9	1
323	Breast Cancer Polygenic Risk Score and Contralateral Breast Cancer Risk. <i>American Journal of Human Genetics</i> , 2020 , 107, 837-848	11	12
322	Initial experience with CDK4/6 inhibitor-based therapies compared to antihormone monotherapies in routine clinical use in patients with hormone receptor positive, HER2 negative breast cancer - Data from the PRAEGNANT research network for the first 2 years of drug availability in Germany. <i>Breast</i> , 2020 , 54, 88-95	3.6	11
321	Impact of fibroblast growth factor receptor 1 (FGFR1) amplification on the prognosis of breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2020 , 184, 311-324	4.4	6
320	Association of Pathologic Complete Response with Long-Term Survival Outcomes in Triple-Negative Breast Cancer: A Meta-Analysis. <i>Cancer Research</i> , 2020 , 80, 5427-5434	10.1	32
319	Update Breast Cancer 2020 Part 2 - Advanced Breast Cancer: New Treatments and Implementation of Therapies with Companion Diagnostics. <i>Geburtshilfe Und Frauenheilkunde</i> , 2020 , 80, 391-398	2	11
318	Anastrozole has an Association between Degree of Estrogen Suppression and Outcomes in Early Breast Cancer and is a Ligand for Estrogen Receptor □. <i>Clinical Cancer Research</i> , 2020 , 26, 2986-2996	12.9	8
317	A Randomized, Open-label, Presurgical, Window-of-Opportunity Study Comparing the Pharmacodynamic Effects of the Novel Oral SERD AZD9496 with Fulvestrant in Patients with Newly Diagnosed ER HER2 Primary Breast Cancer. <i>Clinical Cancer Research</i> , 2020 , 26, 4242-4249	12.9	13
316	Unterstützende Infusionen in der integrativen Onkologie bei Brustkrebs und gynäkologischen Krebserkrankungen □ Bericht über die Zufriedenheit der Patientinnen sowie über selbstberichtete Wirkungen und Nebenwirkungen. <i>Senologie - Zeitschrift Für Mammadiagnostik Und -therapie</i> , 2019 , 16, 137-146	0	
315	Two truncating variants in FANCC and breast cancer risk. <i>Scientific Reports</i> , 2019 , 9, 12524	4.9	2
314	AGO Recommendations for the Diagnosis and Treatment of Patients with Early Breast Cancer: Update 2019. <i>Breast Care</i> , 2019 , 14, 224-245	2.4	53
313	Shared heritability and functional enrichment across six solid cancers. <i>Nature Communications</i> , 2019 , 10, 431	17.4	45
312	Differential prognostic relevance of patho-anatomical factors among different tumor-biological subsets of breast cancer: Results from the adjuvant SUCCESS A study. <i>Breast</i> , 2019 , 44, 81-89	3.6	6
311	Evaluation of soluble carbonic anhydrase IX as predictive marker for efficacy of bevacizumab: A biomarker analysis from the geparquinto phase III neoadjuvant breast cancer trial. <i>International Journal of Cancer</i> , 2019 , 145, 857-868	7.5	9

310	A Phase II Randomized Study of Neoadjuvant Letrozole Plus Alpelisib for Hormone Receptor-Positive, Human Epidermal Growth Factor Receptor 2-Negative Breast Cancer (NEO-ORB). <i>Clinical Cancer Research</i> , 2019 , 25, 2975-2987	12.9	51
309	Diagnosis and Therapy of Triple-Negative Breast Cancer (TNBC) - Recommendations for Daily Routine Practice. <i>Geburtshilfe Und Frauenheilkunde</i> , 2019 , 79, 605-617	2	17
308	Salivary and hair cortisol as biomarkers of emotional and behavioral symptoms in 6-9 year old children. <i>Physiology and Behavior</i> , 2019 , 209, 112584	3.5	12
307	Influence of patient and tumor characteristics on therapy persistence with letrozole in postmenopausal women with advanced breast cancer: results of the prospective observational EvAluate-TM study. <i>BMC Cancer</i> , 2019 , 19, 611	4.8	4
306	Update Breast Cancer 2019 Part 1 - Implementation of Study Results of Novel Study Designs in Clinical Practice in Patients with Early Breast Cancer. <i>Geburtshilfe Und Frauenheilkunde</i> , 2019 , 79, 256-267		15
305	Update Mammakarzinom 2018 (Teil 3) Genomforschung, individualisierte Medizin und Immuntherapien mitten in einer neuen Phase: Prävention und Therapie des frühen Mammakarzinoms. <i>Senologie - Zeitschrift Für Mammadiagnostik Und -therapie</i> , 2019 , 16, 23-32	0	
304	Update Mammakarzinom 2019 Teil 1 Implementierung der Ergebnisse neuer Studienkonzepte beim frühen Mammakarzinom in die klinische Praxis. <i>Senologie - Zeitschrift Für Mammadiagnostik Und -therapie</i> , 2019 , 16, 33-44	0	
303	Update Mammakarzinom 2019 Teil 3 Aktuelle Entwicklungen bei der kurativen Behandlung von Mammakarzinompatientinnen: eine Übersicht und Bewertung durch ein internationales Expertenpanel. <i>Senologie - Zeitschrift Für Mammadiagnostik Und -therapie</i> , 2019 , 16, 123-136	0	0
302	Neoadjuvant Trastuzumab Emtansine and Pertuzumab in Human Epidermal Growth Factor Receptor 2-Positive Breast Cancer: Three-Year Outcomes From the Phase III KRISTINE Study. <i>Journal of Clinical Oncology</i> , 2019 , 37, 2206-2216	2.2	78
301	Update Breast Cancer 2019 Part 3 - Current Developments in Early Breast Cancer: Review and Critical Assessment by an International Expert Panel. <i>Geburtshilfe Und Frauenheilkunde</i> , 2019 , 79, 470-482		22
300	Clinical and analytical validation of Ki-67 in 9069 patients from IBCSG VIII + IX, BIG1-98 and GeparTrio trial: systematic modulation of interobserver variance in a comprehensive in silico ring trial. <i>Breast Cancer Research and Treatment</i> , 2019 , 176, 557-568	4.4	5
299	Update Breast Cancer 2019 Part 2 - Implementation of Novel Diagnostics and Therapeutics in Advanced Breast Cancer Patients in Clinical Practice. <i>Geburtshilfe Und Frauenheilkunde</i> , 2019 , 79, 268-280		15
298	Development of central nervous system metastases as a first site of metastatic disease in breast cancer patients treated in the neoadjuvant trials GeparQuinto and GeparSixto. <i>Breast Cancer Research</i> , 2019 , 21, 60	8.3	11
297	NAB-Paclitaxel Improves Disease-Free Survival in Early Breast Cancer: GBG 69-GeparSepto. <i>Journal of Clinical Oncology</i> , 2019 , 37, 2226-2234	2.2	61
296	Genome-wide association and transcriptome studies identify target genes and risk loci for breast cancer. <i>Nature Communications</i> , 2019 , 10, 1741	17.4	47
295	Preexisting musculoskeletal burden and its development under letrozole treatment in early breast cancer patients. <i>International Journal of Cancer</i> , 2019 , 145, 2114-2121	7.5	2
294	Prognostic effect of Ki-67 in common clinical subgroups of patients with HER2-negative, hormone receptor-positive early breast cancer. <i>Breast Cancer Research and Treatment</i> , 2019 , 175, 617-625	4.4	20
293	Mutational Diversity and Therapy Response in Breast Cancer: A Sequencing Analysis in the Neoadjuvant GeparSepto Trial. <i>Clinical Cancer Research</i> , 2019 , 25, 3986-3995	12.9	21

292	Genome-wide association study of germline variants and breast cancer-specific mortality. <i>British Journal of Cancer</i> , 2019 , 120, 647-657	8.7	28
291	Translational highlights in breast cancer research and treatment: recent developments with clinical impact. <i>Current Opinion in Obstetrics and Gynecology</i> , 2019 , 31, 67-75	2.4	13
290	Neoadjuvant Treatment of HER2-Positive Breast Cancer: A Review 2019 , 95-106		
289	Characterization of Molecular Subtypes of Paget Disease of the Breast Using Immunohistochemistry and In Situ Hybridization. <i>Archives of Pathology and Laboratory Medicine</i> , 2019 , 143, 206-211	5	13
288	Efficacy and safety of everolimus plus exemestane in postmenopausal women with hormone receptor-positive, human epidermal growth factor receptor 2-negative locally advanced or metastatic breast cancer: Results of the single-arm, phase IIIB 4EVER trial. <i>International Journal of Cancer</i> , 2019 , 144, 877-885	7.5	20
287	Genetic predictors of chemotherapy-related amenorrhea in women with breast cancer. <i>Fertility and Sterility</i> , 2019 , 112, 731-739.e1	4.8	5
286	Response to Di Cosimo, Torri, and Porcu. <i>Journal of the National Cancer Institute</i> , 2019 , 111, 1234-1235	9.7	
285	Update Breast Cancer 2019 Part 4 - Diagnostic and Therapeutic Challenges of New, Personalised Therapies for Patients with Early Breast Cancer. <i>Geburtshilfe Und Frauenheilkunde</i> , 2019 , 79, 1079-1089	2	15
284	Update Breast Cancer 2019 Part 5 - Diagnostic and Therapeutic Challenges of New, Personalised Therapies in Patients with Advanced Breast Cancer. <i>Geburtshilfe Und Frauenheilkunde</i> , 2019 , 79, 1090-1099	3	14
283	NATALEE: Phase III study of ribociclib (RIBO) + endocrine therapy (ET) as adjuvant treatment in hormone receptor-positive (HR+), human epidermal growth factor receptor 2-negative (HER2-) early breast cancer (EBC).. <i>Journal of Clinical Oncology</i> , 2019 , 37, TPS597-TPS597	2.2	23
282	An Electronic Patient-Reported Outcome Tool for the FACT-B (Functional Assessment of Cancer Therapy-Breast) Questionnaire for Measuring the Health-Related Quality of Life in Patients With Breast Cancer: Reliability Study. <i>Journal of Medical Internet Research</i> , 2019 , 21, e10004	7.6	16
281	Diagnostic Accuracy of Breast Medical Tactile Examiners (MTEs): A Prospective Pilot Study. <i>Breast Care</i> , 2019 , 14, 41-47	2.4	0
280	Update Mammakarzinom 2019 Teil 5 Diagnostische und therapeutische Herausforderungen neuer personalisierter Therapien bei Patientinnen mit fortgeschrittenem Mammakarzinom. <i>Senologie - Zeitschrift für Mammadiagnostik Und -therapie</i> , 2019 , 16, 292-301	0	
279	Update Mammakarzinom 2019 Teil 1 Implementierung der Ergebnisse neuer Studienkonzepte beim frühen Mammakarzinom in die klinische Praxis. <i>Tumor Diagnostik Und Therapie</i> , 2019 , 40, 433-444	0.1	0
278	Diagnostik und Therapie des triple-negativen Mammakarzinoms (TNBC) Empfehlungen für die tägliche Routine. <i>Senologie - Zeitschrift für Mammadiagnostik Und -therapie</i> , 2019 , 16, 219-231	0	
277	Update Mammakarzinom 2019 Teil 3 Aktuelle Entwicklungen bei der kurativen Behandlung von Mammakarzinom-Patientinnen: Eine Übersicht und Bewertung durch ein internationales Expertenpanel. <i>Tumor Diagnostik Und Therapie</i> , 2019 , 40, 459-472	0.1	
276	Prediction and clinical utility of a contralateral breast cancer risk model. <i>Breast Cancer Research</i> , 2019 , 21, 144	8.3	11
275	Update Mammakarzinom 2019 Teil 2 Implementierung neuer Diagnostika und Therapien bei Patientinnen mit fortgeschrittenem Brustkrebs in der klinischen Praxis. <i>Tumor Diagnostik Und Therapie</i> , 2019 , 40, 445-458	0.1	

274	Translational Highlights in Breast and Ovarian Cancer 2019 - Immunotherapy, DNA Repair, PI3K Inhibition and CDK4/6 Therapy. <i>Geburtshilfe Und Frauenheilkunde</i> , 2019 , 79, 1309-1319	2	8
273	Human leucocyte antigen class I in hormone receptor-positive, HER2-negative breast cancer: association with response and survival after neoadjuvant chemotherapy. <i>Breast Cancer Research</i> , 2019 , 21, 142	8.3	12
272	Awareness of breast cancer incidence and risk factors among healthy women in Germany: an update after 10 years. <i>European Journal of Cancer Prevention</i> , 2019 , 28, 515-521	2	5
271	A Phase II Study of Talazoparib after Platinum or Cytotoxic Nonplatinum Regimens in Patients with Advanced Breast Cancer and Germline Mutations (ABRAZO). <i>Clinical Cancer Research</i> , 2019 , 25, 2717-2724	12.9	65
270	Polygenic Risk Scores for Prediction of Breast Cancer and Breast Cancer Subtypes. <i>American Journal of Human Genetics</i> , 2019 , 104, 21-34	11	363
269	Association between breast cancer risk factors and molecular type in postmenopausal patients with hormone receptor-positive early breast cancer. <i>Breast Cancer Research and Treatment</i> , 2019 , 174, 453-461	4.4	7
268	Efficacy of neoadjuvant pertuzumab in addition to chemotherapy and trastuzumab in routine clinical treatment of patients with primary breast cancer: a multicentric analysis. <i>Breast Cancer Research and Treatment</i> , 2019 , 173, 319-328	4.4	22
267	Intense dose-dense epirubicin, paclitaxel, cyclophosphamide versus weekly paclitaxel, liposomal doxorubicin (plus carboplatin in triple-negative breast cancer) for neoadjuvant treatment of high-risk early breast cancer (GeparOcto-GBG 84): A randomised phase III trial. <i>European Journal of Cancer</i> , 2019 , 55, 131-138	7.5	49
266	The impact of mammalian target of rapamycin inhibition on bone health in postmenopausal women with hormone receptor-positive advanced breast cancer receiving everolimus plus exemestane in the phase IIIb 4EVER trial. <i>Journal of Bone Oncology</i> , 2019 , 14, 010-10	4.5	2
265	Trastuzumab Emtansine for Residual Invasive HER2-Positive Breast Cancer. <i>New England Journal of Medicine</i> , 2019 , 380, 617-628	59.2	832
264	Genetic Data from Nearly 63,000 Women of European Descent Predicts DNA Methylation Biomarkers and Epithelial Ovarian Cancer Risk. <i>Cancer Research</i> , 2019 , 79, 505-517	10.1	28
263	MyD88 and TLR4 Expression in Epithelial Ovarian Cancer. <i>Mayo Clinic Proceedings</i> , 2018 , 93, 307-320	6.4	14
262	TILGen: A Program to Investigate Immune Targets in Breast Cancer Patients - First Results on the Influence of Tumor-Infiltrating Lymphocytes. <i>Breast Care</i> , 2018 , 13, 8-14	2.4	19
261	Digit ratio (2D:4D) and behavioral symptoms in primary-school aged boys. <i>Early Human Development</i> , 2018 , 119, 1-7	2.2	10
260	Update Mammakarzinom 2017 [Etablierung neuer zielgerichteter Therapien. <i>Senologie - Zeitschrift für Mammadiagnostik Und -therapie</i> , 2018 , 15, 31-40	0	
259	Adult height is associated with increased risk of ovarian cancer: a Mendelian randomisation study. <i>British Journal of Cancer</i> , 2018 , 118, 1123-1129	8.7	10
258	Genetic overlap between endometriosis and endometrial cancer: evidence from cross-disease genetic correlation and GWAS meta-analyses. <i>Cancer Medicine</i> , 2018 , 7, 1978-1987	4.8	40
257	Update Breast Cancer 2018 (Part 1) - Primary Breast Cancer and Biomarkers. <i>Geburtshilfe Und Frauenheilkunde</i> , 2018 , 78, 237-245	2	15

256	Breast cancer in young women: do BRCA1 or BRCA2 mutations matter?. <i>Lancet Oncology, The</i> , 2018 , 19, 150-151	21.7	7
255	Breast cancer patients' satisfaction with individual therapy goals and treatment in a standardized integrative medicine consultancy service. <i>Archives of Gynecology and Obstetrics</i> , 2018 , 298, 147-156	2.5	7
254	Filtration based assessment of CTCs and CellSearch [®] based assessment are both powerful predictors of prognosis for metastatic breast cancer patients. <i>BMC Cancer</i> , 2018 , 18, 204	4.8	21
253	BRCA mutations and their influence on pathological complete response and prognosis in a clinical cohort of neoadjuvantly treated breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2018 , 171, 85-94	4.4	40
252	Prognostic Impact of Weight Change During Adjuvant Chemotherapy in Patients With High-Risk Early Breast Cancer: Results From the ADEBAR Study. <i>Clinical Breast Cancer</i> , 2018 , 18, 175-183	3	11
251	Update Breast Cancer 2018 (Part 2) - Advanced Breast Cancer, Quality of Life and Prevention. <i>Geburtshilfe Und Frauenheilkunde</i> , 2018 , 78, 246-259	2	18
250	Initial clinical results with a fusion prototype for mammography and three-dimensional ultrasound with a standard mammography system and a standard ultrasound probe. <i>Acta Radiologica</i> , 2018 , 59, 1406-1413	2	4
249	Treatment landscape of advanced breast cancer patients with hormone receptor positive HER2 negative tumors - Data from the German PRAEGNANT breast cancer registry. <i>Breast</i> , 2018 , 37, 42-51	3.6	37
248	Outcome after neoadjuvant chemotherapy in estrogen receptor-positive and progesterone receptor-negative breast cancer patients: a pooled analysis of individual patient data from ten prospectively randomized controlled neoadjuvant trials. <i>Breast Cancer Research and Treatment</i> , 2018 , 167, 59-71	4.4	23
247	Effects of prenatal alcohol consumption on cognitive development and ADHD-related behaviour in primary-school age: a multilevel study based on meconium ethyl glucuronide. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2018 , 59, 110-118	7.9	12
246	Association of p16 expression with prognosis varies across ovarian carcinoma histotypes: an Ovarian Tumor Tissue Analysis consortium study. <i>Journal of Pathology: Clinical Research</i> , 2018 , 4, 250-261	5.3	38
245	Triple-Negative Breast Cancer Risk Genes Identified by Multigene Hereditary Cancer Panel Testing. <i>Journal of the National Cancer Institute</i> , 2018 , 110, 855-862	9.7	145
244	Pathway-Based Analysis of Genome-Wide Association Data Identified SNPs in as Biomarker for Chemotherapy- Induced Neutropenia in Breast Cancer Patients. <i>Frontiers in Pharmacology</i> , 2018 , 9, 158	5.6	15
243	A Transcriptome-Wide Association Study Among 97,898 Women to Identify Candidate Susceptibility Genes for Epithelial Ovarian Cancer Risk. <i>Cancer Research</i> , 2018 , 78, 5419-5430	10.1	32
242	Prenatal Alcohol Exposure Is Associated With Adverse Cognitive Effects and Distinct Whole-Genome DNA Methylation Patterns in Primary School Children. <i>Frontiers in Behavioral Neuroscience</i> , 2018 , 12, 125	3.5	11
241	Self-reported Improvement in Side Effects and Quality of Life With Integrative Medicine in Breast Cancer Patients. <i>Integrative Cancer Therapies</i> , 2018 , 17, 941-951	3	8
240	Identification of nine new susceptibility loci for endometrial cancer. <i>Nature Communications</i> , 2018 , 9, 3166	17.4	70
239	rs495139 in the TYMS-ENOSF1 Region and Risk of Ovarian Carcinoma of Mucinous Histology. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	3

238	Using Probability for Pathological Complete Response (pCR) as a Decision Support Marker for Neoadjuvant Chemotherapy in HER2 Negative Breast Cancer Patients - a Survey Among Physicians. <i>Geburtshilfe Und Frauenheilkunde</i> , 2018 , 78, 707-714	2	2
237	Risk, Prediction and Prevention of Hereditary Breast Cancer - Large-Scale Genomic Studies in Times of Big and Smart Data. <i>Geburtshilfe Und Frauenheilkunde</i> , 2018 , 78, 481-492	2	27
236	A transcriptome-wide association study of 229,000 women identifies new candidate susceptibility genes for breast cancer. <i>Nature Genetics</i> , 2018 , 50, 968-978	36.3	101
235	Update Mammakarzinom 2018 (Teil 1) Primäres Mammakarzinom und Biomarker. <i>Senologie - Zeitschrift Für Mammadiagnostik Und -therapie</i> , 2018 , 15, 86-94	0	
234	Pooled analysis of two randomized phase III trials (PlanB/SuccessC) comparing six cycles of docetaxel and cyclophosphamide to sequential anthracycline taxane chemotherapy in patients with intermediate and high risk HER2-negative early breast cancer (n=5,923).. <i>Journal of Clinical Oncology</i> , 2018 , 36, 522-522	2.2	7
233	Therapy Landscape in Patients with Metastatic HER2-Positive Breast Cancer: Data from the PRAEGNANT Real-World Breast Cancer Registry. <i>Cancers</i> , 2018 , 11,	6.6	22
232	Impact of disease progression on health-related quality of life in patients with metastatic breast cancer in the PRAEGNANT breast cancer registry. <i>Breast</i> , 2018 , 37, 154-160	3.6	32
231	Tumour-infiltrating lymphocytes and prognosis in different subtypes of breast cancer: a pooled analysis of 3771 patients treated with neoadjuvant therapy. <i>Lancet Oncology, The</i> , 2018 , 19, 40-50	21.7	730
230	BRCA1/2 Mutations and Bevacizumab in the Neoadjuvant Treatment of Breast Cancer: Response and Prognosis Results in Patients With Triple-Negative Breast Cancer From the GeparQuinto Study. <i>Journal of Clinical Oncology</i> , 2018 , 36, 2281-2287	2.2	56
229	Phase III Randomized Study of Ribociclib and Fulvestrant in Hormone Receptor-Positive, Human Epidermal Growth Factor Receptor 2-Negative Advanced Breast Cancer: MONALEESA-3. <i>Journal of Clinical Oncology</i> , 2018 , 36, 2465-2472	2.2	435
228	Supportive Infusions in Integrative Breast and Gynecological Oncology - Report on PatientsN Satisfaction and Self-reported Effects and Side Effects. <i>Geburtshilfe Und Frauenheilkunde</i> , 2018 , 78, 1129 ² -1137 ¹		
227	ADSCs and adipocytes are the main producers in the autotaxin-lysophosphatidic acid axis of breast cancer and healthy mammary tissue in vitro. <i>BMC Cancer</i> , 2018 , 18, 1273	4.8	19
226	Update Breast Cancer 2018 (Part 4) - Genomics, Individualized Medicine and Immune Therapies - in the Middle of a New Era: Treatment Strategies for Advanced Breast Cancer. <i>Geburtshilfe Und Frauenheilkunde</i> , 2018 , 78, 1119-1128	2	2
225	Update Breast Cancer 2018 (Part 3) - Genomics, Individualized Medicine and Immune Therapies - in the Middle of a New Era: Prevention and Treatment Strategies for Early Breast Cancer. <i>Geburtshilfe Und Frauenheilkunde</i> , 2018 , 78, 1110-1118	2	5
224	Addition of triple negativity of breast cancer as an indicator for germline mutations in predisposing genes increases sensitivity of clinical selection criteria. <i>BMC Cancer</i> , 2018 , 18, 926	4.8	4
223	Prediction of pathological complete response and prognosis in patients with neoadjuvant treatment for triple-negative breast cancer. <i>BMC Cancer</i> , 2018 , 18, 1051	4.8	34
222	Interdisciplinary Screening, Diagnosis, Therapy and Follow-up of Breast Cancer. Guideline of the DGGG and the DKG (S3-Level, AWMF Registry Number 032/045OL, December 2017) - Part 1 with Recommendations for the Screening, Diagnosis and Therapy of Breast Cancer. <i>Geburtshilfe Und Frauenheilkunde</i> , 2018 , 78, 927-948	2	36
221	Predicting attention deficit hyperactivity disorder using pregnancy and birth characteristics. <i>Archives of Gynecology and Obstetrics</i> , 2018 , 298, 889-895	2.5	14

220	Update Mammakarzinom 2018 (Teil 2) [Fortgeschrittenes Mammakarzinom, Lebensqualität und Prävention. <i>Senologie - Zeitschrift für Mammadiagnostik Und -therapie</i> , 2018 , 15, 95-108	0	
219	Germline genome-wide association studies in women receiving neoadjuvant chemotherapy with or without bevacizumab. <i>Pharmacogenetics and Genomics</i> , 2018 , 28, 147-152	1.9	2
218	The effect of participation in neoadjuvant clinical trials on outcomes in patients with early breast cancer. <i>Breast Cancer Research and Treatment</i> , 2018 , 171, 747-758	4.4	7
217	Prevalence of Circulating Tumor Cells After Adjuvant Chemotherapy With or Without Anthracyclines in Patients With HER2-negative, Hormone Receptor-positive Early Breast Cancer. <i>Clinical Breast Cancer</i> , 2017 , 17, 279-285	3	8
216	Genetic risk factors for ovarian cancer and their role for endometriosis risk. <i>Gynecologic Oncology</i> , 2017 , 145, 142-147	4.9	20
215	Genomic analyses identify hundreds of variants associated with age at menarche and support a role for puberty timing in cancer risk. <i>Nature Genetics</i> , 2017 , 49, 834-841	36.3	257
214	Correlation of mammographic density and serum calcium levels in patients with primary breast cancer. <i>Cancer Medicine</i> , 2017 , 6, 1473-1481	4.8	13
213	Semi-automated De-identification of German Content Sensitive Reports for Big Data Analytics. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2017 , 189, 661-677	2.7	2
212	Use of complementary and integrative medicine among German breast cancer patients: predictors and implications for patient care within the PRAEGNANT study network. <i>Archives of Gynecology and Obstetrics</i> , 2017 , 295, 1239-1245	2.5	34
211	Identification of 12 new susceptibility loci for different histotypes of epithelial ovarian cancer. <i>Nature Genetics</i> , 2017 , 49, 680-691	36.3	190
210	Semi-automated delineation of breast cancer tumors and subsequent materialization using three-dimensional printing (rapid prototyping). <i>Journal of Surgical Oncology</i> , 2017 , 115, 238-242	2.8	8
209	Association between mammographic density and pregnancies relative to age and BMI: a breast cancer case-only analysis. <i>Breast Cancer Research and Treatment</i> , 2017 , 166, 701-708	4.4	8
208	Dose-Response Association of CD8+ Tumor-Infiltrating Lymphocytes and Survival Time in High-Grade Serous Ovarian Cancer. <i>JAMA Oncology</i> , 2017 , 3, e173290	13.4	152
207	Association analysis identifies 65 new breast cancer risk loci. <i>Nature</i> , 2017 , 551, 92-94	50.4	643
206	Identification of ten variants associated with risk of estrogen-receptor-negative breast cancer. <i>Nature Genetics</i> , 2017 , 49, 1767-1778	36.3	186
205	Implementation and Feasibility of Electronic Patient-Reported Outcome (ePRO) Data Entry in the PRAEGNANT Real-Time Advanced and Metastatic Breast Cancer Registry. <i>Geburtshilfe Und Frauenheilkunde</i> , 2017 , 77, 870-878	2	16
204	History of Comorbidities and Survival of Ovarian Cancer Patients, Results from the Ovarian Cancer Association Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 1470-1473	4	8
203	Gene-environment interactions involving functional variants: Results from the Breast Cancer Association Consortium. <i>International Journal of Cancer</i> , 2017 , 141, 1830-1840	7.5	13

202	Germline Mutation Status, Pathological Complete Response, and Disease-Free Survival in Triple-Negative Breast Cancer: Secondary Analysis of the GeparSixto Randomized Clinical Trial. <i>JAMA Oncology</i> , 2017 , 3, 1378-1385	13.4	210
201	Children of Prenatally Depressed Mothers: Externalizing and Internalizing Symptoms are Accompanied by Reductions in Specific Social-Emotional Competencies. <i>Journal of Child and Family Studies</i> , 2017 , 26, 3135-3144	2.3	11
200	Initial Treatment of Patients with Primary Breast Cancer: Evidence, Controversies, Consensus: Spectrum of Opinion of German Specialists at the 15th International St.Gallen Breast Cancer Conference (Vienna 2017). <i>Geburtshilfe Und Frauenheilkunde</i> , 2017 , 77, 633-644	2	23
199	Germline variation in ADAMTSL1 is associated with prognosis following breast cancer treatment in young women. <i>Nature Communications</i> , 2017 , 8, 1632	17.4	13
198	Predicting Triple-Negative Breast Cancer Subtype Using Multiple Single Nucleotide Polymorphisms for Breast Cancer Risk and Several Variable Selection Methods. <i>Geburtshilfe Und Frauenheilkunde</i> , 2017 , 77, 667-678	2	11
197	Updates on the role of receptor activator of nuclear factor B/receptor activator of nuclear factor B ligand/osteoprotegerin pathway in breast cancer risk and treatment. <i>Current Opinion in Obstetrics and Gynecology</i> , 2017 , 29, 4-11	2.4	9
196	Interest in Integrative Medicine Among Postmenopausal Hormone Receptor-Positive Breast Cancer Patients in the EvAluate-TM Study. <i>Integrative Cancer Therapies</i> , 2017 , 16, 165-175	3	18
195	Gene panel sequencing in familial breast/ovarian cancer patients identifies multiple novel mutations also in genes others than BRCA1/2. <i>International Journal of Cancer</i> , 2017 , 140, 95-102	7.5	71
194	Update Breast Cancer 2017 - Implementation of Novel Therapies. <i>Geburtshilfe Und Frauenheilkunde</i> , 2017 , 77, 1281-1290	2	16
193	Standard Changing News der Senologie und Gynkologischen Onkologie. <i>Klinikerzt</i> , 2017 , 46, 648-654	0	
192	Using automated texture features to determine the probability for masking of a tumor on mammography, but not ultrasound. <i>European Journal of Medical Research</i> , 2017 , 22, 30	4.8	4
191	Implementation and Feasibility of Electronic Patient-Reported Outcome (ePRO) Data Entry in the PRAEGNANT Real-Time Advanced and Metastatic Breast Cancer Registry. <i>Senologie - Zeitschrift Fñ Mammadiagnostik Und -therapie</i> , 2017 , 14, 221-230	0	
190	Discordance in Human Epidermal Growth Factor Receptor 2 (HER2) Phenotype Between Primary Tumor and Circulating Tumor Cells in Women With HER2-Negative Metastatic Breast Cancer.. <i>JCO Precision Oncology</i> , 2017 , 1, 1-12	3.6	3
189	TP53-based interaction analysis identifies cis-eQTL variants for TP53BP2, FBXO28, and FAM53A that associate with survival and treatment outcome in breast cancer. <i>Oncotarget</i> , 2017 , 8, 18381-18398	3.3	7
188	Analyses of germline variants associated with ovarian cancer survival identify functional candidates at the 1q22 and 19p12 outcome loci. <i>Oncotarget</i> , 2017 , 8, 64670-64684	3.3	5
187	Clinical Relevance of Serum HER2 and Circulating Tumor Cell Detection in Metastatic Breast Cancer Patients. <i>Anticancer Research</i> , 2017 , 37, 3117-3128	2.3	12
186	Electronic-Based Patient-Reported Outcomes: Willingness, Needs, and Barriers in Adjuvant and Metastatic Breast Cancer Patients. <i>JMIR Cancer</i> , 2017 , 3, e11	3.2	21
185	Reliability of an e-PRO Tool of EORTC QLQ-C30 for Measurement of Health-Related Quality of Life in Patients With Breast Cancer: Prospective Randomized Trial. <i>Journal of Medical Internet Research</i> , 2017 , 19, e322	7.6	25

184 Risikoadaptierte Diagnostik und Therapie **2017**, 43-53

183 Zukünftige Entwicklungen in der Bildgebung **2017**, 201-218

182	No clinical utility of KRAS variant rs61764370 for ovarian or breast cancer. <i>Gynecologic Oncology</i> , 2016 , 141, 386-401	4.9	15
181	Genetic Risk Score Mendelian Randomization Shows that Obesity Measured as Body Mass Index, but not Waist:Hip Ratio, Is Causal for Endometrial Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 1503-1510	4	42
180	Did you drink alcohol during pregnancy? Inaccuracy and discontinuity of women's self-reports: On the way to establish meconium ethyl glucuronide (EtG) as a biomarker for alcohol consumption during pregnancy. <i>Alcohol</i> , 2016 , 54, 39-44	2.7	29
179	Genome-Wide Meta-Analyses of Breast, Ovarian, and Prostate Cancer Association Studies Identify Multiple New Susceptibility Loci Shared by at Least Two Cancer Types. <i>Cancer Discovery</i> , 2016 , 6, 1052-67	74.4	104
178	Mammographic density is the main correlate of tumors detected on ultrasound but not on mammography. <i>International Journal of Cancer</i> , 2016 , 139, 1967-74	7.5	14
177	Identification of four novel susceptibility loci for oestrogen receptor negative breast cancer. <i>Nature Communications</i> , 2016 , 7, 11375	17.4	64
176	Functional mechanisms underlying pleiotropic risk alleles at the 19p13.1 breast-ovarian cancer susceptibility locus. <i>Nature Communications</i> , 2016 , 7, 12675	17.4	53
175	Age- and Tumor Subtype-Specific Breast Cancer Risk Estimates for CHEK2*1100delC Carriers. <i>Journal of Clinical Oncology</i> , 2016 , 34, 2750-60	2.2	107
174	Computerized patient identification for the EMBRACA clinical trial using real-time data from the PRAEGNANT network for metastatic breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2016 , 158, 59-65	4.4	20
173	Integrated Analysis of PTEN and p4EBP1 Protein Expression as Predictors for pCR in HER2-Positive Breast Cancer. <i>Clinical Cancer Research</i> , 2016 , 22, 2675-83	12.9	35
172	CYP19A1 fine-mapping and Mendelian randomization: estradiol is causal for endometrial cancer. <i>Endocrine-Related Cancer</i> , 2016 , 23, 77-91	5.7	41
171	No evidence that protein truncating variants in BRIP1 are associated with breast cancer risk: implications for gene panel testing. <i>Journal of Medical Genetics</i> , 2016 , 53, 298-309	5.8	83
170	Breast cancer risk variants at 6q25 display different phenotype associations and regulate ESR1, RMND1 and CCDC170. <i>Nature Genetics</i> , 2016 , 48, 374-86	36.3	93
169	A randomized phase II trial to assess the efficacy of paclitaxel and olaparib in comparison to paclitaxel / carboplatin followed by epirubicin / cyclophosphamide as neoadjuvant chemotherapy in patients with HER2-negative early breast cancer and homologous recombination deficiency (HRD): GeparOLA. <i>Journal of Clinical Oncology</i> , 2016 , 34, TPS1096-TPS1096	2.2	2
168	Assessment of variation in immunosuppressive pathway genes reveals TGFBR2 to be associated with risk of clear cell ovarian cancer. <i>Oncotarget</i> , 2016 , 7, 69097-69110	3.3	4
167	Inherited variants affecting RNA editing may contribute to ovarian cancer susceptibility: results from a large-scale collaboration. <i>Oncotarget</i> , 2016 , 7, 72381-72394	3.3	11

166	Germline polymorphisms in an enhancer of PSIP1 are associated with progression-free survival in epithelial ovarian cancer. <i>Oncotarget</i> , 2016 , 7, 6353-68	3.3	19
165	Fine-Mapping of the 1p11.2 Breast Cancer Susceptibility Locus. <i>PLoS ONE</i> , 2016 , 11, e0160316	3.7	11
164	Adult body mass index and risk of ovarian cancer by subtype: a Mendelian randomization study. <i>International Journal of Epidemiology</i> , 2016 , 45, 884-95	7.8	45
163	Fine-scale mapping of 8q24 locus identifies multiple independent risk variants for breast cancer. <i>International Journal of Cancer</i> , 2016 , 139, 1303-1317	7.5	26
162	Standardized evaluation of tumor-infiltrating lymphocytes in breast cancer: results of the ring studies of the international immuno-oncology biomarker working group. <i>Modern Pathology</i> , 2016 , 29, 1155-64	9.8	154
161	Patient survival and tumor characteristics associated with CHEK2:p.I157T - findings from the Breast Cancer Association Consortium. <i>Breast Cancer Research</i> , 2016 , 18, 98	8.3	26
160	Factors Influencing Decision-Making for or against Adjuvant and Neoadjuvant Chemotherapy in Postmenopausal Hormone Receptor-Positive Breast Cancer Patients in the EvAluate-TM Study. <i>Breast Care</i> , 2016 , 11, 315-322	2.4	5
159	The Clinical Data Intelligence Project. <i>Informatik-Spektrum</i> , 2016 , 39, 290-300	0.3	5
158	Assessing the genetic architecture of epithelial ovarian cancer histological subtypes. <i>Human Genetics</i> , 2016 , 135, 741-56	6.3	18
157	Genetic predisposition to ductal carcinoma in situ of the breast. <i>Breast Cancer Research</i> , 2016 , 18, 22	8.3	31
156	Five endometrial cancer risk loci identified through genome-wide association analysis. <i>Nature Genetics</i> , 2016 , 48, 667-674	36.3	56
155	Association of vitamin D levels and risk of ovarian cancer: a Mendelian randomization study. <i>International Journal of Epidemiology</i> , 2016 , 45, 1619-1630	7.8	77
154	Evidence that the 5p12 Variant rs10941679 Confers Susceptibility to Estrogen-Receptor-Positive Breast Cancer through FGF10 and MRPS30 Regulation. <i>American Journal of Human Genetics</i> , 2016 , 99, 903-911	11	43
153	Identification of six new susceptibility loci for invasive epithelial ovarian cancer. <i>Nature Genetics</i> , 2015 , 47, 164-71	36.3	177
152	Genome-wide association analysis of more than 120,000 individuals identifies 15 new susceptibility loci for breast cancer. <i>Nature Genetics</i> , 2015 , 47, 373-80	36.3	406
151	The contributions of breast density and common genetic variation to breast cancer risk. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	128
150	Network-Based Integration of GWAS and Gene Expression Identifies a HOX-Centric Network Associated with Serous Ovarian Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 1574-84	4	24
149	Genome-wide Analysis Identifies Novel Loci Associated with Ovarian Cancer Outcomes: Findings from the Ovarian Cancer Association Consortium. <i>Clinical Cancer Research</i> , 2015 , 21, 5264-76	12.9	24

148	Polymorphisms in a Putative Enhancer at the 10q21.2 Breast Cancer Risk Locus Regulate NRBF2 Expression. <i>American Journal of Human Genetics</i> , 2015 , 97, 22-34	11	26
147	Identification of novel genetic markers of breast cancer survival. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	38
146	Evaluating the ovarian cancer gonadotropin hypothesis: a candidate gene study. <i>Gynecologic Oncology</i> , 2015 , 136, 542-8	4.9	12
145	Candidate locus analysis of the TERT-CLPTM1L cancer risk region on chromosome 5p15 identifies multiple independent variants associated with endometrial cancer risk. <i>Human Genetics</i> , 2015 , 134, 231-45	6.3	30
144	Novel Associations between Common Breast Cancer Susceptibility Variants and Risk-Predicting Mammographic Density Measures. <i>Cancer Research</i> , 2015 , 75, 2457-67	10.1	45
143	Large-scale genomic analyses link reproductive aging to hypothalamic signaling, breast cancer susceptibility and BRCA1-mediated DNA repair. <i>Nature Genetics</i> , 2015 , 47, 1294-1303	36.3	226
142	Common variants at the CHEK2 gene locus and risk of epithelial ovarian cancer. <i>Carcinogenesis</i> , 2015 , 36, 1341-53	4.6	20
141	Knowledge and attitudes regarding medical research studies among patients with breast cancer and gynecological diseases. <i>BMC Cancer</i> , 2015 , 15, 587	4.8	18
140	Shared genetics underlying epidemiological association between endometriosis and ovarian cancer. <i>Human Molecular Genetics</i> , 2015 , 24, 5955-64	5.6	48
139	The influence of obesity on survival in early, high-risk breast cancer: results from the randomized SUCCESS A trial. <i>Breast Cancer Research</i> , 2015 , 17, 129	8.3	63
138	Height and Breast Cancer Risk: Evidence From Prospective Studies and Mendelian Randomization. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	74
137	Comprehensive genetic assessment of the ESR1 locus identifies a risk region for endometrial cancer. <i>Endocrine-Related Cancer</i> , 2015 , 22, 851-61	5.7	19
136	Fine-scale mapping of the 4q24 locus identifies two independent loci associated with breast cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 1680-91	4	17
135	Population distribution of lifetime risk of ovarian cancer in the United States. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 671-676	4	67
134	Identification and characterization of novel associations in the CASP8/ALS2CR12 region on chromosome 2 with breast cancer risk. <i>Human Molecular Genetics</i> , 2015 , 24, 285-98	5.6	35
133	Fine-mapping of the HNF1B multicancer locus identifies candidate variants that mediate endometrial cancer risk. <i>Human Molecular Genetics</i> , 2015 , 24, 1478-92	5.6	46
132	Investigation of gene-environment interactions between 47 newly identified breast cancer susceptibility loci and environmental risk factors. <i>International Journal of Cancer</i> , 2015 , 136, E685-96	7.5	26
131	Endometriosis as a risk factor for ovarian or endometrial cancer - results of a hospital-based case-control study. <i>BMC Cancer</i> , 2015 , 15, 751	4.8	18

130	Epithelial-Mesenchymal Transition (EMT) Gene Variants and Epithelial Ovarian Cancer (EOC) Risk. <i>Genetic Epidemiology</i> , 2015 , 39, 689-97	2.6	18
129	Common germline polymorphisms associated with breast cancer-specific survival. <i>Breast Cancer Research</i> , 2015 , 17, 58	8.3	24
128	A comprehensive evaluation of interaction between genetic variants and use of menopausal hormone therapy on mammographic density. <i>Breast Cancer Research</i> , 2015 , 17, 110	8.3	13
127	Genetic variants in VEGF pathway genes in neoadjuvant breast cancer patients receiving bevacizumab: Results from the randomized phase III GeparQuinto study. <i>International Journal of Cancer</i> , 2015 , 137, 2981-8	7.5	26
126	Association of molecular subtypes with breast cancer risk factors: a case-only analysis. <i>European Journal of Cancer Prevention</i> , 2015 , 24, 484-90	2	11
125	Common Genetic Variation In Cellular Transport Genes and Epithelial Ovarian Cancer (EOC) Risk. <i>PLoS ONE</i> , 2015 , 10, e0128106	3.7	15
124	SNP-SNP interaction analysis of NF- κ B signaling pathway on breast cancer survival. <i>Oncotarget</i> , 2015 , 6, 37979-94	3.3	19
123	Prediction of breast cancer risk based on profiling with common genetic variants. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	324
122	Inherited mutations in 17 breast cancer susceptibility genes among a large triple-negative breast cancer cohort unselected for family history of breast cancer. <i>Journal of Clinical Oncology</i> , 2015 , 33, 304-11 ²	4.2	435
121	Fine-mapping identifies two additional breast cancer susceptibility loci at 9q31.2. <i>Human Molecular Genetics</i> , 2015 , 24, 2966-84	5.6	36
120	Fine-scale mapping of the 5q11.2 breast cancer locus reveals at least three independent risk variants regulating MAP3K1. <i>American Journal of Human Genetics</i> , 2015 , 96, 5-20	11	59
119	The SNP rs6500843 in 16p13.3 is associated with survival specifically among chemotherapy-treated breast cancer patients. <i>Oncotarget</i> , 2015 , 6, 7390-407	3.3	14
118	Common Genetic Variation in Circadian Rhythm Genes and Risk of Epithelial Ovarian Cancer (EOC). <i>Journal of Genetics and Genome Research</i> , 2015 , 2,		22
117	Pathological complete response and long-term clinical benefit in breast cancer: the CTNeoBC pooled analysis. <i>Lancet, The</i> , 2014 , 384, 164-72	4.0	2177
116	FemZone trial: a randomized phase II trial comparing neoadjuvant letrozole and zoledronic acid with letrozole in primary breast cancer patients. <i>BMC Cancer</i> , 2014 , 14, 66	4.8	17
115	Comprehensive visualization of paresthesia in breast cancer survivors. <i>Archives of Gynecology and Obstetrics</i> , 2014 , 290, 135-41	2.5	9
114	Genome-wide association study of subtype-specific epithelial ovarian cancer risk alleles using pooled DNA. <i>Human Genetics</i> , 2014 , 133, 481-97	6.3	21
113	HER2 and TOP2A amplification in a hospital-based cohort of breast cancer patients: associations with patient and tumor characteristics. <i>Breast Cancer Research and Treatment</i> , 2014 , 145, 193-203	4.4	29

112	Identification of new genetic susceptibility loci for breast cancer through consideration of gene-environment interactions. <i>Genetic Epidemiology</i> , 2014 , 38, 84-93	2.6	24
111	Genome-wide association study identifies 25 known breast cancer susceptibility loci as risk factors for triple-negative breast cancer. <i>Carcinogenesis</i> , 2014 , 35, 1012-9	4.6	121
110	Genome-wide association study identifies multiple loci associated with both mammographic density and breast cancer risk. <i>Nature Communications</i> , 2014 , 5, 5303	17.4	84
109	PIK3CA mutations are associated with lower rates of pathologic complete response to anti-human epidermal growth factor receptor 2 (her2) therapy in primary HER2-overexpressing breast cancer. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3212-20	2.2	189
108	Response to "screening depression during and after pregnancy using the EPDS". <i>Archives of Gynecology and Obstetrics</i> , 2014 , 290, 603	2.5	
107	Evidence that breast cancer risk at the 2q35 locus is mediated through IGFBP5 regulation. <i>Nature Communications</i> , 2014 , 4, 4999	17.4	87
106	Socioeconomic status and depression during and after pregnancy in the Franconian Maternal Health Evaluation Studies (FRAMES). <i>Archives of Gynecology and Obstetrics</i> , 2014 , 289, 755-63	2.5	30
105	Genetic variation in mitotic regulatory pathway genes is associated with breast tumor grade. <i>Human Molecular Genetics</i> , 2014 , 23, 6034-46	5.6	11
104	Neoadjuvant carboplatin in patients with triple-negative and HER2-positive early breast cancer (GeparSixto; GBG 66): a randomised phase 2 trial. <i>Lancet Oncology, The</i> , 2014 , 15, 747-56	21.7	603
103	Genetic variation at CYP3A is associated with age at menarche and breast cancer risk: a case-control study. <i>Breast Cancer Research</i> , 2014 , 16, R51	8.3	12
102	MicroRNA related polymorphisms and breast cancer risk. <i>PLoS ONE</i> , 2014 , 9, e109973	3.7	37
101	Pooled analysis of the prognostic relevance of progesterone receptor status in five German cohort studies. <i>Breast Cancer Research and Treatment</i> , 2014 , 148, 143-51	4.4	34
100	Genetic predisposition to in situ and invasive lobular carcinoma of the breast. <i>PLoS Genetics</i> , 2014 , 10, e1004285	6	38
99	Circulating tumor cells predict survival in early average-to-high risk breast cancer patients. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	374
98	Genetic variants in the genes of the stress hormone signalling pathway and depressive symptoms during and after pregnancy. <i>BioMed Research International</i> , 2014 , 2014, 469278	3	17
97	Expression of neuroendocrine markers in different molecular subtypes of breast carcinoma. <i>BioMed Research International</i> , 2014 , 2014, 408459	3	32
96	Meconium indicators of maternal alcohol abuse during pregnancy and association with patient characteristics. <i>BioMed Research International</i> , 2014 , 2014, 702848	3	21
95	Variation in NF-B signaling pathways and survival in invasive epithelial ovarian cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 1421-7	4	11

94	2q36.3 is associated with prognosis for oestrogen receptor-negative breast cancer patients treated with chemotherapy. <i>Nature Communications</i> , 2014 , 5, 4051	17.4	13
93	Common non-synonymous SNPs associated with breast cancer susceptibility: findings from the Breast Cancer Association Consortium. <i>Human Molecular Genetics</i> , 2014 , 23, 6096-111	5.6	48
92	Refined histopathological predictors of BRCA1 and BRCA2 mutation status: a large-scale analysis of breast cancer characteristics from the BCAC, CIMBA, and ENIGMA consortia. <i>Breast Cancer Research</i> , 2014 , 16, 3419	8.3	82
91	Assessment of breast volume changes during human pregnancy using a three-dimensional surface assessment technique in the prospective CGATE study. <i>European Journal of Cancer Prevention</i> , 2014 , 23, 151-7	2	5
90	Polymorphisms in the RANK/RANKL genes and their effect on bone specific prognosis in breast cancer patients. <i>BioMed Research International</i> , 2014 , 2014, 842452	3	12
89	CYP2B6*6 is associated with increased breast cancer risk. <i>International Journal of Cancer</i> , 2014 , 134, 426-30	3.9	20
88	Breast cancer treatment with everolimus and exemestane for ER+ women: Results of the first interim analysis of the noninterventional trial BRAWO.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 578-578	2.2	2
87	ABCB1 (MDR1) polymorphisms and ovarian cancer progression and survival: a comprehensive analysis from the Ovarian Cancer Association Consortium and The Cancer Genome Atlas. <i>Gynecologic Oncology</i> , 2013 , 131, 8-14	4.9	39
86	GWAS meta-analysis and replication identifies three new susceptibility loci for ovarian cancer. <i>Nature Genetics</i> , 2013 , 45, 362-70, 370e1-2	36.3	267
85	Fine-scale mapping of the FGFR2 breast cancer risk locus: putative functional variants differentially bind FOXA1 and E2F1. <i>American Journal of Human Genetics</i> , 2013 , 93, 1046-60	11	80
84	Multiple independent variants at the TERT locus are associated with telomere length and risks of breast and ovarian cancer. <i>Nature Genetics</i> , 2013 , 45, 371-84, 384e1-2	36.3	422
83	Shared decision-making in metastatic breast cancer: discrepancy between the expected prolongation of life and treatment efficacy between patients and physicians, and influencing factors. <i>Breast Cancer Research and Treatment</i> , 2013 , 139, 429-40	4.4	23
82	Prognostic relevance of Ki-67 in the primary tumor for survival after a diagnosis of distant metastasis. <i>Breast Cancer Research and Treatment</i> , 2013 , 138, 899-908	4.4	18
81	Prognostic molecular markers and neoadjuvant therapy response in anthracycline-treated breast cancer patients. <i>Archives of Gynecology and Obstetrics</i> , 2013 , 287, 337-44	2.5	10
80	Functional variants at the 11q13 risk locus for breast cancer regulate cyclin D1 expression through long-range enhancers. <i>American Journal of Human Genetics</i> , 2013 , 92, 489-503	11	167
79	Genome-wide association studies identify four ER negative-specific breast cancer risk loci. <i>Nature Genetics</i> , 2013 , 45, 392-8, 398e1-2	36.3	327
78	Large-scale genotyping identifies 41 new loci associated with breast cancer risk. <i>Nature Genetics</i> , 2013 , 45, 353-61, 361e1-2	36.3	813
77	Neoadjuvant chemotherapy with paclitaxel and everolimus in breast cancer patients with non-responsive tumours to epirubicin/cyclophosphamide (EC) ± bevacizumab - results of the randomised GeparQuinto study (GBG 44). <i>European Journal of Cancer</i> , 2013 , 49, 2284-93	7.5	71

76	Polymorphisms in inflammation pathway genes and endometrial cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 216-23	4	22
75	Evidence of gene-environment interactions between common breast cancer susceptibility loci and established environmental risk factors. <i>PLoS Genetics</i> , 2013 , 9, e1003284	6	112
74	Hormone replacement therapy and prognosis in ovarian cancer patients. <i>European Journal of Cancer Prevention</i> , 2013 , 22, 52-8	2	24
73	Epigenetic analysis leads to identification of HNF1B as a subtype-specific susceptibility gene for ovarian cancer. <i>Nature Communications</i> , 2013 , 4, 1628	17.4	124
72	Identification and molecular characterization of a new ovarian cancer susceptibility locus at 17q21.31. <i>Nature Communications</i> , 2013 , 4, 1627	17.4	85
71	The UGT1A6_19_GG genotype is a breast cancer risk factor. <i>Frontiers in Genetics</i> , 2013 , 4, 104	4.5	7
70	The 5-HTTLPR polymorphism modulates the influence on environmental stressors on peripartum depression symptoms. <i>Journal of Affective Disorders</i> , 2012 , 136, 1192-7	6.6	49
69	Akt and p53 are potential mediators of reduced mammary tumor growth by cloroquine and the mTOR inhibitor RAD001. <i>Biochemical Pharmacology</i> , 2012 , 83, 480-8	6	34
68	The postmenopausal hormone replacement therapy-related breast cancer risk is decreased in women carrying the CYP2C19*17 variant. <i>Breast Cancer Research and Treatment</i> , 2012 , 131, 347-50	4.4	4
67	Lapatinib versus trastuzumab in combination with neoadjuvant anthracycline-taxane-based chemotherapy (GeparQuinto, GBG 44): a randomised phase 3 trial. <i>Lancet Oncology, The</i> , 2012 , 13, 135-44	21.7	363
66	Association between endometriosis and risk of histological subtypes of ovarian cancer: a pooled analysis of case-control studies. <i>Lancet Oncology, The</i> , 2012 , 13, 385-94	21.7	612
65	Characterizing mammographic images by using generic texture features. <i>Breast Cancer Research</i> , 2012 , 14, R59	8.3	51
64	Association of mammographic density with the proliferation marker Ki-67 in a cohort of patients with invasive breast cancer. <i>Breast Cancer Research and Treatment</i> , 2012 , 135, 885-92	4.4	30
63	Genome-wide association analysis identifies three new breast cancer susceptibility loci. <i>Nature Genetics</i> , 2012 , 44, 312-8	36.3	237
62	Neoadjuvant chemotherapy and bevacizumab for HER2-negative breast cancer. <i>New England Journal of Medicine</i> , 2012 , 366, 299-309	59.2	411
61	Genetic variants in the tryptophan hydroxylase 2 gene (TPH2) and depression during and after pregnancy. <i>Journal of Psychiatric Research</i> , 2012 , 46, 1109-17	5.2	30
60	Definition and impact of pathologic complete response on prognosis after neoadjuvant chemotherapy in various intrinsic breast cancer subtypes. <i>Journal of Clinical Oncology</i> , 2012 , 30, 1796-804	2	1560
59	Overexpression of SERBP1 (Plasminogen activator inhibitor 1 RNA binding protein) in human breast cancer is correlated with favourable prognosis. <i>BMC Cancer</i> , 2012 , 12, 597	4.8	22

58	Delivery mode and the course of pre- and postpartum depression. <i>Archives of Gynecology and Obstetrics</i> , 2012 , 286, 1407-12	2.5	22
57	Visual pain mapping in endometriosis. <i>Archives of Gynecology and Obstetrics</i> , 2012 , 286, 687-93	2.5	5
56	A meta-analysis of genome-wide association studies of breast cancer identifies two novel susceptibility loci at 6q14 and 20q11. <i>Human Molecular Genetics</i> , 2012 , 21, 5373-84	5.6	143
55	11q13 is a susceptibility locus for hormone receptor positive breast cancer. <i>Human Mutation</i> , 2012 , 33, 1123-32	4.7	33
54	Association of mammographic density with hormone receptors in invasive breast cancers: results from a case-only study. <i>International Journal of Cancer</i> , 2012 , 131, 2643-9	7.5	39
53	Genome-wide association study identifies a possible susceptibility locus for endometrial cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 980-7	4	30
52	Common breast cancer susceptibility variants in LSP1 and RAD51L1 are associated with mammographic density measures that predict breast cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1156-66	4	92
51	Correlates of mammographic density in B-mode ultrasound and real time elastography. <i>European Journal of Cancer Prevention</i> , 2012 , 21, 343-9	2	6
50	CHEK2*1100delC heterozygosity in women with breast cancer associated with early death, breast cancer-specific death, and increased risk of a second breast cancer. <i>Journal of Clinical Oncology</i> , 2012 , 30, 4308-16	2.2	134
49	The role of genetic breast cancer susceptibility variants as prognostic factors. <i>Human Molecular Genetics</i> , 2012 , 21, 3926-39	5.6	75
48	Comparison of 6q25 breast cancer hits from Asian and European Genome Wide Association Studies in the Breast Cancer Association Consortium (BCAC). <i>PLoS ONE</i> , 2012 , 7, e42380	3.7	49
47	Ki67, chemotherapy response, and prognosis in breast cancer patients receiving neoadjuvant treatment. <i>BMC Cancer</i> , 2011 , 11, 486	4.8	211
46	Mammographic density as a risk factor for breast cancer in a German case-control study. <i>European Journal of Cancer Prevention</i> , 2011 , 20, 1-8	2	47
45	Genome-wide association study identifies a common variant associated with risk of endometrial cancer. <i>Nature Genetics</i> , 2011 , 43, 451-4	36.3	121
44	Inhibition of hyperalgesia by conditioning electrical stimulation in a human pain model. <i>Pain</i> , 2011 , 152, 1298-1303	8	11
43	Assessment of breast cancer tumour size using six different methods. <i>European Radiology</i> , 2011 , 21, 1180-7	8	25
42	Impact of treatment characteristics on response of different breast cancer phenotypes: pooled analysis of the German neo-adjuvant chemotherapy trials. <i>Breast Cancer Research and Treatment</i> , 2011 , 125, 145-56	4.4	193
41	Breast volumetry using a three-dimensional surface assessment technique. <i>Aesthetic Plastic Surgery</i> , 2011 , 35, 847-55	2	42

40	Common alleles in candidate susceptibility genes associated with risk and development of epithelial ovarian cancer. <i>International Journal of Cancer</i> , 2011 , 128, 2063-74	7.5	49
39	Confirmation of 5p12 as a susceptibility locus for progesterone-receptor-positive, lower grade breast cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 2222-31	4	27
38	Associations of breast cancer risk factors with tumor subtypes: a pooled analysis from the Breast Cancer Association Consortium studies. <i>Journal of the National Cancer Institute</i> , 2011 , 103, 250-63	9.7	513
37	Low penetrance breast cancer susceptibility loci are associated with specific breast tumor subtypes: findings from the Breast Cancer Association Consortium. <i>Human Molecular Genetics</i> , 2011 , 20, 3289-303	5.6	140
36	A common variant at the TERT-CLPTM1L locus is associated with estrogen receptor-negative breast cancer. <i>Nature Genetics</i> , 2011 , 43, 1210-4	36.3	253
35	Quality assured health care in certified breast centers and improvement of the prognosis of breast cancer patients. <i>Onkologie</i> , 2011 , 34, 362-7		75
34	Assessment of hepatocyte growth factor in ovarian cancer mortality. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 1638-48	4	30
33	Invasive Breast Cancer: Recognition of Molecular Subtypes. <i>Breast Care</i> , 2011 , 6, 258-264	2.4	25
32	7q21-rs6964587 and breast cancer risk: an extended case-control study by the Breast Cancer Association Consortium. <i>Journal of Medical Genetics</i> , 2011 , 48, 698-702	5.8	5
31	Pathologic complete response after neoadjuvant chemotherapy plus trastuzumab predicts favorable survival in human epidermal growth factor receptor 2-overexpressing breast cancer: results from the TECHNO trial of the AGO and GBG study groups. <i>Journal of Clinical Oncology</i> , 2011 , 29, 3351-7	2.2	383
30	Common breast cancer susceptibility loci are associated with triple-negative breast cancer. <i>Cancer Research</i> , 2011 , 71, 6240-9	10.1	100
29	Common variants at 19p13 are associated with susceptibility to ovarian cancer. <i>Nature Genetics</i> , 2010 , 42, 880-4	36.3	210
28	A genome-wide association study identifies susceptibility loci for ovarian cancer at 2q31 and 8q24. <i>Nature Genetics</i> , 2010 , 42, 874-9	36.3	277
27	A locus on 19p13 modifies risk of breast cancer in BRCA1 mutation carriers and is associated with hormone receptor-negative breast cancer in the general population. <i>Nature Genetics</i> , 2010 , 42, 885-92	36.3	276
26	Neoadjuvant treatment with trastuzumab in HER2-positive breast cancer: results from the GeparQuattro study. <i>Journal of Clinical Oncology</i> , 2010 , 28, 2024-31	2.2	410
25	Capecitabine in addition to anthracycline- and taxane-based neoadjuvant treatment in patients with primary breast cancer: phase III GeparQuattro study. <i>Journal of Clinical Oncology</i> , 2010 , 28, 2015-23	2.2	173
24	Association between a germline OCA2 polymorphism at chromosome 15q13.1 and estrogen receptor-negative breast cancer survival. <i>Journal of the National Cancer Institute</i> , 2010 , 102, 650-62	9.7	45
23	Two naturally occurring variants of the serotonin receptor gene HTR3C are associated with nausea in pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010 , 89, 7-14	3.8	22

22	Assessment of mammographic density before and after first full-term pregnancy. <i>European Journal of Cancer Prevention</i> , 2010 , 19, 405-12	2	15
21	Assessing interactions between the associations of common genetic susceptibility variants, reproductive history and body mass index with breast cancer risk in the breast cancer association consortium: a combined case-control study. <i>Breast Cancer Research</i> , 2010 , 12, R110	8.3	74
20	Quantification of fatty acid ethyl esters (FAEE) and ethyl glucuronide (EtG) in meconium from newborns for detection of alcohol abuse in a maternal health evaluation study. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 396, 2469-77	4.4	79
19	Pain perception and detailed visual pain mapping in breast cancer survivors. <i>Breast Cancer Research and Treatment</i> , 2010 , 119, 105-10	4.4	22
18	Association of ESR1 gene tagging SNPs with breast cancer risk. <i>Human Molecular Genetics</i> , 2009 , 18, 1131-9	3.9	75
17	Risk of estrogen receptor-positive and -negative breast cancer and single-nucleotide polymorphism 2q35-rs13387042. <i>Journal of the National Cancer Institute</i> , 2009 , 101, 1012-8	9.7	90
16	Ki-67 as a prognostic molecular marker in routine clinical use in breast cancer patients. <i>Breast</i> , 2009 , 18, 135-41	3.6	63
15	Polymorphisms in estrogen metabolism and estrogen pathway genes and the risk of miscarriage. <i>Archives of Gynecology and Obstetrics</i> , 2009 , 280, 395-400	2.5	13
14	A genome-wide association study identifies a new ovarian cancer susceptibility locus on 9p22.2. <i>Nature Genetics</i> , 2009 , 41, 996-1000	36.3	240
13	Association between CYP2D6 polymorphisms and outcomes among women with early stage breast cancer treated with tamoxifen. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 302, 1429-36	27.4	405
12	Role of genetic polymorphisms and ovarian cancer susceptibility. <i>Molecular Oncology</i> , 2009 , 3, 171-81	7.9	59
11	Five polymorphisms and breast cancer risk: results from the Breast Cancer Association Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 1610-6	4	53
10	Neurokinin 1 receptor gene polymorphism might be correlated with recurrence rates in endometriosis. <i>Gynecological Endocrinology</i> , 2009 , 25, 726-33	2.4	5
9	Correlates of the desire for improved cosmetic results after breast-conserving therapy and mastectomy in breast cancer patients. <i>Breast</i> , 2008 , 17, 640-5	3.6	11
8	The ubiquitin-like molecule interferon-stimulated gene 15 (ISG15) is a potential prognostic marker in human breast cancer. <i>Breast Cancer Research</i> , 2008 , 10, R58	8.3	80
7	Single nucleotide polymorphisms of the aromatase gene (CYP19A1), HER2/neu status, and prognosis in breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2008 , 112, 89-98	4.4	75
6	Single nucleotide polymorphism D1853N of the ATM gene may alter the risk for breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2008 , 134, 873-82	4.9	33
5	Early aberrant insulin-like growth factor signaling in the progression to endometrial carcinoma is augmented by tamoxifen. <i>International Journal of Cancer</i> , 2008 , 123, 2871-9	7.5	30

4	Lymphedema in breast cancer survivors: assessment and information provision in a specialized breast unit. <i>Patient Education and Counseling</i> , 2007 , 66, 311-8	3-1	59
3	Influence of mammographic density on the diagnostic accuracy of tumor size assessment and association with breast cancer tumor characteristics. <i>European Journal of Radiology</i> , 2006 , 60, 398-404	4-7	63
2	Common variants in breast cancer risk loci predispose to distinct tumor subtypes		1
1	Genome-wide association study identifies 32 novel breast cancer susceptibility loci from overall and subtype-specific analyses		2