## Chuyong Lin

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9521034/publications.pdf

Version: 2024-02-01

159358 223531 2,547 45 30 46 citations h-index g-index papers 50 50 50 4291 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	TGF- $\hat{l}^2$ induces miR-182 to sustain NF- $\hat{l}^2$ B activation in glioma subsets. Journal of Clinical Investigation, 2012, 122, 3563-3578.	3.9	169
2	miR-182 as a Prognostic Marker for Glioma Progression and Patient Survival. American Journal of Pathology, 2010, 177, 29-38.	1.9	148
3	MicroRNA-30e* promotes human glioma cell invasiveness in an orthotopic xenotransplantation model by disrupting the NF-κB/IκBα negative feedback loop. Journal of Clinical Investigation, 2012, 122, 33-47.	3.9	143
4	miR-218 inhibits the invasive ability of glioma cells by direct downregulation of IKK-β. Biochemical and Biophysical Research Communications, 2010, 402, 135-140.	1.0	133
5	miR-18a Impairs DNA Damage Response through Downregulation of Ataxia Telangiectasia Mutated (ATM) Kinase. PLoS ONE, 2011, 6, e25454.	1.1	132
6	Wnt5a induces and maintains prostate cancer cells dormancy in bone. Journal of Experimental Medicine, 2019, 216, 428-449.	4.2	130
7	Knockdown of FLOT1 Impairs Cell Proliferation and Tumorigenicity in Breast Cancer through Upregulation of FOXO3a. Clinical Cancer Research, 2011, 17, 3089-3099.	3.2	106
8	miR-486 sustains NF-κB activity by disrupting multiple NF-κB-negative feedback loops. Cell Research, 2013, 23, 274-289.	5.7	97
9	Thymosin beta 10 is a key regulator of tumorigenesis and metastasis and a novel serum marker in breast cancer. Breast Cancer Research, 2017, 19, 15.	2.2	89
10	TBL1XR1 promotes lymphangiogenesis and lymphatic metastasis in esophageal squamous cell carcinoma. Gut, 2015, 64, 26-36.	6.1	87
11	Downregulation of miR-138 Sustains NF-κB Activation and Promotes Lipid Raft Formation in Esophageal Squamous Cell Carcinoma. Clinical Cancer Research, 2013, 19, 1083-1093.	<b>3.</b> 2	81
12	Flotillin-1 Promotes Tumor Necrosis Factor-α Receptor Signaling and Activation of NF-κB in Esophageal Squamous Cell Carcinoma Cells. Gastroenterology, 2012, 143, 995-1005.e12.	0.6	74
13	FZD8, a target of p53, promotes bone metastasis in prostate cancer by activating canonical Wnt/ $l^2$ -catenin signaling. Cancer Letters, 2017, 402, 166-176.	3.2	58
14	The TGF- $\hat{l}^2$ signalling negative regulator PICK1 represses prostate cancer metastasis to bone. British Journal of Cancer, 2017, 117, 685-694.	2.9	58
15	miR-508 sustains phosphoinositide signalling and promotes aggressive phenotype of oesophageal squamous cell carcinoma. Nature Communications, 2014, 5, 4620.	5.8	57
16	Overexpression of AKIP1 promotes angiogenesis and lymphangiogenesis in human esophageal squamous cell carcinoma. Oncogene, 2015, 34, 384-393.	2.6	55
17	GINS2 is a novel prognostic biomarker and promotes tumor progression in early-stage cervical cancer. Oncology Reports, 2017, 37, 2652-2662.	1.2	54
18	Epigenetic silencing of <scp>SALL</scp> 2 confers tamoxifen resistance in breast cancer. EMBO Molecular Medicine, 2019, 11, e10638.	3.3	52

#	Article	IF	CITATIONS
19	Acylglycerol kinase promotes cell proliferation and tumorigenicity in breast cancer via suppression of the FOXO1 transcription factor. Molecular Cancer, 2014, 13, 106.	7.9	51
20	miR-1266 Contributes to Pancreatic Cancer Progression and Chemoresistance by the STAT3 and NF- $\hat{l}^{\Omega}$ B Signaling Pathways. Molecular Therapy - Nucleic Acids, 2018, 11, 142-158.	2.3	51
21	<scp>ANP /scp&gt;32E induces tumorigenesis of tripleâ€negative breast cancer cells by upregulating E2F1. Molecular Oncology, 2018, 12, 896-912.</scp>	2.1	50
22	Upregulation of flotillin-1 promotes invasion and metastasis by activating TGF- $\hat{l}^2$ signaling in nasopharyngeal carcinoma. Oncotarget, 2016, 7, 4252-4264.	0.8	48
23	Upregulation of E2F8 promotes cell proliferation and tumorigenicity in breast cancer by modulating G1/S phase transition. Oncotarget, 2016, 7, 23757-23771.	0.8	46
24	Overexpression of CDCA7 predicts poor prognosis and induces EZH2â€mediated progression of tripleâ€negative breast cancer. International Journal of Cancer, 2018, 143, 2602-2613.	2.3	45
25	Nkx2-8 Downregulation Promotes Angiogenesis and Activates NF-κB in Esophageal Cancer. Cancer Research, 2013, 73, 3638-3648.	0.4	44
26	TIMELESS confers cisplatin resistance in nasopharyngeal carcinoma by activating the Wnt/ $\hat{l}^2$ -catenin signaling pathway and promoting the epithelial mesenchymal transition. Cancer Letters, 2017, 402, 117-130.	3.2	42
27	Up-regulation of miR-1245 by c-myc targets BRCA2 and impairs DNA repair. Journal of Molecular Cell Biology, 2012, 4, 108-117.	1.5	40
28	Synaptopodinâ€2 suppresses metastasis of tripleâ€negative breast cancer via inhibition of YAP/TAZ activity. Journal of Pathology, 2018, 244, 71-83.	2.1	40
29	AKIP1 promotes early recurrence of hepatocellular carcinoma through activating the Wnt/ $\hat{l}^2$ -catenin/CBP signaling pathway. Oncogene, 2019, 38, 5516-5529.	2.6	37
30	ALG3 contributes to stemness and radioresistance through regulating glycosylation of TGF- $\hat{l}^2$ receptor II in breast cancer. Journal of Experimental and Clinical Cancer Research, 2021, 40, 149.	3.5	34
31	Knockdown of stomatinâ€like protein 2 (STOML2) reduces the invasive ability of glioma cells through inhibition of the NFâ€PB/MMPâ€9 pathway. Journal of Pathology, 2012, 226, 534-543.	2.1	33
32	Overexpression of Kinesin Family Member 20A Correlates with Disease Progression and Poor Prognosis in Human Nasopharyngeal Cancer: A Retrospective Analysis of 105 Patients. PLoS ONE, 2017, 12, e0169280.	1.1	32
33	AGK enhances angiogenesis and inhibits apoptosis via activation of the NF-κB signaling pathway in hepatocellular carcinoma. Oncotarget, 2014, 5, 12057-12069.	0.8	31
34	Transducin $(\hat{l}^2)$ -like 1 X-linked receptor 1 promotes proliferation and tumorigenicity in human breast cancer via activation of beta-catenin signaling. Breast Cancer Research, 2014, 16, 465.	2.2	29
35	Nuclear orphan receptor NR2F6 confers cisplatin resistance in epithelial ovarian cancer cells by activating the Notch3 signaling pathway. International Journal of Cancer, 2019, 145, 1921-1934.	2.3	26
36	CGI-99 promotes breast cancer metastasis via autocrine interleukin-6 signaling. Oncogene, 2017, 36, 3695-3705.	2.6	25

#	Article	IF	Citations
37	Prostate tumour overexpressed-1 promotes tumourigenicity in human breast cancer via activation of Wnt/ $\hat{l}^2$ -catenin signalling. Journal of Pathology, 2016, 239, 297-308.	2.1	21
38	TRIB3 confers radiotherapy resistance in esophageal squamous cell carcinoma by stabilizing TAZ. Oncogene, 2020, 39, 3710-3725.	2.6	19
39	Nicotine-mediated OTUD3 downregulation inhibits VEGF-C mRNA decay to promote lymphatic metastasis of human esophageal cancer. Nature Communications, 2021, 12, 7006.	5.8	17
40	CHAF1B induces radioresistance by promoting DNA damage repair in nasopharyngeal carcinoma. Biomedicine and Pharmacotherapy, 2020, 123, 109748.	2.5	12
41	Nicotine-Induced ILF2 Facilitates Nuclear mRNA Export of Pluripotency Factors to Promote Stemness and Chemoresistance in Human Esophageal Cancer. Cancer Research, 2021, 81, 3525-3538.	0.4	12
42	HOMER3 facilitates growth factor-mediated $\hat{l}^2$ -Catenin tyrosine phosphorylation and activation to promote metastasis in triple negative breast cancer. Journal of Hematology and Oncology, 2021, 14, 6.	6.9	12
43	HN1 promotes tumor associated lymphangiogenesis and lymph node metastasis via NF-κB signaling activation in cervical carcinoma. Biochemical and Biophysical Research Communications, 2020, 530, 87-94.	1.0	10
44	Inhibition of centriole duplication by centrobin depletion leads to p38–p53 mediated cell-cycle arrest. Cellular Signalling, 2010, 22, 857-864.	1.7	9
45	Rhophilinâ€associated tail protein 1 promotes migration and metastasis in triple negative breast cancer via activation of RhoA. FASEB Journal, 2020, 34, 9959-9971.	0.2	6