

Chao Wang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9521210/chao-wang-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

108
papers

1,370
citations

19
h-index

33
g-index

157
ext. papers

1,927
ext. citations

4.2
avg, IF

5.23
L-index

#	Paper	IF	Citations
108	InSAR Phase Unwrapping by Deep Learning Based on Gradient Information Fusion. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2022 , 19, 1-5	4.1	0
107	Interferometric SAR Observation of Permafrost Status in the Northern Qinghai-Tibet Plateau by ALOS, ALOS-2 and Sentinel-1 between 2007 and 2021. <i>Remote Sensing</i> , 2022 , 14, 1870	5	2
106	Azimuth-Sensitive Object Detection of High-Resolution SAR Images in Complex Scenes by Using a Spatial Orientation Attention Enhancement Network. <i>Remote Sensing</i> , 2022 , 14, 2198	5	0
105	A Review of Satellite Synthetic Aperture Radar Interferometry Applications in Permafrost Regions: Current Status, Challenges, and Trends. <i>IEEE Geoscience and Remote Sensing Magazine</i> , 2022 , 2-23	8.9	5
104	Improving CPT-InSAR Algorithm with Adaptive Coherent Distributed Pixels Selection. <i>Remote Sensing</i> , 2021 , 13, 4784	5	1
103	Freeze-Thaw Deformation Cycles and Temporal-Spatial Distribution of Permafrost along the Qinghai-Tibet Railway Using Multitrack InSAR Processing. <i>Remote Sensing</i> , 2021 , 13, 4744	5	4
102	Detecting Rock Glacier Displacement in the Central Himalayas Using Multi-Temporal InSAR. <i>Remote Sensing</i> , 2021 , 13, 4738	5	4
101	High Performance Computing for CS-InSAR Data Processing 2021 ,		1
100	Rice Mapping Using a BiLSTM-Attention Model from Multitemporal Sentinel-1 Data. <i>Agriculture (Switzerland)</i> , 2021 , 11, 977	3	0
99	Paddy Rice Mapping in Thailand Using Time-Series Sentinel-1 Data and Deep Learning Model. <i>Remote Sensing</i> , 2021 , 13, 3994	5	3
98	First mapping of China surface movement using supercomputing interferometric SAR technique. <i>Science Bulletin</i> , 2021 , 66, 1608-1608	10.6	5
97	Time Series InSAR Three-Dimensional Displacement Inversion Model of Coal Mining Areas Based on Symmetrical Features of Mining Subsidence. <i>Remote Sensing</i> , 2021 , 13, 2143	5	8
96	Soil Moisture Estimation based on the Distributed Scatterers Adaptive Filter over the QTP Permafrost Region using Sentinel-1 and High-resolution TerraSAR-X Data. <i>International Journal of Remote Sensing</i> , 2021 , 42, 902-928	3.1	2
95	Map and Quantify the Ground Deformation Around Salt Lake in Hoh Xil, Qinghai-Tibet Plateau Using Time-Series InSAR From 2006 to 2018. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2021 , 14, 858-869	4.7	5
94	Multitemporal Water Extraction of Dongting Lake and Poyang Lake Based on an Automatic Water Extraction and Dynamic Monitoring Framework. <i>Remote Sensing</i> , 2021 , 13, 865	5	13
93	Built-up area mapping in China from GF-3 SAR imagery based on the framework of deep learning. <i>Remote Sensing of Environment</i> , 2021 , 262, 112515	13.2	7
92	Active Layer Thickness Retrieval Over the Qinghai-Tibet Plateau Using Sentinel-1 Multitemporal InSAR Monitored Permafrost Subsidence and Temporal-Spatial Multilayer Soil Moisture Data. <i>IEEE Access</i> , 2020 , 8, 84336-84351	3.5	9

91	A Multi-Scale U-Shaped Convolution Auto-Encoder Based on Pyramid Pooling Module for Object Recognition in Synthetic Aperture Radar Images. <i>Sensors</i> , 2020 , 20,	3.8	1
90	Quad-pol reconstruction from compact polarimetry using a fully convolutional network. <i>Remote Sensing Letters</i> , 2020 , 11, 397-406	2.3	1
89	A Two-Component Deep Learning Network for SAR Image Denoising. <i>IEEE Access</i> , 2020 , 8, 17792-17803	3.5	8
88	Weakly supervised ship detection from SAR images based on a three-component CNN-CAM-CRF model. <i>Journal of Applied Remote Sensing</i> , 2020 , 14, 1	1.4	1
87	SAR Image Ship Object Generation and Classification With Improved Residual Conditional Generative Adversarial Network. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2020 , 1-5	4.1	5
86	MW-ACGAN: Generating Multiscale High-Resolution SAR Images for Ship Detection. <i>Sensors</i> , 2020 , 20,	3.8	8
85	Multi-Temporal InSAR Parallel Processing for Sentinel-1 Large-Scale Surface Deformation Mapping. <i>Remote Sensing</i> , 2020 , 12, 3749	5	8
84	Small-Baseline Approach for Monitoring the Freezing and Thawing Deformation of Permafrost on the Beiluhe Basin, Tibetan Plateau Using TerraSAR-X and Sentinel-1 Data. <i>Sensors</i> , 2020 , 20,	3.8	7
83	Spaceborne SAR Data for Regional Urban Mapping Using a Robust Building Extractor. <i>Remote Sensing</i> , 2020 , 12, 2791	5	4
82	Monitoring of large-scale landslides in Zongling, Guizhou, China, with improved distributed scatterer interferometric SAR time series methods. <i>Landslides</i> , 2020 , 17, 1777-1795	6.6	12
81	Crop Classification Based on Temporal Information Using Sentinel-1 SAR Time-Series Data. <i>Remote Sensing</i> , 2019 , 11, 53	5	45
80	Operational Flood Detection Using Sentinel-1 SAR Data over Large Areas. <i>Water (Switzerland)</i> , 2019 , 11, 786	3	45
79	Time-Series InSAR Monitoring of Permafrost Freeze-Thaw Seasonal Displacement over Qinghai-Tibetan Plateau Using Sentinel-1 Data. <i>Remote Sensing</i> , 2019 , 11, 1000	5	23
78	Urban Building Change Detection in SAR Images Using Combined Differential Image and Residual U-Net Network. <i>Remote Sensing</i> , 2019 , 11, 1091	5	22
77	Automatic Ship Detection Based on RetinaNet Using Multi-Resolution Gaofen-3 Imagery. <i>Remote Sensing</i> , 2019 , 11, 531	5	90
76	A SAR Dataset of Ship Detection for Deep Learning under Complex Backgrounds. <i>Remote Sensing</i> , 2019 , 11, 765	5	139
75	SAR object classification using the DAE with a modified triplet restriction. <i>IET Radar, Sonar and Navigation</i> , 2019 , 13, 1081-1091	1.4	8
74	Fine-grained ship classification based on deep residual learning for high-resolution SAR images. <i>Remote Sensing Letters</i> , 2019 , 10, 1095-1104	2.3	19

73	Large-Scale Rice Mapping of Thailand using Sentinel-1 Multi-Temporal SAR Data 2019 ,		3
72	Automatic Monitoring Method for Surface Deformation of Coastal Area Based on Time Series Analysis. <i>Journal of Coastal Research</i> , 2019 , 93, 194	0.6	2
71	Corn Fine Classification With Gf-3 High-Resolution Sar Data Based on Deep Learning 2019 ,		1
70	Discrimination of Collapsed Buildings from Remote Sensing Imagery Using Deep Neural Networks 2019 ,		1
69	Roll-Invariant Target Parameter Extraction From POLSAR Data. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2019 , 12, 4502-4516	4.7	1
68	Residual Unet for Urban Building Change Detection with Sentinel-1 SAR Data 2019 ,		5
67	Deformation Feature Analysis of Qinghai-Tibet Railway Using TerraSAR-X and Sentinel-1A Time-Series Interferometry. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2019 , 12, 5199-5212	4.7	7
66	Detection of Land Use Change in Urban Agglomeration using Sentinel-1 SAR Data 2019 ,		3
65	Multi-Temporal SAR Data Large-Scale Crop Mapping Based on U-Net Model. <i>Remote Sensing</i> , 2019 , 11, 68	5	59
64	Multiple Targets Deception Jamming Against ISAR Based on Periodic 0- π Phase Modulation. <i>IEEE Access</i> , 2018 , 6, 3539-3548	3.5	13
63	Analysis of Permafrost Region Coherence Variation in the Qinghai-Tibet Plateau with a High-Resolution TerraSAR-X Image. <i>Remote Sensing</i> , 2018 , 10, 298	5	32
62	Operational Built-Up Areas Extraction for Cities in China Using Sentinel-1 SAR Data. <i>Remote Sensing</i> , 2018 , 10, 874	5	8
61	Combining a single shot multibox detector with transfer learning for ship detection using sentinel-1 SAR images. <i>Remote Sensing Letters</i> , 2018 , 9, 780-788	2.3	43
60	Deformation Estimation for Time Series InSAR Using Simulated Annealing Algorithm. <i>Sensors</i> , 2018 , 19,	3.8	4
59	The deformation analysis of Wenjiagou giant landslide by the distributed scatterer interferometry technique. <i>Landslides</i> , 2018 , 15, 347-357	6.6	5
58	Permafrost Soil Moisture Monitoring Using Multi-Temporal TerraSAR-X Data in Beiluhe of Northern Tibet, China. <i>Remote Sensing</i> , 2018 , 10, 1577	5	7
57	A Classification Method for Polsar Images using SLIC Superpixel Segmentation and Deep Convolution Neural Network 2018 ,		2
56	Active Layer Thickness Retrieval of Qinghai-Tibet Permafrost Using the TerraSAR-X InSAR Technique. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2018 , 11, 4403-4413	4.7	29

55	Surface Deformation Monitoring in Zhengzhou City from 2014 to 2016 Using Time-Series InSAR. <i>Remote Sensing</i> , 2018 , 10, 1731	5	11
54	Ship Discrimination with Deep Convolutional Neural Networks in Sar Images 2018 ,		3
53	Sea Ice Classification with Convolutional Neural Networks Using Sentinel-L Scansar Images 2018 ,		6
52	SAR Image Change Detection Using Saliency Extraction and Shearlet Transform. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2018 , 11, 4701-4710	4.7	14
51	Ship Classification in High-Resolution SAR Images Using Deep Learning of Small Datasets. <i>Sensors</i> , 2018 , 18,	3.8	40
50	Classification of Chinese GaoFen-3 fully-polarimetric SAR images: Initial results 2017 ,		2
49	An efficient object-oriented method of Azimuth ambiguities removal for ship detection in SAR images 2017 ,		2
48	2017 ,		10
47	Classification of very high resolution SAR image based on convolutional neural network 2017 ,		7
46	Integrating H-A-B with fully convolutional networks for fully PolSAR classification 2017 ,		2
45	Seasonal deformation features on Qinghai-Tibet railway observed using time-series InSAR technique with high-resolution TerraSAR-X images. <i>Remote Sensing Letters</i> , 2017 , 8, 1-10	2.3	36
44	Ship classification with deep learning using COSMO-SkyMed SAR data 2017 ,		5
43	Combining single shot multibox detector with transfer learning for ship detection using Sentinel-1 images 2017 ,		10
42	Combing Single Shot Multibox Detector with transfer learning for ship detection using Chinese Gaofen-3 images 2017 ,		10
41	A novel ship detection method based on Shannon entropy in Chinese Gaofen-3 fully polarimetric SAR images 2017 ,		2
40	A novel jamming method against LFM radar using pseudo-random code phase modulation 2017 ,		3
39	Residential area extraction based on conditional generative adversarial networks 2017 ,		2
38	Residual encoder-decoder network introduced for multisource SAR image despeckling 2017 ,		3

37	2017,			1
36	Automatic Detection of Low-Rise Gable-Roof Building from Single Submeter SAR Images Based on Local Multilevel Segmentation. <i>Remote Sensing</i> , 2017 , 9, 263	5		8
35	Detectability Analysis of Road Vehicles in Radarsat-2 Fully Polarimetric SAR Images for Traffic Monitoring. <i>Sensors</i> , 2017 , 17,	3.8		3
34	Supervised Locally Linear Embedding for polarimetric SAR image classification 2016,			2
33	Signature Analysis of Building Damage With TerraSAR-X New Staring SpotLight Mode Data. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2016 , 13, 1696-1700	4.1		16
32	Rigorously geometric correction for air-borne SAR images based on affine transformation 2016,			1
31	Compact Polarimetric SAR Ship Detection with m-Decomposition Using Visual Attention Model. <i>Remote Sensing</i> , 2016 , 8, 751	5		12
30	Earthquake-Induced Building Damage Detection with Post-Event Sub-Meter VHR TerraSAR-X Staring Spotlight Imagery. <i>Remote Sensing</i> , 2016 , 8, 887	5		42
29	Multi-Sensor SAR Image Registration Based on Object Shape. <i>Remote Sensing</i> , 2016 , 8, 923	5		3
28	Monitoring permafrost soil moisture with multi-temporal TERRASAR-X data in northern tibet 2016,			3
27	Surface deformation monitoring using time series TerraSAR-X images over permafrost of Qinghai-Tibet Plateau, China 2016,			1
26	Identification of changes in urban land cover type using fully polarimetric SAR data. <i>Remote Sensing Letters</i> , 2016 , 7, 691-700	2.3		6
25	Matching multi-source DEMs in mountainous terrains. <i>Remote Sensing Letters</i> , 2016 , 7, 571-580	2.3		2
24	Backscattering Feature Analysis and Recognition of Civilian Aircraft in TerraSAR-X Images. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2015 , 12, 796-800	4.1		32
23	A unified framework for crop classification in southern China using fully polarimetric, dual polarimetric, and compact polarimetric SAR data. <i>International Journal of Remote Sensing</i> , 2015 , 36, 3798-3818 ¹⁹	2.1		19
22	Ship detection method for single-polarization synthetic aperture radar imagery based on target enhancement and nonparametric clutter estimation. <i>Journal of Applied Remote Sensing</i> , 2015 , 9, 096073 ^{1.4}	1.4		8
21	Superpixel-based PolSAR images change detection 2015,			3
20	An adaptive two-scale enhancement method to visualize man-made objects in very high resolution SAR images. <i>Remote Sensing Letters</i> , 2015 , 6, 725-734	2.3		6

19	An SAR ATR Method Based on Scattering Centre Feature and Bipartite Graph Matching. <i>IETE Technical Review (Institution of Electronics and Telecommunication Engineers, India)</i> , 2015 , 32, 364-375	1.5	10
18	Characterization of the giant landslide at Wenjiagou by the insar technique using TSX-TDX CoSSC data. <i>Landslides</i> , 2015 , 12, 1015-1021	6.6	10
17	Capability of Rice Mapping Using Hybrid Polarimetric SAR Data. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2015 , 8, 3812-3822	4.7	17
16	Analysis of ground subsidence at a coal-mining area in Huainan using time-series InSAR. <i>International Journal of Remote Sensing</i> , 2015 , 36, 5790-5810	3.1	16
15	Polarimetric synthetic aperture radar change detection for specific land cover types. <i>International Journal of Digital Earth</i> , 2015 , 8, 334-344	3.9	4
14	Scatter coherence suppression for TomoSAR in urban areas. <i>Remote Sensing Letters</i> , 2015 , 6, 894-903	2.3	0
13	Fine permafrost deformation features observed using TerraSAR-X ST mode InSAR in Beiluhe of the Qinghai-Tibet Plateau, West China 2015 ,		1
12	Classification of Vessels in Single-Pol COSMO-SkyMed Images Based on Statistical and Structural Features. <i>Remote Sensing</i> , 2015 , 7, 5511-5533	5	12
11	Similarity analysis of entropy/alpha decomposition between HH/VV dual- and quad-polarization SAR data. <i>Remote Sensing Letters</i> , 2015 , 6, 228-237	2.3	5
10	Subsidence monitoring in coal area using time-series InSAR combining persistent scatterers and distributed scatterers. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2015 , 39, 49-55	7.3	23
9	Damage building analysis in TerraSAR-X new staring spotlight mode SAR imagery 2015 ,		1
8	SAR-based ship detection in sea areas containing small islands 2015 ,		1
7	Change Detection of Multilook Polarimetric SAR Images Using Heterogeneous Clutter Models. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2014 , 52, 7483-7494	8.1	42
6	A Novel Hierarchical Ship Classifier for COSMO-SkyMed SAR Data. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2014 , 11, 484-488	4.1	54
5	Investigation of the Capability of α Decomposition of Compact Polarimetric SAR. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2014 , 11, 868-872	4.1	15
4	A PolSAR ship detector based on a multi-polarimetric-feature combination using visual attention. <i>International Journal of Remote Sensing</i> , 2014 , 35, 7763-7774	3.1	11
3	High-voltage transmission towers detection using hybrid polarimetric SAR data 2014 ,		1
2	Ship Detection for High-Resolution SAR Images Based on Feature Analysis. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2014 , 11, 119-123	4.1	58

1 SAR image change detection based on object-based method **2013**,

1