

# Thomas Krncke

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9521749/thomas-kroncke-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

103  
papers

1,976  
citations

26  
h-index

39  
g-index

142  
ext. papers

2,415  
ext. citations

3.9  
avg, IF

4.42  
L-index

#	Paper	IF	Citations
103	An uncertainty-aware, shareable, and transparent neural network architecture for brain-age modeling.. <i>Science Advances</i> , <b>2022</b> , 8, eabg9471	14.3	0
102	Low-dose CT of the abdomen: Initial experience on a novel photon-counting detector CT and comparison with energy-integrating detector CT.. <i>European Journal of Radiology</i> , <b>2022</b> , 148, 110181	4.7	1
101	Preoperative Uterine Artery Embolization in Women Undergoing Uterus-Preserving Myomectomy for Extensive Fibroid Disease: A Retrospective Analysis.. <i>Gynecologic and Obstetric Investigation</i> , <b>2022</b> , 1-8	2.5	0
100	First report from the German COVID-19 autopsy registry.. <i>Lancet Regional Health - Europe, The</i> , <b>2022</b> , 15, 100330		4
99	Comparison and Trends of Endovascular, Surgical and Hybrid Revascularizations and the Influence of Comorbidity in 1 Million Hospitalizations Due to Peripheral Artery Disease in Germany Between 2009 and 2018.. <i>CardioVascular and Interventional Radiology</i> , <b>2022</b> , 1	2.7	1
98	Optimal Conspicuity of Liver Metastases in Virtual Monochromatic Imaging Reconstructions on a Novel Photon-Counting Detector CT Effect of keV Settings and BMI. <i>Diagnostics</i> , <b>2022</b> , 12, 1231	3.8	0
97	In-patient care trends in peripheral artery disease in the German healthcare system over the past decade. <i>European Radiology</i> , <b>2021</b> , 1	8	1
96	Typical Imaging Patterns in COVID-19 Infections of the Lung on Plain Chest Radiographs to Aid Early Triage. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , <b>2021</b> , 193, 1189-1196	2.3	2
95	Non-operative management of blunt splenic trauma: The role of splenic artery embolization depending on the severity of parenchymal injury. <i>European Journal of Radiology</i> , <b>2021</b> , 137, 109578	4.7	1
94	Viral mapping in COVID-19 deceased in the Augsburg autopsy series of the first wave: A multiorgan and multimethodological approach. <i>PLoS ONE</i> , <b>2021</b> , 16, e0254872	3.7	8
93	Clinical and genetic risk factors define two risk groups of extracranial malignant rhabdoid tumours (eMRT/RTK). <i>European Journal of Cancer</i> , <b>2021</b> , 142, 112-122	7.5	6
92	Value-based radiology: what is the ESR doing, and what should we do in the future?. <i>Insights Into Imaging</i> , <b>2021</b> , 12, 108	5.6	1
91	Clinical evidence for a biological effect of epigenetically active decitabine in relapsed or progressive rhabdoid tumors. <i>Pediatric Blood and Cancer</i> , <b>2021</b> , 68, e29267	3	0
90	Consensus Guidelines for the Definition of Time-to-Event End Points in Image-guided Tumor Ablation: Results of the SIO and DATECAN Initiative. <i>Radiology</i> , <b>2021</b> , 301, 533-540	20.5	8
89	Visualization of bone details in a novel photon-counting dual-source CT scanner-comparison with energy-integrating CT.. <i>European Radiology</i> , <b>2021</b> ,	8	5
88	Right-to-left Ventricular Diameter Ratio At Computed Tomographic Pulmonary Angiography in Patients with Acute Pulmonary Embolism and Obstructive Sleep Apnea. <i>Clinical Medicine Insights: Circulatory, Respiratory and Pulmonary Medicine</i> , <b>2020</b> , 14, 1179548420976430	3.4	1
87	MR-Guided Focused Ultrasound in Fibroid Treatment - Results of the 4th Radiological-Gynecological Expert Meeting. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , <b>2019</b> , 191, 626-629	2.3	2

86	EndoPredict versus uPA/PAI-1 in breast cancer: Comparison of markers and association with clinicopathological parameters. <i>Breast Journal</i> , <b>2019</b> , 25, 450-454	1.2	1
85	MR-Guided Focused Ultrasound in Fibroid Treatment - Results of the 4th Radiological-Gynecological Expert Meeting. <i>Geburtshilfe Und Frauenheilkunde</i> , <b>2019</b> , 79, 693-696	2	3
84	Uterine Artery Embolization (UAE) for Fibroid Treatment - Results of the 7th Radiological Gynecological Expert Meeting. <i>Geburtshilfe Und Frauenheilkunde</i> , <b>2019</b> , 79, 688-692	2	8
83	Sarcoma of the Uterus. Guideline of the DGGG and OEGGG (S2k Level, AWMF Register Number 015/074, February 2019). <i>Geburtshilfe Und Frauenheilkunde</i> , <b>2019</b> , 79, 1043-1060	2	9
82	Radioembolization for Hepatocellular Carcinoma Arising in the Setting of a Congenital Extrahepatic Portosystemic Shunt (Abernethy Malformation). <i>CardioVascular and Interventional Radiology</i> , <b>2018</b> , 41, 1285-1290	2.7	1
81	Imaging pediatric gastrointestinal stromal tumor (GIST). <i>Journal of Pediatric Surgery</i> , <b>2018</b> , 53, 1862-1870.	6	14
80	Analysis of presurgical uterine artery embolization (PUAE) for very large uterus myomatosis; patients' desire to preserve the uterus; case series and literature review. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , <b>2018</b> , 190, 616-622	2.3	11
79	Semi-automatic CT-angiography based evaluation of the aortic annulus in patients prior to TAVR: interchangeability with manual measurements. <i>International Journal of Cardiovascular Imaging</i> , <b>2018</b> , 34, 1657-1667	2.5	
78	Uterine Artery Embolization (UAE) for Fibroid Treatment: Results of the 6th Radiological Gynecological Expert Meeting. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , <b>2017</b> , 189, 511-514	2.3	8
77	Visceral Artery Aneurysms and Pseudoaneurysms: Retrospective Analysis of Interventional Endovascular Therapy of 43 Aneurysms. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , <b>2017</b> , 189, 632-639	2.3	8
76	Consensus meetings regarding uterine artery embolization and focused ultrasound in fibroid treatment: an analysis. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , <b>2017</b> , 189, 508-510	2.3	0
75	Uterine Artery Embolization (UAE) for Fibroid Treatment: Results of the 6th Radiological Gynecological Expert Meeting. <i>Geburtshilfe Und Frauenheilkunde</i> , <b>2017</b> , 77, 689-692	2	3
74	Consensus Meetings Regarding Uterine Artery Embolization and Focused Ultrasound in Fibroid Treatment: an Analysis. <i>Geburtshilfe Und Frauenheilkunde</i> , <b>2017</b> , 77, 693-695	2	1
73	Early experience with the new endovascular aneurysm sealing system Nellix: First clinical results after 50 implantations. <i>Vascular</i> , <b>2016</b> , 24, 339-47	1.3	29
72	Nonenhanced peripheral MR-angiography (MRA) at 3T Tesla: evaluation of quiescent-interval single-shot MRA in patients undergoing digital subtraction angiography. <i>International Journal of Cardiovascular Imaging</i> , <b>2015</b> , 31, 841-50	2.5	21
71	Magnetic resonance guided focused ultrasound for fibroid treatment--results of the second radiological gynecological expert meeting. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , <b>2015</b> , 187, 480-2	2.3	5
70	Uterine Artery Embolization (UAE) for Fibroid Treatment--Results of the 5th Radiological Gynecological Expert Meeting. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , <b>2015</b> , 187, 483-5	2.3	8
69	In vivo abdominal magnetic resonance elastography for the assessment of portal hypertension before and after transjugular intrahepatic portosystemic shunt implantation. <i>Investigative Radiology</i> , <b>2015</b> , 50, 347-51	10.1	45

68	Ventilation/perfusion SPECT/CT in patients with pulmonary emphysema. Evaluation of software-based analysing. <i>Nuklearmedizin - NuclearMedicine</i> , <b>2015</b> , 54, 31-5	1.8	1
67	Whole-Body MR Imaging in the German National Cohort: Rationale, Design, and Technical Background. <i>Radiology</i> , <b>2015</b> , 277, 206-20	20.5	92
66	Ventilation/perfusion SPECT or SPECT/CT for lung function imaging in patients with pulmonary emphysema?. <i>Annals of Nuclear Medicine</i> , <b>2015</b> , 29, 528-34	2.5	3
65	Radiation exposure during uterine artery embolization: effective measures to minimize dose to the patient. <i>CardioVascular and Interventional Radiology</i> , <b>2015</b> , 38, 613-22	2.7	13
64	Towards compression-sensitive magnetic resonance elastography of the liver: sensitivity of harmonic volumetric strain to portal hypertension. <i>Journal of Magnetic Resonance Imaging</i> , <b>2014</b> , 39, 298-306	5.6	24
63	Uterine artery embolization in single symptomatic leiomyoma: do anatomical imaging criteria predict clinical presentation and long-term outcome?. <i>Acta Radiologica</i> , <b>2014</b> , 55, 441-9	2	7
62	Magnetic Resonance-Guided Focused Ultrasound for Treatment of Myomas - Results of the First Radiology-Gynaecology Experts Meeting. <i>Geburtshilfe Und Frauenheilkunde</i> , <b>2014</b> , 74, 430-432	2	2
61	Uterusarterienembolisation symptomatischer Gebärmuttermyome. <i>Interventionelle Radiologie Scan</i> , <b>2014</b> , 02, 161-179		
60	Uterine Artery Embolisation (UAE) for Treatment of Myomas: Results of the 4th Radiology-Gynaecology Experts Meeting. <i>Geburtshilfe Und Frauenheilkunde</i> , <b>2014</b> , 74, 433-435	2	2
59	ECG-gated quiescent-interval single-shot MR angiography of the lower extremities: initial experience at 3 T. <i>Clinical Radiology</i> , <b>2014</b> , 69, 485-91	2.9	28
58	MR elastography of the liver and the spleen using a piezoelectric driver, single-shot wave-field acquisition, and multifrequency dual parameter reconstruction. <i>Magnetic Resonance in Medicine</i> , <b>2014</b> , 71, 267-77	4.4	85
57	Technical eligibility for treatment of magnetic resonance-guided focused ultrasound surgery. <i>CardioVascular and Interventional Radiology</i> , <b>2014</b> , 37, 445-50	2.7	16
56	CT guided bone biopsy using a battery powered intraosseous device. <i>CardioVascular and Interventional Radiology</i> , <b>2013</b> , 36, 1405-10	2.7	10
55	Midterm results after uterine artery embolization versus MR-guided high-intensity focused ultrasound treatment for symptomatic uterine fibroids. <i>CardioVascular and Interventional Radiology</i> , <b>2013</b> , 36, 1508-1513	2.7	21
54	Outcome of uterine artery embolization versus MR-guided high-intensity focused ultrasound treatment for uterine fibroids: long-term results. <i>European Journal of Radiology</i> , <b>2013</b> , 82, 2265-9	4.7	66
53	Clinical long-term outcome after uterine artery embolization: sustained symptom control and improvement of quality of life. <i>Journal of Vascular and Interventional Radiology</i> , <b>2013</b> , 24, 765-71	2.4	35
52	Serum bile acids and leptin interact with glucose metabolism in patients with liver cirrhosis. <i>Clinical Nutrition</i> , <b>2013</b> , 32, 122-9	5.9	5
51	Uterine Fibroid Embolisation - Potential Impact on Fertility and Pregnancy Outcome. <i>Geburtshilfe Und Frauenheilkunde</i> , <b>2013</b> , 73, 247-255	2	11

50	Fluid preinjection for microwave ablation in an ex vivo bovine liver model assessed with volumetry in an open MRI system. <i>Diagnostic and Interventional Radiology</i> , <b>2013</b> , 19, 427-32	3.2	3
49	Impact of neoadjuvant transarterial chemoembolization on tumor recurrence and patient survival after liver transplantation for hepatocellular carcinoma: a retrospective analysis. <i>Clinical Transplantation</i> , <b>2012</b> , 26, 764-74	3.8	31
48	Non-invasive imaging of living kidney donors: intraindividual comparison of multislice computed tomography angiography with magnetic resonance angiography. <i>Clinical Transplantation</i> , <b>2012</b> , 26, E412-7	3.8	13
47	Impact of Ga-68 DOTATOC PET/CT on the diagnosis and treatment of patients with multiple endocrine neoplasia. <i>Annals of Nuclear Medicine</i> , <b>2012</b> , 26, 738-43	2.5	42
46	Treatment failure after uterine artery embolization: prospective cohort study with multifactorial analysis of possible predictors of long-term outcome. <i>European Journal of Radiology</i> , <b>2012</b> , 81, e727-31	4.7	17
45	Magnetic resonance enteroclysis in patients with Crohn's disease: fat saturated T2-weighted sequences for evaluation of inflammatory activity. <i>Journal of Crohn's and Colitis</i> , <b>2012</b> , 6, 294-301	1.5	9
44	Uterine artery embolization to treat uterine adenomyosis with or without uterine leiomyomata: results of symptom control and health-related quality of life 40 months after treatment. <i>CardioVascular and Interventional Radiology</i> , <b>2012</b> , 35, 523-9	2.7	26
43	Diagnostic performance of a Near-Infrared Breast Imaging system as adjunct to mammography versus X-ray mammography alone. <i>European Radiology</i> , <b>2012</b> , 22, 350-7	8	15
42	Appearance of hepatocellular adenomas on gadoxetic acid-enhanced MRI. <i>European Radiology</i> , <b>2012</b> , 22, 1769-75	8	38
41	Preoperative Uterine Artery Embolisation for Large Uterine Fibroids with Subsequent Uterus Preservation - Three Case Histories and Review of the Literature. <i>Geburtshilfe Und Frauenheilkunde</i> , <b>2012</b> , 72, 539-542	2	6
40	Plasma bile acids are associated with energy expenditure and thyroid function in humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2012</b> , 97, 535-42	5.6	49
39	Ischemic-type biliary lesions after orthotopic liver transplantation: diagnosis with magnetic resonance cholangiography. <i>Transplantation Proceedings</i> , <b>2011</b> , 43, 2660-3	1.1	12
38	Abnormal plasma peptide YY(3-36) levels in patients with liver cirrhosis. <i>Nutrition</i> , <b>2011</b> , 27, 880-4	4.8	8
37	Splenic artery syndrome after orthotopic liver transplantation: treatment with the Amplatzer vascular plug. <i>CardioVascular and Interventional Radiology</i> , <b>2011</b> , 34, 1208-13	2.7	11
36	Ovarian artery embolization in patients with collateral supply to symptomatic uterine leiomyomata. <i>CardioVascular and Interventional Radiology</i> , <b>2011</b> , 34, 1199-207	2.7	14
35	Plasma levels following application of paclitaxel-coated balloon catheters in patients with stenotic or occluded femoropopliteal arteries. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , <b>2011</b> , 183, 448-55	2.3	27
34	Uterusarterienembolisation bei Patientinnen mit symptomatischen Gebärmuttermyomen: prospektive Studie zu klinischem Erfolg und Veränderung der Lebensqualität im langfristigen Verlauf. <i>Geburtshilfe Und Frauenheilkunde</i> , <b>2011</b> , 71, 653-658	2	
33	Endoleak after endovascular aneurysm repair: evaluation of a single-acquisition CTA protocol using a prebolus. <i>Journal of Endovascular Therapy</i> , <b>2011</b> , 18, 771-8	2.5	2

32	Uterine artery embolization for symptomatic fibroids: long-term changes in disease-specific symptoms and quality of life. <i>Human Reproduction</i> , <b>2011</b> , 26, 2036-42	5.7	17
31	Effect of sildenafil on digital ulcers in systemic sclerosis: analysis from a single centre pilot study. <i>Annals of the Rheumatic Diseases</i> , <b>2010</b> , 69, 1475-8	2.4	81
30	Uterine artery embolization for leiomyomas: percentage of infarction predicts clinical outcome. <i>Radiology</i> , <b>2010</b> , 255, 834-41	20.5	81
29	Effect of uterine artery embolization on uterine and leiomyoma perfusion: evidence of transient myometrial ischemia on magnetic resonance imaging. <i>Journal of Vascular and Interventional Radiology</i> , <b>2010</b> , 21, 1347-53	2.4	27
28	Uterine artery embolization in patients with symptomatic diffuse leiomyomatosis of the uterus. <i>Journal of Vascular and Interventional Radiology</i> , <b>2008</b> , 19, 279-84	2.4	12
27	Acrylamido polyvinyl alcohol microspheres for uterine artery embolization: 12-month clinical and MR imaging results. <i>Journal of Vascular and Interventional Radiology</i> , <b>2008</b> , 19, 47-57	2.4	29
26	Uterine artery embolization for symptomatic adenomyosis with or without uterine leiomyomas with the use of calibrated tris-acryl gelatin microspheres: midterm clinical and MR imaging follow-up. <i>Journal of Vascular and Interventional Radiology</i> , <b>2007</b> , 18, 835-41	2.4	45
25	Gadobenate dimeglumine-enhanced MR angiography: Diagnostic performance of four doses for detection and grading of carotid, renal, and aorto-iliac stenoses compared to digital subtraction angiography. <i>Journal of Magnetic Resonance Imaging</i> , <b>2007</b> , 26, 1020-32	5.6	18
24	Use of the 4F Rösch inferior mesenteric catheter in embolization procedures in the pelvis: a review of 300 cases. <i>CardioVascular and Interventional Radiology</i> , <b>2007</b> , 30, 268-72	2.7	7
23	Gewichtsreduktion bei Bergewicht und Adipositas und deren Auswirkungen auf Sexualität, Harn- und Analinkontinenz, Descensus genitalis und Lebensqualität. <i>Geburtshilfe Und Frauenheilkunde</i> , <b>2007</b> , 67, 866-872	2	
22	Uterine artery embolization for symptomatic fibroids: short-term versus mid-term changes in disease-specific symptoms, quality of life and magnetic resonance imaging results. <i>Human Reproduction</i> , <b>2006</b> , 21, 3270-7	5.7	26
21	Uterine fibroids: contrast-enhanced MR angiography to predict ovarian artery supply--initial experience. <i>Radiology</i> , <b>2006</b> , 241, 181-9	20.5	44
20	Re: primary failure of uterine artery embolization: use of magnetic resonance imaging to select patients for repeated embolization. <i>Journal of Vascular and Interventional Radiology</i> , <b>2006</b> , 17, 181-2; author reply 182	2.4	1
19	Uterine arterial embolization with tris-acryl gelatin microspheres: a histopathologic evaluation. <i>American Journal of Surgical Pathology</i> , <b>2005</b> , 29, 955-61	6.7	51
18	Magnetic resonance cholangiopancreatography using a free-breathing T2-weighted turbo spin-echo sequence with navigator-triggered prospective acquisition correction. <i>Magnetic Resonance Imaging</i> , <b>2005</b> , 23, 939-45	3.3	49
17	Magnetic resonance imaging of the upper abdomen using a free-breathing T2-weighted turbo spin echo sequence with navigator triggered prospective acquisition correction. <i>Journal of Magnetic Resonance Imaging</i> , <b>2005</b> , 21, 576-82	5.6	98
16	Value of dual-phase multislice CT prior to minimally invasive therapy of iatrogenic renal injuries. <i>Journal of Endovascular Therapy</i> , <b>2005</b> , 12, 461-8	2.5	2
15	MRI for diagnosis of adenomyosis: unsung and underutilized. <i>Gynecologic and Obstetric Investigation</i> , <b>2005</b> , 60, 154	2.5	1



14	Ovarian artery variant: another unexpected extrarenal condition that may affect donor nephrectomy. <i>Radiographics</i> , <b>2004</b> , 24, 1513-4; author reply 1513-4	5.4	2
13	Early postoperative ultrasound of kidney transplants: evaluation of contrast medium dynamics using time-intensity curves. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , <b>2004</b> , 176, 472-7	2.3	24
12	Covered transjugular intrahepatic portosystemic stents maintain lower portal pressure and require fewer reinterventions than uncovered stents. <i>Scandinavian Journal of Gastroenterology</i> , <b>2004</b> , 39, 994-9	2.4	11
11	Fibrinolysis of acute peripheral arterial occlusion with tenecteplase--a new weight-optimized treatment regimen. <i>Journal of Thrombosis and Thrombolysis</i> , <b>2004</b> , 18, 43-6	5.1	
10	Comparison of the iron oxide-based blood-pool contrast medium VSOP-C184 with gadopentetate dimeglumine for first-pass magnetic resonance angiography of the aorta and renal arteries in pigs. <i>Investigative Radiology</i> , <b>2004</b> , 39, 546-53	10.1	43
9	Image quality of noninvasive coronary angiography using multislice spiral computed tomography and electron-beam computed tomography: intraindividual comparison in an animal model. <i>Investigative Radiology</i> , <b>2004</b> , 39, 357-64	10.1	34
8	Quantification of functional mitral valve regurgitation in patients with congestive heart failure: comparison of electron-beam computed tomography with cardiac catheterization. <i>Investigative Radiology</i> , <b>2004</b> , 39, 728-39	10.1	7
7	Gadolinium-enhanced three-dimensional magnetic resonance angiography versus conventional digital subtraction angiography: which modality is superior in evaluating living kidney donors?. <i>Transplantation</i> , <b>2003</b> , 76, 1000-2	1.8	22
6	Visualization of the pulmonary valve using cine MR imaging. <i>Acta Radiologica</i> , <b>2003</b> , 44, 172-6	2	12
5	Disintegration and stepwise expulsion of a large uterine leiomyoma with restoration of the uterine architecture after successful uterine fibroid embolization: case report. <i>Human Reproduction</i> , <b>2003</b> , 18, 863-5	5.7	13
4	Gadobenate dimeglumine-enhanced MR angiography of the abdominal aorta and renal arteries. <i>American Journal of Roentgenology</i> , <b>2002</b> , 179, 1573-82	5.4	41
3	Three-dimensional gadolinium-enhanced magnetic resonance venography in suspected thrombo-occlusive disease of the central chest veins. <i>Chest</i> , <b>2001</b> , 120, 1570-6	5.3	51
2	Multifocal nodular fatty infiltration of the liver mimicking metastatic disease on CT: imaging findings and diagnosis using MR imaging. <i>European Radiology</i> , <b>2000</b> , 10, 1095-100	8	60
1	Paraganglioma of the carotid bifurcation. <i>American Journal of Surgery</i> , <b>2000</b> , 180, 155	2.7	1