

# Baltasar Escriche

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9522080/publications.pdf>

Version: 2024-02-01

66  
papers

2,251  
citations

186265

28  
h-index

223800

46  
g-index

67  
all docs

67  
docs citations

67  
times ranked

1420  
citing authors

#	ARTICLE	IF	CITATIONS
1	Activation of Bacillus thuringiensis CryII to a 50kDa stable core impairs its full toxicity to <i>Ostrinia nubilalis</i> . <i>Applied Microbiology and Biotechnology</i> , 2022, 106, 1745.	3.6	0
2	Effect of Cry Toxins on <i>Xylotrechus arvicola</i> (Coleoptera: Cerambycidae) Larvae. <i>Insects</i> , 2022, 13, 27.	2.2	1
3	Toxicity of five Cry proteins against the insect pest <i>Acanthoscelides obtectus</i> (Coleoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	3.2	15
4	The Independent Biological Activity of Bacillus thuringiensis Cry23Aa Protein Against <i>Cylas puncticollis</i> . <i>Frontiers in Microbiology</i> , 2020, 11, 1734.	3.5	3
5	Genomics and Proteomics Analyses Revealed Novel Candidate Pesticidal Proteins in a Lepidopteran-Toxic Bacillus thuringiensis Strain. <i>Toxins</i> , 2020, 12, 673.	3.4	7
6	Cadherin fragments of Lepidopteran and Coleopteran species do not enhance toxicity of Cry1Ca and Vip3Aa proteins to <i>Spodoptera exigua</i> (HÄ¼bner) (Lepidoptera:Noctuidae). <i>Biocontrol Science and Technology</i> , 2020, 30, 941-950.	1.3	1
7	Insecticidal Activity of Bacillus thuringiensis Proteins against Coleopteran Pests. <i>Toxins</i> , 2020, 12, 430.	3.4	46
8	Study of the Bacillus thuringiensis Cry1Ia Protein Oligomerization Promoted by Midgut Brush Border Membrane Vesicles of Lepidopteran and Coleopteran Insects, or Cultured Insect Cells. <i>Toxins</i> , 2020, 12, 133.	3.4	8
9	Susceptibility of <i>Xylotrechus arvicola</i> (Coleoptera: Cerambycidae) to Five Cry Toxins. <i>Biology and Life Sciences Forum</i> , 2020, 4, .	0.6	0
10	Specific binding of Bacillus thuringiensis Cry1Ea toxin, and Cry1Ac and Cry1Fa competition analyses in <i>Anticarsia gemmatalis</i> and <i>Chrysodeixis includens</i> . <i>Scientific Reports</i> , 2019, 9, 18201.	3.3	8
11	Characterization of new Bacillus thuringiensis strains from Iran, based on cytotoxic and insecticidal activity, proteomic analysis and gene content. <i>BioControl</i> , 2018, 63, 807-818.	2.0	11
12	Toxicity and Binding Studies of Bacillus thuringiensis Cry1Ac, Cry1F, Cry1C, and Cry2A Proteins in the Soybean Pests <i>Anticarsia gemmatalis</i> and <i>Chrysodeixis (Pseudoplusia) includens</i> . <i>Applied and Environmental Microbiology</i> , 2017, 83, .	3.1	26
13	Changes in gene expression and apoptotic response in <i>Spodoptera exigua</i> larvae exposed to sublethal concentrations of Vip3 insecticidal proteins. <i>Scientific Reports</i> , 2017, 7, 16245.	3.3	51
14	Insecticidal spectrum and mode of action of the Bacillus thuringiensis Vip3Ca insecticidal protein. <i>Journal of Invertebrate Pathology</i> , 2017, 142, 60-67.	3.2	30
15	Insights into the Structure of the Vip3Aa Insecticidal Protein by Protease Digestion Analysis. <i>Toxins</i> , 2017, 9, 131.	3.4	51
16	Editorial for Special Issue: The Insecticidal Bacterial Toxins in Modern Agriculture. <i>Toxins</i> , 2017, 9, 396.	3.4	0
17	Unshared binding sites for Bacillus thuringiensis Cry3Aa and Cry3Ca proteins in the weevil <i>Cylas puncticollis</i> (Brentidae). <i>Toxicon</i> , 2016, 122, 50-53.	1.6	3
18	Bacterial Vegetative Insecticidal Proteins (Vip) from Entomopathogenic Bacteria. <i>Microbiology and Molecular Biology Reviews</i> , 2016, 80, 329-350.	6.6	233

#	ARTICLE	IF	CITATIONS
19	Dissimilar Regulation of Antimicrobial Proteins in the Midgut of <i>Spodoptera exigua</i> Larvae Challenged with <i>Bacillus thuringiensis</i> Toxins or Baculovirus. <i>PLoS ONE</i> , 2015, 10, e0125991.	2.5	37
20	Binding analysis of <i>Bacillus thuringiensis</i> Cry1 proteins in the sugarcane borer, <i>Diatraea saccharalis</i> (Lepidoptera: Crambidae). <i>Journal of Invertebrate Pathology</i> , 2015, 127, 32-34.	3.2	9
21	Susceptibility to <i>Cry</i> proteins of a Spanish <i>Ostrinia nubilalis</i> glasshouse population repeatedly sprayed with <i>Bacillus thuringiensis</i> formulations. <i>Journal of Applied Entomology</i> , 2014, 138, 78-86.	1.8	3
22	A screening of five <i>Bacillus thuringiensis</i> Vip3A proteins for their activity against lepidopteran pests. <i>Journal of Invertebrate Pathology</i> , 2014, 117, 51-55.	3.2	69
23	Shared Binding Sites for the <i>Bacillus thuringiensis</i> Proteins Cry3Bb, Cry3Ca, and Cry7Aa in the African Sweet Potato Pest <i>Cylas puncticollis</i> (Brentidae). <i>Applied and Environmental Microbiology</i> , 2014, 80, 7545-7550.	3.1	11
24	Different binding sites for <i>Bacillus thuringiensis</i> Cry1Ba and Cry9Ca proteins in the European corn borer, <i>Ostrinia nubilalis</i> (H&A¼bner). <i>Journal of Invertebrate Pathology</i> , 2014, 120, 1-3.	3.2	3
25	Midgut aminopeptidase N isoforms from <i>Ostrinia nubilalis</i> : Activity characterization and differential binding to Cry1Ab and Cry1Fa proteins from <i>Bacillus thuringiensis</i> . <i>Insect Biochemistry and Molecular Biology</i> , 2013, 43, 924-935.	2.7	30
26	Quantitative genetic analysis of Cry1Ab tolerance in <i>Ostrinia nubilalis</i> Spanish populations. <i>Journal of Invertebrate Pathology</i> , 2013, 113, 220-227.	3.2	3
27	Insecticidal activity of Vip3Aa, Vip3Ad, Vip3Ae, and Vip3Af from <i>Bacillus thuringiensis</i> against lepidopteran corn pests. <i>Journal of Invertebrate Pathology</i> , 2013, 113, 78-81.	3.2	51
28	Comprehensive Analysis of Gene Expression Profiles of the Beet Armyworm <i>Spodoptera exigua</i> Larvae Challenged with <i>Bacillus thuringiensis</i> Vip3Aa Toxin. <i>PLoS ONE</i> , 2013, 8, e81927.	2.5	50
29	Shared Midgut Binding Sites for Cry1A.105, Cry1Aa, Cry1Ab, Cry1Ac and Cry1Fa Proteins from <i>Bacillus thuringiensis</i> in Two Important Corn Pests, <i>Ostrinia nubilalis</i> and <i>Spodoptera frugiperda</i> . <i>PLoS ONE</i> , 2013, 8, e68164.	2.5	109
30	Lack of Cry1Fa Binding to the Midgut Brush Border Membrane in a Resistant Colony of <i>Plutella xylostella</i> Moths with a Mutation in the <i>ABCC2</i> Locus. <i>Applied and Environmental Microbiology</i> , 2012, 78, 6759-6761.	3.1	17
31	Specific Binding of Radiolabeled Cry1Fa Insecticidal Protein from <i>Bacillus thuringiensis</i> to Midgut Sites in Lepidopteran Species. <i>Applied and Environmental Microbiology</i> , 2012, 78, 4048-4050.	3.1	12
32	Vip3C, a Novel Class of Vegetative Insecticidal Proteins from <i>Bacillus thuringiensis</i> . <i>Applied and Environmental Microbiology</i> , 2012, 78, 7163-7165.	3.1	33
33	Susceptibility of <i>Spodoptera frugiperda</i> and <i>S. exigua</i> to <i>Bacillus thuringiensis</i> Vip3Aa insecticidal protein. <i>Journal of Invertebrate Pathology</i> , 2012, 110, 334-339.	3.2	69
34	Safety assessment of smoked fish related to <i>Listeria monocytogenes</i> prevalence using risk management metrics. <i>Food Control</i> , 2012, 25, 233-238.	5.5	12
35	Quantitative real-time PCR with SYBR Green detection to assess gene duplication in insects: study of gene dosage in <i>Drosophila melanogaster</i> (Diptera) and in <i>Ostrinia nubilalis</i> (Lepidoptera). <i>BMC Research Notes</i> , 2011, 4, 84.	1.4	19
36	Increase in midgut microbiota load induces an apparent immune priming and increases tolerance to <i>Bacillus thuringiensis</i> . <i>Environmental Microbiology</i> , 2010, 12, 2730-2737.	3.8	74

#	ARTICLE	IF	CITATIONS
37	Constitutive Activation of the Midgut Response to <i>Bacillus thuringiensis</i> in Bt-Resistant <i>Spodoptera exigua</i> . <i>PLoS ONE</i> , 2010, 5, e12795.	2.5	63
38	Study of the aminopeptidase N gene family in the lepidopterans <i>Ostrinia nubilalis</i> (Hübner) and <i>Bombyx mori</i> (L.): Sequences, mapping and expression. <i>Insect Biochemistry and Molecular Biology</i> , 2010, 40, 506-515.	2.7	46
39	Broad-spectrum cross-resistance in <i>Spodoptera exigua</i> from selection with a marginally toxic Cry protein. <i>Pest Management Science</i> , 2009, 65, 645-650.	3.4	25
40	Variability in the cadherin gene in an <i>Ostrinia nubilalis</i> strain selected for Cry1Ab resistance. <i>Insect Biochemistry and Molecular Biology</i> , 2009, 39, 218-223.	2.7	24
41	Susceptibility of <i>Spodoptera exigua</i> to 9 toxins from <i>Bacillus thuringiensis</i> . <i>Journal of Invertebrate Pathology</i> , 2008, 97, 245-250.	3.2	70
42	Selective inhibition of binding of <i>Bacillus thuringiensis</i> Cry1Ab toxin to cadherin-like and aminopeptidase proteins in brush-border membranes and dissociated epithelial cells from <i>Bombyx mori</i> . <i>Biochemical Journal</i> , 2008, 409, 215-221.	3.7	12
43	Potential of the <i>Bacillus thuringiensis</i> Toxin Reservoir for the Control of <i>Lobesia botrana</i> (Lepidoptera: Tortricidae), a Major Pest of Grape Plants. <i>Applied and Environmental Microbiology</i> , 2007, 73, 337-340.	3.1	20
44	Molecular and Insecticidal Characterization of a Cry1I Protein Toxic to Insects of the Families Noctuidae, Tortricidae, Plutellidae, and Chrysomelidae. <i>Applied and Environmental Microbiology</i> , 2006, 72, 4796-4804.	3.1	44
45	Common genomic structure for the Lepidoptera cadherin-like genes. <i>Gene</i> , 2006, 381, 71-80.	2.2	24
46	Common, but Complex, Mode of Resistance of <i>Plutella xylostella</i> to <i>Bacillus thuringiensis</i> Toxins Cry1Ab and Cry1Ac. <i>Applied and Environmental Microbiology</i> , 2005, 71, 6863-6869.	3.1	52
47	Interaction of <i>Bacillus thuringiensis</i> Toxins with Larval Midgut Binding Sites of <i>Helicoverpa armigera</i> (Lepidoptera: Noctuidae). <i>Applied and Environmental Microbiology</i> , 2004, 70, 1378-1384.	3.1	89
48	Genetic and Biochemical Characterization of Field-Evolved Resistance to <i>Bacillus thuringiensis</i> Toxin Cry1Ac in the Diamondback Moth, <i>Plutella xylostella</i> . <i>Applied and Environmental Microbiology</i> , 2004, 70, 7010-7017.	3.1	56
49	Binding of <i>Bacillus thuringiensis</i> toxins in resistant and susceptible strains of pink bollworm ( <i>Pectinophora gossypiella</i> ). <i>Insect Biochemistry and Molecular Biology</i> , 2003, 33, 929-935.	2.7	74
50	Variation in Susceptibility to <i>Bacillus thuringiensis</i> Toxins among Unselected Strains of <i>Plutella xylostella</i> . <i>Applied and Environmental Microbiology</i> , 2001, 67, 4610-4613.	3.1	39
51	Mannose Phosphate Isomerase Isoenzymes in <i>Plutella xylostella</i> Support Common Genetic Bases of Resistance to <i>Bacillus thuringiensis</i> Toxins in Lepidopteran Species. <i>Applied and Environmental Microbiology</i> , 2001, 67, 979-981.	3.1	13
52	Development and Characterization of Diamondback Moth Resistance to Transgenic Broccoli Expressing High Levels of Cry1C. <i>Applied and Environmental Microbiology</i> , 2000, 66, 3784-3789.	3.1	114
53	Binding and Toxicity of <i>Bacillus thuringiensis</i> Protein Cry1C to Susceptible and Resistant Diamondback Moth (Lepidoptera: Plutellidae). <i>Journal of Economic Entomology</i> , 2000, 93, 1-6.	1.8	27
54	Effect of <i>Bacillus thuringiensis</i> Toxins on the Midgut of the Nun Moth <i>Lymantria monacha</i> . <i>Journal of Invertebrate Pathology</i> , 2000, 75, 288-291.	3.2	14

#	ARTICLE	IF	CITATIONS
55	Changes in Permeability of Brush Border Membrane Vesicles from <i>Spodoptera littoralis</i> Midgut Induced by Insecticidal Crystal Proteins from <i>Bacillus thuringiensis</i> . <i>Applied and Environmental Microbiology</i> , 1998, 64, 1563-1565.	3.1	14
56	Occurrence of a common binding site in <i>Mamestra brassicae</i> , <i>Phthorimaea operculella</i> , and <i>Spodoptera exigua</i> for the insecticidal crystal proteins CryIA from <i>Bacillus thuringiensis</i> . <i>Insect Biochemistry and Molecular Biology</i> , 1997, 27, 651-656.	2.7	33
57	Inheritance of resistance to <i>Bacillus thuringiensis</i> toxin in a field population of diamondback moth ( <i>Plutella xylostella</i> ). <i>Pest Management Science</i> , 1995, 43, 115-120.	0.4	24
58	Biochemistry and genetics of insect resistance to <i>Bacillus thuringiensis</i> insecticidal crystal proteins. <i>FEMS Microbiology Letters</i> , 1995, 132, 7-1.	1.8	22
59	Biochemistry and genetics of insect resistance to <i>Bacillus thuringiensis</i> insecticidal crystal proteins. <i>FEMS Microbiology Letters</i> , 1995, 132, 1-7.	1.8	73
60	Immunohistochemical Detection of Binding of CryIA Crystal Proteins of <i>Bacillus thuringiensis</i> in Highly Resistant Strains of <i>Plutella xylostella</i> (L.) from Hawaii. <i>Biochemical and Biophysical Research Communications</i> , 1995, 212, 388-395.	2.1	32
61	Testing Suitability of Brush Border Membrane Vesicles Prepared from Whole Larvae from Small Insects for Binding Studies with <i>Bacillus thuringiensis</i> CryIA(b) Crystal Protein. <i>Journal of Invertebrate Pathology</i> , 1995, 65, 318-320.	3.2	29
62	Lack of cross-resistance to other <i>Bacillus thuringiensis</i> crystal proteins in a population of <i>Plutella xylostella</i> highly resistant to cryIA(b). <i>Biocontrol Science and Technology</i> , 1994, 4, 437-443.	1.3	37
63	Occurrence of three different binding sites for <i>Bacillus thuringiensis</i> endotoxins in the midgut brush border membrane of the potato tuber moth, <i>phthorimaea operculella</i> (zeller). <i>Archives of Insect Biochemistry and Physiology</i> , 1994, 26, 315-327.	1.5	15
64	Ligand Blot Identification of a <i>Manduca sexta</i> Midgut Binding Protein Specific to Three <i>Bacillus thuringiensis</i> CryIA-Type ICPs. <i>Biochemical and Biophysical Research Communications</i> , 1994, 201, 782-787.	2.1	45
65	Genetic and biochemical characterization of little isoxanthopterin ( <i>lix</i> ), a gene controlling dihydropterin oxidase activity in <i>Drosophila melanogaster</i> . <i>Molecular Genetics and Genomics</i> , 1991, 230, 97-103.	2.4	9
66	An in vitro System for Studying Pteridine Biosynthesis In <i>Drosophila melanogaster</i> . <i>Pteridines</i> , 1991, 3, 171-176.	0.5	3