

Yeong Jun Ju

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9522715/publications.pdf>

Version: 2024-02-01

63
papers

764
citations

706676

14
h-index

721071

23
g-index

64
all docs

64
docs citations

64
times ranked

1291
citing authors

#	ARTICLE	IF	CITATIONS
1	Perceived social support and depressive symptoms during the COVID-19 pandemic: A nationally-representative study. <i>International Journal of Social Psychiatry</i> , 2023, 69, 47-55.	1.6	4
2	Does having various types of fear related to the COVID-19 disrupt the daily life of individuals?. <i>Epidemiology and Health</i> , 2022, , e2022004.	0.8	3
3	The association between episodes of night eating and levels of depression in the general population. <i>International Journal of Eating Disorders</i> , 2022, 55, 254-262.	2.1	6
4	The Ability to Rest at Home During COVID-19 Symptom Manifestation and Depressive Symptoms: Evidence From Korea. <i>Psychiatry Investigation</i> , 2022, 19, 92-99.	0.7	0
5	How Do Patients Value the Benefit of Minimally Invasive Surgery in Cancer Treatment?. <i>Value in Health</i> , 2022, , .	0.1	1
6	Is fear of COVID-19 higher in individuals residing in more deprived areas? A nationwide study. <i>Journal of Public Health</i> , 2022, , .	1.0	1
7	Association between Blood Glucose Control and Subjective Cognitive Decline in Korean Patients with Diabetes Aged over 50 Years. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 7267.	1.2	3
8	Perceived environmental pollution and subjective cognitive decline (SCD) or SCD-related functional difficulties among the general population. <i>Environmental Science and Pollution Research</i> , 2021, 28, 31289-31300.	2.7	5
9	Association Between Recent Experience of Childbirth and Sleep Quality in South Korean Women: Results from a Nationwide Study. <i>Nature and Science of Sleep</i> , 2021, Volume 13, 467-475.	1.4	4
10	Association between perceived environmental pollution and poor sleep quality: results from nationwide general population sample of 162,797 people. <i>Sleep Medicine</i> , 2021, 80, 236-243.	0.8	14
11	Is time-to-treatment associated with higher mortality in Korean elderly lung cancer patients?. <i>Health Policy</i> , 2021, 125, 1047-1053.	1.4	6
12	A comprehensive study of deaths due to exposure to humidifier disinfectant in Korea: focusing on medical records, assessment of exposure to humidifier disinfectants, and causes of death. <i>Epidemiology and Health</i> , 2021, 43, e2021091.	0.8	4
13	Association between family conflict resolution methods and depressive symptoms in South Korea: a longitudinal study. <i>Archives of Women's Mental Health</i> , 2020, 23, 123-129.	1.2	9
14	Effect of poor sleep quality on subjective cognitive decline (SCD) or SCD-related functional difficulties: Results from 220,000 nationwide general populations without dementia. <i>Journal of Affective Disorders</i> , 2020, 260, 32-37.	2.0	21
15	The Frequency of Sleep Medication Use and the Risk of Subjective Cognitive Decline (SCD) or SCD With Functional Difficulties in Elderly Individuals Without Dementia. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 1693-1698.	1.7	18
16	Self-reported campus alcohol policy and college alcohol consumption: a multilevel analysis of 4592 Korean students from 82 colleges. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2020, 15, 9.	1.0	4
17	Factors associated with poor sleep quality in the Korean general population: Providing information from the Korean version of the Pittsburgh Sleep Quality Index. <i>Journal of Affective Disorders</i> , 2020, 271, 49-58.	2.0	53
18	Patient and Hospital Factors associated with 30-Day Unplanned Readmission in Patients with Stroke. <i>Journal of Investigative Medicine</i> , 2019, 67, 52-58.	0.7	5

#	ARTICLE	IF	CITATIONS
19	The association between low frequency of having breakfast and dyslipidemia in South Korean men and women. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 896-904.	1.3	4
20	Solitary drinking and the risk of depressive symptoms and suicidal ideation in college students: Findings from a nationwide survey in Korea. <i>Journal of Affective Disorders</i> , 2019, 257, 710-715.	2.0	8
21	Evaluation of the South Korean national long-term care insurance-funded cognitive function training programme for older people with mild dementia. <i>Age and Ageing</i> , 2019, 48, 636-642.	0.7	10
22	Sleep-disordered breathing and Alzheimer's disease: A nationwide cohort study. <i>Psychiatry Research</i> , 2019, 273, 624-630.	1.7	34
23	Primary Reason for Drinking Among Current, Former, and Never Flushing College Students. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 211.	1.2	8
24	The 30-day unplanned readmission rate and hospital volume: a national population-based study in South Korea. <i>International Journal for Quality in Health Care</i> , 2019, 31, 768-773.	0.9	2
25	Alcohol Mixed with Energy Drinks (AmED) and Negative Alcohol-Related Consequences among South Korean College Students. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1127.	1.2	7
26	Association between Continuity of Care and the Onset of Thyroid Disorder among Diabetes Patients in Korea. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 233.	1.2	4
27	Employment status and unmet dental care needs in South Korea: a population-based panel study. <i>BMJ Open</i> , 2019, 9, e022436.	0.8	12
28	The association between satisfaction with husband's participation in housework and suicidal ideation among married working women in Korea. <i>Psychiatry Research</i> , 2018, 261, 541-546.	1.7	11
29	Association between unplanned readmission to a different hospital and all-cause mortality among older patients with ischemic heart disease: A nationwide claim study. <i>European Journal of Internal Medicine</i> , 2018, 51, e25-e27.	1.0	0
30	The Relationship Between Physical Activity Level of Parents and That of Their Adolescent Children. <i>Journal of Physical Activity and Health</i> , 2018, 15, 613-619.	1.0	7
31	Association between re-admission rate and hospital characteristics for ischemic heart disease. <i>Current Medical Research and Opinion</i> , 2018, 34, 441-446.	0.9	0
32	The influence of family stress and conflict on depressive symptoms among working married women: A longitudinal study. <i>Health Care for Women International</i> , 2018, 39, 275-288.	0.6	17
33	Association between eating behaviour and diet quality: eating alone vs. eating with others. <i>Nutrition Journal</i> , 2018, 17, 117.	1.5	46
34	The relationship between catastrophic health expenditure and health-related quality of life. <i>International Journal for Equity in Health</i> , 2018, 17, 166.	1.5	13
35	Association of self-reported sedentary time with insulin resistance among Korean adults without diabetes mellitus: a cross-sectional study. <i>BMC Public Health</i> , 2018, 18, 1335.	1.2	11
36	Projection of Breast Cancer Burden due to Reproductive/Lifestyle Changes in Korean Women (2013-2030) Using an Age-Period-Cohort Model. <i>Cancer Research and Treatment</i> , 2018, 50, 1388-1395.	1.3	19

#	ARTICLE	IF	CITATIONS
37	Quality of life and national pension receipt after retirement among older adults. <i>Geriatrics and Gerontology International</i> , 2017, 17, 1205-1213.	0.7	11
38	Positive correlation between regional emergency medical resources and mortality in severely injured patients: results from the Korean National Hospital Discharge In-depth Survey. <i>Canadian Journal of Emergency Medicine</i> , 2017, 19, 450-458.	0.5	1
39	Utilization of professional mental health services according to recognition rate of mental health centers. <i>Psychiatry Research</i> , 2017, 250, 204-209.	1.7	2
40	Association between unmet healthcare needs and health-related quality of life: a longitudinal study. <i>European Journal of Public Health</i> , 2017, 27, ckw264.	0.1	15
41	The association between objective income and subjective financial need and depressive symptoms in South Korea aged 60 and older. <i>Psychogeriatrics</i> , 2017, 17, 389-396.	0.6	6
42	Temporary work and depressive symptoms in South Korean workers. <i>Occupational Medicine</i> , 2017, 67, 421-424.	0.8	16
43	Breakfast consumption and depressive mood: A focus on socioeconomic status. <i>Appetite</i> , 2017, 114, 313-319.	1.8	52
44	Effects of home-visit nursing services on hospitalization in the elderly with pressure ulcers: a longitudinal study. <i>European Journal of Public Health</i> , 2017, 27, 822-826.	0.1	4
45	Association between home-visit nursing utilization and all-cause hospitalization among long-term care insurance beneficiaries: A retrospective cohort study. <i>International Journal of Nursing Studies</i> , 2017, 75, 93-100.	2.5	5
46	Do hospital characteristics influence Cesarean delivery? Analysis of National Health Insurance claim data. <i>European Journal of Public Health</i> , 2017, 27, 801-807.	0.1	11
47	The association between loss of work ability and depression: a focus on employment status. <i>International Archives of Occupational and Environmental Health</i> , 2017, 90, 109-116.	1.1	16
48	Effect of Changes in Sleep Quantity and Quality on Depressive Symptoms Among Korean Children. <i>Journal of School Nursing</i> , 2017, 33, 299-306.	0.9	5
49	The impact of living arrangements on quality of life among Korean elderly: findings from the Korean Longitudinal Study of Aging (2006-2012). <i>Quality of Life Research</i> , 2017, 26, 1303-1314.	1.5	9
50	Lack of Retirement Preparation is Associated with Increased Depressive Symptoms in the Elderly: Findings from the Korean Retirement and Income Panel Study. <i>Journal of Korean Medical Science</i> , 2017, 32, 1516.	1.1	11
51	Relationship between Mobile Phone Addiction and the Incidence of Poor and Short Sleep among Korean Adolescents: a Longitudinal Study of the Korean Children & Youth Panel Survey. <i>Journal of Korean Medical Science</i> , 2017, 32, 1166.	1.1	57
52	The Association between Inappropriate Weight Control Behaviors and Suicide Ideation and Attempt among Korean Adolescents. <i>Journal of Korean Medical Science</i> , 2016, 31, 1529.	1.1	11
53	The effect of childhood and current economic status on depressive symptoms in South Korean individuals: a longitudinal study. <i>International Journal for Equity in Health</i> , 2016, 15, 111.	1.5	9
54	Does relationship satisfaction and financial aid from offspring influence the quality of life of older parents?: a longitudinal study based on findings from the Korean longitudinal study of aging, 2006-2012. <i>Health and Quality of Life Outcomes</i> , 2016, 14, 108.	1.0	9

#	ARTICLE	IF	CITATIONS
55	The relationship between sports facility accessibility and physical activity among Korean adults. BMC Public Health, 2016, 16, 893.	1.2	44
56	Low socioeconomic status and suicidal ideation among elderly individuals. International Psychogeriatrics, 2016, 28, 2055-2066.	0.6	30
57	Association between reduction in copayment and gastric cancer patient concentration to the capital area in South Korea: NHI cohort 2003-2013. Health Policy, 2016, 120, 580-589.	1.4	14
58	Sleep disorders and risk of hospitalization in patients with mood disorders: Analysis of the National Sample Cohort over 10 years. Psychiatry Research, 2016, 245, 259-266.	1.7	6
59	Are sleep disorders associated with increased mortality in asthma patients?. BMC Pulmonary Medicine, 2016, 16, 154.	0.8	7
60	Is one's usual dinner companion associated with greater odds of depression? Using data from the 2014 Korean National Health and Nutrition Examination Survey. International Journal of Social Psychiatry, 2016, 62, 560-568.	1.6	22
61	The impact of occupation according to income on depressive symptoms in South Korean individuals: Findings from the Korean Welfare Panel Study. International Journal of Social Psychiatry, 2016, 62, 227-234.	1.6	8
62	Association between weight control failure and suicidal ideation in overweight and obese adults: a cross-sectional study. BMC Public Health, 2016, 16, 259.	1.2	8
63	Readmission Rate: Experience in USA, Canada and UK. Han'gug Yiryo QA Haghoeji, 2016, 22, 29-37.	0.2	1