Sandra Pinho Silveiro

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9522878/publications.pdf

Version: 2024-02-01

331259 182168 2,725 57 21 51 citations h-index g-index papers 63 63 63 3791 docs citations times ranked citing authors all docs

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 1 | Diabetic Nephropathy: Diagnosis, Prevention, and Treatment. Diabetes Care, 2005, 28, 164-176. | 4.3 | 1,347 |
| 2 | Chronic Kidney Disease Epidemiology Collaboration (CKD-EPI) Equation Pronouncedly Underestimates Glomerular Filtration Rate in Type 2 Diabetes. Diabetes Care, 2011, 34, 2353-2355. | 4.3 | 90 |
| 3 | Hypothyroidism in a Brazilian Kindred Due to Iodide Trapping Defect Caused by a Homozygous Mutation in the Sodium/Iodide Symporter Gene. Biochemical and Biophysical Research Communications, 1997, 240, 488-491. | 1.0 | 80 |
| 4 | Five-Year Prospective Study of Glomerular Filtration Rate and Albumin Excretion Rate in Normofiltering and Hyperfiltering Normoalbuminuric NIDDM Patients. Diabetes Care, 1996, 19, 171-174. | 4.3 | 73 |
| 5 | Maternal–Fetal Impact of Vitamin D Deficiency: A Critical Review. Maternal and Child Health Journal, 2015, 19, 94-101. | 0.7 | 73 |
| 6 | Glomerular filtration rate measurement and prediction equations. Clinical Chemistry and Laboratory Medicine, 2009, 47, 1023-32. | 1.4 | 68 |
| 7 | Diagnosis and management of precocious sexual maturation: an updated review. European Journal of Pediatrics, 2021, 180, 3073-3087. | 1.3 | 63 |
| 8 | The Chronic Kidney Disease Epidemiology Collaboration (CKDâ€EPI) equation is less accurate in patients with Type 2 diabetes when compared with healthy individuals. Diabetic Medicine, 2011, 28, 90-95. | 1.2 | 62 |
| 9 | Weight gain adequacy and pregnancy outcomes in gestational diabetes: a metaâ€analysis. Obesity Reviews, 2017, 18, 567-580. | 3.1 | 59 |
| 10 | HbA1c Test as a Tool in the Diagnosis of Gestational Diabetes Mellitus. PLoS ONE, 2015, 10, e0135989. | 1.1 | 47 |
| 11 | Glomerular Hyperfiltration in NIDDM Patients Without Overt Proteinuria. Diabetes Care, 1993, 16, 115-119. | 4.3 | 45 |
| 12 | Risk Factors for Microalbuminuria and Macroalbuminuria in Type 2 Diabetic Patients: A 9-year follow-up study. Diabetes Care, 2002, 25, 1101-1103. | 4.3 | 41 |
| 13 | Urinary Albumin Excretion Rate and Glomerular Filtration Rate in Single-Kidney Type 2 Diabetic Patients. Diabetes Care, 1998, 21, 1521-1524. | 4.3 | 38 |
| 14 | High-normal levels of albuminuria predict the development of micro- and macroalbuminuria and increased mortality in Brazilian TypeÂ2 diabetic patients: an 8-year follow-up study. Diabetic Medicine, 2007, 24, 1136-1142. | 1.2 | 36 |
| 15 | Glomerular filtration rate changes in normoalbuminuric and microalbuminuric Type 2 diabetic patients and normal individuals. Journal of Diabetes and Its Complications, 2006, 20, 210-215. | 1.2 | 34 |
| 16 | Comparison between IDMS-traceable Jaffe and enzymatic creatinine assays for estimation of glomerular filtration rate by the CKD-EPI equation in healthy and diabetic subjects. Clinical Biochemistry, 2013, 46, 1423-1429. | 0.8 | 33 |
| 17 | Performance of the CKD Epidemiology Collaboration (CKD-EPI) and the Modification of Diet in Renal Disease (MDRD) Study Equations in Healthy South Brazilians. American Journal of Kidney Diseases, 2010, 55, 1162-1163. | 2.1 | 26 |
| 18 | Postpartum glucose tolerance status 6 to 12 weeks after gestational diabetes mellitus: a Brazilian cohort. Arquivos Brasileiros De Endocrinologia E Metabologia, 2014, 58, 197-204. | 1.3 | 25 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 19 | Classificação do diabete melito. Arquivos Brasileiros De Cardiologia, 2010, 95, 40-46. | 0.3 | 22 |
| 20 | Glomerular filtration rate estimation: performance of serum cystatin C-based prediction equations. Clinical Chemistry and Laboratory Medicine, 2011, 49, 1761-71. | 1,4 | 22 |
| 21 | Human pancreatic islet transplantation: an update and description of the establishment of a pancreatic islet isolation laboratory. Archives of Endocrinology and Metabolism, 2015, 59, 161-170. | 0.3 | 22 |
| 22 | Pituitary gland metastasis from renal cell carcinoma presented as a non-functioning macroadenoma. Arquivos Brasileiros De Endocrinologia E Metabologia, 2010, 54, 498-501. | 1.3 | 21 |
| 23 | Vitamin D Deficiency Increases the Risk of Adverse Neonatal Outcomes in Gestational Diabetes. PLoS ONE, 2016, 11, e0164999. | 1.1 | 21 |
| 24 | Maturity-onset diabetes of the young (MODY) in Brazil: Establishment of a national registry and appraisal of available genetic and clinical data. Diabetes Research and Clinical Practice, 2017, 123, 134-142. | 1.1 | 20 |
| 25 | Urinary peptidomics and bioinformatics for the detection of diabetic kidney disease. Scientific Reports, 2020, 10, 1242. | 1.6 | 19 |
| 26 | Serum Vitamin D Insufficiency Is Related to Blood Pressure in Diabetic Pregnancy. American Journal of Hypertension, 2014, 27, 1316-1320. | 1.0 | 18 |
| 27 | Diabetic nephropathy in type 2 diabetes mellitus: risk factors and prevention. Arquivos Brasileiros De Endocrinologia E Metabologia, 2003, 47, 207-219. | 1.3 | 17 |
| 28 | Reference values for glomerular filtration rate in healthy Brazilian adults. BMC Nephrology, 2013, 14, 54. | 0.8 | 17 |
| 29 | Degree of catecholamine hypersecretion is the most important determinant of intra-operative hemodynamic outcomes in pheochromocytoma. Journal of Endocrinological Investigation, 2009, 32, 234-237. | 1.8 | 15 |
| 30 | Pathological findings in dyshormonogenetic goiter with defective lodide transport. Endocrine Pathology, 1998, 9, 225-233. | 5.2 | 14 |
| 31 | Influence of age, gender and body mass index on late-night salivary cortisol in healthy adults. Clinical Chemistry and Laboratory Medicine, 2017, 55, 1954-1961. | 1.4 | 13 |
| 32 | Estimated Creaffinine Clearance Is Not an Accurate Index of Glomerular Filtration Rate in Normoalbuminuric Diabetic Patients. Diabetes Care, 1993, 16, 407-408. | 4.3 | 12 |
| 33 | Combined creatinine-cystatin C CKD-EPI equation significantly underestimates measured glomerular filtration rate in people with type 2 diabetes mellitus. Clinical Biochemistry, 2018, 53, 43-48. | 0.8 | 12 |
| 34 | Performance of Cystatin C-Based Equations for Estimation of Glomerular Filtration Rate in Diabetes Patients: A Prisma-Compliant Systematic Review and Meta-Analysis. Scientific Reports, 2019, 9, 1418. | 1.6 | 12 |
| 35 | Gender does not influence cystatin C concentrations in healthy volunteers. Clinical Chemistry and Laboratory Medicine, 2010, 48, 405-8. | 1.4 | 11 |
| 36 | Unexpected finding of a whole HNF1B gene deletion during the screening of rare MODY types in a series of Brazilian patients negative for GCK and HNF1A mutations. Diabetes Research and Clinical Practice, 2016, 116, 100-104. | 1.1 | 10 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Clinical characteristics of women with gestational diabetes - comparison of two cohorts enrolled 20 years apart in southern Brazil. Sao Paulo Medical Journal, 2017, 135, 376-382. | 0.4 | 10 |
| 38 | Risk factors for micro and macrovascular disease in black and white patients with type 2 Diabetes mellitus. Revista Da Associação MÃ@dica Brasileira, 2009, 55, 308-314. | 0.3 | 9 |
| 39 | Three unreported glucokinase (GCK) missense mutations detected in the screening of thirty-two Brazilian kindreds for GCK and HNF1A-MODY. Diabetes Research and Clinical Practice, 2014, 106, e44-e48. | 1.1 | 9 |
| 40 | Role of glycated hemoglobin in the screening and diagnosis of posttransplantation diabetes mellitus after renal transplantation: A diagnostic accuracy study. Clinica Chimica Acta, 2015, 445, 48-53. | 0.5 | 9 |
| 41 | Influence of maternal weight gain on birth weight: a gestational diabetes cohort. Archives of Endocrinology and Metabolism, 2018, 62, 55-63. | 0.3 | 9 |
| 42 | Effects of nurse telesupport on transition between specialized and primary care in diabetic patients: study protocol for a randomized controlled trial. Trials, 2017, 18, 222. | 0.7 | 7 |
| 43 | Glycated Hemoglobin and Blood Pressure Levels in Adults With Type 2 Diabetes: How Many Patients Are on Target?. Canadian Journal of Diabetes, 2021, 45, 334-340. | 0.4 | 7 |
| 44 | Myocardial Dysfunction in Maternally Inherited Diabetes and Deafness. Diabetes Care, 2003, 26, 1323-1324. | 4.3 | 6 |
| 45 | Lower serum 25-hydroxyvitamin D levels are associated with impaired glomerular filtration rate in type 2 diabetes patients. Therapeutic Advances in Endocrinology and Metabolism, 2020, 11, 204201882093090. | 1.4 | 6 |
| 46 | Monitoring and management of hyperglycemia in patients with advanced diabetic kidney disease. Journal of Diabetes and Its Complications, 2021, 35, 107774. | 1.2 | 6 |
| 47 | The 2021–2022 position of Brazilian Diabetes Society on diabetic kidney disease (DKD) management: an evidence-based guideline to clinical practice. Screening and treatment of hyperglycemia, arterial hypertension, and dyslipidemia in the patient with DKD. Diabetology and Metabolic Syndrome, 2022, 14, . | 1.2 | 3 |
| 48 | Accuracy evaluation of 2021 Chronic Kidney Disease Epidemiology Collaboration, Full Age Spectrum and European Kidney Function Consortium equations for estimating glomerular filtration rate in type 2 diabetes mellitus and healthy adults. Clinica Chimica Acta, 2022, 534, 14-21. | 0.5 | 3 |
| 49 | Low rates of automatic reporting of estimated glomerular filtration rate in Southern Brazilian laboratories. Clinical Biochemistry, 2013, 46, 1709-1712. | 0.8 | 2 |
| 50 | Influence of age at diagnosis and duration of diabetes on the positivity of glutamic acid decarboxylase antibody in South-Brazilian type 1 diabetes mellitus. Annals of Clinical Biochemistry, 2013, 50, 262-266. | 0.8 | 2 |
| 51 | Pitfalls in the diagnosis of frameshift mutations in the glucokinase (GCK) gene and the contribution of an additional cloning sequencing tool. Diabetes Research and Clinical Practice, 2015, 108, e3-e4. | 1.1 | 2 |
| 52 | Accuracy of Doppler assessment of the uterine arteries in healthy girls for the diagnosis of pubertal onset. Endocrine, 2022, 76, 172-178. | 1.1 | 2 |
| 53 | Does twenty-four-hour biological variation of serum creatinine and cystatin C influence GFR estimation?. Journal of Laboratory and Precision Medicine, 0, 3, 65-65. | 1.1 | 1 |
| 54 | Update in diagnosis and management of primary aldosteronism: reply to a Letter to the Editor. Clinical Chemistry and Laboratory Medicine, 2018, 56, 253-254. | 1.4 | 1 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Response to Nair et al. The Chronic Kidney Disease Epidemiology Collaboration (CKDâ€EPI) formula performs worse than the Modification of Diet in Renal Disease (MDRD) equation in estimating glomerular filtration rate in Type 2 diabetic chronic kidney disease. Diabetic Medicine, 2012, 29, 1087-1088. | 1.2 | 0 |
| 56 | Response to "Calcium-Metabolism and Its Relation to Blood Pressure during Pregnancy". American Journal of Hypertension, 2015, 28, 284-284. | 1.0 | 0 |
| 57 | Telephone calls and glycemic control in type 2 diabetes: A PRISMA-compliant systematic review and meta-analysis of randomized clinical trials. Journal of Telemedicine and Telecare, 0, , 1357633X2211022. | 1.4 | 0 |