

Alessio Ravani

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9524495/publications.pdf>

Version: 2024-02-01

30
papers

1,303
citations

516710

16
h-index

477307

29
g-index

30
all docs

30
docs citations

30
times ranked

2633
citing authors

#	ARTICLE	IF	CITATIONS
1	Measurements of Carotid Intima-Media Thickness and of Interadventitia Common Carotid Diameter Improve Prediction of Cardiovascular Events. <i>Journal of the American College of Cardiology</i> , 2012, 60, 1489-1499.	2.8	204
2	Old and new oral anticoagulants: Food, herbal medicines and drug interactions. <i>Blood Reviews</i> , 2017, 31, 193-203.	5.7	174
3	Carotid intima-media thickness by B-mode ultrasound as surrogate of coronary atherosclerosis: correlation with quantitative coronary angiography and coronary intravascular ultrasound findings. <i>European Heart Journal</i> , 2007, 28, 2094-2101.	2.2	162
4	Cross-sectional analysis of baseline data to identify the major determinants of carotid intima-media thickness in a European population: the IMPROVE study. <i>European Heart Journal</i> , 2010, 31, 614-622.	2.2	117
5	Relationship between Influenza Vaccination Coverage Rate and COVID-19 Outbreak: An Italian Ecological Study. <i>Vaccines</i> , 2020, 8, 535.	4.4	102
6	Progression of Carotid Intima-Media Thickness as Predictor of Vascular Events. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 2273-2279.	2.4	94
7	Carotid plaque-thickness and common carotid IMT show additive value in cardiovascular risk prediction and reclassification. <i>Atherosclerosis</i> , 2017, 263, 412-419.	0.8	61
8	Plasma lecithin:cholesterol acyltransferase and carotid intima-media thickness in European individuals at high cardiovascular risk. <i>Journal of Lipid Research</i> , 2011, 52, 1569-1574.	4.2	43
9	Novel pharmacological targets for calcific aortic valve disease: Prevention and treatments. <i>Pharmacological Research</i> , 2018, 136, 74-82.	7.1	41
10	Anti-Atherosclerotic Effects of a Phytoestrogen-Rich Herbal Preparation in Postmenopausal Women. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1318.	4.1	39
11	Effects of Timing and Extent of Smoking, Type of Cigarettes, and Concomitant Risk Factors on the Association Between Smoking and Subclinical Atherosclerosis. <i>Stroke</i> , 2009, 40, 1991-1998.	2.0	37
12	Assessment and Relevance of Carotid Intima-Media Thickness (C-IMT) in Primary and Secondary Cardiovascular Prevention. <i>Current Pharmaceutical Design</i> , 2015, 21, 1164-1171.	1.9	35
13	Effects of smoking regular or light cigarettes on brachial artery flow-mediated dilation. <i>Atherosclerosis</i> , 2013, 228, 153-160.	0.8	29
14	Sex-specific predictors of PCSK9 levels in a European population: The IMPROVE study. <i>Atherosclerosis</i> , 2020, 309, 39-46.	0.8	29
15	Markers of subclinical atherosclerosis in patients with aortic valve sclerosis: A meta-analysis of literature studies. <i>International Journal of Cardiology</i> , 2016, 223, 364-370.	1.7	22
16	Phytoestrogen-Rich Natural Preparation for Treatment of Climacteric Syndrome and Atherosclerosis Prevention in Perimenopausal Women. <i>Phytotherapy Research</i> , 2017, 31, 1209-1214.	5.8	17
17	The metabolic syndrome predicts carotid intima-media thickness no better than the sum of individual risk factors in a lipid clinic population. <i>Atherosclerosis</i> , 2010, 210, 214-219.	0.8	14
18	E-selectin and TFPI are associated with carotid intima-media thickness in stable IHD patients: The baseline findings of the MIAMI study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2008, 18, 320-328.	2.6	12

#	ARTICLE	IF	CITATIONS
19	A priori-defined Mediterranean-like dietary pattern predicts cardiovascular events better in north Europe than in Mediterranean countries. <i>International Journal of Cardiology</i> , 2019, 282, 88-92.	1.7	11
20	Analysis of the genetic variants associated with circulating levels of sgp130. Results from the IMPROVE study. <i>Genes and Immunity</i> , 2020, 21, 100-108.	4.1	11
21	Tissue factor gene promoter haplotype associates with carotid intima-media thickness in subjects in cardiovascular risk prevention. <i>Atherosclerosis</i> , 2009, 207, 168-173.	0.8	10
22	Association of lifelong occupation and educational level with subclinical atherosclerosis in different European regions. Results from the IMPROVE study. <i>Atherosclerosis</i> , 2018, 269, 129-137.	0.8	7
23	The Association between HDL-C and Subclinical Atherosclerosis Depends on CETP Plasma Concentration: Insights from the IMPROVE Study. <i>Biomedicines</i> , 2021, 9, 286.	3.2	7
24	Traditional Risk Factors are Causally Related to Carotid Intima-Media Thickness Progression: Inferences from Observational Cohort Studies and Interventional Trials. <i>Current Pharmaceutical Design</i> , 2020, 26, 11-24.	1.9	7
25	Potentially Spurious Correlations Between Arterial Size, Flow-Mediated Dilation, and Shear Rate. <i>Hypertension</i> , 2014, 64, 1328-1333.	2.7	6
26	Relationship between Circulating PCSK9 and Markers of Subclinical Atherosclerosis – The IMPROVE Study. <i>Biomedicines</i> , 2021, 9, 841.	3.2	6
27	Impact of cigarette smoking on the plasma fatty acid profile and their interaction in determining the burden of subclinical atherosclerosis. <i>Nutrafoods</i> , 2014, 13, 159-167.	0.5	4
28	Carotid Atherosclerosis Progression in Postmenopausal Women Receiving a Mixed Phytoestrogen Regimen: Plausible Parallels with Kronos Early Estrogen Replacement Study. <i>Biology</i> , 2020, 9, 48.	2.8	1
29	Assessment of New Coronary Features on Quantitative Coronary Angiographic Images With Innovative Unsupervised Artificial Adaptive Systems: A Proof-of-Concept Study. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 730626.	2.4	1
30	Data on the association between a simplified Mediterranean diet score and the incidence of combined, cardio and cerebro vascular events. <i>Data in Brief</i> , 2019, 23, 103789.	1.0	0