

Merete Nordentoft

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9524946/publications.pdf>

Version: 2024-02-01

701
papers

51,276
citations

2423

97
h-index

2558

195
g-index

807
all docs

807
docs citations

807
times ranked

40044
citing authors

#	ARTICLE	IF	CITATIONS
1	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , 2018, 50, 668-681.	9.4	2,224
2	Discovery of the first genome-wide significant risk loci for attention deficit/hyperactivity disorder. <i>Nature Genetics</i> , 2019, 51, 63-75.	9.4	1,594
3	Common variants conferring risk of schizophrenia. <i>Nature</i> , 2009, 460, 744-747.	13.7	1,572
4	Identification of common genetic risk variants for autism spectrum disorder. <i>Nature Genetics</i> , 2019, 51, 431-444.	9.4	1,538
5	Large-Scale Exome Sequencing Study Implicates Both Developmental and Functional Changes in the Neurobiology of Autism. <i>Cell</i> , 2020, 180, 568-584.e23.	13.5	1,422
6	Common schizophrenia alleles are enriched in mutation-intolerant genes and in regions under strong background selection. <i>Nature Genetics</i> , 2018, 50, 381-389.	9.4	1,332
7	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019, 51, 793-803.	9.4	1,191
8	How mental health care should change as a consequence of the COVID-19 pandemic. <i>Lancet Psychiatry</i> , 2020, 7, 813-824.	3.7	1,101
9	Suicide risk and prevention during the COVID-19 pandemic. <i>Lancet Psychiatry</i> , 2020, 7, 468-471.	3.7	1,054
10	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019, 179, 1469-1482.e11.	13.5	935
11	Mapping genomic loci implicates genes and synaptic biology in schizophrenia. <i>Nature</i> , 2022, 604, 502-508.	13.7	929
12	Shared molecular neuropathology across major psychiatric disorders parallels polygenic overlap. <i>Science</i> , 2018, 359, 693-697.	6.0	851
13	Years of potential life lost and life expectancy in schizophrenia: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2017, 4, 295-301.	3.7	772
14	Effect of Anti-inflammatory Treatment on Depression, Depressive Symptoms, and Adverse Effects. <i>JAMA Psychiatry</i> , 2014, 71, 1381.	6.0	727
15	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829.	9.4	629
16	Excess Early Mortality in Schizophrenia. <i>Annual Review of Clinical Psychology</i> , 2014, 10, 425-448.	6.3	602
17	Absolute Risk of Suicide After First Hospital Contact in Mental Disorder. <i>Archives of General Psychiatry</i> , 2011, 68, 1058.	13.8	563
18	Suicide Risk in Relation to Psychiatric Hospitalization. <i>Archives of General Psychiatry</i> , 2005, 62, 427.	13.8	537

#	ARTICLE	IF	CITATIONS
19	Morbidity and mortality in homeless individuals, prisoners, sex workers, and individuals with substance use disorders in high-income countries: a systematic review and meta-analysis. <i>Lancet, The</i> , 2018, 391, 241-250.	6.3	532
20	Comparison of Early Intervention Services vs Treatment as Usual for Early-Phase Psychosis. <i>JAMA Psychiatry</i> , 2018, 75, 555.	6.0	516
21	Excess Mortality, Causes of Death and Life Expectancy in 270,770 Patients with Recent Onset of Mental Disorders in Denmark, Finland and Sweden. <i>PLoS ONE</i> , 2013, 8, e55176.	1.1	486
22	A randomised multicentre trial of integrated versus standard treatment for patients with a first episode of psychotic illness. <i>BMJ: British Medical Journal</i> , 2005, 331, 602.	2.4	480
23	Excess mortality in persons with severe mental disorders: a multilevel intervention framework and priorities for clinical practice, policy and research agendas. <i>World Psychiatry</i> , 2017, 16, 30-40.	4.8	477
24	Autoimmune Diseases and Severe Infections as Risk Factors for Schizophrenia: A 30-Year Population-Based Register Study. <i>American Journal of Psychiatry</i> , 2011, 168, 1303-1310.	4.0	459
25	Suicide trends in the early months of the COVID-19 pandemic: an interrupted time-series analysis of preliminary data from 21 countries. <i>Lancet Psychiatry</i> , 2021, 8, 579-588.	3.7	455
26	Outcomes of Nordic mental health systems: life expectancy of patients with mental disorders. <i>British Journal of Psychiatry</i> , 2011, 199, 453-458.	1.7	448
27	Autoimmune Diseases and Severe Infections as Risk Factors for Mood Disorders. <i>JAMA Psychiatry</i> , 2013, 70, 812.	6.0	422
28	Polygenic transmission disequilibrium confirms that common and rare variation act additively to create risk for autism spectrum disorders. <i>Nature Genetics</i> , 2017, 49, 978-985.	9.4	401
29	Five-Year Follow-up of a Randomized Multicenter Trial of Intensive Early Intervention vs Standard Treatment for Patients With a First Episode of Psychotic Illness. <i>Archives of General Psychiatry</i> , 2008, 65, 762.	13.8	399
30	EPA guidance on the early intervention in clinical high risk states of psychoses. <i>European Psychiatry</i> , 2015, 30, 388-404.	0.1	390
31	Heritability of Schizophrenia and Schizophrenia Spectrum Based on the Nationwide Danish Twin Register. <i>Biological Psychiatry</i> , 2018, 83, 492-498.	0.7	374
32	Exploring Comorbidity Within Mental Disorders Among a Danish National Population. <i>JAMA Psychiatry</i> , 2019, 76, 259.	6.0	374
33	International meta-analysis of PTSD genome-wide association studies identifies sex- and ancestry-specific genetic risk loci. <i>Nature Communications</i> , 2019, 10, 4558.	5.8	363
34	A comprehensive analysis of mortality-related health metrics associated with mental disorders: a nationwide, register-based cohort study. <i>Lancet, The</i> , 2019, 394, 1827-1835.	6.3	329
35	Familial, psychiatric, and socioeconomic risk factors for suicide in young people: nested case-control study. <i>BMJ: British Medical Journal</i> , 2002, 325, 74-74.	2.4	327
36	Rare coding variants in ten genes confer substantial risk for schizophrenia. <i>Nature</i> , 2022, 604, 509-516.	13.7	326

#	ARTICLE	IF	CITATIONS
37	EPA guidance on the early detection of clinical high risk states of psychoses. <i>European Psychiatry</i> , 2015, 30, 405-416.	0.1	318
38	Increased Mortality Among Patients Admitted With Major Psychiatric Disorders. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 899-907.	1.1	317
39	Validity of Timeline Follow-Back for self-reported use of cannabis and other illicit substances – Systematic review and meta-analysis. <i>Addictive Behaviors</i> , 2012, 37, 225-233.	1.7	289
40	The Effect of Exercise in Clinically Depressed Adults. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 529-538.	1.1	267
41	Intrauterine growth retardation and premature delivery: the influence of maternal smoking and psychosocial factors.. <i>American Journal of Public Health</i> , 1996, 86, 347-354.	1.5	262
42	Association between Mental Disorders and Subsequent Medical Conditions. <i>New England Journal of Medicine</i> , 2020, 382, 1721-1731.	13.9	258
43	Intervention in Individuals at Ultra-High Risk for Psychosis. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1206-1212.	1.1	258
44	Efficacy of anti-inflammatory treatment on major depressive disorder or depressive symptoms: meta-analysis of clinical trials. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 404-419.	2.2	257
45	The iPSYCH2012 case-cohort sample: new directions for unravelling genetic and environmental architectures of severe mental disorders. <i>Molecular Psychiatry</i> , 2018, 23, 6-14.	4.1	257
46	Life Expectancy and Death by Diseases of the Circulatory System in Patients with Bipolar Disorder or Schizophrenia in the Nordic Countries. <i>PLoS ONE</i> , 2013, 8, e67133.	1.1	250
47	OPUS study: Suicidal behaviour, suicidal ideation and hopelessness among patients with first-episode psychosis. <i>British Journal of Psychiatry</i> , 2002, 181, s98-s106.	1.7	247
48	A major role for common genetic variation in anxiety disorders. <i>Molecular Psychiatry</i> , 2020, 25, 3292-3303.	4.1	243
49	PRENATAL STRESSORS OF HUMAN LIFE AFFECT FETAL BRAIN DEVELOPMENT. <i>Developmental Medicine and Child Neurology</i> , 1994, 36, 826-832.	1.1	242
50	Suicide risk in schizophrenia: learning from the past to change the future. <i>Annals of General Psychiatry</i> , 2007, 6, 10.	1.2	235
51	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. <i>Schizophrenia Bulletin</i> , 2014, 40, 729-736.	2.3	229
52	Effect of ω -3 Polyunsaturated Fatty Acids in Young People at Ultrahigh Risk for Psychotic Disorders. <i>JAMA Psychiatry</i> , 2017, 74, 19.	6.0	216
53	A large-scale genome-wide association study meta-analysis of cannabis use disorder. <i>Lancet Psychiatry</i> , 2020, 7, 1032-1045.	3.7	200
54	High mortality by natural and unnatural causes: a 10 year follow up study of patients admitted to a poisoning treatment centre after suicide attempts.. <i>BMJ: British Medical Journal</i> , 1993, 306, 1637-1641.	2.4	199

#	ARTICLE	IF	CITATIONS
55	Common variants at VRK2 and TCF4 conferring risk of schizophrenia. <i>Human Molecular Genetics</i> , 2011, 20, 4076-4081.	1.4	193
56	Should psychiatrists be more cautious about the long-term prophylactic use of antipsychotics?. <i>British Journal of Psychiatry</i> , 2016, 209, 361-365.	1.7	193
57	CWAS of Suicide Attempt in Psychiatric Disorders and Association With Major Depression Polygenic Risk Scores. <i>American Journal of Psychiatry</i> , 2019, 176, 651-660.	4.0	186
58	A genome-wide association study of shared risk across psychiatric disorders implicates gene regulation during fetal neurodevelopment. <i>Nature Neuroscience</i> , 2019, 22, 353-361.	7.1	173
59	Suicide and occupation: the impact of socio-economic, demographic and psychiatric differences. <i>Psychological Medicine</i> , 2007, 37, 1131-1140.	2.7	168
60	CACNA1C (rs1006737) is associated with schizophrenia. <i>Molecular Psychiatry</i> , 2010, 15, 119-121.	4.1	167
61	Psychiatric disorders and mortality among people in homeless shelters in Denmark: a nationwide register-based cohort study. <i>Lancet, The</i> , 2011, 377, 2205-2214.	6.3	163
62	Genome-wide study of association and interaction with maternal cytomegalovirus infection suggests new schizophrenia loci. <i>Molecular Psychiatry</i> , 2014, 19, 325-333.	4.1	163
63	Gender Differences in Young Adults With First-Episode Schizophrenia Spectrum Disorders at Baseline in the Danish OPUS Study. <i>Journal of Nervous and Mental Disease</i> , 2007, 195, 396-405.	0.5	158
64	A Comparison of Selected Risk Factors for Unipolar Depressive Disorder, Bipolar Affective Disorder, Schizoaffective Disorder, and Schizophrenia From a Danish Population-Based Cohort. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 1673-1681.	1.1	158
65	A Nationwide Study on the Risk of Autoimmune Diseases in Individuals With a Personal or a Family History of Schizophrenia and Related Psychosis. <i>American Journal of Psychiatry</i> , 2014, 171, 218-226.	4.0	155
66	Transition rates from schizotypal disorder to psychotic disorder for first-contact patients included in the OPUS trial. A randomized clinical trial of integrated treatment and standard treatment. <i>Schizophrenia Research</i> , 2006, 83, 29-40.	1.1	154
67	Rates and Predictors of Conversion to Schizophrenia or Bipolar Disorder Following Substance-Induced Psychosis. <i>American Journal of Psychiatry</i> , 2018, 175, 343-350.	4.0	153
68	Cerebrospinal fluid markers of inflammation and infections in schizophrenia and affective disorders: a systematic review and meta-analysis. <i>Molecular Psychiatry</i> , 2019, 24, 869-887.	4.1	151
69	Autism spectrum disorder and attention deficit hyperactivity disorder have a similar burden of rare protein-truncating variants. <i>Nature Neuroscience</i> , 2019, 22, 1961-1965.	7.1	148
70	Prevalence of substance use disorders in psychiatric patients: a nationwide Danish population-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 129-140.	1.6	147
71	The association between depressive symptoms, cognitive function, and inflammation in major depression. <i>Brain, Behavior, and Immunity</i> , 2014, 35, 70-76.	2.0	146
72	A Genetic Investigation of Sex Bias in the Prevalence of Attention-Deficit/Hyperactivity Disorder. <i>Biological Psychiatry</i> , 2018, 83, 1044-1053.	0.7	146

#	ARTICLE	IF	CITATIONS
73	Suicidal behaviour and mortality in first-episode psychosis: the OPUS trial. <i>British Journal of Psychiatry</i> , 2007, 191, s140-s146.	1.7	144
74	Predictors of recovery in first episode psychosis: The OPUS cohort at 10year follow-up. <i>Schizophrenia Research</i> , 2013, 150, 163-168.	1.1	144
75	Integrated treatment ameliorates negative symptoms in first episode psychosis—results from the Danish OPUS trial. <i>Schizophrenia Research</i> , 2005, 79, 95-105.	1.1	143
76	Predictors of recovery from psychosis. <i>Schizophrenia Research</i> , 2011, 125, 257-266.	1.1	143
77	Long-term trajectories of positive and negative symptoms in first episode psychosis: A 10year follow-up study in the OPUS cohort. <i>Schizophrenia Research</i> , 2015, 168, 84-91.	1.1	141
78	Expanding the range of ZNF804A variants conferring risk of psychosis. <i>Molecular Psychiatry</i> , 2011, 16, 59-66.	4.1	140
79	Genetic Variants Associated With Anxiety and Stress-Related Disorders. <i>JAMA Psychiatry</i> , 2019, 76, 924.	6.0	140
80	Head Injury as Risk Factor for Psychiatric Disorders: A Nationwide Register-Based Follow-Up Study of 113,906 Persons With Head Injury. <i>American Journal of Psychiatry</i> , 2014, 171, 463-469.	4.0	132
81	Association between alcohol and substance use disorders and all-cause and cause-specific mortality in schizophrenia, bipolar disorder, and unipolar depression: a nationwide, prospective, register-based study. <i>Lancet Psychiatry</i> , 2015, 2, 801-808.	3.7	132
82	Improving 1-year outcome in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2005, 187, s98-s103.	1.7	131
83	Suicide risk in first episode psychosis: A selective review of the current literature. <i>Schizophrenia Research</i> , 2011, 129, 1-11.	1.1	131
84	10 year follow up study of mortality among users of hostels for homeless people in Copenhagen. <i>BMJ: British Medical Journal</i> , 2003, 327, 81-0.	2.4	129
85	Ten-Year Follow-up of the OPUS Specialized Early Intervention Trial for Patients With a First Episode of Psychosis. <i>Schizophrenia Bulletin</i> , 2015, 41, 617-626.	2.3	127
86	Association Between Traumatic Brain Injury and Risk of Suicide. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 580.	3.8	127
87	Integrated treatment of first-episode psychosis: effect of treatment on family burden. <i>British Journal of Psychiatry</i> , 2005, 187, s85-s90.	1.7	125
88	Genetics of suicide attempts in individuals with and without mental disorders: a population-based genome-wide association study. <i>Molecular Psychiatry</i> , 2020, 25, 2410-2421.	4.1	124
89	Association Between Spousal Suicide and Mental, Physical, and Social Health Outcomes. <i>JAMA Psychiatry</i> , 2017, 74, 456.	6.0	123
90	Genome-wide gene-environment analyses of major depressive disorder and reported lifetime traumatic experiences in UK Biobank. <i>Molecular Psychiatry</i> , 2020, 25, 1430-1446.	4.1	116

#	ARTICLE	IF	CITATIONS
91	Associations between substance use disorders and suicide or suicide attempts in people with mental illness: a Danish nation-wide, prospective, register-based study of patients diagnosed with schizophrenia, bipolar disorder, unipolar depression or personal. <i>Addiction</i> , 2017, 112, 1250-1259.	1.7	114
92	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2022, 91, 313-327.	0.7	114
93	Antipsychotic Polypharmacy and Risk of Death From Natural Causes in Patients With Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 103-108.	1.1	114
94	Risk of depressive disorder following disasters and military deployment: systematic review with meta-analysis. <i>British Journal of Psychiatry</i> , 2016, 208, 330-336.	1.7	113
95	The CHANGE trial: no superiority of lifestyle coaching plus care coordination plus treatment as usual compared to treatment as usual alone in reducing risk of cardiovascular disease in adults with schizophrenia spectrum disorders and abdominal obesity. <i>World Psychiatry</i> , 2016, 15, 155-165.	4.8	112
96	Change in suicide rates for patients with schizophrenia in Denmark, 1981-97: nested case-control study. <i>BMJ: British Medical Journal</i> , 2004, 329, 261.	2.4	110
97	Cause-specific life-years lost in people with mental disorders: a nationwide, register-based cohort study. <i>Lancet Psychiatry</i> , 2017, 4, 937-945.	3.7	110
98	The DEMO Trial: A Randomized, Parallel-Group, Observer-Blinded Clinical Trial of Strength Versus Aerobic Versus Relaxation Training for Patients With Mild to Moderate Depression. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 790-800.	1.1	107
99	Cost-effectiveness of early intervention in first-episode psychosis: economic evaluation of a randomised controlled trial (the OPUS study). <i>British Journal of Psychiatry</i> , 2013, 202, 35-41.	1.7	106
100	Gender differences in first-episode psychosis at 5-year follow-up – two different courses of disease? Results from the OPUS study at 5-year follow-up. <i>European Psychiatry</i> , 2014, 29, 44-51.	0.1	102
101	Quantifying the Impact of Rare and Ultra-rare Coding Variation across the Phenotypic Spectrum. <i>American Journal of Human Genetics</i> , 2018, 102, 1204-1211.	2.6	102
102	Prevalence of rearrangements in the 22q11.2 region and population-based risk of neuropsychiatric and developmental disorders in a Danish population: a case-cohort study. <i>Lancet Psychiatry</i> , 2018, 5, 573-580.	3.7	102
103	Young males have a higher risk of developing schizophrenia: a Danish register study. <i>Psychological Medicine</i> , 2007, 37, 479.	2.7	100
104	A Nationwide Cohort Study of the Association Between Hospitalization With Infection and Risk of Death by Suicide. <i>JAMA Psychiatry</i> , 2016, 73, 912.	6.0	100
105	The association between pre-morbid adjustment, duration of untreated psychosis and outcome in first-episode psychosis. <i>Psychological Medicine</i> , 2008, 38, 1157-1166.	2.7	96
106	Mortality and life expectancy of people with alcohol use disorder in Denmark, Finland and Sweden. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 297-306.	2.2	96
107	Genome-wide association study implicates CHRNA2 in cannabis use disorder. <i>Nature Neuroscience</i> , 2019, 22, 1066-1074.	7.1	94
108	EPA guidance on assessment of negative symptoms in schizophrenia. <i>European Psychiatry</i> , 2021, 64, e23.	0.1	94

#	ARTICLE	IF	CITATIONS
109	Suicidal Behavior and Mortality in First-Episode Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2015, 203, 387-392.	0.5	93
110	Early detection and assertive community treatment of young psychotics: the Opus Study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2000, 35, 283-287.	1.6	92
111	Association between Attention-Deficit Hyperactivity Disorder in childhood and schizophrenia later in adulthood. <i>European Psychiatry</i> , 2014, 29, 259-263.	0.1	92
112	DEMO-II Trial. Aerobic Exercise versus Stretching Exercise in Patients with Major Depression—A Randomised Clinical Trial. <i>PLoS ONE</i> , 2012, 7, e48316.	1.1	92
113	The effect of exercise on hippocampal volume and neurotrophines in patients with major depression—A randomized clinical trial. <i>Journal of Affective Disorders</i> , 2014, 165, 24-30.	2.0	91
114	Exercise for patients with major depression: a systematic review with meta-analysis and trial sequential analysis. <i>BMJ Open</i> , 2017, 7, e014820.	0.8	90
115	How successful are first episode programs? A review of the evidence for specialized assertive early intervention. <i>Current Opinion in Psychiatry</i> , 2014, 27, 167-172.	3.1	88
116	Elevated polygenic burden for autism is associated with differential DNA methylation at birth. <i>Genome Medicine</i> , 2018, 10, 19.	3.6	88
117	The Genetic Architecture of Depression in Individuals of East Asian Ancestry. <i>JAMA Psychiatry</i> , 2021, 78, 1258.	6.0	88
118	Predictors of Remission and Recovery in a First-Episode Schizophrenia Spectrum Disorder Sample: 2-Year Follow-up of the OPUS Trial. <i>Canadian Journal of Psychiatry</i> , 2008, 53, 660-670.	0.9	87
119	Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2018, 84, 138-147.	0.7	87
120	Cognitive and clinical predictors of functional capacity in patients with first episode schizophrenia. <i>Schizophrenia Research</i> , 2012, 141, 251-256.	1.1	86
121	Risk of suicide according to level of psychiatric treatment: a nationwide nested case-control study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1357-1365.	1.6	86
122	Short-term and long-term effects of psychosocial therapy for people after deliberate self-harm: a register-based, nationwide multicentre study using propensity score matching. <i>Lancet Psychiatry</i> , 2015, 2, 49-58.	3.7	86
123	Course of illness in a sample of 265 patients with first-episode psychosis—Five-year follow-up of the Danish OPUS trial. <i>Schizophrenia Research</i> , 2009, 107, 173-178.	1.1	85
124	Common variant at 16p11.2 conferring risk of psychosis. <i>Molecular Psychiatry</i> , 2014, 19, 108-114.	4.1	85
125	EFFECTIVENESS OF DIALECTICAL BEHAVIOR THERAPY VERSUS COLLABORATIVE ASSESSMENT AND MANAGEMENT OF SUICIDALITY TREATMENT FOR REDUCTION OF SELF-HARM IN ADULTS WITH BORDERLINE PERSONALITY TRAITS AND DISORDER—A RANDOMIZED OBSERVER-BLINDED CLINICAL TRIAL. <i>Depression and Anxiety</i> , 2016, 33, 520-530.	2.0	85
126	Assessment of Suicidal Behaviors Among Individuals With Autism Spectrum Disorder in Denmark. <i>JAMA Network Open</i> , 2021, 4, e2033565.	2.8	84

#	ARTICLE	IF	CITATIONS
127	Association of Streptococcal Throat Infection With Mental Disorders. <i>JAMA Psychiatry</i> , 2017, 74, 740.	6.0	83
128	Association Between Neurological Disorders and Death by Suicide in Denmark. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 444.	3.8	82
129	Antipsychotic medication and remission of psychotic symptoms 10 years after a first-episode psychosis. <i>Schizophrenia Research</i> , 2017, 182, 42-48.	1.1	80
130	Predictors of Psychiatric Inpatient Suicide. <i>Journal of Clinical Psychiatry</i> , 2012, 73, 144-151.	1.1	80
131	Heart disease treatment and mortality in schizophrenia and bipolar disorder – Changes in the danish population between 1994 and 2006. <i>Journal of Psychiatric Research</i> , 2011, 45, 29-35.	1.5	79
132	Five years of specialised early intervention versus two years of specialised early intervention followed by three years of standard treatment for patients with a first episode psychosis: randomised, superiority, parallel group trial in Denmark (OPUS II). <i>BMJ: British Medical Journal</i> , 2017, 356, i6681.	2.4	79
133	Individual-Level Predictors for Becoming Homeless and Exiting Homelessness: a Systematic Review and Meta-analysis. <i>Journal of Urban Health</i> , 2019, 96, 741-750.	1.8	78
134	Association of Polygenic Liabilities for Major Depression, Bipolar Disorder, and Schizophrenia With Risk for Depression in the Danish Population. <i>JAMA Psychiatry</i> , 2019, 76, 516.	6.0	78
135	Cause-specific life years lost among persons diagnosed with schizophrenia: Is it getting better or worse?. <i>Schizophrenia Research</i> , 2019, 206, 284-290.	1.1	78
136	Early intervention in psychosis: keeping faith with evidence-based health care. <i>Psychological Medicine</i> , 2010, 40, 399-404.	2.7	74
137	From research to practice: how <sc>OPUS</sc> treatment was accepted and implemented throughout <sc>D</sc>. <i>Microbial Biotechnology</i> , 2015, 9, 156-162.	0.9	74
138	Association of Structural Magnetic Resonance Imaging Measures With Psychosis Onset in Individuals at Clinical High Risk for Developing Psychosis. <i>JAMA Psychiatry</i> , 2021, 78, 753.	6.0	74
139	Key Considerations for Preventing Suicide in Older Adults. <i>Crisis</i> , 2011, 32, 106-109.	0.9	74
140	The effect of flexible cognitive-behavioural therapy and medical treatment, including antidepressants on post-traumatic stress disorder and depression in traumatised refugees: pragmatic randomised controlled clinical trial. <i>British Journal of Psychiatry</i> , 2016, 208, 252-259.	1.7	73
141	EPA guidance on treatment of negative symptoms in schizophrenia. <i>European Psychiatry</i> , 2021, 64, e21.	0.1	70
142	The Danish National Schizophrenia Project: prospective, comparative longitudinal treatment study of first-episode psychosis. <i>British Journal of Psychiatry</i> , 2005, 186, 394-399.	1.7	69
143	Association between alcohol, cannabis, and other illicit substance abuse and risk of developing schizophrenia: a nationwide population based register study. <i>Psychological Medicine</i> , 2017, 47, 1668-1677.	2.7	68
144	The Danish High Risk and Resilience Study – VIA 7 - a cohort study of 520 7-year-old children born of parents diagnosed with either schizophrenia, bipolar disorder or neither of these two mental disorders. <i>BMC Psychiatry</i> , 2015, 15, 233.	1.1	67

#	ARTICLE	IF	CITATIONS
145	Systemic oxidatively generated DNA/RNA damage in clinical depression: Associations to symptom severity and response to electroconvulsive therapy. <i>Journal of Affective Disorders</i> , 2013, 149, 355-362.	2.0	66
146	Efficacy and safety of anti-inflammatory agents in treatment of psychotic disorders – A comprehensive systematic review and meta-analysis. <i>Brain, Behavior, and Immunity</i> , 2020, 90, 364-380.	2.0	66
147	Repeated Suicide Attempts and Suicide Among Individuals With a First Emergency Department Contact for Attempted Suicide. <i>Journal of Clinical Psychiatry</i> , 2016, 77, 832-840.	1.1	66
148	Risk of Schizophrenia Increases After All Child and Adolescent Psychiatric Disorders: A Nationwide Study. <i>Schizophrenia Bulletin</i> , 2015, 41, 963-970.	2.3	63
149	Parental Infections Before, During, and After Pregnancy as Risk Factors for Mental Disorders in Childhood and Adolescence: A Nationwide Danish Study. <i>Biological Psychiatry</i> , 2019, 85, 317-325.	0.7	63
150	Pituitary gland volume in patients with schizophrenia, subjects at ultra high-risk of developing psychosis and healthy controls: A systematic review and meta-analysis. <i>Psychoneuroendocrinology</i> , 2013, 38, 2394-2404.	1.3	62
151	High loading of polygenic risk in cases with chronic schizophrenia. <i>Molecular Psychiatry</i> , 2016, 21, 969-974.	4.1	62
152	The effect of cognitive remediation in individuals at ultra-high risk for psychosis: a systematic review. <i>NPJ Schizophrenia</i> , 2017, 3, 20.	2.0	62
153	Short-term street soccer improves fitness and cardiovascular health status of homeless men. <i>European Journal of Applied Physiology</i> , 2012, 112, 2097-2106.	1.2	61
154	Predictors and longitudinal course of cognitive functioning in schizophrenia spectrum disorders, 10 years after baseline: The OPUS study. <i>Schizophrenia Research</i> , 2016, 175, 57-63.	1.1	61
155	The effect of duration of untreated psychosis and treatment delay on the outcomes of prolonged early intervention in psychotic disorders. <i>NPJ Schizophrenia</i> , 2017, 3, 34.	2.0	61
156	Dietary patterns and physical activity in people with schizophrenia and increased waist circumference. <i>Schizophrenia Research</i> , 2018, 199, 109-115.	1.1	61
157	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , 2022, 91, 102-117.	0.7	61
158	Prevention of suicide and attempted suicide in Denmark. Epidemiological studies of suicide and intervention studies in selected risk groups. <i>Danish Medical Bulletin</i> , 2007, 54, 306-69.	0.3	61
159	Research Review: Do motor deficits during development represent an endophenotype for schizophrenia? A meta-analysis. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2016, 57, 446-456.	3.1	60
160	Psychopathology in 7-year-old children with familial high risk of developing schizophrenia spectrum psychosis or bipolar disorder – The Danish High Risk and Resilience Study – VIA 7, a population-based cohort study. <i>World Psychiatry</i> , 2018, 17, 210-219.	4.8	60
161	Assessment of Neurocognitive Functions in 7-Year-Old Children at Familial High Risk for Schizophrenia or Bipolar Disorder. <i>JAMA Psychiatry</i> , 2018, 75, 844.	6.0	60
162	Lifestyle Interventions for Weight Management in People with Serious Mental Illness: A Systematic Review with Meta-Analysis, Trial Sequential Analysis, and Meta-Regression Analysis Exploring the Mediators and Moderators of Treatment Effects. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 350-362.	4.0	60

#	ARTICLE	IF	CITATIONS
163	Effect of assertive outreach after suicide attempt in the AID (assertive intervention for deliberate self) Tj ETQq1 1 0,784314 rgBT /Ove	3.0	58
164	Suicide mortality trends in the Nordic countries 1980â€“2009. Nordic Journal of Psychiatry, 2013, 67, 414-423.	0.7	58
165	Genome-wide association study of panic disorder reveals genetic overlap with neuroticism and depression. Molecular Psychiatry, 2021, 26, 4179-4190.	4.1	58
166	Crucial elements in suicide prevention strategies. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2011, 35, 848-853.	2.5	57
167	Adolescents and young adults who are not in employment, education, or training. BMJ, The, 2013, 347, f5270-f5270.	3.0	57
168	Development of Proteomic Prediction Models for Transition to Psychotic Disorder in the Clinical High-Risk State and Psychotic Experiences in Adolescence. JAMA Psychiatry, 2021, 78, 77.	6.0	57
169	New Targets for Prevention of Schizophrenia: Is It Time for Interventions in the Premorbid Phase?. Schizophrenia Bulletin, 2015, 41, 795-800.	2.3	56
170	Effects of Individual Placement and Support Supplemented With Cognitive Remediation and Work-Focused Social Skills Training for People With Severe Mental Illness. JAMA Psychiatry, 2019, 76, 1232.	6.0	56
171	Social network among young adults with first-episode schizophrenia spectrum disorders. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 761-770.	1.6	55
172	Long-term mortality of persons with severe mental illness and diabetes: a population-based cohort study in Denmark. Psychological Medicine, 2014, 44, 3097-3107.	2.7	55
173	NEURAPROâ€“E study protocol: a multicentre randomized controlled trial of omegaâ€“3 fatty acids and cognitiveâ€“behavioural case management for patients at ultra high risk of schizophrenia and other psychotic disorders. Microbial Biotechnology, 2017, 11, 418-428.	0.9	55
174	Correlations and agreement between deltaâ€“9â€“tetrahydrocannabinol (THC) in blood plasma and timeline followâ€“back (TLFB)â€“assisted selfâ€“reported use of cannabis of patients with cannabis use disorder and psychotic illness attending the CapOpus randomized clinical trial. Addiction, 2012, 107, 1123-1131.	1.7	54
175	Clinical trajectories in the ultra-high risk for psychosis population. Schizophrenia Research, 2018, 197, 550-556.	1.1	54
176	Mental illness and social integration among suicide attempters in Copenhagen. Acta Psychiatrica Scandinavica, 1993, 88, 278-285.	2.2	53
177	Cognitive function in childhood and early adulthood and hospital admission for schizophrenia and bipolar disorders in Danish men born in 1953. Schizophrenia Research, 2007, 92, 132-141.	1.1	53
178	Incidence of child and adolescent mental disorders in children aged 0-17 with familial high risk for severe mental illness - A Danish register study. Schizophrenia Research, 2018, 197, 298-304.	1.1	52
179	Restrictions in Means for Suicide: An Effective Tool in Preventing Suicide: The Danish Experience. Suicide and Life-Threatening Behavior, 2007, 37, 688-697.	0.9	51
180	Specialized psychosocial treatment plus treatment as usual (TAU) <i>versus</i> TAU for patients with cannabis use disorder and psychosis: the CapOpus randomized trial. Psychological Medicine, 2013, 43, 1499-1510.	2.7	51

#	ARTICLE	IF	CITATIONS
181	Incidence Rates of Deliberate Self-Harm in Denmark 1994–2011. <i>Crisis</i> , 2016, 37, 256-264.	0.9	51
182	Genetic correlates of phenotypic heterogeneity in autism. <i>Nature Genetics</i> , 2022, 54, 1293-1304.	9.4	51
183	Change in cannabis use, clinical symptoms and social functioning among patients with first-episode psychosis: a 5-year follow-up study of patients in the OPUS trial. <i>Psychological Medicine</i> , 2014, 44, 117-126.	2.7	50
184	Variants in the fetal genome near pro-inflammatory cytokine genes on 2q13 associate with gestational duration. <i>Nature Communications</i> , 2019, 10, 3927.	5.8	49
185	Trajectories of suicidal ideation in patients with first-episode psychosis: secondary analysis of data from the OPUS trial. <i>Lancet Psychiatry</i> , 2016, 3, 443-450.	3.7	48
186	The NEURAPRO Biomarker Analysis: Long-Chain Omega-3 Fatty Acids Improve 6-Month and 12-Month Outcomes in Youths at Ultra-High Risk for Psychosis. <i>Biological Psychiatry</i> , 2020, 87, 243-252.	0.7	48
187	Impaired childhood development and suicidal behaviour in a cohort of Danish men born in 1953. <i>Journal of Epidemiology and Community Health</i> , 2008, 62, 23-28.	2.0	47
188	Support of association between <i>BRD1</i> and both schizophrenia and bipolar affective disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 582-591.	1.1	47
189	Psychiatric Disorders and Psychopharmacologic Treatment as Risk Factors in Elective Fast-track Total Hip and Knee Arthroplasty. <i>Anesthesiology</i> , 2015, 123, 1281-1291.	1.3	47
190	Impairments of motor function among children with a familial risk of schizophrenia or bipolar disorder at 7 years old in Denmark: an observational cohort study. <i>Lancet Psychiatry</i> , 2017, 4, 400-408.	3.7	47
191	Genetic liability to ADHD and substance use disorders in individuals with ADHD. <i>Addiction</i> , 2020, 115, 1368-1377.	1.7	47
192	Social cognition in patients at ultra-high risk for psychosis: What is the relation to social skills and functioning?. <i>Schizophrenia Research: Cognition</i> , 2016, 5, 21-27.	0.7	46
193	The incidence of schizophrenia and schizophrenia spectrum disorders in Denmark in the period 2000–2012. A register-based study. <i>Schizophrenia Research</i> , 2016, 176, 533-539.	1.1	46
194	A large-scale genomic investigation of susceptibility to infection and its association with mental disorders in the Danish population. <i>Translational Psychiatry</i> , 2019, 9, 283.	2.4	46
195	Variable DNA methylation in neonates mediates the association between prenatal smoking and birth weight. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2019, 374, 20180120.	1.8	46
196	Neurocognition as a predictor of transition to psychotic disorder and functional outcomes in ultra-high risk participants: Findings from the NEURAPRO randomized clinical trial. <i>Schizophrenia Research</i> , 2019, 206, 67-74.	1.1	46
197	Children of Parents With Serious Mental Illness: With Whom Do They Grow Up? A Prospective, Population-Based Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2016, 55, 953-961.	0.3	45
198	Growth hormone, prolactin and cortisol response to exercise in patients with depression. <i>Journal of Affective Disorders</i> , 2010, 125, 189-197.	2.0	44

#	ARTICLE	IF	CITATIONS
199	Association of <i>GRIN1</i> and <i>GRIN2A</i> With schizophrenia and genetic interaction with maternal herpes simplex virus-2 infection affecting disease risk. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 913-922.	1.1	44
200	Early intervention services in psychosis: from evidence to wide implementation. <i>Microbial Biotechnology</i> , 2016, 10, 540-546.	0.9	44
201	Early intervention in psychosis: From clinical intervention to health system implementation. <i>Microbial Biotechnology</i> , 2018, 12, 757-764.	0.9	44
202	Birth dimensions and risk of depression in adulthood: cohort study of Danish men born in 1953. <i>British Journal of Psychiatry</i> , 2005, 186, 400-403.	1.7	43
203	Childhood Social Environment and Risk of Drug and Alcohol Abuse in a Cohort of Danish Men Born in 1953. <i>American Journal of Epidemiology</i> , 2006, 163, 654-661.	1.6	43
204	Substance abuse and first-episode schizophrenia-spectrum disorders. The Danish OPUS trial. <i>Microbial Biotechnology</i> , 2007, 1, 88-96.	0.9	43
205	Evaluation of a multifaceted intervention to limit excessive antipsychotic co-prescribing in schizophrenia outpatients. <i>Acta Psychiatrica Scandinavica</i> , 2010, 122, 367-374.	2.2	43
206	Suicide and unintentional injury mortality among homeless people: a Danish nationwide register-based cohort study. <i>European Journal of Public Health</i> , 2014, 24, 50-56.	0.1	43
207	Dysregulated Lipid Metabolism Precedes Onset of Psychosis. <i>Biological Psychiatry</i> , 2021, 89, 288-297.	0.7	42
208	Associations between clinical and psychosocial factors and metabolic and cardiovascular risk factors in overweight patients with schizophrenia spectrum disorders – Baseline and two-years findings from the CHANGE trial. <i>Schizophrenia Research</i> , 2018, 199, 96-102.	1.1	41
209	NEURAPRO: a multi-centre RCT of omega-3 polyunsaturated fatty acids versus placebo in young people at ultra-high risk of psychotic disorders – medium-term follow-up and clinical course. <i>NPJ Schizophrenia</i> , 2018, 4, 11.	2.0	41
210	Development Over Time of the Population-Attributable Risk Fraction for Cannabis Use Disorder in Schizophrenia in Denmark. <i>JAMA Psychiatry</i> , 2021, 78, 1013.	6.0	41
211	Patterns in mortality among people with severe mental disorders across birth cohorts: a register-based study of Denmark and Finland in 1982–2006. <i>BMC Public Health</i> , 2013, 13, 834.	1.2	40
212	The FOCUS trial: cognitive remediation plus standard treatment versus standard treatment for patients at ultra-high risk for psychosis: study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 25.	0.7	40
213	Polygenic Risk and Progression to Bipolar or Psychotic Disorders Among Individuals Diagnosed With Unipolar Depression in Early Life. <i>American Journal of Psychiatry</i> , 2020, 177, 936-943.	4.0	40
214	Serious Mental Illness and Disrupted Caregiving for Children. <i>Journal of Clinical Psychiatry</i> , 2015, 76, e1006-e1014.	1.1	40
215	Registration, psychiatric evaluation and adherence to psychiatric treatment after suicide attempt. <i>Nordic Journal of Psychiatry</i> , 2005, 59, 213-216.	0.7	39
216	Treatment of cannabis use disorders in people with schizophrenia spectrum disorders – A systematic review. <i>Addictive Behaviors</i> , 2009, 34, 520-525.	1.7	39

#	ARTICLE	IF	CITATIONS
217	Cognitive remediation combined with an early intervention service in first episode psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 300-310.	2.2	39
218	Risk Estimates and Risk Factors Related to Psychiatric Inpatient Suicide—An Overview. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 253.	1.2	39
219	Predictors of poor adherence to medication among patients with first episode schizophrenia—spectrum disorder. <i>Microbial Biotechnology</i> , 2009, 3, 66-74.	0.9	38
220	Influence of Polygenic Risk Scores on the Association Between Infections and Schizophrenia. <i>Biological Psychiatry</i> , 2016, 80, 609-616.	0.7	38
221	Immunity and mental illness: findings from a Danish population-based immunogenetic study of seven psychiatric and neurodevelopmental disorders. <i>European Journal of Human Genetics</i> , 2019, 27, 1445-1455.	1.4	38
222	High-Quality Exome Sequencing of Whole-Genome Amplified Neonatal Dried Blood Spot DNA. <i>PLoS ONE</i> , 2016, 11, e0153253.	1.1	38
223	Association of antipsychotic polypharmacy with health service cost: a register-based cost analysis. <i>European Journal of Health Economics</i> , 2012, 13, 355-363.	1.4	37
224	Gender Differences in Suicidal Intent and Choice of Method Among Suicide Attempters. <i>Crisis</i> , 2008, 29, 209-212.	0.9	37
225	Modeling Determinants of Medication Attitudes and Poor Adherence in Early Nonaffective Psychosis: Implications for Intervention. <i>Schizophrenia Bulletin</i> , 2015, 41, 584-596.	2.3	36
226	MYPLAN —mobile phone application to manage crisis of persons at risk of suicide: study protocol for a randomized controlled trial. <i>Trials</i> , 2017, 18, 171.	0.7	36
227	Cerebral glutamate and GABA levels in high-risk of psychosis states: A focused review and meta-analysis of 1H-MRS studies. <i>Schizophrenia Research</i> , 2020, 215, 38-48.	1.1	36
228	A polygenic resilience score moderates the genetic risk for schizophrenia. <i>Molecular Psychiatry</i> , 2021, 26, 800-815.	4.1	36
229	The effect of five years versus two years of specialised assertive intervention for first episode psychosis - OPUS II: study protocol for a randomized controlled trial. <i>Trials</i> , 2011, 12, 72.	0.7	35
230	The Association between Infections and General Cognitive Ability in Young Men — A Nationwide Study. <i>PLoS ONE</i> , 2015, 10, e0124005.	1.1	35
231	Thirty-Day Mortality After Infection Among Persons With Severe Mental Illness: A Population-Based Cohort Study in Denmark. <i>American Journal of Psychiatry</i> , 2015, 172, 776-783.	4.0	35
232	Fidelity scales and performance measures to support implementation and quality assurance for first episode psychosis services. <i>Microbial Biotechnology</i> , 2018, 12, 1235-1242.	0.9	35
233	Risk factors of coercion among psychiatric inpatients: a nationwide register-based cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 979-987.	1.6	34
234	Social Cognition, Language, and Social Behavior in 7-Year-Old Children at Familial High-Risk of Developing Schizophrenia or Bipolar Disorder: The Danish High Risk and Resilience Study VIA 7—A Population-Based Cohort Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 1218-1230.	2.3	34

#	ARTICLE	IF	CITATIONS
235	Gut microbial changes of patients with psychotic and affective disorders: A systematic review. <i>Schizophrenia Research</i> , 2021, 234, 41-50.	1.1	34
236	Changes in Inpatient and Postdischarge Suicide Rates in a Nationwide Cohort of Danish Psychiatric Inpatients, 1998â€“2005. <i>Journal of Clinical Psychiatry</i> , 2013, 74, e1190-e1194.	1.1	34
237	The quality of life among first-episode psychotic patients in the opus trial. <i>Schizophrenia Research</i> , 2010, 116, 27-34.	1.1	33
238	Effect of lifestyle coaching versus care coordination versus treatment as usual in people with severe mental illness and overweight: Two-years follow-up of the randomized CHANGE trial. <i>PLoS ONE</i> , 2017, 12, e0185881.	1.1	33
239	School performance from primary education in the adolescent offspring of parents with schizophrenia and bipolar disorderâ€“ a national, register-based study. <i>Psychological Medicine</i> , 2018, 48, 1993-2000.	2.7	33
240	Development and validation of multivariable prediction models of remission, recovery, and quality of life outcomes in people with first episode psychosis: a machine learning approach. <i>The Lancet Digital Health</i> , 2019, 1, e261-e270.	5.9	33
241	Physical and mental health impact of COVID-19 on children, adolescents, and their families: The Collaborative Outcomes study on Health and Functioning during Infection Times - Children and Adolescents (COH-FIT-C&A). <i>Journal of Affective Disorders</i> , 2022, 299, 367-376.	2.0	33
242	Patterns of white matter microstructure in individuals at ultra-high-risk for psychosis: associations to level of functioning and clinical symptoms. <i>Psychological Medicine</i> , 2017, 47, 2689-2707.	2.7	32
243	Attention-deficit hyperactivity disorder and anxiety disorders as precursors of bipolar disorder onset in adulthood. <i>British Journal of Psychiatry</i> , 2018, 213, 555-560.	1.7	32
244	Molecular genetic overlap between posttraumatic stress disorder and sleep phenotypes. <i>Sleep</i> , 2020, 43, .	0.6	32
245	Psychosocial stress and severe prematurity. <i>Lancet, The</i> , 1992, 340, 54.	6.3	31
246	Population impact of familial and environmental risk factors for schizophrenia: A nationwide study. <i>Schizophrenia Research</i> , 2014, 153, 214-219.	1.1	31
247	Availability of Paracetamol Sold Over the Counter in Europe: A Descriptive Crossâ€“Sectional International Survey of Pack Size Restriction. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 122, 643-649.	1.2	31
248	Identifying the Common Genetic Basis of Antidepressant Response. <i>Biological Psychiatry Global Open Science</i> , 2022, 2, 115-126.	1.0	31
249	Effect on return to work or education of Individual Placement and Support modified for people with mood and anxiety disorders: results of a randomised clinical trial. <i>Occupational and Environmental Medicine</i> , 2017, 74, 717-725.	1.3	30
250	Polygenic Risk Scores, School Achievement, and Risk for Schizophrenia: A Danish Population-Based Study. <i>Biological Psychiatry</i> , 2018, 84, 684-691.	0.7	30
251	Implementation of the safeguards model to reduce the use of coercive measures in adult psychiatric inpatient units: An interrupted time-series analysis. <i>Journal of Psychiatric Research</i> , 2018, 105, 147-152.	1.5	30
252	Cancer and schizophrenia. <i>Current Opinion in Psychiatry</i> , 2021, 34, 260-265.	3.1	30

#	ARTICLE	IF	CITATIONS
253	Increased use of primary care during 6Âyears of prodromal schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 225-233.	2.2	29
254	Association of Childhood Exposure to Nitrogen Dioxide and Polygenic Risk Score for Schizophrenia With the Risk of Developing Schizophrenia. <i>JAMA Network Open</i> , 2019, 2, e1914401.	2.8	29
255	Morbidity and Mortality in the Children and Young Adult Offspring of Parents With Schizophrenia or Affective Disordersâ€”A Nationwide Register-Based Cohort Study in 2 Million Individuals. <i>Schizophrenia Bulletin</i> , 2020, 46, 130-139.	2.3	29
256	The effect of flexible assertive community treatment in Denmark: a quasi-experimental controlled study. <i>Lancet Psychiatry</i> , 2021, 8, 27-35.	3.7	29
257	Genome-wide association study of febrile seizures implicates fever response and neuronal excitability genes. <i>Brain</i> , 2022, 145, 555-568.	3.7	29
258	Cognitive adaptation training combined with assertive community treatment: A randomised longitudinal trial. <i>Schizophrenia Research</i> , 2012, 135, 105-111.	1.1	28
259	Effectiveness of Mental Health First Aid training in Denmark: a randomized trial in waitlist design. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 597-606.	1.6	28
260	Association between alcohol and substance use disorders and psychiatric service use in patients with severe mental illness: a nationwide Danish register-based cohort study. <i>Psychological Medicine</i> , 2018, 48, 2592-2600.	2.7	28
261	The Ultra-High-Risk for psychosis groups: Evidence to maintain the status quo. <i>Schizophrenia Research</i> , 2018, 195, 543-548.	1.1	28
262	Risk variants and polygenic architecture of disruptive behavior disorders in the context of attention-deficit/hyperactivity disorder. <i>Nature Communications</i> , 2021, 12, 576.	5.8	28
263	Association Between Childhood Green Space, Genetic Liability, and the Incidence of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020, 46, 1629-1637.	2.3	28
264	Trends in Suicide Risk Associated With Hospitalized Psychiatric Illness. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 1936-1941.	1.1	28
265	The future of human behaviour research. <i>Nature Human Behaviour</i> , 2022, 6, 15-24.	6.2	28
266	Homelessness as a predictor of mortality: an 11-year register-based cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 63-75.	1.6	27
267	The Danish High Risk and Resilience Studyâ€”VIA 11: Study Protocol for the First Follow-Up of the VIA 7 Cohort â”522 Children Born to Parents With Schizophrenia Spectrum Disorders or Bipolar Disorder and Controls Being Re-examined for the First Time at Age 11. <i>Frontiers in Psychiatry</i> , 2018, 9, 661.	1.3	27
268	Genetic risk scores for major psychiatric disorders and the risk of postpartum psychiatric disorders. <i>Translational Psychiatry</i> , 2019, 9, 288.	2.4	27
269	Suicidal behaviour among persons with attention-deficit hyperactivity disorder. <i>British Journal of Psychiatry</i> , 2019, 215, 615-620.	1.7	27
270	Comparison of erythrocyte omega-3 index, fatty acids and molecular phospholipid species in people at ultra-high risk of developing psychosis and healthy people. <i>Schizophrenia Research</i> , 2020, 226, 44-51.	1.1	27

#	ARTICLE	IF	CITATIONS
271	Classical Human Leukocyte Antigen Alleles and C4 Haplotypes Are Not Significantly Associated With Depression. <i>Biological Psychiatry</i> , 2020, 87, 419-430.	0.7	27
272	Socio-demographic and clinical risk factors of treatment-resistant depression: A Danish population-based cohort study. <i>Journal of Affective Disorders</i> , 2020, 261, 221-229.	2.0	27
273	Annual incidence of cannabis-induced psychosis, other substance-induced psychoses and dually diagnosed schizophrenia and cannabis use disorder in Denmark from 1994 to 2016. <i>Psychological Medicine</i> , 2021, 51, 617-622.	2.7	27
274	Identification of genetic loci associated with nocturnal enuresis: a genome-wide association study. <i>The Lancet Child and Adolescent Health</i> , 2021, 5, 201-209.	2.7	27
275	User Involvement in Developing the MYPLAN Mobile Phone Safety Plan App for People in Suicidal Crisis: Case Study. <i>JMIR Mental Health</i> , 2019, 6, e11965.	1.7	27
276	Incidence of, Risk Factors for, and Changes Over Time in Treatment-Resistant Depression in Denmark. <i>Journal of Clinical Psychiatry</i> , 2018, 79, .	1.1	27
277	Can Exercise Increase Fitness and Reduce Weight in Patients with Schizophrenia and Depression?. <i>Frontiers in Psychiatry</i> , 2014, 5, 89.	1.3	26
278	TAILOR â€“ tapered discontinuation versus maintenance therapy of antipsychotic medication in patients with newly diagnosed schizophrenia or persistent delusional disorder in remission of psychotic symptoms: study protocol for a randomized clinical trial. <i>Trials</i> , 2017, 18, 445.	0.7	26
279	Multiple measures of HPA axis function in ultra high risk and first-episode schizophrenia patients. <i>Psychoneuroendocrinology</i> , 2018, 92, 72-80.	1.3	26
280	Sustained Attention and Interference Control Among 7-Year-Old Children With a Familial High Risk of Schizophrenia or Bipolar Disorderâ€”A Nationwide Observational Cohort Study. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018, 3, 704-712.	1.1	26
281	Home visits in the Danish High Risk and Resilience Study â€“ <sc>VIA</sc> 7: assessment of the home environment of 508 7â€“yearâ€“old children born to parents diagnosed with schizophrenia or bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 126-134.	2.2	26
282	High suicide rates during psychiatric inpatient stay and shortly after discharge. <i>Acta Psychiatrica Scandinavica</i> , 2020, 142, 355-365.	2.2	26
283	Mental disorders in preadolescent children at familial highâ€“risk of schizophrenia or bipolar disorder â€“ a fourâ€“year followâ€“up study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2022, 63, 1046-1056.	3.1	26
284	Deficient maturation of aspects of attention and executive functions in early onset schizophrenia. <i>European Child and Adolescent Psychiatry</i> , 2010, 19, 773-786.	2.8	25
285	Treatment of adult patients with schizophrenia and complex mental health needs â€“ A national clinical guideline. <i>Nordic Journal of Psychiatry</i> , 2016, 70, 231-240.	0.7	25
286	Negative symptoms mediate the relationship between neurocognition and function in individuals at ultrahigh risk for psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 250-258.	2.2	25
287	Comparing Copy Number Variations in a Danish Case Cohort of Individuals With Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2022, 79, 59.	6.0	24
288	Deinstitutionalization revisited: a 5-year follow-up of a randomized clinical trial of hospital-based rehabilitation <i>versus</i> specialized assertive intervention (OPUS) <i>versus</i> standard treatment for patients with first-episode schizophrenia spectrum disorders. <i>Psychological Medicine</i> , 2010, 40, 1619-1626.	2.7	23

#	ARTICLE	IF	CITATIONS
289	Schizophrenia and Metacognition: An Investigation of Course of Illness and Metacognitive Beliefs Within a First Episode Psychosis. <i>Cognitive Therapy and Research</i> , 2015, 39, 61-69.	1.2	23
290	White matter maturation during 12 months in individuals at ultra-high risk for psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 65-78.	2.2	23
291	Visual attention in 7-year-old children at familial high risk of schizophrenia or bipolar disorder: The Danish high risk and resilience study VIA 7. <i>Journal of Affective Disorders</i> , 2019, 258, 56-65.	2.0	23
292	Association of Adverse Outcomes With Emotion Processing and Its Neural Substrate in Individuals at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2020, 77, 190.	6.0	23
293	Cognitive remediation plus standard treatment versus standard treatment alone for individuals at ultra-high risk of developing psychosis: Results of the FOCUS randomised clinical trial. <i>Schizophrenia Research</i> , 2020, 224, 151-158.	1.1	23
294	Time-trends in method-specific suicide rates compared with the availability of specific compounds. The Danish experience. <i>Nordic Journal of Psychiatry</i> , 2006, 60, 97-106.	0.7	22
295	Utility and adoption of CYP2D6 and CYP2C19 genotyping and its translation into psychiatric clinical practice. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 228-237.	2.2	22
296	Exercise for patients with major depression: a protocol for a systematic review with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , 2015, 4, 40.	2.5	22
297	Is an Early Age at Illness Onset in Schizophrenia Associated With Increased Genetic Susceptibility? Analysis of Data From the Nationwide Danish Twin Register. <i>EBioMedicine</i> , 2017, 18, 320-326.	2.7	22
298	Stability and development of psychotic symptoms and the use of antipsychotic medication – long-term follow-up. <i>Psychological Medicine</i> , 2017, 47, 2118-2129.	2.7	22
299	Mortality in unipolar depression preceding and following chronic somatic diseases. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 500-508.	2.2	22
300	Impact of severe mental illness on cancer stage at diagnosis and subsequent mortality: A population-based register study. <i>Schizophrenia Research</i> , 2018, 201, 62-69.	1.1	22
301	Relationship Between Polyunsaturated Fatty Acids and Psychopathology in the NEURAPRO Clinical Trial. <i>Frontiers in Psychiatry</i> , 2019, 10, 393.	1.3	22
302	Widespread higher fractional anisotropy associates to better cognitive functions in individuals at ultra-high risk for psychosis. <i>Human Brain Mapping</i> , 2019, 40, 5185-5201.	1.9	22
303	Polygenic risk score, psychosocial environment and the risk of attention-deficit/hyperactivity disorder. <i>Translational Psychiatry</i> , 2020, 10, 335.	2.4	22
304	Leveraging both individual-level genetic data and GWAS summary statistics increases polygenic prediction. <i>American Journal of Human Genetics</i> , 2021, 108, 1001-1011.	2.6	22
305	Reduction of Crime in First-Onset Psychosis. <i>Journal of Clinical Psychiatry</i> , 2013, 74, e439-e444.	1.1	22
306	Cannabis use and risk of psychosis in later life. <i>Lancet</i> , 2007, 370, 293-294.	6.3	21

#	ARTICLE	IF	CITATIONS
307	How do general practitioners in Denmark promote physical activity?. <i>Scandinavian Journal of Primary Health Care</i> , 2012, 30, 141-146.	0.6	21
308	The new asylums in the community: severely ill psychiatric patients living in psychiatric supported housing facilities. A Danish register-based study of prognostic factors, use of psychiatric services, and mortality. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1251-1261.	1.6	21
309	Patient-controlled hospital admission for patients with severe mental disorders: a nationwide prospective multicentre study. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 355-363.	2.2	21
310	Association of Substance Use Disorders With Conversion From Schizotypal Disorder to Schizophrenia. <i>JAMA Psychiatry</i> , 2018, 75, 733.	6.0	21
311	Enhancing Discovery of Genetic Variants for Posttraumatic Stress Disorder Through Integration of Quantitative Phenotypes and Trauma Exposure Information. <i>Biological Psychiatry</i> , 2022, 91, 626-636.	0.7	21
312	FUT2-ABO epistasis increases the risk of early childhood asthma and <i>Streptococcus pneumoniae</i> respiratory illnesses. <i>Nature Communications</i> , 2020, 11, 6398.	5.8	21
313	Housing conditions and residential needs of psychiatric patients in Copenhagen. <i>Acta Psychiatrica Scandinavica</i> , 1992, 85, 385-389.	2.2	20
314	An intron 1 polymorphism in the cholecystikinin-1 receptor gene associated with schizophrenia in males. <i>Acta Psychiatrica Scandinavica</i> , 2009, 120, 281-287.	2.2	20
315	Cognitive training plus a comprehensive psychosocial programme (OPUS) versus the comprehensive psychosocial programme alone for patients with first-episode schizophrenia (the NEUROCOM trial): A study protocol for a centrally randomised, observer-blinded multi-centre clinical trial. <i>Trials</i> , 2011, 12, 35.	0.7	20
316	Psychosocial therapy and causes of death after deliberate self-harm: a register-based, nationwide multicentre study using propensity score matching. <i>Psychological Medicine</i> , 2016, 46, 3419-3427.	2.7	20
317	Systemic oxidative DNA and RNA damage are not increased during early phases of psychosis: A case control study. <i>Psychiatry Research</i> , 2016, 241, 201-206.	1.7	20
318	Opening the Black Box of Cognitive-Behavioural Case Management in Clients with Ultra-High Risk for Psychosis. <i>Psychotherapy and Psychosomatics</i> , 2017, 86, 292-299.	4.0	20
319	Risk of psychiatric disorders in offspring of parents with a history of homelessness during childhood and adolescence in Denmark: a nationwide, register-based, cohort study. <i>Lancet Public Health</i> , The, 2017, 2, e541-e550.	4.7	20
320	Cognitive functioning following discontinuation of antipsychotic medication. A naturalistic sub-group analysis from the OPUS II trial. <i>Psychological Medicine</i> , 2019, 49, 1138-1147.	2.7	20
321	Schizophrenia is associated with increased risk of subsequent substance abuse diagnosis: A nationwide population-based register study. <i>Addiction</i> , 2019, 114, 2217-2226.	1.7	20
322	Temporal trends in incidence of hospital-treated self-harm among adolescents in Denmark: national register-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 415-421.	1.6	20
323	Homelessness and police-recorded crime victimisation: a nationwide, register-based cohort study. <i>Lancet Public Health</i> , The, 2020, 5, e333-e341.	4.7	20
324	Vaccination against SARS-CoV-2 infection among vulnerable and marginalised population groups in Denmark: A nationwide population-based study. <i>Lancet Regional Health - Europe</i> , The, 2022, 16, 100355.	3.0	20

#	ARTICLE	IF	CITATIONS
325	Frequency and predictive values of first rank symptoms at baseline among 362 young adult patients with first-episode schizophrenia. <i>Schizophrenia Research</i> , 2007, 97, 60-67.	1.1	19
326	Suicidal changes in patients with first episode psychosis: clinical predictors of increasing suicidal tendency in the early treatment phase. <i>Microbial Biotechnology</i> , 2012, 6, 292-299.	0.9	19
327	Test-retest reliability of the Danish Adult Reading Test in patients with comorbid psychosis and cannabis-use disorder. <i>Nordic Journal of Psychiatry</i> , 2013, 67, 159-163.	0.7	19
328	Schizophrenia polygenic risk scores, urbanicity and treatment-resistant schizophrenia. <i>Schizophrenia Research</i> , 2019, 212, 79-85.	1.1	19
329	Gender differences of patients at-risk for psychosis regarding symptomatology, drug use, comorbidity and functioning – Results from the EU-GEI study. <i>European Psychiatry</i> , 2019, 59, 52-59.	0.1	19
330	Experiential negative symptoms are more predictive of real-life functional outcome than expressive negative symptoms in clinical high-risk states. <i>Schizophrenia Research</i> , 2020, 218, 151-156.	1.1	19
331	The Association Between Working Alliance and Clinical and Functional Outcome in a Cohort of 400 Patients With First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , 2015, 76, e83-e90.	1.1	19
332	CCPP-Copenhagen Community Psychiatric Project. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1996, 31, 336-344.	1.6	18
333	The rationale for early intervention in schizophrenia and related disorders. <i>Microbial Biotechnology</i> , 2009, 3, S3-7.	0.9	18
334	Course of intelligence deficits in early onset, first episode schizophrenia: a controlled, 5-year longitudinal study. <i>European Child and Adolescent Psychiatry</i> , 2010, 19, 341-351.	2.8	18
335	Deliberate self-harm before psychiatric admission and risk of suicide: survival in a Danish national cohort. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1481-1489.	1.6	18
336	Copeptin during rest and exercise in major depression. <i>Journal of Affective Disorders</i> , 2013, 151, 284-290.	2.0	18
337	Dynamic prediction of transition to psychosis using joint modelling. <i>Schizophrenia Research</i> , 2018, 202, 333-340.	1.1	18
338	Suicide – turning the tide. <i>Science</i> , 2019, 365, 725-725.	6.0	18
339	Illness management and recovery: one-year follow-up of a randomized controlled trial in Danish community mental health centers: long-term effects on clinical and personal recovery. <i>BMC Psychiatry</i> , 2019, 19, 65.	1.1	18
340	Effectiveness of cognitive remediation in the ultra-high risk state for psychosis. <i>World Psychiatry</i> , 2020, 19, 401-402.	4.8	18
341	Intervention Efficacy in Trials Targeting Cannabis Use Disorders in Patients with Comorbid Psychosis Systematic Review and Meta-analysis. <i>Current Pharmaceutical Design</i> , 2014, 20, 2205-2211.	0.9	18
342	Symptoms, Quality of Life and level of functioning of traumatized refugees at Psychiatric Trauma Clinic in Copenhagen. <i>Torture: Quarterly Journal on Rehabilitation of Torture Victims and Prevention of Torture</i> , 2014, 24, 15.	0.1	18

#	ARTICLE	IF	CITATIONS
343	Effect of integrated treatment on the use of coercive measures in first-episode schizophrenia-spectrum disorder. A randomized clinical trial. <i>International Journal of Law and Psychiatry</i> , 2008, 31, 72-76.	0.5	17
344	Postdischarge Suicides. <i>JAMA Psychiatry</i> , 2016, 73, 1113.	6.0	17
345	Fever and infections during pregnancy and psychosis-like experiences in the offspring at age 11. A prospective study within the Danish National Birth Cohort. <i>Psychological Medicine</i> , 2018, 48, 426-436.	2.7	17
346	Illness management and recovery: Clinical outcomes of a randomized clinical trial in community mental health centers. <i>PLoS ONE</i> , 2018, 13, e0194027.	1.1	17
347	Stakeholder Perspectives on Using and Developing the MYPLAN Suicide Prevention Mobile Phone Application: A Focus Group Study. <i>Archives of Suicide Research</i> , 2020, 24, 48-63.	1.2	17
348	Language deficits in specific language impairment, attention deficit/hyperactivity disorder, and autism spectrum disorder: An analysis of polygenic risk. <i>Autism Research</i> , 2020, 13, 369-381.	2.1	17
349	Restriction of non-opioid analgesics sold over-the-counter in Denmark: A national study of impact on poisonings. <i>Journal of Affective Disorders</i> , 2020, 268, 61-68.	2.0	17
350	A Nationwide Cohort Study of Nonrandom Mating in Schizophrenia and Bipolar Disorder. <i>Schizophrenia Bulletin</i> , 2021, 47, 1342-1350.	2.3	17
351	Trajectories of Suicidal Ideation in People Seeking Web-Based Help for Suicidality: Secondary Analysis of a Dutch Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2016, 18, e178.	2.1	17
352	Reprint of "Treatment of cannabis use disorders in people with schizophrenia spectrum disorders" A systematic review. <i>Addictive Behaviors</i> , 2009, 34, 846-851.	1.7	16
353	Cognition and HPA axis reactivity in mildly to moderately depressed outpatients. A case-control study. <i>Nordic Journal of Psychiatry</i> , 2012, 66, 414-421.	0.7	16
354	Predictors of adherence to exercise interventions in patients with clinical depression – A pooled analysis from two clinical trials. <i>Mental Health and Physical Activity</i> , 2014, 7, 50-54.	0.9	16
355	Individual Placement and Support supplemented with cognitive remediation and work-related social skills training in Denmark: study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 280.	0.7	16
356	The Danish Schizophrenia Registry. <i>Clinical Epidemiology</i> , 2016, Volume 8, 691-695.	1.5	16
357	Course of illness in a sample of patients diagnosed with a schizotypal disorder and treated in a specialized early intervention setting. Findings from the 3.5 year follow-up of the OPUS II study. <i>Schizophrenia Research</i> , 2017, 182, 24-30.	1.1	16
358	Participants' and staffs' evaluation of the Illness Management and Recovery program: a randomized clinical trial. <i>Journal of Mental Health</i> , 2018, 27, 30-37.	1.0	16
359	Association of Whole-Genome and NETRIN1 Signaling Pathway-Derived Polygenic Risk Scores for Major Depressive Disorder and White Matter Microstructure in the UK Biobank. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 91-100.	1.1	16
360	Trajectories of symptom severity and functioning over a three-year period in a psychosis high-risk sample: A secondary analysis of the Neurapro trial. <i>Behaviour Research and Therapy</i> , 2020, 124, 103527.	1.6	16

#	ARTICLE	IF	CITATIONS
361	Infections of the central nervous system as a risk factor for mental disorders and cognitive impairment: A nationwide register-based study. <i>Brain, Behavior, and Immunity</i> , 2020, 88, 668-674.	2.0	16
362	Gestational age-dependent development of the neonatal metabolome. <i>Pediatric Research</i> , 2021, 89, 1396-1404.	1.1	16
363	Treatment-resistant depression and risk of all-cause mortality and suicidality in Danish patients with major depression. <i>Journal of Psychiatric Research</i> , 2021, 135, 197-202.	1.5	16
364	Repetitive transcranial magnetic stimulation and transcranial direct current stimulation for auditory hallucinations in schizophrenia: Systematic review and meta-analysis. <i>Journal of Psychiatric Research</i> , 2021, 143, 163-175.	1.5	16
365	Exploring Regional Variation in Antipsychotic Coprescribing Practice. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1457-1464.	1.1	16
366	Treatment of patients with first-episode psychosis: two-year outcome data from the Danish National Schizophrenia Project. <i>World Psychiatry</i> , 2006, 5, 100-3.	4.8	16
367	Copenhagen Community Psychiatric Project (CCPP): characteristics and treatment of homeless patients in the psychiatric services after introduction of community mental health centres. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1997, 32, 369-378.	1.6	16
368	Accounting for age of onset and family history improves power in genome-wide association studies. <i>American Journal of Human Genetics</i> , 2022, 109, 417-432.	2.6	16
369	Adverse SARS-CoV-2-associated outcomes among people experiencing social marginalisation and psychiatric vulnerability: A population-based cohort study among 4,4 million people. <i>Lancet Regional Health - Europe</i> , The, 2022, 20, 100421.	3.0	16
370	Effect of a Suicide Prevention Centre for young people with suicidal behaviour in Copenhagen. <i>European Psychiatry</i> , 2005, 20, 121-128.	0.1	15
371	Perceptions of Coercion in the Community: A Qualitative Study of Patients in a Danish Assertive Community Treatment Team. <i>Psychiatric Quarterly</i> , 2010, 81, 35-47.	1.1	15
372	Media awards for responsible reporting of suicide: Experiences from Australia, Belgium and Denmark. <i>International Journal of Mental Health Systems</i> , 2011, 5, 15.	1.1	15
373	Offending prior to first psychiatric contact: a population-based register study. <i>Psychological Medicine</i> , 2012, 42, 2673-2684.	2.7	15
374	Effects of paternal age and offspring cognitive ability in early adulthood on the risk of schizophrenia and related disorders. <i>Schizophrenia Research</i> , 2014, 160, 131-135.	1.1	15
375	Schizophrenia-associated mt-DNA SNPs exhibit highly variable haplogroup affiliation and nuclear ancestry: Bi-genomic dependence raises major concerns for link to disease. <i>PLoS ONE</i> , 2018, 13, e0208828.	1.1	15
376	VIA Family—a family-based early intervention versus treatment as usual for familial high-risk children: a study protocol for a randomized clinical trial. <i>Trials</i> , 2019, 20, 112.	0.7	15
377	Infections, Anti-infective Agents, and Risk of Deliberate Self-harm and Suicide in a Young Cohort: A Nationwide Study. <i>Biological Psychiatry</i> , 2019, 85, 744-751.	0.7	15
378	Genetic predictors of educational attainment and intelligence test performance predict voter turnout. <i>Nature Human Behaviour</i> , 2021, 5, 281-291.	6.2	15

#	ARTICLE	IF	CITATIONS
379	Design paper: The DEMO trial: A randomized, parallel-group, observer-blinded clinical trial of aerobic versus non-aerobic versus relaxation training for patients with light to moderate depression. <i>Contemporary Clinical Trials</i> , 2007, 28, 79-89.	0.8	14
380	Premorbid adjustment in individuals at ultra-high risk for developing psychosis: a case-control study. <i>Microbial Biotechnology</i> , 2018, 12, 839-847.	0.9	14
381	Assertive community treatment versus standard treatment for severely mentally ill patients in Denmark: a quasi-experimental trial. <i>Nordic Journal of Psychiatry</i> , 2019, 73, 149-158.	0.7	14
382	Alterations in Task-Related Brain Activation in Children, Adolescents and Young Adults at Familial High-Risk for Schizophrenia or Bipolar Disorder - A Systematic Review. <i>Frontiers in Psychiatry</i> , 2020, 11, 632.	1.3	14
383	A large population-based investigation into the genetics of susceptibility to gastrointestinal infections and the link between gastrointestinal infections and mental illness. <i>Human Genetics</i> , 2020, 139, 593-604.	1.8	14
384	Emotion Recognition and Adverse Childhood Experiences in Individuals at Clinical High Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2020, 46, 823-833.	2.3	14
385	Effectiveness of an Internet-Based Self-help Therapy Program for Suicidal Ideation With Follow-up at 6 Months. <i>Journal of Clinical Psychiatry</i> , 2021, 82, .	1.1	14
386	The Danish OPUS Early Intervention Services for First-Episode Psychosis: A Phase 4 Prospective Cohort Study With Comparison of Randomized Trial and Real-World Data. <i>American Journal of Psychiatry</i> , 2021, 178, 941-951.	4.0	14
387	Effect of Routine Cytochrome P450 2D6 and 2C19 Genotyping on Antipsychotic Drug Persistence in Patients With Schizophrenia. <i>JAMA Network Open</i> , 2020, 3, e2027909.	2.8	14
388	Design paper: The CapOpus trial: A randomized, parallel-group, observer-blinded clinical trial of specialized addiction treatment versus treatment as usual for young patients with cannabis abuse and psychosis. <i>Trials</i> , 2008, 9, 42.	0.7	13
389	Coercion in patients who at their first contact with the psychiatric services system were diagnosed within the schizophrenia-spectrum in Denmark. A register study. <i>Nordic Journal of Psychiatry</i> , 2008, 62, 77-81.	0.7	13
390	Illness management and recovery (IMR) in Danish community mental health centres. <i>Trials</i> , 2011, 12, 195.	0.7	13
391	Improving quality of care among patients hospitalised with schizophrenia: a nationwide initiative. <i>BJPsych Open</i> , 2015, 1, 48-53.	0.3	13
392	Protocol for CHANGE: a randomized clinical trial assessing lifestyle coaching plus care coordination versus care coordination alone versus treatment as usual to reduce risks of cardiovascular disease in adults with schizophrenia and abdominal obesity. <i>BMC Psychiatry</i> , 2015, 15, 119.	1.1	13
393	Long-term treatment effect of trauma-affected refugees with flexible cognitive behavioural therapy and antidepressants. <i>Psychiatry Research</i> , 2018, 264, 217-223.	1.7	13
394	Non-pharmacological modulation of cerebral white matter organization: A systematic review of non-psychiatric and psychiatric studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2018, 88, 84-97.	2.9	13
395	Risk of homelessness after discharge from psychiatric wards in Denmark: a nationwide register-based cohort study. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 477-489.	2.2	13
396	The Momentum trial: the efficacy of using a smartphone application to promote patient activation and support shared decision making in people with a diagnosis of schizophrenia in outpatient treatment settings: a randomized controlled single-blind trial. <i>BMC Psychiatry</i> , 2019, 19, 185.	1.1	13

#	ARTICLE	IF	CITATIONS
397	Emotion recognition latency, but not accuracy, relates to real life functioning in individuals at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2019, 210, 197-202.	1.1	13
398	Suicide among persons who entered same-sex and opposite-sex marriage in Denmark and Sweden, 1989-2016: a binational, register-based cohort study. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, 78-83.	2.0	13
399	Pharmacogenetic genotype and phenotype frequencies in a large Danish population-based case-cohort sample. <i>Translational Psychiatry</i> , 2021, 11, 294.	2.4	13
400	Follow-up study of the treatment outcomes at a psychiatric trauma clinic for refugees. <i>Torture: Quarterly Journal on Rehabilitation of Torture Victims and Prevention of Torture</i> , 2015, 25, 16.	0.1	13
401	Thiamine pyrophosphate effect and erythrocyte transketolase activity during severe alcohol withdrawal syndrome. <i>Acta Psychiatrica Scandinavica</i> , 1993, 88, 80-84.	2.2	12
402	Restrictions in Availability of Drugs Used for Suicide. <i>Crisis</i> , 2007, 28, 44-49.	0.9	12
403	The effect of IPS-modified, an early intervention for people with mood and anxiety disorders: study protocol for a randomised clinical superiority trial. <i>Trials</i> , 2013, 14, 442.	0.7	12
404	Prospective study of the course of delusional themes in first-episode non-affective psychosis. <i>Microbial Biotechnology</i> , 2014, 8, 340-347.	0.9	12
405	The Diagnostic Apathia Scale predicts the ability to return to work following depression or anxiety. <i>Acta Neuropsychiatrica</i> , 2014, 26, 364-371.	1.0	12
406	Cerebral Glutamate and Gamma-Aminobutyric Acid Levels in Individuals at Ultra-high Risk for Psychosis and the Association With Clinical Symptoms and Cognition. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020, 5, 569-579.	1.1	12
407	Infections as a Risk Factor for and Prognostic Factor After Substance-Induced Psychoses. <i>American Journal of Psychiatry</i> , 2020, 177, 335-341.	4.0	12
408	No evidence of associations between genetic liability for schizophrenia and development of cannabis use disorder. <i>Psychological Medicine</i> , 2021, 51, 479-484.	2.7	12
409	Drs Madsen and Nordentoft Reply. <i>Journal of Clinical Psychiatry</i> , 2012, 73, 1034-1035.	1.1	12
410	Cognition Assessment in Virtual Reality: Validity and feasibility of a novel virtual reality test for real-life cognitive functions in mood disorders and psychosis spectrum disorders. <i>Journal of Psychiatric Research</i> , 2022, 145, 182-189.	1.5	12
411	Alteration of Gut Microbiome in Patients With Schizophrenia Indicates Links Between Bacterial Tyrosine Biosynthesis and Cognitive Dysfunction. <i>Biological Psychiatry Global Open Science</i> , 2023, 3, 283-291.	1.0	12
412	Neurocognitive Development in Children at Familial High Risk of Schizophrenia or Bipolar Disorder. <i>JAMA Psychiatry</i> , 2022, 79, 589.	6.0	12
413	Intensive treatment models and coercion. <i>Nordic Journal of Psychiatry</i> , 2007, 61, 369-378.	0.7	11
414	MBL and MASP-2 concentrations in serum and MBL2 promoter polymorphisms are associated to schizophrenia. <i>Acta Neuropsychiatrica</i> , 2012, 24, 199-207.	1.0	11

#	ARTICLE	IF	CITATIONS
415	Association analyses of depression and genes in the hypothalamusâ€“pituitaryâ€“adrenal axis. <i>Acta Neuropsychiatrica</i> , 2017, 29, 59-64.	1.0	11
416	The Duffy-null genotype and risk of infection. <i>Human Molecular Genetics</i> , 2020, 29, 3341-3349.	1.4	11
417	Adolescent residential mobility, genetic liability and risk of schizophrenia, bipolar disorder and major depression. <i>British Journal of Psychiatry</i> , 2020, 217, 390-396.	1.7	11
418	Prediction of clinical outcomes beyond psychosis in the ultraâ€“high risk for psychosis population. <i>Microbial Biotechnology</i> , 2021, 15, 642-651.	0.9	11
419	FC9D SUBSTANCE ABUSE IN FIRST-EPISODE SCHIZOPHRENIA-SPECTRUM DISORDERS. <i>Schizophrenia Research</i> , 2006, 86, S44.	1.1	10
420	Psychiatric treatment following participation in the CapOplus randomized trial for patients with comorbid cannabis use disorder and psychosis. <i>Schizophrenia Research</i> , 2013, 151, 191-196.	1.1	10
421	The Risk of Schizophrenia and Child Psychiatric Disorders in Offspring of Mothers with Lung Cancer and Other Types of Cancer: A Danish Nationwide Register Study. <i>PLoS ONE</i> , 2013, 8, e79031.	1.1	10
422	Effectiveness of the Gold Standard Programme (GSP) for smoking cessation on smokers with and without a severe mental disorder: a Danish cohort study. <i>BMJ Open</i> , 2018, 8, e021114.	0.8	10
423	Quality of life and self-esteem in 7-year-old children with familial high risk of schizophrenia or bipolar disorder: the Danish High Risk and Resilience Study-VIA 7â€“a population-based cohort study. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 849-860.	2.8	10
424	Omegaâ€“3 fatty acids and neurocognitive ability in young people at ultraâ€“high risk for psychosis. <i>Microbial Biotechnology</i> , 2021, 15, 874-881.	0.9	10
425	Collaborative care for depression and anxiety disorders: results and lessons learned from the Danish cluster-randomized Collabri trials. <i>BMC Family Practice</i> , 2020, 21, 234.	2.9	10
426	Generalized neurocognitive impairment in individuals at ultraâ€“high risk for psychosis: The possible key role of slowed processing speed. <i>Brain and Behavior</i> , 2021, 11, e01962.	1.0	10
427	Obsessive-Compulsive Symptoms and Other Symptoms of the At-risk Mental State for Psychosis: A Network Perspective. <i>Schizophrenia Bulletin</i> , 2021, 47, 1018-1028.	2.3	10
428	Verbal memory performance predicts remission and functional outcome in people at clinical high-risk for psychosis. <i>Schizophrenia Research: Cognition</i> , 2022, 28, 100222.	0.7	10
429	Does the Medication Pattern Reflect the CYP2D6 Genotype in Patients With Diagnoses Within the Schizophrenic Spectrum?. <i>Journal of Clinical Psychopharmacology</i> , 2012, 32, 100-105.	0.7	9
430	The DiaS trial: dialectical behavior therapy versus collaborative assessment and management of suicidality on self-harm in patients with a recent suicide attempt and borderline personality disorder traits - study protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 194.	0.7	9
431	The Self-help Online against Suicidal thoughts (SOS) trial: study protocol for a randomized controlled trial. <i>Trials</i> , 2017, 18, 45.	0.7	9
432	Childhood Infections and Subsequent School Achievement Among 598,553 Danish Children. <i>Pediatric Infectious Disease Journal</i> , 2018, 37, 731-737.	1.1	9

#	ARTICLE	IF	CITATIONS
433	Early Intervention Service for Young People With Psychosis. <i>JAMA Psychiatry</i> , 2018, 75, 427.	6.0	9
434	Trajectories of Return to Work Among People on Sick Leave with Mood or Anxiety Disorders: Secondary Analysis from a Randomized Controlled Trial. <i>Journal of Occupational Rehabilitation</i> , 2018, 28, 666-677.	1.2	9
435	Streptococcal Infections and Exacerbations in PANDAS. <i>Pediatric Infectious Disease Journal</i> , 2019, 38, 189-194.	1.1	9
436	Programme fidelity of specialized early intervention in Denmark. <i>Microbial Biotechnology</i> , 2019, 13, 627-632.	0.9	9
437	No Effects of Cognitive Remediation on Cerebral White Matter in Individuals at Ultra-High Risk for Psychosis—A Randomized Clinical Trial. <i>Frontiers in Psychiatry</i> , 2020, 11, 873.	1.3	9
438	People exposed to suicide attempts: Frequency, impact, and the support received. <i>Suicide and Life-Threatening Behavior</i> , 2021, 51, 467-477.	0.9	9
439	Psychotic experiences in seven-year-old children with familial high risk of schizophrenia or bipolar disorder in: The Danish High Risk and Resilience Study “VIA 7”; A population-based cohort study. <i>Schizophrenia Research</i> , 2021, 228, 510-518.	1.1	9
440	Genome-wide association study across pediatric central nervous system tumors implicates shared predisposition and points to 1q25.2 (PAPPA2) and 11p12 (LRRC4C) as novel candidate susceptibility loci. <i>Child’s Nervous System</i> , 2021, 37, 819-830.	0.6	9
441	Parental mental illness, attendance at preventive child healthcare and dental caries in the offspring: a nation-wide population-based cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 583-592.	1.6	9
442	Reversibility of Antipsychotic-Induced Weight Gain: A Systematic Review and Meta-Analysis. <i>Frontiers in Endocrinology</i> , 2021, 12, 577919.	1.5	9
443	Global fractional anisotropy predicts transition to psychosis after 12 months in individuals at ultra-high risk for psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2021, 144, 448-463.	2.2	9
444	Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2022, 48, 100-110.	2.3	9
445	Associations between patterns in comorbid diagnostic trajectories of individuals with schizophrenia and etiological factors. <i>Nature Communications</i> , 2021, 12, 6617.	5.8	9
446	Does the EQ-5D measure quality of life in schizophrenia?. <i>Journal of Mental Health Policy and Economics</i> , 2011, 14, 187-96.	0.6	9
447	Transgenerational concordance in parent-to-child transmission of suicidal behaviour: a retrospective, nationwide, register-based cohort study of 419,642 individuals in Denmark. <i>Lancet Psychiatry</i> , 2022, 9, 363-374.	3.7	9
448	Comprehensive genome-wide association study of different forms of hernia identifies more than 80 associated loci. <i>Nature Communications</i> , 2022, 13, .	5.8	9
449	Dual association of a TRKA polymorphism with schizophrenia. <i>Psychiatric Genetics</i> , 2011, 21, 125-131.	0.6	8
450	The Feasibility of Cognitive Adaptation Training for Outpatients with Schizophrenia in Integrated Treatment. <i>Community Mental Health Journal</i> , 2013, 49, 630-635.	1.1	8

#	ARTICLE	IF	CITATIONS
451	The effect of the mental health first-aid training course offered employees in Denmark: study protocol for a randomized waitlist-controlled superiority trial mixed with a qualitative study. <i>BMC Psychiatry</i> , 2015, 15, 80.	1.1	8
452	Attitudes towards people with depression and schizophrenia among social service workers in Denmark. <i>Nordic Journal of Psychiatry</i> , 2017, 71, 165-170.	0.7	8
453	Collaborative care for panic disorder, generalised anxiety disorder and social phobia in general practice: study protocol for three cluster-randomised, superiority trials. <i>Trials</i> , 2017, 18, 382.	0.7	8
454	Supplementation with the omega-3 long chain polyunsaturated fatty acids: Changes in the concentrations of omega-3 index, fatty acids and molecular phospholipids of people at ultra high risk of developing psychosis. <i>Schizophrenia Research</i> , 2020, 226, 52-60.	1.1	8
455	Basic symptoms in young people at ultra-high risk of psychosis: Association with clinical characteristics and outcomes. <i>Schizophrenia Research</i> , 2020, 216, 255-261.	1.1	8
456	Cognitive functioning in ultra-high risk for psychosis individuals with and without depression: Secondary analysis of findings from the NEURAPRO randomized clinical trial. <i>Schizophrenia Research</i> , 2020, 218, 48-54.	1.1	8
457	International application of standards for health care quality, access and evaluation of services for early intervention in psychotic disorders. <i>Microbial Biotechnology</i> , 2021, 15, 723-730.	0.9	8
458	Genetic factors underlying the bidirectional relationship between autoimmune and mental disorders – Findings from a Danish population-based study. <i>Brain, Behavior, and Immunity</i> , 2021, 91, 10-23.	2.0	8
459	Predictors of remission from the ultra-high risk state for psychosis. <i>Microbial Biotechnology</i> , 2021, 15, 104-112.	0.9	8
460	Co-occurring hydrocephalus in autism spectrum disorder: a Danish population-based cohort study. <i>Journal of Neurodevelopmental Disorders</i> , 2021, 13, 19.	1.5	8
461	Mortality in substance-induced psychosis: a register-based national cohort study. <i>Addiction</i> , 2021, 116, 3515-3524.	1.7	8
462	Digital Shared Decision-Making Interventions in Mental Healthcare: A Systematic Review and Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2021, 12, 691251.	1.3	8
463	Family disadvantage, gender, and the returns to genetic human capital*. <i>Scandinavian Journal of Economics</i> , 2022, 124, 550-578.	0.7	8
464	Cognitive behavioral psychotherapeutic treatment at a psychiatric trauma clinic for refugees: description and evaluation. <i>Torture: Quarterly Journal on Rehabilitation of Torture Victims and Prevention of Torture</i> , 2015, 25, 17-32.	0.1	8
465	Childhood trauma in children at familial high risk of schizophrenia or bipolar disorder: A longitudinal study. <i>The Danish High Risk and Resilience Study – VIA 7 and VIA 11. British Journal of Clinical Psychology</i> , 2022, 61, 875-894.	1.7	8
466	Genome-wide study of early and severe childhood asthma identifies interaction between CDHR3 and GSDMB. <i>Journal of Allergy and Clinical Immunology</i> , 2022, 150, 622-630.	1.5	8
467	Psychiatric emergency outreach: A report on the first 2 years of functioning in Copenhagen. <i>Nordic Journal of Psychiatry</i> , 2002, 56, 399-405.	0.7	7
468	The challenge of suicidal behaviour in early psychosis. <i>Microbial Biotechnology</i> , 2008, 2, 1-2.	0.9	7

#	ARTICLE	IF	CITATIONS
469	Does a detection team shorten duration of untreated psychosis?. <i>Microbial Biotechnology</i> , 2008, 2, 22-26.	0.9	7
470	Influence of early life characteristics on psychiatric admissions and impact of psychiatric disease on inflammatory biomarkers and survival: a Danish cohort study. <i>World Psychiatry</i> , 2015, 14, 364-365.	4.8	7
471	Analysis of risk factors for schizophrenia with two different case definitions: A nationwide register-based external validation study. <i>Schizophrenia Research</i> , 2015, 162, 74-78.	1.1	7
472	Specific anxiety disorders and subsequent risk for bipolar disorder: a nationwide study. <i>World Psychiatry</i> , 2016, 15, 187-188.	4.8	7
473	SA57. Life Expectancy and Years of Potential Life Lost in Schizophrenia: A Systematic Review and Meta-Analysis. <i>Schizophrenia Bulletin</i> , 2017, 43, S133-S134.	2.3	7
474	Collaborative care for depression in general practice: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 344.	0.7	7
475	Out-of-home placement to age 18 years in children exposed to a postpartum mental disorder. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 35-43.	2.2	7
476	Psychopathology and social functioning of 42 subjects from a Danish ultra high-risk cohort. <i>Microbial Biotechnology</i> , 2018, 12, 1181-1187.	0.9	7
477	Schizophrenia and attendance in primary healthcare: a population-based matched cohort study. <i>Scandinavian Journal of Primary Health Care</i> , 2019, 37, 358-365.	0.6	7
478	Collaborative care vs consultation liaison for depression and anxiety disorders in general practice: study protocol for two randomized controlled trials (the Danish Collabri Flex trials). <i>Trials</i> , 2019, 20, 607.	0.7	7
479	Birth dimensions, severe mental illness and risk of type 2 diabetes in a cohort of Danish men born in 1953. <i>European Psychiatry</i> , 2019, 62, 1-9.	0.1	7
480	Development of a fidelity scale for Danish specialized early interventions service. <i>Microbial Biotechnology</i> , 2019, 13, 568-573.	0.9	7
481	Assessing social skills in individuals at ultra-high risk for psychosis: Validation of the High Risk Social Challenge task (HiSoC). <i>Schizophrenia Research</i> , 2020, 215, 365-370.	1.1	7
482	Basic symptoms influence real-life functioning and symptoms in individuals at high risk for psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 231-240.	2.2	7
483	Executive functions in 7-year-old children of parents with schizophrenia or bipolar disorder compared with controls: The Danish High Risk and Resilience Study "VIA 7, a population-based cohort study. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 1871-1884.	2.8	7
484	Baseline measures of cerebral glutamate and GABA levels in individuals at ultrahigh risk for psychosis: Implications for clinical outcome after 12 months. <i>European Psychiatry</i> , 2020, 63, e83.	0.1	7
485	Discontinuation of antipsychotic medication – time to rethink trial design. <i>Lancet Psychiatry</i> , 2020, 7, 841-842.	3.7	7
486	Congenital Heart Disease and Risk of Suicide and Self-Harm: A Danish Nationwide Cohort Study. <i>Journal of the American Heart Association</i> , 2020, 9, e015735.	1.6	7

#	ARTICLE	IF	CITATIONS
487	Quantitative genome-wide association analyses of receptive language in the Danish High Risk and Resilience Study. <i>BMC Neuroscience</i> , 2020, 21, 30.	0.8	7
488	Intergenerational transmission of suicide attempt in a cohort of 4.4 million children. <i>Psychological Medicine</i> , 2022, 52, 3202-3209.	2.7	7
489	Polygenic liability, stressful life events and risk for secondary-treated depression in early life: a nationwide register-based case-cohort study. <i>Psychological Medicine</i> , 2023, 53, 217-226.	2.7	7
490	Polygenic Heterogeneity Across Obsessive-Compulsive Disorder Subgroups Defined by a Comorbid Diagnosis. <i>Frontiers in Genetics</i> , 2021, 12, 711624.	1.1	7
491	Characterization and prediction of clinical pathways of vulnerability to psychosis through graph signal processing. <i>ELife</i> , 2021, 10, .	2.8	7
492	Evaluating the interrelations between the autism polygenic score and psychiatric family history in risk for autism. <i>Autism Research</i> , 2022, 15, 171-182.	2.1	7
493	Drop-out and continuity of care for patients suffering from schizophrenia and schizophrenia-like psychosis evaluated by means of routine registration. <i>Nordic Journal of Psychiatry</i> , 2002, 56, 175-179.	0.7	6
494	N-terminal pro-atrial natriuretic peptide response to acute exercise in depressed patients and healthy controls. <i>Psychoneuroendocrinology</i> , 2011, 36, 656-663.	1.3	6
495	Processes of In-Hospital Psychiatric Care and Subsequent Criminal Behaviour among Patients with Schizophrenia: A National Population-Based, Follow-up Study. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 515-521.	0.9	6
496	CBT for psychotic disorders: beyond meta-analyses and guidelines - it is time to implement!. <i>World Psychiatry</i> , 2014, 13, 260-261.	4.8	6
497	Patient-controlled hospital admission for patients with severe mental disorders: study protocol for a nationwide prospective multicentre study. <i>BMJ Open</i> , 2016, 6, e013088.	0.8	6
498	Removing Firearms From the Home After Attempted Suicide Can Be Life Saving. <i>American Journal of Psychiatry</i> , 2017, 174, 721-722.	4.0	6
499	Polygenic risk for psychiatric disorder and singleness in patients with severe mental illness and controls. <i>Journal of Psychiatric Research</i> , 2019, 119, 60-66.	1.5	6
500	The value of early intervention in creating the new mental health system: Response to Allison et al. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 667-669.	1.3	6
501	Distress Related to Attenuated Psychotic Symptoms: Static and Dynamic Association With Transition to Psychosis, Nonremission, and Transdiagnostic Symptomatology in Clinical High-Risk Patients in an International Intervention Trial. <i>Schizophrenia Bulletin Open</i> , 2022, 3, .	0.9	6
502	Associations between facial affect recognition and neurocognition in subjects at ultra-high risk for psychosis: A case-control study. <i>Psychiatry Research</i> , 2020, 290, 112969.	1.7	6
503	A Qualitative Study on the Implementation of Flexible Assertive Community Treatment "an Integrated Community-based Treatment Model for Patients with Severe Mental Illness. <i>International Journal of Integrated Care</i> , 2021, 21, 13.	0.1	6
504	Prevention in the mental health field should be implemented synergically at different levels. <i>World Psychiatry</i> , 2021, 20, 230-231.	4.8	6

#	ARTICLE	IF	CITATIONS
505	Predictors of work and education among people with severe mental illness who participated in the Danish individual placement and support study: findings from a randomized clinical trial. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1669-1677.	1.6	6
506	Mental and pediatric disorders among children 0-6 years of parents with severe mental illness. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 244-254.	2.2	6
507	Changes in negative symptoms are linked to white matter changes in superior longitudinal fasciculus in individuals at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2021, 237, 192-201.	1.1	6
508	Support for a bipolar affective disorder susceptibility locus on chromosome 12q24.3. <i>Psychiatric Genetics</i> , 2010, 20, 93-101.	0.6	6
509	Cognitive behavioral psychotherapeutic treatment at a psychiatric trauma clinic for refugees: description and evaluation. <i>Torture: Quarterly Journal on Rehabilitation of Torture Victims and Prevention of Torture</i> , 2015, 25, 16.	0.1	6
510	Staff attitudes towards patients with schizophrenia. <i>Danish Medical Journal</i> , 2013, 60, A4710.	0.5	6
511	Deep learning-based integration of genetics with registry data for stratification of schizophrenia and depression. <i>Science Advances</i> , 2022, 8, .	4.7	6
512	Specialised assertive intervention in early psychosis. <i>Lancet Psychiatry</i> , 2015, 2, 2-3.	3.7	5
513	DEPEROR: Risks of systematic errors in drug and non-drug randomized clinical trials assessing intervention effects in patients with unipolar depression. <i>Journal of Affective Disorders</i> , 2015, 179, 121-127.	2.0	5
514	The Effect of Changes in Cannabis Exposure on Psychotic Symptoms in Patients With Comorbid Cannabis Use Disorder. <i>Journal of Dual Diagnosis</i> , 2016, 12, 129-136.	0.7	5
515	Examining speed of processing of facial emotion recognition in individuals at ultra-high risk for psychosis: Associations with symptoms and cognition. <i>Schizophrenia Research</i> , 2018, 195, 562-563.	1.1	5
516	T49. THE NEURAPRO STUDY: ADHERENCE TO STUDY MEDICATION. <i>Schizophrenia Bulletin</i> , 2018, 44, S132-S133.	2.3	5
517	Complex spatio-temporal distribution and genomic ancestry of mitochondrial DNA haplogroups in 24,216 Danes. <i>PLoS ONE</i> , 2018, 13, e0208829.	1.1	5
518	How family income is associated with suicidal and violent behaviour in young adults. <i>Lancet Public Health</i> , 2018, 3, e463-e464.	4.7	5
519	Validation of the MUSIC Model of Motivation Inventory for use with cognitive training for schizophrenia spectrum disorders: A multinational study. <i>Schizophrenia Research</i> , 2019, 206, 142-148.	1.1	5
520	Cannabis use disorders may protect against certain disorders of the digestive organs in people with schizophrenia but not in healthy controls. <i>Psychological Medicine</i> , 2020, 50, 499-506.	2.7	5
521	Investigating Cognitive and Clinical Predictors of Real-Life Functioning, Functional Capacity, and Quality of Life in Individuals at Ultra-High Risk for Psychosis. <i>Schizophrenia Bulletin Open</i> , 2020, 1, .	0.9	5
522	Self-perceived cognitive impairments in psychosis ultra-high risk individuals: associations with objective cognitive deficits and functioning. <i>NPJ Schizophrenia</i> , 2020, 6, 31.	2.0	5

#	ARTICLE	IF	CITATIONS
523	Genetic liability to major depression and risk of childhood asthma. <i>Brain, Behavior, and Immunity</i> , 2020, 89, 433-439.	2.0	5
524	Suicide Rates in Nordic Prisons 2000–2016. <i>Archives of Suicide Research</i> , 2021, 25, 704-714.	1.2	5
525	The association between migrant status and transition in an ultra-high risk for psychosis population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 943-952.	1.6	5
526	Cannabis-based medicines and medical cannabis for patients with neuropathic pain and other pain disorders: Nationwide register-based pharmacoepidemiologic comparison with propensity score matched controls. <i>European Journal of Pain</i> , 2021, , .	1.4	5
527	Pleiotropy between language impairment and broader behavioral disorders—an investigation of both common and rare genetic variants. <i>Journal of Neurodevelopmental Disorders</i> , 2021, 13, 54.	1.5	5
528	Direct costs of hospital care of self-harm: A national register-based cohort study. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 319-331.	2.2	5
529	Group cognitive behavioural therapy with virtual reality exposure versus group cognitive behavioural therapy with in vivo exposure for social anxiety disorder and agoraphobia: a protocol for a randomised clinical trial. <i>BMJ Open</i> , 2022, 12, e051147.	0.8	5
530	Suicide and Suicide Attempts Among Asylum-Seekers in Denmark. <i>Archives of Suicide Research</i> , 2023, 27, 415-425.	1.2	5
531	Effectiveness of medical treatment for bipolar disorder regarding suicide, self-harm and psychiatric hospital admission: between- and within-individual study on Danish national data. <i>British Journal of Psychiatry</i> , 2022, 221, 692-700.	1.7	5
532	Association of the leucine-7 to proline-7 variation in the signal sequence of neuropeptide Y with major depression. <i>Acta Neuropsychiatrica</i> , 2012, 24, 81-90.	1.0	4
533	An association study between the norepinephrine transporter gene and depression. <i>Psychiatric Genetics</i> , 2013, 23, 217-221.	0.6	4
534	Profile of cognitive deficits and associations with depressive symptoms and intelligence in chronic early-onset schizophrenia patients. <i>Scandinavian Journal of Psychology</i> , 2013, 54, 363-370.	0.8	4
535	The association between norepinephrine and metabolism in patients with major depression. <i>Neurology Psychiatry and Brain Research</i> , 2018, 30, 91-97.	2.0	4
536	Associations between duration of untreated psychosis and domains of positive and negative symptoms persist after 10 years of follow-up: A secondary analysis from the OPUS trial. <i>Schizophrenia Research</i> , 2021, 228, 575-580.	1.1	4
537	Characteristics of Survivors of Suicide Seeking Counseling From an NGO in Denmark: Analyses of a National Database. <i>Archives of Suicide Research</i> , 2022, 26, 1362-1377.	1.2	4
538	Incidence rates and employment trends in schizophrenia spectrum disorders, bipolar affective disorders and recurrent depression in the years 2000–2013: a Danish nationwide register-based study. <i>Nordic Journal of Psychiatry</i> , 2022, 76, 225-232.	0.7	4
539	Cerebrospinal fluid test results and associations with subsequent mental disorders, neurological diseases, and CNS infections: A population-based cohort study. <i>Brain, Behavior, and Immunity</i> , 2021, 98, 210-218.	2.0	4
540	Exploring protective and risk factors in the home environment in high-risk families – results from the Danish High Risk and Resilience Study – VIA 7. <i>BMC Psychiatry</i> , 2022, 22, 100.	1.1	4

#	ARTICLE	IF	CITATIONS
541	Machine learning based prediction and the influence of complement “ Coagulation pathway proteins on clinical outcome: Results from the NEURAPRO trial. <i>Brain, Behavior, and Immunity</i> , 2022, 103, 50-60.	2.0	4
542	Associations between treatment with melatonin and suicidal behavior: a nationwide cohort study. <i>Journal of Clinical Sleep Medicine</i> , 2022, 18, 2451-2458.	1.4	4
543	Prenatal stressors of human life affect fetal brain development. <i>Pediatric Neurology</i> , 1994, 11, 82.	1.0	3
544	Expressed emotion and family burden in first episode psychosis. <i>Schizophrenia Research</i> , 2000, 41, 168-169.	1.1	3
545	Was Risk of Suicide Underestimated?. <i>JAMA Psychiatry</i> , 2014, 71, 716.	6.0	3
546	You Seldom Get a Second Chance With a Gunshot: Lethality of Suicidal Acts. <i>American Journal of Psychiatry</i> , 2016, 173, 1069-1070.	4.0	3
547	Early intervention services are effective and must be defended. <i>World Psychiatry</i> , 2017, 16, 272-274.	4.8	3
548	Interview and questionnaire assessment of cognitive impairment in subjects at ultra-high risk for psychosis: Associations with cognitive test performance, psychosocial functioning, and positive symptoms. <i>Psychiatry Research</i> , 2020, 294, 113498.	1.7	3
549	Do schizotypal or borderline personality disorders predict onset of psychotic disorder or persistent attenuated psychotic symptoms in patients at high clinical risk?. <i>Schizophrenia Research</i> , 2020, 220, 275-277.	1.1	3
550	Association between neonatal homecare for preterm infants and incidence of severe postpartum depression in mothers. <i>Journal of Affective Disorders</i> , 2021, 278, 453-459.	2.0	3
551	Decision making and its associations to neurocognitive functions, psychopathology, and the home environment in seven-year-old children at familial high risk of schizophrenia or bipolar disorder: The Danish High Risk and Resilience Study VIA 7. <i>Journal of Affective Disorders</i> , 2021, 281, 609-617.	2.0	3
552	Assessment of Suicide Risks During the First Week Immediately After Discharge From Psychiatric Inpatient Facility. <i>Frontiers in Psychiatry</i> , 2021, 12, 643303.	1.3	3
553	Trajectories of symptoms of anxiety and depression among people on sick leave with mood or anxiety disorders: Secondary analysis from a randomized controlled trial. <i>Journal of Psychiatric Research</i> , 2021, 137, 250-257.	1.5	3
554	Vagotomy and the risk of mental disorders: A nationwide population-based study. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 67-78.	2.2	3
555	The 10-year trajectories of auditory hallucinations among 496 patients with a first schizophrenia-spectrum disorder: Findings from the OPUS cohort. <i>Schizophrenia Research</i> , 2021, , .	1.1	3
556	Trajectories of Vocational Recovery Among Persons with Severe Mental Illness Participating in a Randomized Three-Group Superiority Trial of Individual Placement and Support (IPS) in Denmark. <i>Journal of Occupational Rehabilitation</i> , 2022, 32, 260-271.	1.2	3
557	Medical cannabis and cannabis-based medicine show both potential efficacy and potential harms: Cross-sectional comparison with controls on self-rated and interviewer-rated outcomes within the Danish pilot program on medical cannabis. <i>Complementary Therapies in Clinical Practice</i> , 2021, 45, 101476.	0.7	3
558	The impact of patient-controlled hospital admissions among patients with severe mental disorders on health care cost: A nationwide register-based cohort study using quasi-experimental design. <i>Journal of Psychiatric Research</i> , 2021, 144, 331-337.	1.5	3

#	ARTICLE	IF	CITATIONS
559	Neurocognitive heterogeneity in 7-year-old children at familial high risk of schizophrenia or bipolar disorder: The Danish high risk and resilience study - VIA 7. <i>Journal of Affective Disorders</i> , 2022, 302, 214-223.	2.0	3
560	Treatment Approaches for First Episode and Early-Phase Schizophrenia in Adolescents and Young Adults: A Delphi Consensus Report from Europe. <i>Neuropsychiatric Disease and Treatment</i> , 2022, Volume 18, 201-219.	1.0	3
561	The Danish High-Risk and Resilience Studyâ€”VIA 15 â€” A Study Protocol for the Third Clinical Assessment of a Cohort of 522 Children Born to Parents Diagnosed With Schizophrenia or Bipolar Disorder and Population-Based Controls. <i>Frontiers in Psychiatry</i> , 2022, 13, 809807.	1.3	3
562	The role of general practice in community mental health: A survey in four districts of Copenhagen. <i>Nordic Journal of Psychiatry</i> , 1992, 46, 223-227.	0.7	2
563	Attempted suicide: Are effective disorders missed?: Authors' reply. <i>BMJ: British Medical Journal</i> , 1993, 307, 866-866.	2.4	2
564	Suicide and suicide attempts among young persons in Copenhagen. <i>Nordic Journal of Psychiatry</i> , 1993, 47, 61-69.	0.7	2
565	Delirium tremens and physical alcohol withdrawal: A double-blind comparison of phenobarbital and barbital treatment. <i>Nordic Journal of Psychiatry</i> , 1994, 48, 121-130.	0.7	2
566	CAPOPUS Trial: an Observer-blinded RCT of Specialized Addiction Treatment Versus Standard Treatment for Young Patients with Cannabis Abuse and Psychosis. <i>European Psychiatry</i> , 2009, 24, .	0.1	2
567	Autoimmunity and infections as risk factors for depression and other severe mental illnesses. <i>Neurology Psychiatry and Brain Research</i> , 2012, 18, 40-41.	2.0	2
568	Listen to the patient: challenges in the evaluation of the risk of suicidal behaviour. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 255-256.	2.2	2
569	210. NEURAPRO: A Multi-center RCT of Omega-3 Polyunsaturated Fatty Acids Versus Placebo in Young People at Ultra-High Risk of Psychotic Disorders: Medium-Term Outcome. <i>Schizophrenia Bulletin</i> , 2017, 43, S107-S107.	2.3	2
570	Comparing postâ€”deployment mental health services utilization in soldiers deployed to Balkan, Iraq and Afghanistan. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 564-572.	2.2	2
571	Social functioning in patients with first-episode psychosis. <i>Lancet Psychiatry</i> , the, 2018, 5, 3-4.	3.7	2
572	T9. CROSS-SECTIONAL ASSOCIATION OF MEMBRANE FATTY ACID COMPOSITION AND PSYCHOPATHOLOGY IN THE NEURAPRO-E STUDY. <i>Schizophrenia Bulletin</i> , 2018, 44, S116-S116.	2.3	2
573	Systematic review and meta-analysis of cerebrospinal fluid markers of inflammation and infections in schizophrenia and affective disorders. <i>Neurology Psychiatry and Brain Research</i> , 2018, 29, 17-18.	2.0	2
574	T42. WHEN SHOULD EARLY INTERVENTION START, AND FOR HOW LONG SHOULD IT LAST?. <i>Schizophrenia Bulletin</i> , 2018, 44, S129-S129.	2.3	2
575	T54. TAILOR â€” TAPERED DISCONTINUATION VERSUS MAINTENANCE THERAPY OF ANTIPSYCHOTIC MEDICATION IN PATIENTS WITH NEWLY DIAGNOSED SCHIZOPHRENIA SPECTRUM DISORDERS IN REMISSION OF PSYCHOTIC SYMPTOMS. <i>Schizophrenia Bulletin</i> , 2018, 44, S134-S135.	2.3	2
576	Urgent need for better care after self-harm. <i>Lancet Psychiatry</i> , the, 2019, 6, 971-972.	3.7	2

#	ARTICLE	IF	CITATIONS
577	Children of Patients Undergoing Psychiatric Treatment: An Investigation of Statutory Support Services After Referrals to Child Protection Services. <i>Frontiers in Psychiatry</i> , 2020, 11, 527.	1.3	2
578	Post-error adjustment among children aged 7 years with a familial high risk of schizophrenia or bipolar disorder: A population-based cohort study. <i>Development and Psychopathology</i> , 2022, 34, 2023-2033.	1.4	2
579	Is the Association Between Parents' Mental Illness and Child Psychopathology Mediated via Home Environment and Caregiver's Psychosocial Functioning? A Mediation Analysis of the Danish High Risk and Resilience Study "VIA7, a Population-Based Cohort Study. <i>Schizophrenia Bulletin Open</i> , 2021, 2, .	0.9	2
580	Bereavement Among Adult Siblings: An Examination of Health Services Utilization and Mental Health Outcomes. <i>American Journal of Epidemiology</i> , 2021, 190, 2571-2581.	1.6	2
581	The association of plasma inflammatory markers with omega-3 fatty acids and their mediating role in psychotic symptoms and functioning: An analysis of the NEURAPRO clinical trial. <i>Brain, Behavior, and Immunity</i> , 2022, 99, 147-156.	2.0	2
582	Right-Based Mental Health Care "Advantages of Tax-Financed Universal Mental Health Care. <i>JAMA Psychiatry</i> , 2021, , .	6.0	2
583	Genome-wide by Environment Interaction Study of Stressful Life Events and Hospital-Treated Depression in the iPSYCH2012 Sample. <i>Biological Psychiatry Global Open Science</i> , 2022, 2, 400-410.	1.0	2
584	Home environment of 11-year-old children born to parents with schizophrenia or bipolar disorder " a controlled, 4-year follow-up study: The Danish High Risk and Resilience Study " VIA 11. <i>Psychological Medicine</i> , 2023, 53, 2563-2573.	2.7	2
585	Patients in the care of private psychiatric practitioners. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1992, 27, 156-160.	1.6	2
586	Twelve-Month Cognitive Trajectories in Individuals at Ultra-High Risk for Psychosis: A Latent Class Analysis. <i>Schizophrenia Bulletin Open</i> , 2022, 3, .	0.9	2
587	Sex differences across developmental domains among children with a familial risk of severe mental disorders. <i>Psychological Medicine</i> , 2022, , 1-16.	2.7	2
588	Discontinuation of antipsychotics in individuals with first-episode schizophrenia and its association to functional outcomes, hospitalization and death: a register-based nationwide follow-up study. <i>Psychological Medicine</i> , 2023, 53, 5033-5041.	2.7	2
589	Jumping to Conclusions and Its Associations With Psychotic Experiences in Preadolescent Children at Familial High Risk of Schizophrenia or Bipolar Disorder-The Danish High Risk and Resilience Study, VIA 11. <i>Schizophrenia Bulletin</i> , 2022, 48, 1363-1372.	2.3	2
590	Small Group Homes for the Long-Term Mentally Ill: Clinical and Social Characteristics of the Residents. <i>Nordic Journal of Psychiatry</i> , 1996, 50, 297-303.	0.7	1
591	Book Review Early Clinical Intervention and Prevention in Schizophrenia Edited by William S. Stone, Stephen V. Faraone, and Ming T. Tsuang. 374 pp. Totowa, N.J., Humana Press, 2004. \$125. 1-58829-001-8. <i>New England Journal of Medicine</i> , 2004, 351, 942-943.	13.9	1
592	FC9C ASSOCIATION BETWEEN PREMORBID FUNCTIONING, DURATION OF UNTREATED PSYCHOSIS AND TWO-YEAR OUTCOME IN FIRST-EPISEDE PSYCHOSIS. <i>Schizophrenia Research</i> , 2006, 86, S43.	1.1	1
593	Using research and evaluation to inform the development of early-psychosis service models. , 2009, , 385-404.		1
594	OPUS -trial: Five-year Follow-up of a RCT of Specialized Treatment for Patients with First Episode Psychosis. <i>European Psychiatry</i> , 2009, 24, .	0.1	1

#	ARTICLE	IF	CITATIONS
595	Treatment of first-episode psychosis patient, psychosocial aspects. Drug Discovery Today: Therapeutic Strategies, 2011, 8, 37-41.	0.5	1
596	hsCRP in depressed outpatients. Any association to depressive symptoms?. Neurology Psychiatry and Brain Research, 2012, 18, 64-65.	2.0	1
597	Neuropeptide Y genes and suicidal behaviour among schizophrenic patients. Psychiatric Genetics, 2013, 23, 139-140.	0.6	1
598	EPA-1033 " Cognitive adaptation training for outpatients with schizophrenia in integrated treatment. European Psychiatry, 2014, 29, 1.	0.1	1
599	Effect of Anti-inflammatory Treatment On Depression, Depressive Symptoms and Side Effects: a Systematic Review and Meta-analysis of Randomized Clinical Trials. European Psychiatry, 2015, 30, 342.	0.1	1
600	Psychosocial therapy for people at risk of suicide. Lancet Psychiatry,the, 2016, 3, 494-495.	3.7	1
601	The CapOpus Trial for Cannabis Use Disorders. , 2017, , 1086-1092.		1
602	O9.1. CANNABIS AND OTHER SUBSTANCE USE DISORDERS PREDICT CONVERSION FROM SCHIZOTYPAL DISORDER TO SCHIZOPHRENIA. Schizophrenia Bulletin, 2018, 44, S99-S99.	2.3	1
603	F84. ASSOCIATIONS BETWEEN INTELLIGENCE, VERBAL WORKING MEMORY AND PROCESSING SPEED IN PARENTS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER AND THEIR 7-YEAR OLD OFFSPRING. Schizophrenia Bulletin, 2018, 44, S252-S252.	2.3	1
604	F25. NEURAPRO REVISITED: INCREASES IN LONG-CHAIN OMEGA-3 FATTY ACIDS IMPROVE FUNCTIONAL AND SYMPTOMATIC OUTCOMES IN ULTRAHIGH RISK PATIENTS. Schizophrenia Bulletin, 2018, 44, S228-S228.	2.3	1
605	S136. A NOVEL APPROACH FOR DEVELOPING PREDICTION MODEL OF TRANSITION TO PSYCHOSIS: DYNAMIC PREDICTION USING JOINT MODELLING. Schizophrenia Bulletin, 2018, 44, S378-S379.	2.3	1
606	O8.8. NEUROCOGNITION IN ULTRA-HIGHRISK INDIVIDUALS AND RELATIONSHIP TO TRANSITION TO PSYCHOSIS, DEPRESSIVE DISORDER, AND FUNCTIONING: FINDINGS FROM THE NEURAPRO TRIAL. Schizophrenia Bulletin, 2018, 44, S99-S99.	2.3	1
607	Odor identification in 7-year-old children at familial high risk of schizophrenia or bipolar disorder - the Danish high risk and resilience study VIA 7. Schizophrenia Research, 2020, 216, 77-84.	1.1	1
608	Supplementary data for a focused review and meta-analysis of 1H-MRS studies on cerebral glutamate and GABA levels in high-risk of psychosis states. Data in Brief, 2020, 28, 104920.	0.5	1
609	Development of Executive Functions as Reflected in Daily Life Behaviors in Young Adults at Ultra-High Risk for Psychosis: Associations With Symptoms and Functioning. Schizophrenia Bulletin Open, 2020, 1, .	0.9	1
610	Limited Conclusions Can Be Reached From Danish Randomized Clinical Trial of Supported Employment"Reply. JAMA Psychiatry, 2020, 77, 327.	6.0	1
611	Heterogeneity of social cognitive and language functions in children at familial high-risk of severe mental illness; The Danish High Risk and Resilience Study VIA 7. European Child and Adolescent Psychiatry, 2022, 31, 991-1002.	2.8	1
612	Improving the precision of depression diagnosis in general practice: a cluster-randomized trial. BMC Family Practice, 2021, 22, 88.	2.9	1

#	ARTICLE	IF	CITATIONS
613	Substance-induced psychosis as a risk factor for unipolar depression or anxiety disordersâ€“A nationwide register-based prospective cohort study. <i>Journal of Affective Disorders</i> , 2021, 295, 960-966.	2.0	1
614	Dr. Laursen and Colleagues Reply. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 1188.	1.1	1
615	More coherent treatment needed for people at high risk of suicide. <i>Lancet Psychiatry</i> , 2022, 9, 263-264.	3.7	1
616	Traumatic brain injury and risk of subsequent attempted suicide and violent crime. <i>Psychological Medicine</i> , 2023, 53, 4094-4102.	2.7	1
617	Level of Suicidal Ideation Among Callers to the Danish Suicide Prevention Helpline. <i>Archives of Suicide Research</i> , 0, , 1-16.	1.2	1
618	Transmission of intelligence, working memory, and processing speed from parents to their seven-year-old offspring is function specific in families with schizophrenia or bipolar disorder. <i>Schizophrenia Research</i> , 2022, 246, 195-201.	1.1	1
619	Mismatch negativity and P3a amplitude in children with familial high risk of schizophrenia or bipolar disorder â€“ A Danish register-based EEG study. <i>Schizophrenia Research</i> , 2022, 246, 187-194.	1.1	1
620	The Copenhagen Community Psychiatric Project (CCPP). , 1996, , 67-81.		0
621	Book Review Mind, Brain, and Schizophrenia By Peter Williamson. 278 pp., illustrated. New York, Oxford University Press, 2006. \$65. 0-19-517637-5. <i>New England Journal of Medicine</i> , 2006, 355, 1288-1288.	13.9	0
622	Experiences from Danish network projects. <i>European Psychiatry</i> , 2008, 23, S55-S56.	0.1	0
623	The Demo Trial: An Observer-blinded RCT of Strength Versus Aerobic Versus Relaxation Training for Patients with Mild to Moderate Depression. <i>European Psychiatry</i> , 2009, 24, .	0.1	0
624	Review: pharmacological and psychological interventions decrease cannabis use in people with depressive and psychotic disorders in the short term. <i>Evidence-Based Mental Health</i> , 2010, 13, 124-124.	2.2	0
625	S25-02 - Preventive and Intensive Treatment of Psychosis for High-Risk and First-Episode Subjects. <i>European Psychiatry</i> , 2010, 25, .	0.1	0
626	P01-411 - Development of Heart Disease Treatment, and Mortality, from 1994 to 2006 among Persons with Schizophrenia or Bipolar Disorder. <i>European Psychiatry</i> , 2010, 25, .	0.1	0
627	PW01-207 - Quality Of Care And Crime Rates Among Patients With Schizophrenia: A Nationwide Population-Based Follow-Up Study. <i>European Psychiatry</i> , 2010, 25, .	0.1	0
628	2103 â€“ Cognitive adaptation training in an assertive community treatment setting for outpatients with schizophrenia. <i>European Psychiatry</i> , 2013, 28, 1.	0.1	0
629	Patterns in mortality among people with severe mental disorders in 1982-2006 across Finnish and Danish birth cohorts. <i>European Journal of Public Health</i> , 2013, 23, .	0.1	0
630	Poster #T95 EXCESS MORTALITY IN MENTAL DISORDERS ATTRIBUTABLE TO SUBSTANCE USE DISORDERS. <i>Schizophrenia Research</i> , 2014, 153, S322-S323.	1.1	0

#	ARTICLE	IF	CITATIONS
631	Poster #S270 DOES SUBSTANCE ABUSE INCREASE THE RISK OF PSYCHIATRIC ILLNESS?. Schizophrenia Research, 2014, 153, S188.	1.1	0
632	Poster #S174 STRESS, CORTISOL AND PITUITARY VOLUME DURING PSYCHOSIS. Schizophrenia Research, 2014, 153, S152-S153.	1.1	0
633	Poster #S227 REMEMBERING DAILY COGNITIVE FUNCTIONING IN SUBJECTS AT ULTRA-HIGH RISK FOR PSYCHOSIS: A CROSS-SECTIONAL STUDY ON EVERYDAY MANIFESTATIONS OF COGNITIVE DEFICITS IN AN ULTRA-HIGH RISK COHORT. Schizophrenia Research, 2014, 153, S171-S172.	1.1	0
634	Poster #T93 CONCORDANCE RATES AND HERITABILITY IN SCHIZOPHRENIA DATA FROM A DANISH TWIN STUDY. Schizophrenia Research, 2014, 153, S322.	1.1	0
635	EPA-1525 - Change- it is about life. a randomized clinical trial of two health promoting programs versus standard treatment for patients with schizophrenia. European Psychiatry, 2014, 29, 1.	0.1	0
636	Adolescent cannabis use and adverse sequelae in adulthood. Lancet Psychiatry, the, 2014, 1, 249-251.	3.7	0
637	Poster #T20 THE ASSOCIATION BETWEEN INFECTIONS AND GENERAL COGNITIVE ABILITY IN YOUNG MEN – A DANISH NATIONWIDE STUDY. Schizophrenia Research, 2014, 153, S296.	1.1	0
638	Delay in blood sampling for routine newborn screening is associated with increased risk of schizophrenia. Schizophrenia Research, 2015, 162, 90-96.	1.1	0
639	Improving Quality of Care Among Patients Hospitalized with Schizophrenia: a Nationwide Initiative. European Psychiatry, 2015, 30, 236.	0.1	0
640	Social cognition, functional capacity and symptoms in the longitudinal prediction of outcome in subjects with first-episode schizophrenia. European Psychiatry, 2016, 33, S67-S67.	0.1	0
641	Assertive Interventions for First Episode Psychoses: The Danish Experience. European Psychiatry, 2017, 41, S4-S4.	0.1	0
642	5. Mitochondrial DNA Haplogroups are Associated with Psychiatric Disease: A Nation-Wide Study of 74,763 Danes. Biological Psychiatry, 2017, 81, S3.	0.7	0
643	The Impact of the Change Trial on Physical Health in People With Schizophrenia. European Psychiatry, 2017, 41, S10-S10.	0.1	0
644	Associations between cognition in parents with schizophrenia or bipolar disorder and their 7-year old high-risk offspring. European Psychiatry, 2017, 41, s813-s813.	0.1	0
645	Letter to the Editor. European Journal of Gastroenterology and Hepatology, 2017, 29, 615.	0.8	0
646	22. The Effects of Antidepressant use on Clinical Outcomes in the NEURAPRO-E Trial. Schizophrenia Bulletin, 2017, 43, S15-S16.	2.3	0
647	SA81. Glutamatergic and GABAergic Disturbances in Individuals at Ultra-High Risk of Psychosis: Implications for Clinical and Functional Outcome. Schizophrenia Bulletin, 2017, 43, S142-S142.	2.3	0
648	SA90. Nonpharmacological Modulation of Cerebral White Matter Organization: A Systematic Review. Schizophrenia Bulletin, 2017, 43, S145-S145.	2.3	0

#	ARTICLE	IF	CITATIONS
649	S102. CANNABIS MAY PROTECT AGAINST CERTAIN DISORDERS OF THE DIGESTIVE ORGANS IN PATIENTS WITH SCHIZOPHRENIA BUT NOT IN HEALTHY CONTROLS. Schizophrenia Bulletin, 2018, 44, S365-S365.	2.3	0
650	O7.7. COGNITIVE FUNCTIONING FOLLOWING DISCONTINUATION OF ANTIPSYCHOTIC MEDICATION: A SUB-GROUP ANALYSIS FROM THE OPUS II TRIAL. Schizophrenia Bulletin, 2018, 44, S95-S96.	2.3	0
651	O12.5. GENETIC AND ENVIRONMENTAL PREDICTORS OF MAIN OUTCOMES IN THE DANISH HIGH RISK AND RESILIENCE STUDY - VIA 7. A STUDY OF 522 7-YEAR-OLD CHILDREN OF PARENTS WITH SCHIZOPHRENIA, BIPOLAR DISORDER OR NEITHER OF THESE DISORDERS. Schizophrenia Bulletin, 2018, 44, S110-S111.	2.3	0
652	F137. INFECTIONS OF THE CENTRAL NERVOUS SYSTEM AS A RISK FACTOR FOR MENTAL DISORDERS AND COGNITIVE IMPAIRMENT: A NATIONWIDE REGISTER-BASED STUDY. Schizophrenia Bulletin, 2018, 44, S273-S273.	2.3	0
653	O4.6. GENOME-WIDE ASSOCIATION STUDY, HERITABILITY ESTIMATION AND POLYGENIC RISK ANALYSIS OF SUSCEPTIBILITY TO INFECTIONS IN 65,534 INDIVIDUALS WITH SEVERE MENTAL DISORDERS AND POPULATION CONTROLS. Schizophrenia Bulletin, 2018, 44, S85-S85.	2.3	0
654	O11.2. CHANGES IN PSYCHOPATHOLOGY PREDICT CHANGES IN WORKING ALLIANCE IN FIRST EPISODE PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S106-S107.	2.3	0
655	T16. GLUTAMATERGIC CHANGES IN UHR. Schizophrenia Bulletin, 2018, 44, S119-S119.	2.3	0
656	T248. PSYCHOPATHOLOGY IN F2X.X-UNAFFECTED CO-TWINS AS A VULNERABILITY INDICATOR OF PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S213-S214.	2.3	0
657	F204. THE DANISH HIGH-RISK AND RESILIENCE STUDY - VIA 7 - A PROSPECTIVE COHORTE STUDY OF 522 7 YEARS OLD CHILDREN BORN TO PARENTS DIAGNOSED WITH SCHIZOPHRENIA OR BIPOLAR DISORDER - RESULTS ON PSYCHOPATHOLOGY, COGNITION AND LIVING CONDITIONS. Schizophrenia Bulletin, 2018, 44, S300-S300.	2.3	0
658	S34. DEVELOPMENTAL TRAJECTORIES OF PSYCHOTIC EXPERIENCES AND THEORY OF MIND IN 11-YEAR-OLD OFFSPRING OF PARENTS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER. Schizophrenia Bulletin, 2018, 44, S336-S337.	2.3	0
659	F67. NEUROCOGNITION IN 7-YEAR-OLD CHILDREN OF PARENTS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER. Schizophrenia Bulletin, 2018, 44, S245-S246.	2.3	0
660	Self-harm, Traumatic Brain Injury, and Suicide—Reply. JAMA - Journal of the American Medical Association, 2018, 320, 2485.	3.8	0
661	F205. OLFACTORY IDENTIFICATION IN 7-YEAR OLD CHILDREN AT FAMILIAL RISK TO DEVELOP SCHIZOPHRENIA. Schizophrenia Bulletin, 2018, 44, S300-S301.	2.3	0
662	31.2 CAN WE IMPROVE FUNCTIONAL OUTCOME AND ADHERENCE IN OPTIMISE PARTICIPANTS WITH A PSYCHOSOCIAL INTERVENTION?. Schizophrenia Bulletin, 2018, 44, S50-S50.	2.3	0
663	T11. CEREBROSPINAL FLUID (CSF) MARKERS OF INFLAMMATION AND INFECTIONS IN SCHIZOPHRENIA AND AFFECTIVE DISORDERS: A SYSTEMATIC REVIEW AND META-ANALYSIS. Schizophrenia Bulletin, 2018, 44, S116-S117.	2.3	0
664	T123. PERSISTENT NEGATIVE SYMPTOMS IN FIRST EPISODE PSYCHOSIS: PREVALENCE, PREDICTORS AND PROGNOSIS. Schizophrenia Bulletin, 2018, 44, S163-S163.	2.3	0
665	O12.7. RISK OF PSYCHOSIS IN OFFSPRING OF PARENTS WITH A HISTORY OF HOMELESSNESS DURING CHILDHOOD AND ADOLESCENCE: A NATIONWIDE, REGISTER-BASED, COHORT STUDY. Schizophrenia Bulletin, 2018, 44, S111-S111.	2.3	0
666	Infections of the central nervous system as a risk factor for mental disorders and cognitive impairment. Neurology Psychiatry and Brain Research, 2018, 29, 18-19.	2.0	0

#	ARTICLE	IF	CITATIONS
667	Does future resource input reflect need in first episode psychosis: Examining the association between individual characteristics and 5-year costs. <i>Microbial Biotechnology</i> , 2019, 13, 1056-1061.	0.9	0
668	F18. PSYCHOPATHOLOGY AND SELF-CONCEPT IN A LONGITUDINAL COHORT OF CHILDREN WITH FAMILIAL HIGH RISK OF SCHIZOPHRENIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2019, 45, S261-S261.	2.3	0
669	F52. WHO CO-PARENT CHILDREN WITH MOTHERS AND FATHERS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER? CHARACTERIZING INDIVIDUALS WHO HAVE CHILDREN TOGETHER WITH INDIVIDUALS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2019, 45, S275-S275.	2.3	0
670	T10. MARKERS OF INFLAMMATION IN THE CEREBROSPINAL FLUID AND INCREASED BBB PERMEABILITY AS RISK FACTORS FOR SCHIZOPHRENIA AND AFFECTIVE DISORDERS: A DANISH REGISTER-BASED STUDY. <i>Schizophrenia Bulletin</i> , 2019, 45, S206-S207.	2.3	0
671	T97. PATTERNS OF COGNITIVE FUNCTION ARE UNIQUELY ASSOCIATED WITH WHITE MATTER-MICROSTRUCTURE IN INDIVIDUALS AT ULTRA-HIGH RISK FOR PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2019, 45, S241-S242.	2.3	0
672	GENOME-WIDE ASSOCIATION STUDY OF ANXIETY AND STRESS-RELATED DISORDERS. <i>European Neuropsychopharmacology</i> , 2019, 29, S819-S820.	0.3	0
673	7.2 PSYCHOTIC LIKE EXPERIENCES AND THEIR ASSOCIATIONS IN SEVEN-YEAR-OLD CHILDREN WITH FAMILIAL HIGH RISK OF SCHIZOPHRENIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2019, 45, S98-S98.	2.3	0
674	O6.5. INVESTIGATING VARIABLES FROM THE NAPLS RISK CALCULATOR FOR PSYCHOSIS IN THE EU-GEI HIGH RISK STUDY. <i>Schizophrenia Bulletin</i> , 2019, 45, S177-S178.	2.3	0
675	MITOCHONDRIAL DNA SNPS ASSOCIATED WITH SCHIZOPHRENIA EXHIBIT HIGHLY VARIABLE INTER-ALLELIC HAPLOGROUP AFFILIATION AND NUCLEAR GENOGEOGRAPHIC AFFINITY: BI-GENOMIC LINKAGE DISEQUILIBRIUM RAISES MAJOR CONCERN FOR LINK TO DISEASE. <i>European Neuropsychopharmacology</i> , 2019, 29, S781.	0.3	0
676	SA133 GENETIC PREDICTION OF TRANSITION FROM CHILDHOOD AND ADOLESCENT PSYCHIATRIC DISORDER TO SCHIZOPHRENIA. <i>European Neuropsychopharmacology</i> , 2019, 29, S1262.	0.3	0
677	P.026 Socio-demographic and clinical risk factors of treatment-resistant depression: a danish population-based cohort study. <i>European Neuropsychopharmacology</i> , 2019, 29, S38-S39.	0.3	0
678	P.098 Birth dimensions, severe mental illness and risk of type 2 diabetes in a cohort of Danish men born in 1953. <i>European Neuropsychopharmacology</i> , 2019, 29, S84-S85.	0.3	0
679	M56. ASSORTATIVE MATING IN SCHIZOPHRENIA AND BIPOLAR DISORDER: A NATIONWIDE COHORT STUDY EXPLORING THE CHARACTERISTICS OF INDIVIDUALS WHO HAVE CHILDREN BY PARTNERS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2020, 46, S155-S156.	2.3	0
680	Future directions in risk research. , 2020, , 417-430.		0
681	Are attenuated positive symptoms and cortisol levels associated?. <i>Schizophrenia Research</i> , 2021, 228, 621-623.	1.1	0
682	Development of visual attention from age 7 to age 12 in children with familial high risk for schizophrenia or bipolar disorder. <i>Schizophrenia Research</i> , 2021, 228, 327-335.	1.1	0
683	The CHALLENGE Project: Fighting Auditory Hallucinations by using Virtual Reality. , 2021, , .		0
684	Editorial: Mortality Risk and Related Adverse Outcomes Following Discharge From Inpatient Psychiatric Care. <i>Frontiers in Psychiatry</i> , 2021, 12, 763342.	1.3	0

#	ARTICLE	IF	CITATIONS
685	A 10 YEARS FOLLOW-UP STUDY OF SUICIDE ATTEMPTERS. , 1994, , .		0
686	SOCIAL CONDITIONS AND MENTAL ILLNESS AMONG HOMELESS PEOPLE IN COPENHAGEN. , 1994, , .		0
687	Comment and response to the commentary. Torture: Quarterly Journal on Rehabilitation of Torture Victims and Prevention of Torture, 2016, 26, 5.	0.1	0
688	Attenuated Psychosis Syndromes Among Danish Youth and Young Adults: Early Identification and Intervention. , 2019, , 333-348.		0
689	Psychiatric disorders in Nordic childhood cancer survivors. Lancet Psychiatry,the, 2021, , .	3.7	0
690	Early-Life Injuries and the Development of Attention-Deficit/Hyperactivity Disorder. Journal of Clinical Psychiatry, 2022, 83, .	1.1	0
691	Accumulation of disadvantages across multiple domains amongst subgroups of children of parents with schizophrenia or bipolar disorder. Clustering data from the Danish High Risk and Resilience Study VIA 7. Schizophrenia Bulletin Open, 0, , .	0.9	0
692	Treatment-resistant depression and labor market affiliation in the Danish welfare society: a register-based study. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 1189.	1.6	0
693	Association between early risk factors and level of functioning at age seven in children at familial risk for schizophrenia or bipolar disorder - The Danish High Risk and Resilience Study VIA 7. Scandinavian Journal of Child and Adolescent Psychiatry and Psychology, 2022, 10, 12-23.	0.3	0
694	Implementing Evidence-Based Psychosocial Interventions for Psychosis. , 2022, , 128-156.		0
695	Development of social responsiveness and theory of mind in children of parents with schizophrenia or bipolar disorder. Schizophrenia Research: Cognition, 2022, 28, 100242.	0.7	0
696	Physical Activity and Sleep in 11-Year Old Children With a Familial High Risk of Schizophrenia or Bipolar Disorder. The Danish High Risk and Resilience Studyâ€™VIA 11. Schizophrenia Bulletin Open, 2022, 3, .	0.9	0
697	P.0720 Cognition assessment in virtual reality: training of real-life cognitive functions with fully immersive virtual reality in mood or psychotic disorders. European Neuropsychopharmacology, 2021, 53, S527-S528.	0.3	0
698	The Strengths and Difficulties Questionnaire Is of Clinical Significance Regarding Emotional and Behavioral Problems in 7-Year-Old Children With Familial Risk of Schizophrenia or Bipolar Disorder and Population-Based Controls the Danish High Risk and Resilience Studyâ€™VIA 7; A Population-Based Cohort Study. Frontiers in Psychiatry, 2022, 13, .	1.3	0
699	School performance and genetic propensities for educational attainment and depression in the etiology of self-harm: a Danish population-based study. Nordic Journal of Psychiatry, 0, , 1-9.	0.7	0
700	Experiences of helplessness and fear among caregivers diagnosed with severe mental illness and co-caregivers: The Danish High Risk and Resilience Study â€™ VIA 7. Development and Psychopathology, 0, , 1-12.	1.4	0
701	Genetic liability to posttraumatic stress disorder and its association with postpartum depression. Psychological Medicine, 0, , 1-8.	2.7	0