

Merete Nordentoft

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9524946/merete-nordentoft-publications-by-year.pdf>

Version: 2024-03-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

650 papers	33,447 citations	85 h-index	167 g-index
807 ext. papers	44,876 ext. citations	7.1 avg, IF	7.37 L-index

#	Paper	IF	Citations
650	The future of human behaviour research.. <i>Nature Human Behaviour</i> , 2022 , 6, 15-24	12.8	3
649	Group cognitive behavioural therapy with virtual reality exposure versus group cognitive behavioural therapy with in vivo exposure for social anxiety disorder and agoraphobia: a protocol for a randomised clinical trial.. <i>BMJ Open</i> , 2022 , 12, e051147	3	0
648	Exploring protective and risk factors in the home environment in high-risk families - results from the Danish High Risk and Resilience Study-VIA 7.. <i>BMC Psychiatry</i> , 2022 , 22, 100	4.2	0
647	Treatment-resistant depression and labor market affiliation in the Danish welfare society: a register-based study.. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022 , 57, 1189	4.5	
646	Treatment Approaches for First Episode and Early-Phase Schizophrenia in Adolescents and Young Adults: A Delphi Consensus Report from Europe.. <i>Neuropsychiatric Disease and Treatment</i> , 2022 , 18, 201-219	3.1	1
645	Accounting for age of onset and family history improves power in genome-wide association studies.. <i>American Journal of Human Genetics</i> , 2022 ,	11	1
644	Alteration of gut microbiome in patients with schizophrenia indicates links between bacterial tyrosine biosynthesis and cognitive dysfunction. <i>Biological Psychiatry Global Open Science</i> , 2022 ,		2
643	Verbal memory performance predicts remission and functional outcome in people at clinical high-risk for psychosis.. <i>Schizophrenia Research: Cognition</i> , 2022 , 28, 100222	2.8	0
642	The association of plasma inflammatory markers with omega-3 fatty acids and their mediating role in psychotic symptoms and functioning: An analysis of the NEURAPRO clinical trial. <i>Brain, Behavior, and Immunity</i> , 2022 , 99, 147-156	16.6	0
641	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , 2022 , 91, 102-117	7.9	11
640	Genome-wide association study of febrile seizures implicates fever response and neuronal excitability genes.. <i>Brain</i> , 2022 ,	11.2	4
639	Association between early risk factors and level of functioning at age seven in children at familial risk for schizophrenia or bipolar disorder - The Danish High Risk and Resilience Study VIA 7. <i>Scandinavian Journal of Child and Adolescent Psychiatry and Psychology</i> , 2022 , 10, 12-23	0.6	
638	Sex differences across developmental domains among children with a familial risk of severe mental disorders.. <i>Psychological Medicine</i> , 2022 , 1-16	6.9	0
637	Implementing Evidence-Based Psychosocial Interventions for Psychosis 2022 , 128-156		
636	Mapping genomic loci implicates genes and synaptic biology in schizophrenia.. <i>Nature</i> , 2022 ,	50.4	35
635	Rare coding variants in ten genes confer substantial risk for schizophrenia.. <i>Nature</i> , 2022 ,	50.4	16
634	The Danish High-Risk and Resilience Study-VIA 15 - A Study Protocol for the Third Clinical Assessment of a Cohort of 522 Children Born to Parents Diagnosed With Schizophrenia or Bipolar Disorder and Population-Based Controls.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 809807	5	0

633	Vaccination against SARS-CoV-2 infection among vulnerable and marginalised population groups in Denmark: A nationwide population-based study.. <i>Lancet Regional Health - Europe, The</i> , 2022 , 16, 100355		0
632	Development of social responsiveness and theory of mind in children of parents with schizophrenia or bipolar disorder.. <i>Schizophrenia Research: Cognition</i> , 2022 , 28, 100242	2.8	
631	Traumatic brain injury and risk of subsequent attempted suicide and violent crime.. <i>Psychological Medicine</i> , 2022 , 1-9	6.9	
630	Effectiveness of medical treatment for bipolar disorder regarding suicide, self-harm and psychiatric hospital admission: between- and within-individual study on Danish national data.. <i>British Journal of Psychiatry</i> , 2022 , 1-9	5.4	
629	Gut microbial changes of patients with psychotic and affective disorders: A systematic review. <i>Schizophrenia Research</i> , 2021 , 234, 1-10	3.6	19
628	Suicide Rates in Nordic Prisons 2000-2016. <i>Archives of Suicide Research</i> , 2021 , 25, 704-714	2.3	2
627	Genome-wide association study of panic disorder reveals genetic overlap with neuroticism and depression. <i>Molecular Psychiatry</i> , 2021 , 26, 4179-4190	15.1	8
626	Mental disorders in preadolescent children at familial high-risk of schizophrenia or bipolar disorder - a four-year follow-up study: The Danish High Risk and Resilience Study, VIA 11: The Danish High Risk and Resilience Study, VIA 11.. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021 , 62, 125-134	7.9	1
625	Cognition Assessment in Virtual Reality: Validity and feasibility of a novel virtual reality test for real-life cognitive functions in mood disorders and psychosis spectrum disorders.. <i>Journal of Psychiatric Research</i> , 2021 , 145, 182-189	5.2	1
624	Associations between patterns in comorbid diagnostic trajectories of individuals with schizophrenia and etiological factors. <i>Nature Communications</i> , 2021 , 12, 6617	17.4	1
623	Comparing Copy Number Variations in a Danish Case Cohort of Individuals With Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021 ,	14.5	3
622	Pleiotropy between language impairment and broader behavioral disorders-an investigation of both common and rare genetic variants. <i>Journal of Neurodevelopmental Disorders</i> , 2021 , 13, 54	4.6	0
621	The impact of patient-controlled hospital admissions among patients with severe mental disorders on health care cost: A nationwide register-based cohort study using quasi-experimental design. <i>Journal of Psychiatric Research</i> , 2021 , 144, 331-337	5.2	0
620	Omega-3 fatty acids and neurocognitive ability in young people at ultra-high risk for psychosis. <i>Microbial Biotechnology</i> , 2021 , 15, 874-881	3.3	3
619	Executive functions in 7-year-old children of parents with schizophrenia or bipolar disorder compared with controls: The Danish High Risk and Resilience Study-VIA 7, a population-based cohort study. <i>European Child and Adolescent Psychiatry</i> , 2021 , 30, 1871-1884	5.5	3
618	People exposed to suicide attempts: Frequency, impact, and the support received. <i>Suicide and Life-Threatening Behavior</i> , 2021 , 51, 467-477	3.9	2
617	A Nationwide Cohort Study of Nonrandom Mating in Schizophrenia and Bipolar Disorder. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1342-1350	1.3	3
616	Identification of genetic loci associated with nocturnal enuresis: a genome-wide association study. <i>The Lancet Child and Adolescent Health</i> , 2021 , 5, 201-209	14.5	7

615	A Qualitative Study on the Implementation of Flexible Assertive Community Treatment - an Integrated Community-based Treatment Model for Patients with Severe Mental Illness. <i>International Journal of Integrated Care</i> , 2021 , 21, 13	2	0
614	Assessment of Suicide Risks During the First Week Immediately After Discharge From Psychiatric Inpatient Facility. <i>Frontiers in Psychiatry</i> , 2021 , 12, 643303	5	
613	Co-occurring hydrocephalus in autism spectrum disorder: a Danish population-based cohort study. <i>Journal of Neurodevelopmental Disorders</i> , 2021 , 13, 19	4.6	2
612	Intergenerational transmission of suicide attempt in a cohort of 4.4 million children. <i>Psychological Medicine</i> , 2021 , 1-8	6.9	3
611	Characteristics of Survivors of Suicide Seeking Counseling From an NGO in Denmark: Analyses of a National Database. <i>Archives of Suicide Research</i> , 2021 , 1-16	2.3	1
610	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021 , 53, 817-829	36.3	83
609	Post-error adjustment among children aged 7 years with a familial high risk of schizophrenia or bipolar disorder: A population-based cohort study. <i>Development and Psychopathology</i> , 2021 , 1-11	4.3	0
608	Improving the precision of depression diagnosis in general practice: a cluster-randomized trial. <i>BMC Family Practice</i> , 2021 , 22, 88	2.6	0
607	Prevention in the mental health field should be implemented synergically at different levels. <i>World Psychiatry</i> , 2021 , 20, 230-231	14.4	
606	Polygenic liability, stressful life events and risk for secondary-treated depression in early life: a nationwide register-based case-cohort study. <i>Psychological Medicine</i> , 2021 , 1-10	6.9	1
605	Trajectories of symptoms of anxiety and depression among people on sick leave with mood or anxiety disorders: Secondary analysis from a randomized controlled trial. <i>Journal of Psychiatric Research</i> , 2021 , 137, 250-257	5.2	0
604	Pharmacogenetic genotype and phenotype frequencies in a large Danish population-based case-cohort sample. <i>Translational Psychiatry</i> , 2021 , 11, 294	8.6	4
603	Predictors of work and education among people with severe mental illness who participated in the Danish individual placement and support study: findings from a randomized clinical trial. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 1669-1677	4.5	0
602	Mortality in substance-induced psychosis: a register-based national cohort study. <i>Addiction</i> , 2021 , 116, 3515-3524	4.6	0
601	Leveraging both individual-level genetic data and GWAS summary statistics increases polygenic prediction. <i>American Journal of Human Genetics</i> , 2021 , 108, 1001-1011	11	2
600	Reversibility of Antipsychotic-Induced Weight Gain: A Systematic Review and Meta-Analysis. <i>Frontiers in Endocrinology</i> , 2021 , 12, 577919	5.7	0
599	Association of Structural Magnetic Resonance Imaging Measures With Psychosis Onset in Individuals at Clinical High Risk for Developing Psychosis: An ENIGMA Working Group Mega-analysis. <i>JAMA Psychiatry</i> , 2021 , 78, 753-766	14.5	17
598	International application of standards for health care quality, access and evaluation of services for early intervention in psychotic disorders. <i>Microbial Biotechnology</i> , 2021 , 15, 723-730	3.3	2

597	Prediction of clinical outcomes beyond psychosis in the ultra-high risk for psychosis population. <i>Microbial Biotechnology</i> , 2021 , 15, 642-651	3.3	4
596	Genetic factors underlying the bidirectional relationship between autoimmune and mental disorders - Findings from a Danish population-based study. <i>Brain, Behavior, and Immunity</i> , 2021 , 91, 10-23	16.6	4
595	Association between neonatal homecare for preterm infants and incidence of severe postpartum depression in mothers. <i>Journal of Affective Disorders</i> , 2021 , 278, 453-459	6.6	0
594	Genetic predictors of educational attainment and intelligence test performance predict voter turnout. <i>Nature Human Behaviour</i> , 2021 , 5, 281-291	12.8	2
593	Dysregulated Lipid Metabolism Precedes Onset of Psychosis. <i>Biological Psychiatry</i> , 2021 , 89, 288-297	7.9	10
592	Gestational age-dependent development of the neonatal metabolome. <i>Pediatric Research</i> , 2021 , 89, 1396-1404	3.2	7
591	Associations between duration of untreated psychosis and domains of positive and negative symptoms persist after 10 years of follow-up: A secondary analysis from the OPUS trial. <i>Schizophrenia Research</i> , 2021 , 228, 575-580	3.6	1
590	Psychotic experiences in seven-year-old children with familial high risk of schizophrenia or bipolar disorder in: The Danish High Risk and Resilience Study - VIA 7; A population-based cohort study. <i>Schizophrenia Research</i> , 2021 , 228, 510-518	3.6	2
589	Decision making and its associations to neurocognitive functions, psychopathology, and the home environment in seven-year-old children at familial high risk of schizophrenia or bipolar disorder: The Danish High Risk and Resilience Study VIA 7. <i>Journal of Affective Disorders</i> , 2021 , 281, 609-617	6.6	1
588	Are attenuated positive symptoms and cortisol levels associated?. <i>Schizophrenia Research</i> , 2021 , 228, 621-623	3.6	
587	Genome-wide association study across pediatric central nervous system tumors implicates shared predisposition and points to 1q25.2 (PAPPA2) and 11p12 (LRRC4C) as novel candidate susceptibility loci. <i>Childs Nervous System</i> , 2021 , 37, 819-830	1.7	6
586	Treatment-resistant depression and risk of all-cause mortality and suicidality in Danish patients with major depression. <i>Journal of Psychiatric Research</i> , 2021 , 135, 197-202	5.2	5
585	The effect of flexible assertive community treatment in Denmark: a quasi-experimental controlled study. <i>Lancet Psychiatry</i> , 2021 , 8, 27-35	23.3	11
584	Parental mental illness, attendance at preventive child healthcare and dental caries in the offspring: a nation-wide population-based cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 583-592	4.5	3
583	Development of Proteomic Prediction Models for Transition to Psychotic Disorder in the Clinical High-Risk State and Psychotic Experiences in Adolescence. <i>JAMA Psychiatry</i> , 2021 , 78, 77-90	14.5	19
582	A polygenic resilience score moderates the genetic risk for schizophrenia. <i>Molecular Psychiatry</i> , 2021 , 26, 800-815	15.1	15
581	Annual incidence of cannabis-induced psychosis, other substance-induced psychoses and dually diagnosed schizophrenia and cannabis use disorder in Denmark from 1994 to 2016. <i>Psychological Medicine</i> , 2021 , 51, 617-622	6.9	9
580	No evidence of associations between genetic liability for schizophrenia and development of cannabis use disorder. <i>Psychological Medicine</i> , 2021 , 51, 479-484	6.9	7

579	Predictors of remission from the ultra-high risk state for psychosis. <i>Microbial Biotechnology</i> , 2021 , 15, 104-112	3.3	5
578	Generalized neurocognitive impairment in individuals at ultra-high risk for psychosis: The possible key role of slowed processing speed. <i>Brain and Behavior</i> , 2021 , 11, e01962	3.4	3
577	Risk variants and polygenic architecture of disruptive behavior disorders in the context of attention-deficit/hyperactivity disorder. <i>Nature Communications</i> , 2021 , 12, 576	17.4	3
576	EPA guidance on treatment of negative symptoms in schizophrenia. <i>European Psychiatry</i> , 2021 , 64, e21	6	22
575	Heterogeneity of social cognitive and language functions in children at familial high-risk of severe mental illness; The Danish High Risk and Resilience Study VIA 7. <i>European Child and Adolescent Psychiatry</i> , 2021 , 1	5.5	
574	Development of visual attention from age 7 to age 12 in children with familial high risk for schizophrenia or bipolar disorder. <i>Schizophrenia Research</i> , 2021 , 228, 327-335	3.6	
573	Cancer and schizophrenia. <i>Current Opinion in Psychiatry</i> , 2021 , 34, 260-265	4.9	3
572	Obsessive-Compulsive Symptoms and Other Symptoms of the At-risk Mental State for Psychosis: A Network Perspective. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1018-1028	1.3	2
571	The 10-year trajectories of auditory hallucinations among 496 patients with a first schizophrenia-spectrum disorder: Findings from the OPUS cohort. <i>Schizophrenia Research</i> , 2021 ,	3.6	2
570	Suicide trends in the early months of the COVID-19 pandemic: an interrupted time-series analysis of preliminary data from 21 countries. <i>Lancet Psychiatry</i> , 2021 , 8, 579-588	23.3	167
569	Polygenic Heterogeneity Across Obsessive-Compulsive Disorder Subgroups Defined by a Comorbid Diagnosis. <i>Frontiers in Genetics</i> , 2021 , 12, 711624	4.5	2
568	Effectiveness of an Internet-Based Self-help Therapy Program for Suicidal Ideation With Follow-up at 6 Months: Results of a Randomized Controlled Trial. <i>Journal of Clinical Psychiatry</i> , 2021 , 82,	4.6	1
567	Bereavement Among Adult Siblings: An Examination of Health Services Utilization and Mental Health Outcomes. <i>American Journal of Epidemiology</i> , 2021 , 190, 2571-2581	3.8	1
566	Incidence rates and employment trends in schizophrenia spectrum disorders, bipolar affective disorders and recurrent depression in the years 2000-2013: a Danish nationwide register-based study. <i>Nordic Journal of Psychiatry</i> , 2021 , 1-8	2.3	1
565	Global fractional anisotropy predicts transition to psychosis after 12 months in individuals at ultra-high risk for psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 448-463	6.5	2
564	Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2021 ,	1.3	2
563	Identifying the Common Genetic Basis of Antidepressant Response. <i>Biological Psychiatry Global Open Science</i> , 2021 ,		4
562	Trajectories of Vocational Recovery Among Persons with Severe Mental Illness Participating in a Randomized Three-Group Superiority Trial of Individual Placement and Support (IPS) in Denmark. <i>Journal of Occupational Rehabilitation</i> , 2021 , 1	3.6	1

561	Digital Shared Decision-Making Interventions in Mental Healthcare: A Systematic Review and Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2021 , 12, 691251	5	1
560	Development Over Time of the Population-Attributable Risk Fraction for Cannabis Use Disorder in Schizophrenia in Denmark. <i>JAMA Psychiatry</i> , 2021 , 78, 1013-1019	14.5	11
559	Characterization and prediction of clinical pathways of vulnerability to psychosis through graph signal processing. <i>ELife</i> , 2021 , 10,	8.9	1
558	The Genetic Architecture of Depression in Individuals of East Asian Ancestry: A Genome-Wide Association Study. <i>JAMA Psychiatry</i> , 2021 , 78, 1258-1269	14.5	7
557	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2021 ,	7.9	11
556	Enhancing Discovery of Genetic Variants for Posttraumatic Stress Disorder Through Integration of Quantitative Phenotypes and Trauma Exposure Information. <i>Biological Psychiatry</i> , 2021 ,	7.9	3
555	The Danish OPUS Early Intervention Services for First-Episode Psychosis: A Phase 4 Prospective Cohort Study With Comparison of Randomized Trial and Real-World Data. <i>American Journal of Psychiatry</i> , 2021 , 178, 941-951	11.9	3
554	Cerebrospinal fluid test results and associations with subsequent mental disorders, neurological diseases, and CNS infections: A population-based cohort study. <i>Brain, Behavior, and Immunity</i> , 2021 , 98, 210-218	16.6	0
553	Changes in negative symptoms are linked to white matter changes in superior longitudinal fasciculus in individuals at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2021 , 237, 192-201	3.6	0
552	Medical cannabis and cannabis-based medicine show both potential efficacy and potential harms: Cross-sectional comparison with controls on self-rated and interviewer-rated outcomes within the Danish pilot program on medical cannabis. <i>Complementary Therapies in Clinical Practice</i> , 2021 , 45, 101476	3.5	1
551	Repetitive transcranial magnetic stimulation and transcranial direct current stimulation for auditory hallucinations in schizophrenia: Systematic review and meta-analysis. <i>Journal of Psychiatric Research</i> , 2021 , 143, 163-175	5.2	3
550	Substance-induced psychosis as a risk factor for unipolar depression or anxiety disorders-A nationwide register-based prospective cohort study. <i>Journal of Affective Disorders</i> , 2021 , 295, 960-966	6.6	0
549	The association between migrant status and transition in an ultra-high risk for psychosis population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 943-952	4.5	0
548	Assessment of Suicidal Behaviors Among Individuals With Autism Spectrum Disorder in Denmark. <i>JAMA Network Open</i> , 2021 , 4, e2033565	10.4	31
547	EPA guidance on assessment of negative symptoms in schizophrenia. <i>European Psychiatry</i> , 2021 , 64, e236		28
546	P.0720 Cognition assessment in virtual reality: training of real-life cognitive functions with fully immersive virtual reality in mood or psychotic disorders. <i>European Neuropsychopharmacology</i> , 2021 , 53, S527-S528	1.2	
545	Suicide and Suicide Attempts Among Asylum-Seekers in Denmark. <i>Archives of Suicide Research</i> , 2021 , 1-11	2.3	0
544	Infections of the central nervous system as a risk factor for mental disorders and cognitive impairment: A nationwide register-based study. <i>Brain, Behavior, and Immunity</i> , 2020 , 88, 668-674	16.6	6

543	Congenital Heart Disease and Risk of Suicide and Self-Harm: A Danish Nationwide Cohort Study. <i>Journal of the American Heart Association</i> , 2020 , 9, e015735	6	2
542	The value of early intervention in creating the new mental health system: Response to Allison et al. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020 , 54, 667-669	2.6	4
541	Do schizotypal or borderline personality disorders predict onset of psychotic disorder or persistent attenuated psychotic symptoms in patients at high clinical risk?. <i>Schizophrenia Research</i> , 2020 , 220, 275-277	3.6	2
540	Homelessness and police-recorded crime victimisation: a nationwide, register-based cohort study. <i>Lancet Public Health</i> , 2020 , 5, e333-e341	22.4	6
539	Restriction of non-opioid analgesics sold over-the-counter in Denmark: A national study of impact on poisonings. <i>Journal of Affective Disorders</i> , 2020 , 268, 61-68	6.6	7
538	A large population-based investigation into the genetics of susceptibility to gastrointestinal infections and the link between gastrointestinal infections and mental illness. <i>Human Genetics</i> , 2020 , 139, 593-604	6.3	5
537	Cognitive functioning in ultra-high risk for psychosis individuals with and without depression: Secondary analysis of findings from the NEURAPRO randomized clinical trial. <i>Schizophrenia Research</i> , 2020 , 218, 48-54	3.6	4
536	Limited Conclusions Can Be Reached From Danish Randomized Clinical Trial of Supported Employment-Reply. <i>JAMA Psychiatry</i> , 2020 , 77, 327-328	14.5	1
535	Children of Patients Undergoing Psychiatric Treatment: An Investigation of Statutory Support Services After Referrals to Child Protection Services. <i>Frontiers in Psychiatry</i> , 2020 , 11, 527	5	0
534	Quantitative genome-wide association analyses of receptive language in the Danish High Risk and Resilience Study. <i>BMC Neuroscience</i> , 2020 , 21, 30	3.2	3
533	Distress related to attenuated psychotic symptoms: Static and dynamic association with transition to psychosis, non-remission and transdiagnostic symptomatology in clinical high-risk patients in an international intervention trial. <i>Schizophrenia Bulletin Open</i> , 2020 ,	2.2	2
532	Infections as a Risk Factor for and Prognostic Factor After Substance-Induced Psychoses. <i>American Journal of Psychiatry</i> , 2020 , 177, 335-341	11.9	4
531	Emotion Recognition and Adverse Childhood Experiences in Individuals at Clinical High Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2020 , 46, 823-833	1.3	7
530	Future directions in risk research 2020 , 417-430		
529	Large-Scale Exome Sequencing Study Implicates Both Developmental and Functional Changes in the Neurobiology of Autism. <i>Cell</i> , 2020 , 180, 568-584.e23	56.2	578
528	Genome-wide gene-environment analyses of major depressive disorder and reported lifetime traumatic experiences in UK Biobank. <i>Molecular Psychiatry</i> , 2020 , 25, 1430-1446	15.1	47
527	Experiential negative symptoms are more predictive of real-life functional outcome than expressive negative symptoms in clinical high-risk states. <i>Schizophrenia Research</i> , 2020 , 218, 151-156	3.6	7
526	Adolescent residential mobility, genetic liability and risk of schizophrenia, bipolar disorder and major depression. <i>British Journal of Psychiatry</i> , 2020 , 217, 390-396	5.4	6

525	Association between Mental Disorders and Subsequent Medical Conditions. <i>New England Journal of Medicine</i> , 2020 , 382, 1721-1731	59.2	103
524	Associations between facial affect recognition and neurocognition in subjects at ultra-high risk for psychosis: A case-control study. <i>Psychiatry Research</i> , 2020 , 290, 112969	9.9	2
523	Suicide risk and prevention during the COVID-19 pandemic. <i>Lancet Psychiatry</i> , 2020 , 7, 468-471	23.3	608
522	FUT2-ABO epistasis increases the risk of early childhood asthma and Streptococcus pneumoniae respiratory illnesses. <i>Nature Communications</i> , 2020 , 11, 6398	17.4	4
521	Association Between Childhood Green Space, Genetic Liability, and the Incidence of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020 , 46, 1629-1637	1.3	12
520	Association of Adverse Outcomes With Emotion Processing and Its Neural Substrate in Individuals at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2020 , 77, 190-200	14.5	14
519	Temporal trends in incidence of hospital-treated self-harm among adolescents in Denmark: national register-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 415-421	4.5	13
518	Language deficits in specific language impairment, attention deficit/hyperactivity disorder, and autism spectrum disorder: An analysis of polygenic risk. <i>Autism Research</i> , 2020 , 13, 369-381	5.1	7
517	Socio-demographic and clinical risk factors of treatment-resistant depression: A Danish population-based cohort study. <i>Journal of Affective Disorders</i> , 2020 , 261, 221-229	6.6	12
516	Basic symptoms influence real-life functioning and symptoms in individuals at high risk for psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2020 , 141, 231-240	6.5	3
515	Odor identification in 7-year-old children at familial high risk of schizophrenia or bipolar disorder - the Danish high risk and resilience study VIA 7. <i>Schizophrenia Research</i> , 2020 , 216, 77-84	3.6	1
514	Supplementary data for a focused review and meta-analysis of H-MRS studies on cerebral glutamate and GABA levels in high-risk of psychosis states. <i>Data in Brief</i> , 2020 , 28, 104920	1.2	1
513	Basic symptoms in young people at ultra-high risk of psychosis: Association with clinical characteristics and outcomes. <i>Schizophrenia Research</i> , 2020 , 216, 255-261	3.6	8
512	A major role for common genetic variation in anxiety disorders. <i>Molecular Psychiatry</i> , 2020 , 25, 3292-3303	35.1	114
511	Molecular genetic overlap between posttraumatic stress disorder and sleep phenotypes. <i>Sleep</i> , 2020 , 43,	1.1	9
510	Genetic liability to ADHD and substance use disorders in individuals with ADHD. <i>Addiction</i> , 2020 , 115, 1368-1377	4.6	18
509	Cerebral glutamate and GABA levels in high-risk of psychosis states: A focused review and meta-analysis of H-MRS studies. <i>Schizophrenia Research</i> , 2020 , 215, 38-48	3.6	21
508	Trajectories of symptom severity and functioning over a three-year period in a psychosis high-risk sample: A secondary analysis of the Neurapro trial. <i>Behaviour Research and Therapy</i> , 2020 , 124, 103527	5.2	7

507	Cerebral Glutamate and Gamma-Aminobutyric Acid Levels in Individuals at Ultra-high Risk for Psychosis and the Association With Clinical Symptoms and Cognition. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020 , 5, 569-579	3.4	7
506	M56. ASSORTATIVE MATING IN SCHIZOPHRENIA AND BIPOLAR DISORDER: A NATIONWIDE COHORT STUDY EXPLORING THE CHARACTERISTICS OF INDIVIDUALS WHO HAVE CHILDREN BY PARTNERS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2020 , 46, S155-S156	1.3	78
505	Investigating Cognitive and Clinical Predictors of Real-Life Functioning, Functional Capacity, and Quality of Life in Individuals at Ultra-High Risk for Psychosis. <i>Schizophrenia Bulletin Open</i> , 2020 , 1,	2.2	3
504	Effectiveness of cognitive remediation in the ultra-high risk state for psychosis. <i>World Psychiatry</i> , 2020 , 19, 401-402	14.4	7
503	Efficacy and safety of anti-inflammatory agents in treatment of psychotic disorders - A comprehensive systematic review and meta-analysis. <i>Brain, Behavior, and Immunity</i> , 2020 , 90, 364-380	16.6	25
502	Polygenic risk score, psychosocial environment and the risk of attention-deficit/hyperactivity disorder. <i>Translational Psychiatry</i> , 2020 , 10, 335	8.6	3
501	Cognitive remediation plus standard treatment versus standard treatment alone for individuals at ultra-high risk of developing psychosis: Results of the FOCUS randomised clinical trial. <i>Schizophrenia Research</i> , 2020 , 224, 151-158	3.6	10
500	A large-scale genome-wide association study meta-analysis of cannabis use disorder. <i>Lancet Psychiatry</i> , 2020 , 7, 1032-1045	23.3	43
499	No Effects of Cognitive Remediation on Cerebral White Matter in Individuals at Ultra-High Risk for Psychosis-A Randomized Clinical Trial. <i>Frontiers in Psychiatry</i> , 2020 , 11, 873	5	4
498	Baseline measures of cerebral glutamate and GABA levels in individuals at ultrahigh risk for psychosis: Implications for clinical outcome after 12 months. <i>European Psychiatry</i> , 2020 , 63, e83	6	3
497	The Duffy-null genotype and risk of infection. <i>Human Molecular Genetics</i> , 2020 , 29, 3341-3349	5.6	1
496	How mental health care should change as a consequence of the COVID-19 pandemic. <i>Lancet Psychiatry</i> , 2020 , 7, 813-824	23.3	542
495	Polygenic Risk and Progression to Bipolar or Psychotic Disorders Among Individuals Diagnosed With Unipolar Depression in Early Life. <i>American Journal of Psychiatry</i> , 2020 , 177, 936-943	11.9	20
494	Self-perceived cognitive impairments in psychosis ultra-high risk individuals: associations with objective cognitive deficits and functioning. <i>NPJ Schizophrenia</i> , 2020 , 6, 31	5.5	0
493	Collaborative care for depression and anxiety disorders: results and lessons learned from the Danish cluster-randomized Collabri trials. <i>BMC Family Practice</i> , 2020 , 21, 234	2.6	0
492	Interview and questionnaire assessment of cognitive impairment in subjects at ultra-high risk for psychosis: Associations with cognitive test performance, psychosocial functioning, and positive symptoms. <i>Psychiatry Research</i> , 2020 , 294, 113498	9.9	3
491	High suicide rates during psychiatric inpatient stay and shortly after discharge. <i>Acta Psychiatrica Scandinavica</i> , 2020 , 142, 355-365	6.5	10
490	Alterations in Task-Related Brain Activation in Children, Adolescents and Young Adults at Familial High-Risk for Schizophrenia or Bipolar Disorder - A Systematic Review. <i>Frontiers in Psychiatry</i> , 2020 , 11, 632	5	2

489	Genetic liability to major depression and risk of childhood asthma. <i>Brain, Behavior, and Immunity</i> , 2020 , 89, 433-439	16.6	2
488	Discontinuation of antipsychotic medication-time to rethink trial design. <i>Lancet Psychiatry</i> , 2020 , 7, 841-842	23.3	3
487	Morbidity and Mortality in the Children and Young Adult Offspring of Parents With Schizophrenia or Affective Disorders-A Nationwide Register-Based Cohort Study in 2 Million Individuals. <i>Schizophrenia Bulletin</i> , 2020 , 46, 130-139	1.3	14
486	Cannabis use disorders may protect against certain disorders of the digestive organs in people with schizophrenia but not in healthy controls. <i>Psychological Medicine</i> , 2020 , 50, 499-506	6.9	3
485	Stakeholder Perspectives on Using and Developing the MYPLAN Suicide Prevention Mobile Phone Application: A Focus Group Study. <i>Archives of Suicide Research</i> , 2020 , 24, 48-63	2.3	5
484	Genetics of suicide attempts in individuals with and without mental disorders: a population-based genome-wide association study. <i>Molecular Psychiatry</i> , 2020 , 25, 2410-2421	15.1	63
483	The NEURAPRO Biomarker Analysis: Long-Chain Omega-3 Fatty Acids Improve 6-Month and 12-Month Outcomes in Youths at Ultra-High Risk for Psychosis. <i>Biological Psychiatry</i> , 2020 , 87, 243-252	7.9	22
482	Assessing social skills in individuals at ultra-high risk for psychosis: Validation of the High Risk Social Challenge task (HiSoC). <i>Schizophrenia Research</i> , 2020 , 215, 365-370	3.6	4
481	Supplementation with the omega-3 long chain polyunsaturated fatty acids: Changes in the concentrations of omega-3 index, fatty acids and molecular phospholipids of people at ultra high risk of developing psychosis. <i>Schizophrenia Research</i> , 2020 , 226, 52-60	3.6	0
480	Comparison of erythrocyte omega-3 index, fatty acids and molecular phospholipid species in people at ultra-high risk of developing psychosis and healthy people. <i>Schizophrenia Research</i> , 2020 , 226, 44-51	3.6	14
479	Quality of life and self-esteem in 7-year-old children with familial high risk of schizophrenia or bipolar disorder: the Danish High Risk and Resilience Study-VIA 7-a population-based cohort study. <i>European Child and Adolescent Psychiatry</i> , 2020 , 29, 849-860	5.5	4
478	Classical Human Leukocyte Antigen Alleles and C4 Haplotypes Are Not Significantly Associated With Depression. <i>Biological Psychiatry</i> , 2020 , 87, 419-430	7.9	9
477	Suicide among persons who entered same-sex and opposite-sex marriage in Denmark and Sweden, 1989-2016: a binational, register-based cohort study. <i>Journal of Epidemiology and Community Health</i> , 2020 , 74, 78-83	5.1	6
476	Association Between Neurological Disorders and Death by Suicide in Denmark. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 444-454	27.4	43
475	Effect of Routine Cytochrome P450 2D6 and 2C19 Genotyping on Antipsychotic Drug Persistence in Patients With Schizophrenia: A Randomized Clinical Trial. <i>JAMA Network Open</i> , 2020 , 3, e2027909	10.4	6
474	F18. PSYCHOPATHOLOGY AND SELF-CONCEPT IN A LONGITUDINAL COHORT OF CHILDREN WITH FAMILIAL HIGH RISK OF SCHIZOPHRENIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2019 , 45, S261-S261	1.3	78
473	F52. WHO CO-PARENT CHILDREN WITH MOTHERS AND FATHERS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER? CHARACTERIZING INDIVIDUALS WHO HAVE CHILDREN TOGETHER WITH INDIVIDUALS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2019 , 45, S275-S275	1.3	78
472	T10. MARKERS OF INFLAMMATION IN THE CEREBROSPINAL FLUID AND INCREASED BBB PERMEABILITY AS RISK FACTORS FOR SCHIZOPHRENIA AND AFFECTIVE DISORDERS: A DANISH REGISTER-BASED STUDY. <i>Schizophrenia Bulletin</i> , 2019 , 45, S206-S207	1.3	78

471	T97. PATTERNS OF COGNITIVE FUNCTION ARE UNIQUELY ASSOCIATED WITH WHITE MATTER-MICROSTRUCTURE IN INDIVIDUALS AT ULTRA-HIGH RISK FOR PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S241-S242	1.3	78
470	Widespread higher fractional anisotropy associates to better cognitive functions in individuals at ultra-high risk for psychosis. <i>Human Brain Mapping</i> , 2019 , 40, 5185-5201	5.9	13
469	Variants in the fetal genome near pro-inflammatory cytokine genes on 2q13 associate with gestational duration. <i>Nature Communications</i> , 2019 , 10, 3927	17.4	21
468	Effects of Individual Placement and Support Supplemented With Cognitive Remediation and Work-Focused Social Skills Training for People With Severe Mental Illness: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2019 , 76, 1232-1240	14.5	31
467	Schizophrenia polygenic risk scores, urbanicity and treatment-resistant schizophrenia. <i>Schizophrenia Research</i> , 2019 , 212, 79-85	3.6	9
466	Development and validation of multivariable prediction models of remission, recovery, and quality of life outcomes in people with first episode psychosis: a machine learning approach. <i>The Lancet Digital Health</i> , 2019 , 1, e261-e270	14.4	16
465	Lifestyle Interventions for Weight Management in People with Serious Mental Illness: A Systematic Review with Meta-Analysis, Trial Sequential Analysis, and Meta-Regression Analysis Exploring the Mediators and Moderators of Treatment Effects. <i>Psychotherapy and Psychosomatics</i> , 2019 , 88, 350-362	9.4	26
464	Polygenic risk for psychiatric disorder and singleness in patients with severe mental illness and controls. <i>Journal of Psychiatric Research</i> , 2019 , 119, 60-66	5.2	5
463	A genome-wide association study of shared risk across psychiatric disorders implicates gene regulation during fetal neurodevelopment. <i>Nature Neuroscience</i> , 2019 , 22, 353-361	25.5	93
462	Association of Polygenic Liabilities for Major Depression, Bipolar Disorder, and Schizophrenia With Risk for Depression in the Danish Population. <i>JAMA Psychiatry</i> , 2019 , 76, 516-525	14.5	51
461	Genome-wide association study implicates CHRNA2 in cannabis use disorder. <i>Nature Neuroscience</i> , 2019 , 22, 1066-1074	25.5	60
460	The Momentum trial: the efficacy of using a smartphone application to promote patient activation and support shared decision making in people with a diagnosis of schizophrenia in outpatient treatment settings: a randomized controlled single-blind trial. <i>BMC Psychiatry</i> , 2019 , 19, 185	4.2	8
459	Home visits in the Danish High Risk and Resilience Study - VIA 7: assessment of the home environment of 508 7-year-old children born to parents diagnosed with schizophrenia or bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 140, 126-134	6.5	12
458	Suicidal behaviour among persons with attention-deficit hyperactivity disorder. <i>British Journal of Psychiatry</i> , 2019 , 1-6	5.4	13
457	GWAS of Suicide Attempt in Psychiatric Disorders and Association With Major Depression Polygenic Risk Scores. <i>American Journal of Psychiatry</i> , 2019 , 176, 651-660	11.9	103
456	Genetic Variants Associated With Anxiety and Stress-Related Disorders: A Genome-Wide Association Study and Mouse-Model Study. <i>JAMA Psychiatry</i> , 2019 , 76, 924-932	14.5	64
455	Gender differences of patients at-risk for psychosis regarding symptomatology, drug use, comorbidity and functioning - Results from the EU-GEI study. <i>European Psychiatry</i> , 2019 , 59, 52-59	6	15
454	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019 , 51, 793-803	36.3	662

453	7.2 PSYCHOTIC LIKE EXPERIENCES AND THEIR ASSOCIATIONS IN SEVEN-YEAR-OLD CHILDREN WITH FAMILIAL HIGH RISK OF SCHIZOPHRENIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2019 , 45, S98-S98	1.3	78
452	Assertive community treatment versus standard treatment for severely mentally ill patients in Denmark: a quasi-experimental trial. <i>Nordic Journal of Psychiatry</i> , 2019 , 73, 149-158	2.3	5
451	Efficacy of anti-inflammatory treatment on major depressive disorder or depressive symptoms: meta-analysis of clinical trials. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 139, 404-419	6.5	143
450	Social Cognition, Language, and Social Behavior in 7-Year-Old Children at Familial High-Risk of Developing Schizophrenia or Bipolar Disorder: The Danish High Risk and Resilience Study VIA 7-A Population-Based Cohort Study. <i>Schizophrenia Bulletin</i> , 2019 , 45, 1218-1230	1.3	16
449	Variable DNA methylation in neonates mediates the association between prenatal smoking and birth weight. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2019 , 374, 20180120	5.8	28
448	Immunity and mental illness: findings from a Danish population-based immunogenetic study of seven psychiatric and neurodevelopmental disorders. <i>European Journal of Human Genetics</i> , 2019 , 27, 1445-1455	5.3	20
447	O6.5. INVESTIGATING VARIABLES FROM THE NAPLS RISK CALCULATOR FOR PSYCHOSIS IN THE EU-GEI HIGH RISK STUDY. <i>Schizophrenia Bulletin</i> , 2019 , 45, S177-S178	1.3	78
446	VIA Family-a family-based early intervention versus treatment as usual for familial high-risk children: a study protocol for a randomized clinical trial. <i>Trials</i> , 2019 , 20, 112	2.8	9
445	Identification of common genetic risk variants for autism spectrum disorder. <i>Nature Genetics</i> , 2019 , 51, 431-444	36.3	746
444	Cognitive functioning following discontinuation of antipsychotic medication. A naturalistic sub-group analysis from the OPUS II trial. <i>Psychological Medicine</i> , 2019 , 49, 1138-1147	6.9	6
443	Does future resource input reflect need in first-episode psychosis: Examining the association between individual characteristics and 5-year costs. <i>Microbial Biotechnology</i> , 2019 , 13, 1056-1061	3.3	
442	Cerebrospinal fluid markers of inflammation and infections in schizophrenia and affective disorders: a systematic review and meta-analysis. <i>Molecular Psychiatry</i> , 2019 , 24, 869-887	15.1	86
441	Individual-Level Predictors for Becoming Homeless and Exiting Homelessness: a Systematic Review and Meta-analysis. <i>Journal of Urban Health</i> , 2019 , 96, 741-750	5.8	38
440	Risk of homelessness after discharge from psychiatric wards in Denmark: a nationwide register-based cohort study. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 140, 477-489	6.5	6
439	Schizophrenia and attendance in primary healthcare: a population-based matched cohort study. <i>Scandinavian Journal of Primary Health Care</i> , 2019 , 37, 358-365	2.7	5
438	Visual attention in 7-year-old children at familial high risk of schizophrenia or bipolar disorder: The Danish high risk and resilience study VIA 7. <i>Journal of Affective Disorders</i> , 2019 , 258, 56-65	6.6	8
437	Schizophrenia is associated with increased risk of subsequent substance abuse diagnosis: A nation-wide population-based register study. <i>Addiction</i> , 2019 , 114, 2217-2226	4.6	9
436	Relationship Between Polyunsaturated Fatty Acids and Psychopathology in the NEURAPRO Clinical Trial. <i>Frontiers in Psychiatry</i> , 2019 , 10, 393	5	13

435	International meta-analysis of PTSD genome-wide association studies identifies sex- and ancestry-specific genetic risk loci. <i>Nature Communications</i> , 2019 , 10, 4558	17.4	151
434	A comprehensive analysis of mortality-related health metrics associated with mental disorders: a nationwide, register-based cohort study. <i>Lancet, The</i> , 2019 , 394, 1827-1835	4.0	147
433	Collaborative care vs consultation liaison for depression and anxiety disorders in general practice: study protocol for two randomized controlled trials (the Danish Collabri Flex trials). <i>Trials</i> , 2019 , 20, 607	2.8	5
432	Association of Childhood Exposure to Nitrogen Dioxide and Polygenic Risk Score for Schizophrenia With the Risk of Developing Schizophrenia. <i>JAMA Network Open</i> , 2019 , 2, e1914401	10.4	17
431	Genetic risk scores for major psychiatric disorders and the risk of postpartum psychiatric disorders. <i>Translational Psychiatry</i> , 2019 , 9, 288	8.6	10
430	Urgent need for better care after self-harm. <i>Lancet Psychiatry, the</i> , 2019 , 6, 971-972	23.3	1
429	A large-scale genomic investigation of susceptibility to infection and its association with mental disorders in the Danish population. <i>Translational Psychiatry</i> , 2019 , 9, 283	8.6	19
428	Birth dimensions, severe mental illness and risk of type 2 diabetes in a cohort of Danish men born in 1953. <i>European Psychiatry</i> , 2019 , 62, 1-9	6	4
427	User Involvement in Developing the MYPLAN Mobile Phone Safety Plan App for People in Suicidal Crisis: Case Study. <i>JMIR Mental Health</i> , 2019 , 6, e11965	6	12
426	Attenuated Psychosis Syndromes Among Danish Youth and Young Adults: Early Identification and Intervention 2019 , 333-348		
425	Illness management and recovery: one-year follow-up of a randomized controlled trial in Danish community mental health centers: long-term effects on clinical and personal recovery. <i>BMC Psychiatry</i> , 2019 , 19, 65	4.2	11
424	Autism spectrum disorder and attention deficit hyperactivity disorder have a similar burden of rare protein-truncating variants. <i>Nature Neuroscience</i> , 2019 , 22, 1961-1965	25.5	64
423	P.026 Socio-demographic and clinical risk factors of treatment-resistant depression: a danish population-based cohort study. <i>European Neuropsychopharmacology</i> , 2019 , 29, S38-S39	1.2	
422	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019 , 179, 1469-1482.e11	56.2	402
421	P.098 Birth dimensions, severe mental illness and risk of type 2 diabetes in a cohort of Danish men born in 1953. <i>European Neuropsychopharmacology</i> , 2019 , 29, S84-S85	1.2	
420	Association of Whole-Genome and NETRIN1 Signaling Pathway-Derived Polygenic Risk Scores for Major Depressive Disorder and White Matter Microstructure in the UK Biobank. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019 , 4, 91-100	3.4	12
419	Emotion recognition latency, but not accuracy, relates to real life functioning in individuals at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2019 , 210, 197-202	3.6	8
418	Neurocognition as a predictor of transition to psychotic disorder and functional outcomes in ultra-high risk participants: Findings from the NEURAPRO randomized clinical trial. <i>Schizophrenia Research</i> , 2019 , 206, 67-74	3.6	25

417	Discovery of the first genome-wide significant risk loci for attention deficit/hyperactivity disorder. <i>Nature Genetics</i> , 2019 , 51, 63-75	36.3	826
416	Infections, Anti-infective Agents, and Risk of Deliberate Self-harm and Suicide in a Young Cohort: A Nationwide Study. <i>Biological Psychiatry</i> , 2019 , 85, 744-751	7.9	12
415	Cause-specific life years lost among persons diagnosed with schizophrenia: Is it getting better or worse?. <i>Schizophrenia Research</i> , 2019 , 206, 284-290	3.6	37
414	Streptococcal Infections and Exacerbations in PANDAS: A Systematic Review and Meta-analysis. <i>Pediatric Infectious Disease Journal</i> , 2019 , 38, 189-194	3.4	5
413	Validation of the MUSIC Model of Motivation Inventory for use with cognitive training for schizophrenia spectrum disorders: A multinational study. <i>Schizophrenia Research</i> , 2019 , 206, 142-148	3.6	5
412	Exploring Comorbidity Within Mental Disorders Among a Danish National Population. <i>JAMA Psychiatry</i> , 2019 , 76, 259-270	14.5	188
411	Parental Infections Before, During, and After Pregnancy as Risk Factors for Mental Disorders in Childhood and Adolescence: A Nationwide Danish Study. <i>Biological Psychiatry</i> , 2019 , 85, 317-325	7.9	34
410	Development of a fidelity scale for Danish specialized early interventions service. <i>Microbial Biotechnology</i> , 2019 , 13, 568-573	3.3	7
409	Programme fidelity of specialized early intervention in Denmark. <i>Microbial Biotechnology</i> , 2019 , 13, 627-632	3.3	8
408	Association between alcohol and substance use disorders and psychiatric service use in patients with severe mental illness: a nationwide Danish register-based cohort study. <i>Psychological Medicine</i> , 2018 , 48, 2592-2600	6.9	17
407	Patient-controlled hospital admission for patients with severe mental disorders: a nationwide prospective multicentre study. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 355-363	6.5	16
406	Childhood Infections and Subsequent School Achievement Among 598,553 Danish Children. <i>Pediatric Infectious Disease Journal</i> , 2018 , 37, 731-737	3.4	6
405	Common schizophrenia alleles are enriched in mutation-intolerant genes and in regions under strong background selection. <i>Nature Genetics</i> , 2018 , 50, 381-389	36.3	787
404	Associations between clinical and psychosocial factors and metabolic and cardiovascular risk factors in overweight patients with schizophrenia spectrum disorders - Baseline and two-years findings from the CHANGE trial. <i>Schizophrenia Research</i> , 2018 , 199, 96-102	3.6	24
403	Out-of-home placement to age 18 years in children exposed to a postpartum mental disorder. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 35-43	6.5	4
402	Long-term treatment effect of trauma-affected refugees with flexible cognitive behavioural therapy and antidepressants. <i>Psychiatry Research</i> , 2018 , 264, 217-223	9.9	7
401	Multiple measures of HPA axis function in ultra high risk and first-episode schizophrenia patients. <i>Psychoneuroendocrinology</i> , 2018 , 92, 72-80	5	17
400	Clinical trajectories in the ultra-high risk for psychosis population. <i>Schizophrenia Research</i> , 2018 , 197, 550-556	3.6	34

399	Shared molecular neuropathology across major psychiatric disorders parallels polygenic overlap. <i>Science</i> , 2018 , 359, 693-697	33.3	547
398	Availability of Paracetamol Sold Over the Counter in Europe: A Descriptive Cross-Sectional International Survey of Pack Size Restriction. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018 , 122, 643-649	3.1	21
397	Trajectories of Return to Work Among People on Sick Leave with Mood or Anxiety Disorders: Secondary Analysis from a Randomized Controlled Trial. <i>Journal of Occupational Rehabilitation</i> , 2018 , 28, 666-677	3.6	8
396	Comparison of Early Intervention Services vs Treatment as Usual for Early-Phase Psychosis: A Systematic Review, Meta-analysis, and Meta-regression. <i>JAMA Psychiatry</i> , 2018 , 75, 555-565	14.5	293
395	Polygenic Risk Scores, School Achievement, and Risk for Schizophrenia: A Danish Population-Based Study. <i>Biological Psychiatry</i> , 2018 , 84, 684-691	7.9	18
394	Association of Substance Use Disorders With Conversion From Schizotypal Disorder to Schizophrenia. <i>JAMA Psychiatry</i> , 2018 , 75, 733-739	14.5	14
393	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , 2018 , 50, 668-681	36.3	1301
392	S102. CANNABIS MAY PROTECT AGAINST CERTAIN DISORDERS OF THE DIGESTIVE ORGANS IN PATIENTS WITH SCHIZOPHRENIA BUT NOT IN HEALTHY CONTROLS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S365-S365	1.3	78
391	Dietary patterns and physical activity in people with schizophrenia and increased waist circumference. <i>Schizophrenia Research</i> , 2018 , 199, 109-115	3.6	33
390	Non-pharmacological modulation of cerebral white matter organization: A systematic review of non-psychiatric and psychiatric studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2018 , 88, 84-97	9	6
389	Participants and staffs' evaluation of the Illness Management and Recovery program: a randomized clinical trial. <i>Journal of Mental Health</i> , 2018 , 27, 30-37	2.7	11
388	Premorbid adjustment in individuals at ultra-high risk for developing psychosis: a case-control study. <i>Microbial Biotechnology</i> , 2018 , 12, 839-847	3.3	11
387	The Ultra-High-Risk for psychosis groups: Evidence to maintain the status quo. <i>Schizophrenia Research</i> , 2018 , 195, 543-548	3.6	20
386	Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2018 , 84, 138-147	7.9	48
385	Heritability of Schizophrenia and Schizophrenia Spectrum Based on the Nationwide Danish Twin Register. <i>Biological Psychiatry</i> , 2018 , 83, 492-498	7.9	205
384	Fever and infections during pregnancy and psychosis-like experiences in the offspring at age 11. A prospective study within the Danish National Birth Cohort. <i>Psychological Medicine</i> , 2018 , 48, 426-436	6.9	11
383	Attention-deficit hyperactivity disorder and anxiety disorders as precursors of bipolar disorder onset in adulthood. <i>British Journal of Psychiatry</i> , 2018 , 213, 555-560	5.4	18
382	T123. PERSISTENT NEGATIVE SYMPTOMS IN FIRST EPISODE PSYCHOSIS: PREVALENCE, PREDICTORS AND PROGNOSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S163-S163	1.3	78

381	O12.7. RISK OF PSYCHOSIS IN OFFSPRING OF PARENTS WITH A HISTORY OF HOMELESSNESS DURING CHILDHOOD AND ADOLESCENCE: A NATIONWIDE, REGISTER-BASED, COHORT STUDY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S111-S111	1.3	78
380	Dynamic prediction of transition to psychosis using joint modelling. <i>Schizophrenia Research</i> , 2018 , 202, 333-340	3.6	13
379	The association between norepinephrine and metabolism in patients with major depression. <i>Neurology Psychiatry and Brain Research</i> , 2018 , 30, 91-97	2.1	3
378	Elevated polygenic burden for autism is associated with differential DNA methylation at birth. <i>Genome Medicine</i> , 2018 , 10, 19	14.4	58
377	Association Between Traumatic Brain Injury and Risk of Suicide. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 580-588	27.4	87
376	Illness management and recovery: Clinical outcomes of a randomized clinical trial in community mental health centers. <i>PLoS ONE</i> , 2018 , 13, e0194027	3.7	12
375	Prevalence of rearrangements in the 22q11.2 region and population-based risk of neuropsychiatric and developmental disorders in a Danish population: a case-cohort study. <i>Lancet Psychiatry</i> , 2018 , 5, 573-580	23.3	53
374	T42. WHEN SHOULD EARLY INTERVENTION START, AND FOR HOW LONG SHOULD IT LAST?. <i>Schizophrenia Bulletin</i> , 2018 , 44, S129-S129	1.3	2
373	T54. TAILOR TAPERED DISCONTINUATION VERSUS MAINTENANCE THERAPY OF ANTIPSYCHOTIC MEDICATION IN PATIENTS WITH NEWLY DIAGNOSED SCHIZOPHRENIA SPECTRUM DISORDERS IN REMISSION OF PSYCHOTIC SYMPTOMS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S134-S135	1.3	2
372	Impact of severe mental illness on cancer stage at diagnosis and subsequent mortality: A population-based register study. <i>Schizophrenia Research</i> , 2018 , 201, 62-69	3.6	14
371	Fidelity scales and performance measures to support implementation and quality assurance for first episode psychosis services. <i>Microbial Biotechnology</i> , 2018 , 12, 1235-1242	3.3	26
370	Psychopathology in 7-year-old children with familial high risk of developing schizophrenia spectrum psychosis or bipolar disorder - The Danish High Risk and Resilience Study - VIA 7, a population-based cohort study. <i>World Psychiatry</i> , 2018 , 17, 210-219	14.4	35
369	Assessment of Neurocognitive Functions in 7-Year-Old Children at Familial High Risk for Schizophrenia or Bipolar Disorder: The Danish High Risk and Resilience Study VIA 7. <i>JAMA Psychiatry</i> , 2018 , 75, 844-852	14.5	37
368	Incidence of, Risk Factors for, and Changes Over Time in Treatment-Resistant Depression in Denmark: A Register-Based Cohort Study. <i>Journal of Clinical Psychiatry</i> , 2018 , 79,	4.6	18
367	The iPSYCH2012 case-cohort sample: new directions for unravelling genetic and environmental architectures of severe mental disorders. <i>Molecular Psychiatry</i> , 2018 , 23, 6-14	15.1	140
366	Rates and Predictors of Conversion to Schizophrenia or Bipolar Disorder Following Substance-Induced Psychosis. <i>American Journal of Psychiatry</i> , 2018 , 175, 343-350	11.9	93
365	School performance from primary education in the adolescent offspring of parents with schizophrenia and bipolar disorder- a national, register-based study. <i>Psychological Medicine</i> , 2018 , 48, 1993-2000	6.9	18
364	A Genetic Investigation of Sex Bias in the Prevalence of Attention-Deficit/Hyperactivity Disorder. <i>Biological Psychiatry</i> , 2018 , 83, 1044-1053	7.9	93

363	Examining speed of processing of facial emotion recognition in individuals at ultra-high risk for psychosis: Associations with symptoms and cognition. <i>Schizophrenia Research</i> , 2018 , 195, 562-563	3.6	4
362	Incidence of child and adolescent mental disorders in children aged 0-17 with familial high risk for severe mental illness - A Danish register study. <i>Schizophrenia Research</i> , 2018 , 197, 298-304	3.6	25
361	Homelessness as a predictor of mortality: an 11-year register-based cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 63-75	4.5	15
360	Early intervention in psychosis: From clinical intervention to health system implementation. <i>Microbial Biotechnology</i> , 2018 , 12, 757-764	3.3	25
359	White matter maturation during 12 months in individuals at ultra-high-risk for psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 65-78	6.5	18
358	Morbidity and mortality in homeless individuals, prisoners, sex workers, and individuals with substance use disorders in high-income countries: a systematic review and meta-analysis. <i>Lancet, The</i> , 2018 , 391, 241-250	4.0	319
357	Psychopathology and social functioning of 42 subjects from a Danish ultra high-risk cohort. <i>Microbial Biotechnology</i> , 2018 , 12, 1181-1187	3.3	6
356	O7.7. COGNITIVE FUNCTIONING FOLLOWING DISCONTINUATION OF ANTIPSYCHOTIC MEDICATION: A SUB-GROUP ANALYSIS FROM THE OPUS II TRIAL. <i>Schizophrenia Bulletin</i> , 2018 , 44, S95-S98	1.3	78
355	O9.1. CANNABIS AND OTHER SUBSTANCE USE DISORDERS PREDICT CONVERSION FROM SCHIZOTYPAL DISORDER TO SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018 , 44, S99-S99	1.3	1
354	O12.5. GENETIC AND ENVIRONMENTAL PREDICTORS OF MAIN OUTCOMES IN THE DANISH HIGH RISK AND RESILIENCE STUDY - VIA 7. A STUDY OF 522 7-YEAR-OLD CHILDREN OF PARENTS WITH SCHIZOPHRENIA, BIPOLAR DISORDER OR NEITHER OF THESE DISORDERS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S110-S111	1.3	78
353	T49. THE NEURAPRO STUDY: ADHERENCE TO STUDY MEDICATION. <i>Schizophrenia Bulletin</i> , 2018 , 44, S132-S133	1.3	3
352	F84. ASSOCIATIONS BETWEEN INTELLIGENCE, VERBAL WORKING MEMORY AND PROCESSING SPEED IN PARENTS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER AND THEIR 7-YEAR OLD OFFSPRING. <i>Schizophrenia Bulletin</i> , 2018 , 44, S252-S252	1.3	1
351	F137. INFECTIONS OF THE CENTRAL NERVOUS SYSTEM AS A RISK FACTOR FOR MENTAL DISORDERS AND COGNITIVE IMPAIRMENT: A NATIONWIDE REGISTER-BASED STUDY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S273-S273	1.3	78
350	O4.6. GENOME-WIDE ASSOCIATION STUDY, HERITABILITY ESTIMATION AND POLYGENIC RISK ANALYSIS OF SUSCEPTIBILITY TO INFECTIONS IN 65,534 INDIVIDUALS WITH SEVERE MENTAL DISORDERS AND POPULATION CONTROLS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S85-S85	1.3	78
349	O11.2. CHANGES IN PSYCHOPATHOLOGY PREDICT CHANGES IN WORKING ALLIANCE IN FIRST EPISODE PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S106-S107	1.3	78
348	Effectiveness of the Gold Standard Programme (GSP) for smoking cessation on smokers with and without a severe mental disorder: a Danish cohort study. <i>BMJ Open</i> , 2018 , 8, e021114	3	7
347	T9. CROSS-SECTIONAL ASSOCIATION OF MEMBRANE FATTY ACID COMPOSITION AND PSYCHOPATHOLOGY IN THE NEURAPRO-E STUDY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S116-S116	1.3	1
346	T16. GLUTAMATERGIC CHANGES IN UHR. <i>Schizophrenia Bulletin</i> , 2018 , 44, S119-S119	1.3	78

345	T248. PSYCHOPATHOLOGY IN F2X.X-UNAFFECTED CO-TWINS AS A VULNERABILITY INDICATOR OF PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S213-S214	1.3	78
344	F25. NEURAPRO REVISITED: INCREASES IN LONG-CHAIN OMEGA-3 FATTY ACIDS IMPROVE FUNCTIONAL AND SYMPTOMATIC OUTCOMES IN ULTRAHIGH RISK PATIENTS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S228-S228	1.3	1
343	F204. THE DANISH HIGH-RISK AND RESILIENCE STUDY - VIA 7 - A PROSPECTIVE COHORTE STUDY OF 522 7 YEARS OLD CHILDREN BORN TO PARENTS DIAGNOSED WITH SCHIZOPHRENIA OR BIPOLAR DISORDER - RESULTS ON PSYCHOPATHOLOGY, COGNITION AND LIVING CONDITIONS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S300-S300	1.3	78
342	S136. A NOVEL APPROACH FOR DEVELOPING PREDICTION MODEL OF TRANSITION TO PSYCHOSIS: DYNAMIC PREDICTION USING JOINT MODELLING. <i>Schizophrenia Bulletin</i> , 2018 , 44, S378-S379	1.3	1
341	S34. DEVELOPMENTAL TRAJECTORIES OF PSYCHOTIC EXPERIENCES AND THEORY OF MIND IN 11-YEAR-OLD OFFSPRING OF PARENTS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2018 , 44, S336-S337	1.3	78
340	F67. NEUROCOGNITION IN 7-YEAR-OLD CHILDREN OF PARENTS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2018 , 44, S245-S246	1.3	78
339	The Danish High Risk and Resilience Study-VIA 11: Study Protocol for the First Follow-Up of the VIA 7 Cohort -522 Children Born to Parents With Schizophrenia Spectrum Disorders or Bipolar Disorder and Controls Being Re-examined for the First Time at Age 11. <i>Frontiers in Psychiatry</i> , 2018 , 9, 661	5	7
338	Self-harm, Traumatic Brain Injury, and Suicide-Reply. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 2485	27.4	
337	Schizophrenia-associated mt-DNA SNPs exhibit highly variable haplogroup affiliation and nuclear ancestry: Bi-genomic dependence raises major concerns for link to disease. <i>PLoS ONE</i> , 2018 , 13, e0208829	2.7	5
336	Complex spatio-temporal distribution and genomic ancestry of mitochondrial DNA haplogroups in 24,216 Danes. <i>PLoS ONE</i> , 2018 , 13, e0208829	3.7	3
335	F205. OLFACTORY IDENTIFICATION IN 7-YEAR OLD CHILDREN AT FAMILIAL RISK TO DEVELOP SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018 , 44, S300-S301	1.3	78
334	How family income is associated with suicidal and violent behaviour in young adults. <i>Lancet Public Health</i> , 2018 , 3, e463-e464	22.4	3
333	Implementation of the safeguards model to reduce the use of coercive measures in adult psychiatric inpatient units: An interrupted time-series analysis. <i>Journal of Psychiatric Research</i> , 2018 , 105, 147-152	5.2	18
332	31.2 CAN WE IMPROVE FUNCTIONAL OUTCOME AND ADHERENCE IN OPTIMISE PARTICIPANTS WITH A PSYCHOSOCIAL INTERVENTION?. <i>Schizophrenia Bulletin</i> , 2018 , 44, S50-S50	1.3	78
331	T11. CEREBROSPINAL FLUID (CSF) MARKERS OF INFLAMMATION AND INFECTIONS IN SCHIZOPHRENIA AND AFFECTIVE DISORDERS: A SYSTEMATIC REVIEW AND META-ANALYSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S116-S117	1.3	78
330	Mortality in unipolar depression preceding and following chronic somatic diseases. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 500-508	6.5	11
329	O8.8. NEUROCOGNITION IN ULTRA-HIGH RISK INDIVIDUALS AND RELATIONSHIP TO TRANSITION TO PSYCHOSIS, DEPRESSIVE DISORDER, AND FUNCTIONING: FINDINGS FROM THE NEURAPRO TRIAL. <i>Schizophrenia Bulletin</i> , 2018 , 44, S99-S99	1.3	1
328	Quantifying the Impact of Rare and Ultra-rare Coding Variation across the Phenotypic Spectrum. <i>American Journal of Human Genetics</i> , 2018 , 102, 1204-1211	11	59

327	Sustained Attention and Interference Control Among 7-Year-Old Children With a Familial High Risk of Schizophrenia or Bipolar Disorder-A Nationwide Observational Cohort Study. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018 , 3, 704-712	3.4	14
326	NEURAPRO: a multi-centre RCT of omega-3 polyunsaturated fatty acids versus placebo in young people at ultra-high risk of psychotic disorders-medium-term follow-up and clinical course. <i>NPJ Schizophrenia</i> , 2018 , 4, 11	5.5	29
325	NEURAPRO-E study protocol: a multicentre randomized controlled trial of omega-3 fatty acids and cognitive-behavioural case management for patients at ultra high risk of schizophrenia and other psychotic disorders. <i>Microbial Biotechnology</i> , 2017 , 11, 418-428	3.3	40
324	Association analyses of depression and genes in the hypothalamus-pituitary-adrenal axis. <i>Acta Neuropsychiatrica</i> , 2017 , 29, 59-64	3.9	8
323	The Self-help Online against Suicidal thoughts (SOS) trial: study protocol for a randomized controlled trial. <i>Trials</i> , 2017 , 18, 45	2.8	9
322	Excess mortality in persons with severe mental disorders: a multilevel intervention framework and priorities for clinical practice, policy and research agendas. <i>World Psychiatry</i> , 2017 , 16, 30-40	14.4	296
321	Years of potential life lost and life expectancy in schizophrenia: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2017 , 4, 295-301	23.3	458
320	Association between alcohol, cannabis, and other illicit substance abuse and risk of developing schizophrenia: a nationwide population based register study. <i>Psychological Medicine</i> , 2017 , 47, 1668-1677	6.9	42
319	Associations between substance use disorders and suicide or suicide attempts in people with mental illness: a Danish nation-wide, prospective, register-based study of patients diagnosed with schizophrenia, bipolar disorder, unipolar depression or personality disorder. <i>Addiction</i> , 2017 , 112, 1250-1259	4.6	83
318	Is an Early Age at Illness Onset in Schizophrenia Associated With Increased Genetic Susceptibility? Analysis of Data From the Nationwide Danish Twin Register. <i>EBioMedicine</i> , 2017 , 18, 320-326	8.8	14
317	Polygenic transmission disequilibrium confirms that common and rare variation act additively to create risk for autism spectrum disorders. <i>Nature Genetics</i> , 2017 , 49, 978-985	36.3	254
316	Patterns of white matter microstructure in individuals at ultra-high-risk for psychosis: associations to level of functioning and clinical symptoms. <i>Psychological Medicine</i> , 2017 , 47, 2689-2707	6.9	25
315	Effect of Ω 3 Polyunsaturated Fatty Acids in Young People at Ultrahigh Risk for Psychotic Disorders: The NEURAPRO Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2017 , 74, 19-27	14.5	162
314	210. NEURAPRO: A Multi-center RCT of Omega-3 Polyunsaturated Fatty Acids Versus Placebo in Young People at Ultra-High Risk of Psychotic Disorders: Medium-Term Outcome. <i>Schizophrenia Bulletin</i> , 2017 , 43, S107-S107	1.3	2
313	The effect of cognitive remediation in individuals at ultra-high risk for psychosis: a systematic review. <i>NPJ Schizophrenia</i> , 2017 , 3, 20	5.5	41
312	Association of Streptococcal Throat Infection With Mental Disorders: Testing Key Aspects of the PANDAS Hypothesis in a Nationwide Study. <i>JAMA Psychiatry</i> , 2017 , 74, 740-746	14.5	59
311	Effect on return to work or education of Individual Placement and Support modified for people with mood and anxiety disorders: results of a randomised clinical trial. <i>Occupational and Environmental Medicine</i> , 2017 , 74, 717-725	2.1	24
310	Comparing post-deployment mental health services utilization in soldiers deployed to Balkan, Iraq and Afghanistan. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 564-572	6.5	

309	Impairments of motor function among children with a familial risk of schizophrenia or bipolar disorder at 7 years old in Denmark: an observational cohort study. <i>Lancet Psychiatry</i> , 2017 , 4, 400-408	23.3	29
308	Association Between Spousal Suicide and Mental, Physical, and Social Health Outcomes: A Longitudinal and Nationwide Register-Based Study. <i>JAMA Psychiatry</i> , 2017 , 74, 456-464	14.5	72
307	Attitudes towards people with depression and schizophrenia among social service workers in Denmark. <i>Nordic Journal of Psychiatry</i> , 2017 , 71, 165-170	2.3	7
306	Stability and development of psychotic symptoms and the use of antipsychotic medication - long-term follow-up. <i>Psychological Medicine</i> , 2017 , 47, 2118-2129	6.9	14
305	Risk factors of coercion among psychiatric inpatients: a nationwide register-based cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 979-987	4.5	27
304	Negative symptoms mediate the relationship between neurocognition and function in individuals at ultrahigh risk for psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 250-258	6.5	17
303	The effect of duration of untreated psychosis and treatment delay on the outcomes of prolonged early intervention in psychotic disorders. <i>NPJ Schizophrenia</i> , 2017 , 3, 34	5.5	45
302	Opening the Black Box of Cognitive-Behavioural Case Management in Clients with Ultra-High Risk for Psychosis. <i>Psychotherapy and Psychosomatics</i> , 2017 , 86, 292-299	9.4	17
301	Effect of lifestyle coaching versus care coordination versus treatment as usual in people with severe mental illness and overweight: Two-years follow-up of the randomized CHANGE trial. <i>PLoS ONE</i> , 2017 , 12, e0185881	3.7	19
300	Collaborative care for depression in general practice: study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 344	2.8	7
299	Collaborative care for panic disorder, generalised anxiety disorder and social phobia in general practice: study protocol for three cluster-randomised, superiority trials. <i>Trials</i> , 2017 , 18, 382	2.8	8
298	TAILOR - tapered discontinuation versus maintenance therapy of antipsychotic medication in patients with newly diagnosed schizophrenia or persistent delusional disorder in remission of psychotic symptoms: study protocol for a randomized clinical trial. <i>Trials</i> , 2017 , 18, 445	2.8	14
297	The CapOpus Trial for Cannabis Use Disorders 2017 , 1086-1092		
296	Risk Estimates and Risk Factors Related to Psychiatric Inpatient Suicide-An Overview. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	32
295	Exercise for patients with major depression: a systematic review with meta-analysis and trial sequential analysis. <i>BMJ Open</i> , 2017 , 7, e014820	3	62
294	Assertive Interventions for First Episode Psychoses: The Danish Experience. <i>European Psychiatry</i> , 2017 , 41, S4-S4	6	
293	The Impact of the Change Trial on Physical Health in People With Schizophrenia. <i>European Psychiatry</i> , 2017 , 41, S10-S10	6	
292	Associations between cognition in parents with schizophrenia or bipolar disorder and their 7-year old high-risk offspring. <i>European Psychiatry</i> , 2017 , 41, s813-s813	6	

291	Letter to the Editor. <i>European Journal of Gastroenterology and Hepatology</i> , 2017 , 29, 615	2.2	
290	SA57. Life Expectancy and Years of Potential Life Lost in Schizophrenia: A Systematic Review and Meta-Analysis. <i>Schizophrenia Bulletin</i> , 2017 , 43, S133-S134	1.3	2
289	MYPLAN -mobile phone application to manage crisis of persons at risk of suicide: study protocol for a randomized controlled trial. <i>Trials</i> , 2017 , 18, 171	2.8	16
288	Antipsychotic medication and remission of psychotic symptoms 10years after a first-episode psychosis. <i>Schizophrenia Research</i> , 2017 , 182, 42-48	3.6	55
287	Course of illness in a sample of patients diagnosed with a schizotypal disorder and treated in a specialized early intervention setting. Findings from the 3.5year follow-up of the OPUS II study. <i>Schizophrenia Research</i> , 2017 , 182, 24-30	3.6	13
286	Cause-specific life-years lost in people with mental disorders: a nationwide, register-based cohort study. <i>Lancet Psychiatry</i> , 2017 , 4, 937-945	23.3	73
285	Risk of psychiatric disorders in offspring of parents with a history of homelessness during childhood and adolescence in Denmark: a nationwide, register-based, cohort study. <i>Lancet Public Health</i> , 2017 , 2, e541-e550	22.4	15
284	Early intervention services are effective and must be defended. <i>World Psychiatry</i> , 2017 , 16, 272-274	14.4	2
283	Five years of specialised early intervention versus two years of specialised early intervention followed by three years of standard treatment for patients with a first episode psychosis: randomised, superiority, parallel group trial in Denmark (OPUS II). <i>BMJ</i> , 2017 , 356, i6681	5.9	53
282	22. The Effects of Antidepressant use on Clinical Outcomes in the NEURAPRO-E Trial. <i>Schizophrenia Bulletin</i> , 2017 , 43, S15-S16	1.3	78
281	SA81. Glutamatergic and GABAergic Disturbances in Individuals at Ultra-High Risk of Psychosis: Implications for Clinical and Functional Outcome. <i>Schizophrenia Bulletin</i> , 2017 , 43, S142-S142	1.3	78
280	SA90. Nonpharmacological Modulation of Cerebral White Matter Organization: A Systematic Review. <i>Schizophrenia Bulletin</i> , 2017 , 43, S145-S145	1.3	78
279	Treatment of adult patients with schizophrenia and complex mental health needs - A national clinical guideline. <i>Nordic Journal of Psychiatry</i> , 2016 , 70, 231-40	2.3	22
278	High loading of polygenic risk in cases with chronic schizophrenia. <i>Molecular Psychiatry</i> , 2016 , 21, 969-74	15.1	44
277	The CHANGE trial: no superiority of lifestyle coaching plus care coordination plus treatment as usual compared to treatment as usual alone in reducing risk of cardiovascular disease in adults with schizophrenia spectrum disorders and abdominal obesity. <i>World Psychiatry</i> , 2016 , 15, 155-65	14.4	93
276	A Nationwide Cohort Study of the Association Between Hospitalization With Infection and Risk of Death by Suicide. <i>JAMA Psychiatry</i> , 2016 , 73, 912-9	14.5	65
275	Children of Parents With Serious Mental Illness: With Whom Do They Grow Up? A Prospective, Population-Based Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2016 , 55, 953-961	7.2	28
274	The incidence of schizophrenia and schizophrenia spectrum disorders in Denmark in the period 2000-2012. A register-based study. <i>Schizophrenia Research</i> , 2016 , 176, 533-539	3.6	35

273	Should psychiatrists be more cautious about the long-term prophylactic use of antipsychotics?. <i>British Journal of Psychiatry</i> , 2016 , 209, 361-365	5.4	152
272	Patient-controlled hospital admission for patients with severe mental disorders: study protocol for a nationwide prospective multicentre study. <i>BMJ Open</i> , 2016 , 6, e013088	3	5
271	Social cognition, functional capacity and symptoms in the longitudinal prediction of outcome in subjects with first-episode schizophrenia. <i>European Psychiatry</i> , 2016 , 33, S67-S67	6	
270	Early intervention services in psychosis: from evidence to wide implementation. <i>Microbial Biotechnology</i> , 2016 , 10, 540-546	3.3	33
269	Psychosocial therapy for people at risk of suicide. <i>Lancet Psychiatry</i> , 2016 , 3, 494-5	23.3	1
268	Effectiveness of Mental Health First Aid training in Denmark: a randomized trial in waitlist design. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 597-606	4.5	21
267	Prevalence of substance use disorders in psychiatric patients: a nationwide Danish population-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 129-40	4.5	103
266	High-Quality Exome Sequencing of Whole-Genome Amplified Neonatal Dried Blood Spot DNA. <i>PLoS ONE</i> , 2016 , 11, e0153253	3.7	28
265	Trajectories of Suicidal Ideation in People Seeking Web-Based Help for Suicidality: Secondary Analysis of a Dutch Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2016 , 18, e178	7.6	14
264	Repeated Suicide Attempts and Suicide Among Individuals With a First Emergency Department Contact for Attempted Suicide: A Prospective, Nationwide, Danish Register-Based Study. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, 832-40	4.6	50
263	The Danish Schizophrenia Registry. <i>Clinical Epidemiology</i> , 2016 , 8, 691-695	5.9	14
262	Incidence Rates of Deliberate Self-Harm in Denmark 1994-2011. <i>Crisis</i> , 2016 , 37, 256-264	2.8	36
261	Increased use of primary care during 6 years of prodromal schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 225-33	6.5	21
260	EFFECTIVENESS OF DIALECTICAL BEHAVIOR THERAPY VERSUS COLLABORATIVE ASSESSMENT AND MANAGEMENT OF SUICIDALITY TREATMENT FOR REDUCTION OF SELF-HARM IN ADULTS WITH BORDERLINE PERSONALITY TRAITS AND DISORDER-A RANDOMIZED OBSERVER-BLINDED CLINICAL TRIAL. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, 500-00	8.4	64
259	Research Review: Do motor deficits during development represent an endophenotype for schizophrenia? A meta-analysis. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2016 , 57, 446-56	7.9	36
258	Psychosocial therapy and causes of death after deliberate self-harm: a register-based, nationwide multicentre study using propensity score matching. <i>Psychological Medicine</i> , 2016 , 46, 3419-3427	6.9	15
257	Media Influences on Suicidal Thoughts and Behaviors 2016 , 743-757		7
256	Influence of Polygenic Risk Scores on the Association Between Infections and Schizophrenia. <i>Biological Psychiatry</i> , 2016 , 80, 609-16	7.9	31

255	Trajectories of suicidal ideation in patients with first-episode psychosis: secondary analysis of data from the OPUS trial. <i>Lancet Psychiatry</i> , 2016, 3, 443-50	23.3	33
254	The effect of flexible cognitive-behavioural therapy and medical treatment, including antidepressants on post-traumatic stress disorder and depression in traumatised refugees: pragmatic randomised controlled clinical trial. <i>British Journal of Psychiatry</i> , 2016, 208, 252-9	5.4	58
253	Predictors and longitudinal course of cognitive functioning in schizophrenia spectrum disorders, 10 years after baseline: The OPUS study. <i>Schizophrenia Research</i> , 2016, 175, 57-63	3.6	48
252	Risk of depressive disorder following disasters and military deployment: systematic review with meta-analysis. <i>British Journal of Psychiatry</i> , 2016, 208, 330-6	5.4	85
251	The Effect of Changes in Cannabis Exposure on Psychotic Symptoms in Patients With Comorbid Cannabis Use Disorder. <i>Journal of Dual Diagnosis</i> , 2016, 12, 129-36	2.4	4
250	Systemic oxidative DNA and RNA damage are not increased during early phases of psychosis: A case control study. <i>Psychiatry Research</i> , 2016, 241, 201-6	9.9	17
249	Social cognition in patients at ultra-high risk for psychosis: What is the relation to social skills and functioning?. <i>Schizophrenia Research: Cognition</i> , 2016, 5, 21-27	2.8	37
248	Specific anxiety disorders and subsequent risk for bipolar disorder: a nationwide study. <i>World Psychiatry</i> , 2016, 15, 187-8	14.4	5
247	The FOCUS trial: cognitive remediation plus standard treatment versus standard treatment for patients at ultra-high risk for psychosis: study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 25	2.8	32
246	Ten-year follow-up of the OPUS specialized early intervention trial for patients with a first episode of psychosis. <i>Schizophrenia Bulletin</i> , 2015, 41, 617-26	1.3	94
245	DEPEROR: Risks of systematic errors in drug and non-drug randomized clinical trials assessing intervention effects in patients with unipolar depression. <i>Journal of Affective Disorders</i> , 2015, 179, 121-7	6.6	5
244	Exercise for patients with major depression: a protocol for a systematic review with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , 2015, 4, 40	3	16
243	Modeling determinants of medication attitudes and poor adherence in early nonaffective psychosis: implications for intervention. <i>Schizophrenia Bulletin</i> , 2015, 41, 584-96	1.3	28
242	New Targets for Prevention of Schizophrenia: Is It Time for Interventions in the Premorbid Phase?. <i>Schizophrenia Bulletin</i> , 2015, 41, 795-800	1.3	45
241	From research to practice: how OPUS treatment was accepted and implemented throughout Denmark. <i>Microbial Biotechnology</i> , 2015, 9, 156-62	3.3	60
240	EPA guidance on the early detection of clinical high risk states of psychoses. <i>European Psychiatry</i> , 2015, 30, 405-16	6	235
239	Mortality and life expectancy of people with alcohol use disorder in Denmark, Finland and Sweden. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 297-306	6.5	70
238	The effect of the mental health first-aid training course offered employees in Denmark: study protocol for a randomized waitlist-controlled superiority trial mixed with a qualitative study. <i>BMC Psychiatry</i> , 2015, 15, 80	4.2	4

237	Protocol for CHANGE: a randomized clinical trial assessing lifestyle coaching plus care coordination versus care coordination alone versus treatment as usual to reduce risks of cardiovascular disease in adults with schizophrenia and abdominal obesity. <i>BMC Psychiatry</i> , 2015 , 15, 119	4.2	10
236	Association between alcohol and substance use disorders and all-cause and cause-specific mortality in schizophrenia, bipolar disorder, and unipolar depression: a nationwide, prospective, register-based study. <i>Lancet Psychiatry</i> , 2015 , 2, 801-8	23.3	91
235	Risk of Schizophrenia Increases After All Child and Adolescent Psychiatric Disorders: A Nationwide Study. <i>Schizophrenia Bulletin</i> , 2015 , 41, 963-70	1.3	52
234	Influence of early life characteristics on psychiatric admissions and impact of psychiatric disease on inflammatory biomarkers and survival: a Danish cohort study. <i>World Psychiatry</i> , 2015 , 14, 364-5	14.4	6
233	Improving quality of care among patients hospitalised with schizophrenia: a nationwide initiative. <i>BJPsych Open</i> , 2015 , 1, 48-53	5	10
232	Suicidal behavior and mortality in first-episode psychosis. <i>Journal of Nervous and Mental Disease</i> , 2015 , 203, 387-92	1.8	65
231	Long-term trajectories of positive and negative symptoms in first episode psychosis: A 10year follow-up study in the OPUS cohort. <i>Schizophrenia Research</i> , 2015 , 168, 84-91	3.6	90
230	The Danish High Risk and Resilience Study--VIA 7--a cohort study of 520 7-year-old children born of parents diagnosed with either schizophrenia, bipolar disorder or neither of these two mental disorders. <i>BMC Psychiatry</i> , 2015 , 15, 233	4.2	37
229	Individual Placement and Support supplemented with cognitive remediation and work-related social skills training in Denmark: study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 280	2.8	12
228	Psychiatric Disorders and Psychopharmacologic Treatment as Risk Factors in Elective Fast-track Total Hip and Knee Arthroplasty. <i>Anesthesiology</i> , 2015 , 123, 1281-91	4.3	37
227	The Association between Infections and General Cognitive Ability in Young Men - A Nationwide Study. <i>PLoS ONE</i> , 2015 , 10, e0124005	3.7	28
226	Thirty-Day Mortality After Infection Among Persons With Severe Mental Illness: A Population-Based Cohort Study in Denmark. <i>American Journal of Psychiatry</i> , 2015 , 172, 776-83	11.9	23
225	EPA guidance on the early intervention in clinical high risk states of psychoses. <i>European Psychiatry</i> , 2015 , 30, 388-404	6	233
224	Analysis of risk factors for schizophrenia with two different case definitions: a nationwide register-based external validation study. <i>Schizophrenia Research</i> , 2015 , 162, 74-8	3.6	6
223	Delay in blood sampling for routine newborn screening is associated with increased risk of schizophrenia. <i>Schizophrenia Research</i> , 2015 , 162, 90-6	3.6	
222	Schizophrenia and Metacognition: An Investigation of Course of Illness and Metacognitive Beliefs Within a First Episode Psychosis. <i>Cognitive Therapy and Research</i> , 2015 , 39, 61-69	2.7	18
221	Short-term and long-term effects of psychosocial therapy for people after deliberate self-harm: a register-based, nationwide multicentre study using propensity score matching. <i>Lancet Psychiatry</i> , 2015 , 2, 49-58	23.3	58
220	Specialised assertive intervention in early psychosis. <i>Lancet Psychiatry</i> , 2015 , 2, 2-3	23.3	4

219	The association between working alliance and clinical and functional outcome in a cohort of 400 patients with first-episode psychosis: a cross-sectional study. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, e83-90	4.6	16
218	Serious mental illness and disrupted caregiving for children: a nationwide, register-based cohort study. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, e1006-14	4.6	28
217	Follow-up study of the treatment outcomes at a psychiatric trauma clinic for refugees. <i>Torture: Quarterly Journal on Rehabilitation of Torture Victims and Prevention of Torture</i> , 2015 , 25, 16	0.7	2
216	Cognitive behavioral psychotherapeutic treatment at a psychiatric trauma clinic for refugees: description and evaluation. <i>Torture: Quarterly Journal on Rehabilitation of Torture Victims and Prevention of Torture</i> , 2015 , 25, 17-32	0.7	8
215	The effect of exercise on hippocampal volume and neurotrophines in patients with major depression--a randomized clinical trial. <i>Journal of Affective Disorders</i> , 2014 , 165, 24-30	6.6	66
214	Risk of suicide according to level of psychiatric treatment: a nationwide nested case-control study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1357-65	4.5	64
213	CBT for psychotic disorders: beyond meta-analyses and guidelines - it is time to implement!. <i>World Psychiatry</i> , 2014 , 13, 260-1	14.4	5
212	The DiaS trial: dialectical behavior therapy versus collaborative assessment and management of suicidality on self-harm in patients with a recent suicide attempt and borderline personality disorder traits - study protocol for a randomized controlled trial. <i>Trials</i> , 2014 , 15, 194	2.8	7
211	Excess early mortality in schizophrenia. <i>Annual Review of Clinical Psychology</i> , 2014 , 10, 425-48	20.5	393
210	Adolescent cannabis use and adverse sequelae in adulthood. <i>Lancet Psychiatry</i> , 2014 , 1, 249-51	23.3	
209	Association between Attention-Deficit Hyperactivity Disorder in childhood and schizophrenia later in adulthood. <i>European Psychiatry</i> , 2014 , 29, 259-63	6	71
208	Predictors of adherence to exercise interventions in patients with clinical depression [A pooled analysis from two clinical trials. <i>Mental Health and Physical Activity</i> , 2014 , 7, 50-54	5	15
207	Population impact of familial and environmental risk factors for schizophrenia: a nationwide study. <i>Schizophrenia Research</i> , 2014 , 153, 214-9	3.6	26
206	Was risk of suicide underestimated?. <i>JAMA Psychiatry</i> , 2014 , 71, 716	14.5	2
205	Prospective study of the course of delusional themes in first-episode non-affective psychosis. <i>Microbial Biotechnology</i> , 2014 , 8, 340-7	3.3	10
204	A nationwide study on the risk of autoimmune diseases in individuals with a personal or a family history of schizophrenia and related psychosis. <i>American Journal of Psychiatry</i> , 2014 , 171, 218-26	11.9	122
203	Identifying gene-environment interactions in schizophrenia: contemporary challenges for integrated, large-scale investigations. <i>Schizophrenia Bulletin</i> , 2014 , 40, 729-36	1.3	186
202	Genome-wide study of association and interaction with maternal cytomegalovirus infection suggests new schizophrenia loci. <i>Molecular Psychiatry</i> , 2014 , 19, 325-33	15.1	133

201	Head injury as risk factor for psychiatric disorders: a nationwide register-based follow-up study of 113,906 persons with head injury. <i>American Journal of Psychiatry</i> , 2014 , 171, 463-9	11.9	105
200	Can exercise increase fitness and reduce weight in patients with schizophrenia and depression?. <i>Frontiers in Psychiatry</i> , 2014 , 5, 89	5	21
199	Suicide and unintentional injury mortality among homeless people: a Danish nationwide register-based cohort study. <i>European Journal of Public Health</i> , 2014 , 24, 50-6	2.1	26
198	Cognitive remediation combined with an early intervention service in first episode psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 130, 300-10	6.5	31
197	Effects of paternal age and offspring cognitive ability in early adulthood on the risk of schizophrenia and related disorders. <i>Schizophrenia Research</i> , 2014 , 160, 131-5	3.6	10
196	The Diagnostic Apathia Scale predicts the ability to return to work following depression or anxiety. <i>Acta Neuropsychiatrica</i> , 2014 , 26, 364-71	3.9	9
195	How successful are first episode programs? A review of the evidence for specialized assertive early intervention. <i>Current Opinion in Psychiatry</i> , 2014 , 27, 167-72	4.9	75
194	Effect of anti-inflammatory treatment on depression, depressive symptoms, and adverse effects: a systematic review and meta-analysis of randomized clinical trials. <i>JAMA Psychiatry</i> , 2014 , 71, 1381-91	14.5	563
193	Long-term mortality of persons with severe mental illness and diabetes: a population-based cohort study in Denmark. <i>Psychological Medicine</i> , 2014 , 44, 3097-107	6.9	37
192	Change in cannabis use, clinical symptoms and social functioning among patients with first-episode psychosis: a 5-year follow-up study of patients in the OPUS trial. <i>Psychological Medicine</i> , 2014 , 44, 117-26	6.9	34
191	Common variant at 16p11.2 conferring risk of psychosis. <i>Molecular Psychiatry</i> , 2014 , 19, 108-14	15.1	67
190	Gender differences in first-episode psychosis at 5-year follow-up--two different courses of disease? Results from the OPUS study at 5-year follow-up. <i>European Psychiatry</i> , 2014 , 29, 44-51	6	83
189	The association between depressive symptoms, cognitive function, and inflammation in major depression. <i>Brain, Behavior, and Immunity</i> , 2014 , 35, 70-6	16.6	109
188	Intervention efficacy in trials targeting cannabis use disorders in patients with comorbid psychosis systematic review and meta-analysis. <i>Current Pharmaceutical Design</i> , 2014 , 20, 2205-11	3.3	15
187	Deliberate self-harm before psychiatric admission and risk of suicide: survival in a Danish national cohort. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 1481-9	4.5	14
186	Predictors of recovery in first episode psychosis: the OPUS cohort at 10 year follow-up. <i>Schizophrenia Research</i> , 2013 , 150, 163-8	3.6	107
185	Patterns in mortality among people with severe mental disorders across birth cohorts: a register-based study of Denmark and Finland in 1982-2006. <i>BMC Public Health</i> , 2013 , 13, 834	4.1	29
184	The effect of IPS-modified, an early intervention for people with mood and anxiety disorders: study protocol for a randomised clinical superiority trial. <i>Trials</i> , 2013 , 14, 442	2.8	11

183	The feasibility of cognitive adaptation training for outpatients with schizophrenia in integrated treatment. <i>Community Mental Health Journal</i> , 2013 , 49, 630-5	2.1	7
182	Test-retest reliability of the Danish Adult Reading Test in patients with comorbid psychosis and cannabis-use disorder. <i>Nordic Journal of Psychiatry</i> , 2013 , 67, 159-63	2.3	12
181	Psychiatric treatment following participation in the CapOpus randomized trial for patients with comorbid cannabis use disorder and psychosis. <i>Schizophrenia Research</i> , 2013 , 151, 191-6	3.6	8
180	Systemic oxidatively generated DNA/RNA damage in clinical depression: associations to symptom severity and response to electroconvulsive therapy. <i>Journal of Affective Disorders</i> , 2013 , 149, 355-62	6.6	61
179	Pituitary gland volume in patients with schizophrenia, subjects at ultra high-risk of developing psychosis and healthy controls: a systematic review and meta-analysis. <i>Psychoneuroendocrinology</i> , 2013 , 38, 2394-404	5	51
178	Copeptin during rest and exercise in major depression. <i>Journal of Affective Disorders</i> , 2013 , 151, 284-90	6.6	14
177	Autoimmune diseases and severe infections as risk factors for mood disorders: a nationwide study. <i>JAMA Psychiatry</i> , 2013 , 70, 812-20	14.5	322
176	Neuropeptide Y genes and suicidal behaviour among schizophrenic patients. <i>Psychiatric Genetics</i> , 2013 , 23, 139-40	2.9	1
175	An association study between the norepinephrine transporter gene and depression. <i>Psychiatric Genetics</i> , 2013 , 23, 217-21	2.9	4
174	Specialized psychosocial treatment plus treatment as usual (TAU) versus TAU for patients with cannabis use disorder and psychosis: the CapOpus randomized trial. <i>Psychological Medicine</i> , 2013 , 43, 1499-510	6.9	39
173	Profile of cognitive deficits and associations with depressive symptoms and intelligence in chronic early-onset schizophrenia patients. <i>Scandinavian Journal of Psychology</i> , 2013 , 54, 363-70	2.2	4
172	Suicide mortality trends in the Nordic countries 1980-2009. <i>Nordic Journal of Psychiatry</i> , 2013 , 67, 414-23	2.3	51
171	Cost-effectiveness of early intervention in first-episode psychosis: economic evaluation of a randomised controlled trial (the OPUS study). <i>British Journal of Psychiatry</i> , 2013 , 202, 35-41	5.4	92
170	Processes of in-hospital psychiatric care and subsequent criminal behaviour among patients with schizophrenia: a national population-based, follow-up study. <i>Canadian Journal of Psychiatry</i> , 2013 , 58, 515-21	4.8	6
169	The risk of schizophrenia and child psychiatric disorders in offspring of mothers with lung cancer and other types of cancer: a Danish nationwide register study. <i>PLoS ONE</i> , 2013 , 8, e79031	3.7	10
168	Excess mortality, causes of death and life expectancy in 270,770 patients with recent onset of mental disorders in Denmark, Finland and Sweden. <i>PLoS ONE</i> , 2013 , 8, e55176	3.7	360
167	Life expectancy and death by diseases of the circulatory system in patients with bipolar disorder or schizophrenia in the Nordic countries. <i>PLoS ONE</i> , 2013 , 8, e67133	3.7	193
166	Reduction of crime in first-onset psychosis: a secondary analysis of the OPUS randomized trial. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, e439-44	4.6	19

165	Changes in inpatient and postdischarge suicide rates in a nationwide cohort of Danish psychiatric inpatients, 1998-2005. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, e1190-4	4.6	26
164	Staff attitudes towards patients with schizophrenia. <i>Danish Medical Journal</i> , 2013 , 60, A4710	3.8	6
163	Association of the leucine-7 to proline-7 variation in the signal sequence of neuropeptide Y with major depression. <i>Acta Neuropsychiatrica</i> , 2012 , 24, 81-90	3.9	3
162	MBL and MASP-2 concentrations in serum and MBL2 promoter polymorphisms are associated to schizophrenia. <i>Acta Neuropsychiatrica</i> , 2012 , 24, 199-207	3.9	6
161	Suicidal changes in patients with first episode psychosis: clinical predictors of increasing suicidal tendency in the early treatment phase. <i>Microbial Biotechnology</i> , 2012 , 6, 292-9	3.3	13
160	Utility and adoption of CYP2D6 and CYP2C19 genotyping and its translation into psychiatric clinical practice. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 228-37	6.5	17
159	Autoimmunity and infections as risk factors for depression and other severe mental illnesses. <i>Neurology Psychiatry and Brain Research</i> , 2012 , 18, 40-41	2.1	2
158	hsCRP in depressed outpatients. Any association to depressive symptoms?. <i>Neurology Psychiatry and Brain Research</i> , 2012 , 18, 64-65	2.1	1
157	Validity of Timeline Follow-Back for self-reported use of cannabis and other illicit substances--systematic review and meta-analysis. <i>Addictive Behaviors</i> , 2012 , 37, 225-33	4.2	229
156	Cognitive adaptation training combined with assertive community treatment: a randomised longitudinal trial. <i>Schizophrenia Research</i> , 2012 , 135, 105-11	3.6	26
155	Cognitive and clinical predictors of functional capacity in patients with first episode schizophrenia. <i>Schizophrenia Research</i> , 2012 , 141, 251-6	3.6	72
154	The new asylums in the community: severely ill psychiatric patients living in psychiatric supported housing facilities. A Danish register-based study of prognostic factors, use of psychiatric services, and mortality. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 1251-61	4.5	19
153	Short-term street soccer improves fitness and cardiovascular health status of homeless men. <i>European Journal of Applied Physiology</i> , 2012 , 112, 2097-106	3.4	53
152	Association of antipsychotic polypharmacy with health service cost: a register-based cost analysis. <i>European Journal of Health Economics</i> , 2012 , 13, 355-63	3.6	31
151	Correlations and agreement between delta-9-tetrahydrocannabinol (THC) in blood plasma and timeline follow-back (TLFB)-assisted self-reported use of cannabis of patients with cannabis use disorder and psychotic illness attending the CapOpus randomized clinical trial. <i>Addiction</i> , 2012 , 107, 1123-31	4.6	43
150	How do general practitioners in Denmark promote physical activity?. <i>Scandinavian Journal of Primary Health Care</i> , 2012 , 30, 141-6	2.7	17
149	Does the medication pattern reflect the CYP2D6 genotype in patients with diagnoses within the schizophrenic spectrum?. <i>Journal of Clinical Psychopharmacology</i> , 2012 , 32, 100-5	1.7	7
148	Effect of assertive outreach after suicide attempt in the AID (assertive intervention for deliberate self harm) trial: randomised controlled trial. <i>BMJ, The</i> , 2012 , 345, e4972	5.9	50

147	Cognition and HPA axis reactivity in mildly to moderately depressed outpatients: a case-control study. <i>Nordic Journal of Psychiatry</i> , 2012 , 66, 414-21	2.3	13
146	Offending prior to first psychiatric contact: a population-based register study. <i>Psychological Medicine</i> , 2012 , 42, 2673-84	6.9	14
145	DEMO-II trial. Aerobic exercise versus stretching exercise in patients with major depression-a randomised clinical trial. <i>PLoS ONE</i> , 2012 , 7, e48316	3.7	66
144	Predictors of psychiatric inpatient suicide: a national prospective register-based study. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 144-51	4.6	58
143	Drs Madsen and Nordentoft Reply. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 1034-1035	4.6	8
142	Predictors of recovery from psychosis Analyses of clinical and social factors associated with recovery among patients with first-episode psychosis after 5 years. <i>Schizophrenia Research</i> , 2011 , 125, 257-66	3.6	117
141	Suicide risk in first episode psychosis: a selective review of the current literature. <i>Schizophrenia Research</i> , 2011 , 129, 1-11	3.6	105
140	Cognitive training plus a comprehensive psychosocial programme (OPUS) versus the comprehensive psychosocial programme alone for patients with first-episode schizophrenia (the NEUROCOM trial): a study protocol for a centrally randomised, observer-blinded multi-centre clinical trial. <i>Trials</i> , 2011 , 12, 35	2.8	14
139	Crucial elements in suicide prevention strategies. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 848-53	5.5	39
138	Outcomes of Nordic mental health systems: life expectancy of patients with mental disorders. <i>British Journal of Psychiatry</i> , 2011 , 199, 453-8	5.4	347
137	Psychiatric disorders and mortality among people in homeless shelters in Denmark: a nationwide register-based cohort study. <i>Lancet, The</i> , 2011 , 377, 2205-14	4.0	125
136	Dual association of a TRKA polymorphism with schizophrenia. <i>Psychiatric Genetics</i> , 2011 , 21, 125-31	2.9	8
135	Media Influences on Suicide and Attempted Suicide 2011 , 531-544		13
134	Expanding the range of ZNF804A variants conferring risk of psychosis. <i>Molecular Psychiatry</i> , 2011 , 16, 59-66	15.1	129
133	Heart disease treatment and mortality in schizophrenia and bipolar disorder - changes in the Danish population between 1994 and 2006. <i>Journal of Psychiatric Research</i> , 2011 , 45, 29-35	5.2	71
132	N-terminal pro-atrial natriuretic peptide response to acute exercise in depressed patients and healthy controls. <i>Psychoneuroendocrinology</i> , 2011 , 36, 656-63	5	6
131	Treatment of first-episode psychosis patient, psychosocial aspects. <i>Drug Discovery Today: Therapeutic Strategies</i> , 2011 , 8, 37-41		1
130	Illness management and recovery (IMR) in Danish community mental health centres. <i>Trials</i> , 2011 , 12, 195	2.8	11

129	The effect of five years versus two years of specialised assertive intervention for first episode psychosis - OPUS II: study protocol for a randomized controlled trial. <i>Trials</i> , 2011 , 12, 72	2.8	34
128	Media awards for responsible reporting of suicide: Experiences from Australia, Belgium and Denmark. <i>International Journal of Mental Health Systems</i> , 2011 , 5, 15	3.6	10
127	Association of GRIN1 and GRIN2A-D with schizophrenia and genetic interaction with maternal herpes simplex virus-2 infection affecting disease risk. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 913-22	3.5	39
126	Common variants at VRK2 and TCF4 conferring risk of schizophrenia. <i>Human Molecular Genetics</i> , 2011 , 20, 4076-81	5.6	162
125	Absolute risk of suicide after first hospital contact in mental disorder. <i>Archives of General Psychiatry</i> , 2011 , 68, 1058-64		425
124	Autoimmune diseases and severe infections as risk factors for schizophrenia: a 30-year population-based register study. <i>American Journal of Psychiatry</i> , 2011 , 168, 1303-10	11.9	351
123	The effect of exercise in clinically depressed adults: systematic review and meta-analysis of randomized controlled trials. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 529-38	4.6	219
122	Key considerations for preventing suicide in older adults: consensus opinions of an expert panel. <i>Crisis</i> , 2011 , 32, 106-9	2.8	61
121	Does the EQ-5D measure quality of life in schizophrenia?. <i>Journal of Mental Health Policy and Economics</i> , 2011 , 14, 187-96	1.3	7
120	Evaluation of a multifaceted intervention to limit excessive antipsychotic co-prescribing in schizophrenia out-patients. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 122, 367-74	6.5	37
119	CACNA1C (rs1006737) is associated with schizophrenia. <i>Molecular Psychiatry</i> , 2010 , 15, 119-21	15.1	147
118	Review: pharmacological and psychological interventions decrease cannabis use in people with depressive and psychotic disorders in the short term. <i>Evidence-Based Mental Health</i> , 2010 , 13, 124	11.1	
117	Deinstitutionalization revisited: a 5-year follow-up of a randomized clinical trial of hospital-based rehabilitation versus specialized assertive intervention (OPUS) versus standard treatment for patients with first-episode schizophrenia spectrum disorders. <i>Psychological Medicine</i> , 2010 , 40, 1619-26	6.9	18
116	Early intervention in psychosis: keeping faith with evidence-based health care. <i>Psychological Medicine</i> , 2010 , 40, 399-404	6.9	68
115	The quality of life among first-episode psychotic patients in the OPUS trial. <i>Schizophrenia Research</i> , 2010 , 116, 27-34	3.6	30
114	Course of intelligence deficits in early onset, first episode schizophrenia: a controlled, 5-year longitudinal study. <i>European Child and Adolescent Psychiatry</i> , 2010 , 19, 341-51	5.5	15
113	Deficient maturation of aspects of attention and executive functions in early onset schizophrenia. <i>European Child and Adolescent Psychiatry</i> , 2010 , 19, 773-86	5.5	20
112	Perceptions of coercion in the community: a qualitative study of patients in a Danish assertive community treatment team. <i>Psychiatric Quarterly</i> , 2010 , 81, 35-47	4.1	14

111	Growth hormone, prolactin and cortisol response to exercise in patients with depression. <i>Journal of Affective Disorders</i> , 2010 , 125, 189-97	6.6	35
110	Support of association between BRD1 and both schizophrenia and bipolar affective disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 582-591	3.5	42
109	Antipsychotic polypharmacy and risk of death from natural causes in patients with schizophrenia: a population-based nested case-control study. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 103-8	4.6	93
108	Exploring regional variation in antipsychotic coprescribing practice: a Danish questionnaire survey. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1457-64	4.6	13
107	Support for a bipolar affective disorder susceptibility locus on chromosome 12q24.3. <i>Psychiatric Genetics</i> , 2010 , 20, 93-101	2.9	5
106	Common variants conferring risk of schizophrenia. <i>Nature</i> , 2009 , 460, 744-7	50.4	1350
105	An intron 1 polymorphism in the cholecystokinin-A receptor gene associated with schizophrenia in males. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 120, 281-7	6.5	18
104	Predictors of poor adherence to medication among patients with first-episode schizophrenia-spectrum disorder. <i>Microbial Biotechnology</i> , 2009 , 3, 66-74	3.3	29
103	The rationale for early intervention in schizophrenia and related disorders. <i>Microbial Biotechnology</i> , 2009 , 3 Suppl 1, S3-7	3.3	17
102	Treatment of cannabis use disorders in people with schizophrenia spectrum disorders - a systematic review. <i>Addictive Behaviors</i> , 2009 , 34, 520-5	4.2	31
101	Reprint of "Treatment of cannabis use disorders in people with schizophrenia spectrum disorders--a systematic review". <i>Addictive Behaviors</i> , 2009 , 34, 846-51	4.2	8
100	Course of illness in a sample of 265 patients with first-episode psychosis--five-year follow-up of the Danish OPUS trial. <i>Schizophrenia Research</i> , 2009 , 107, 173-8	3.6	75
99	OPUS -trial: Five-year Follow-up of a RCT of Specialized Treatment for Patients with First Episode Psychosis. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	1
98	The Demo Trial: An Observer-blinded RCT of Strength Versus Aerobic Versus Relaxation Training for Patients with Mild to Moderate Depression. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	
97	CAPOPUS Trial: an Observer-blinded RCT of Specialized Addiction Treatment Versus Standard Treatment for Young Patients with Cannabis Abuse and Psychosis. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	1
96	The DEMO trial: a randomized, parallel-group, observer-blinded clinical trial of strength versus aerobic versus relaxation training for patients with mild to moderate depression. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 790-800	4.6	82
95	Intervention in individuals at ultra-high risk for psychosis: a review and future directions. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1206-12	4.6	219
94	Does a detection team shorten duration of untreated psychosis?. <i>Microbial Biotechnology</i> , 2008 , 2, 22-6	3.3	6

93	Effect of integrated treatment on the use of coercive measures in first-episode schizophrenia-spectrum disorder. A randomized clinical trial. <i>International Journal of Law and Psychiatry</i> , 2008 , 31, 72-6	2.6	14
92	The association between pre-morbid adjustment, duration of untreated psychosis and outcome in first-episode psychosis. <i>Psychological Medicine</i> , 2008 , 38, 1157-66	6.9	84
91	Five-year follow-up of a randomized multicenter trial of intensive early intervention vs standard treatment for patients with a first episode of psychotic illness: the OPUS trial. <i>Archives of General Psychiatry</i> , 2008 , 65, 762-71		345
90	Impaired childhood development and suicidal behaviour in a cohort of Danish men born in 1953. <i>Journal of Epidemiology and Community Health</i> , 2008 , 62, 23-8	5.1	39
89	Coercion in patients who at their first contact with the psychiatric services system were diagnosed within the schizophrenia-spectrum in Denmark. A register study. <i>Nordic Journal of Psychiatry</i> , 2008 , 62, 77-81	2.3	13
88	Predictors of remission and recovery in a first-episode schizophrenia spectrum disorder sample: 2-year follow-up of the OPUS trial. <i>Canadian Journal of Psychiatry</i> , 2008 , 53, 660-70	4.8	67
87	Design paper: The CapOpus trial: a randomized, parallel-group, observer-blinded clinical trial of specialized addiction treatment versus treatment as usual for young patients with cannabis abuse and psychosis. <i>Trials</i> , 2008 , 9, 42	2.8	11
86	Gender differences in suicidal intent and choice of method among suicide attempters. <i>Crisis</i> , 2008 , 29, 209-12	2.8	27
85	Cognitive function in childhood and early adulthood and hospital admission for schizophrenia and bipolar disorders in Danish men born in 1953. <i>Schizophrenia Research</i> , 2007 , 92, 132-41	3.6	45
84	Frequency and predictive values of first rank symptoms at baseline among 362 young adult patients with first-episode schizophrenia Results from the Danish OPUS study. <i>Schizophrenia Research</i> , 2007 , 97, 60-7	3.6	16
83	Gender differences in young adults with first-episode schizophrenia spectrum disorders at baseline in the Danish OPUS study. <i>Journal of Nervous and Mental Disease</i> , 2007 , 195, 396-405	1.8	140
82	Restrictions in Availability of Drugs Used for Suicide. <i>Crisis</i> , 2007 , 28 Suppl 1, 44-9	2.8	10
81	Suicide risk in schizophrenia: learning from the past to change the future. <i>Annals of General Psychiatry</i> , 2007 , 6, 10	3.4	196
80	Substance abuse and first-episode schizophrenia-spectrum disorders. The Danish OPUS trial. <i>Microbial Biotechnology</i> , 2007 , 1, 88-96	3.3	38
79	Suicidal behaviour and mortality in first-episode psychosis: the OPUS trial. <i>British Journal of Psychiatry</i> , 2007 , 51, s140-6	5.4	123
78	Suicide and occupation: the impact of socio-economic, demographic and psychiatric differences. <i>Psychological Medicine</i> , 2007 , 37, 1131-40	6.9	128
77	Young males have a higher risk of developing schizophrenia: a Danish register study. <i>Psychological Medicine</i> , 2007 , 37, 479-84	6.9	93
76	Design paper: the DEMO trial: a randomized, parallel-group, observer-blinded clinical trial of aerobic versus non-aerobic versus relaxation training for patients with light to moderate depression. <i>Contemporary Clinical Trials</i> , 2007 , 28, 79-89	2.3	13

75	Cannabis use and risk of psychosis in later life. <i>Lancet, The</i> , 2007 , 370, 293-4	4.0	15
74	Restrictions in means for suicide: an effective tool in preventing suicide: the Danish experience. <i>Suicide and Life-Threatening Behavior</i> , 2007 , 37, 688-97	3.9	39
73	Intensive treatment models and coercion. <i>Nordic Journal of Psychiatry</i> , 2007 , 61, 369-78	2.3	10
72	Increased mortality among patients admitted with major psychiatric disorders: a register-based study comparing mortality in unipolar depressive disorder, bipolar affective disorder, schizoaffective disorder, and schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 899-907	4.6	259
71	A comparison of selected risk factors for unipolar depressive disorder, bipolar affective disorder, schizoaffective disorder, and schizophrenia from a danish population-based cohort. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 1673-81	4.6	129
70	Prevention of suicide and attempted suicide in Denmark. Epidemiological studies of suicide and intervention studies in selected risk groups. <i>Danish Medical Bulletin</i> , 2007 , 54, 306-69		59
69	Time-trends in method-specific suicide rates compared with the availability of specific compounds. The Danish experience. <i>Nordic Journal of Psychiatry</i> , 2006 , 60, 97-106	2.3	19
68	Childhood social environment and risk of drug and alcohol abuse in a cohort of Danish men born in 1953. <i>American Journal of Epidemiology</i> , 2006 , 163, 654-61	3.8	37
67	FC9D SUBSTANCE ABUSE IN FIRST-EPIISODE SCHIZOPHRENIA-SPECTRUM DISORDERS. <i>Schizophrenia Research</i> , 2006 , 86, S44	3.6	9
66	Transition rates from schizotypal disorder to psychotic disorder for first-contact patients included in the OPUS trial. A randomized clinical trial of integrated treatment and standard treatment. <i>Schizophrenia Research</i> , 2006 , 83, 29-40	3.6	125
65	Social network among young adults with first-episode schizophrenia spectrum disorders: results from the Danish OPUS trial. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 761-70	4.5	43
64	Treatment of patients with first-episode psychosis: two-year outcome data from the Danish National Schizophrenia Project. <i>World Psychiatry</i> , 2006 , 5, 100-3	14.4	14
63	Trends in suicide risk associated with hospitalized psychiatric illness: a case-control study based on Danish longitudinal registers. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 1936-41	4.6	19
62	Effect of a Suicide Prevention Centre for young people with suicidal behaviour in Copenhagen. <i>European Psychiatry</i> , 2005 , 20, 121-8	6	14
61	Integrated treatment ameliorates negative symptoms in first episode psychosis--results from the Danish OPUS trial. <i>Schizophrenia Research</i> , 2005 , 79, 95-105	3.6	120
60	Birth dimensions and risk of depression in adulthood: cohort study of Danish men born in 1953. <i>British Journal of Psychiatry</i> , 2005 , 186, 400-3	5.4	41
59	A randomised multicentre trial of integrated versus standard treatment for patients with a first episode of psychotic illness. <i>BMJ, The</i> , 2005 , 331, 602	5.9	383
58	Integrated treatment of first-episode psychosis: effect of treatment on family burden: OPUS trial. <i>British Journal of Psychiatry</i> , 2005 , 48, s85-90	5.4	109

57	Registration, psychiatric evaluation and adherence to psychiatric treatment after suicide attempt. <i>Nordic Journal of Psychiatry</i> , 2005 , 59, 213-6	2.3	29
56	Suicide risk in relation to psychiatric hospitalization: evidence based on longitudinal registers. <i>Archives of General Psychiatry</i> , 2005 , 62, 427-32		427
55	Improving 1-year outcome in first-episode psychosis: OPUS trial. <i>British Journal of Psychiatry</i> , 2005 , 48, s98-103	5.4	119
54	The Danish National Schizophrenia Project: prospective, comparative longitudinal treatment study of first-episode psychosis. <i>British Journal of Psychiatry</i> , 2005 , 186, 394-9	5.4	61
53	Change in suicide rates for patients with schizophrenia in Denmark, 1981-97: nested case-control study. <i>BMJ, The</i> , 2004 , 329, 261	5.9	84
52	10 year follow up study of mortality among users of hostels for homeless people in Copenhagen. <i>BMJ, The</i> , 2003 , 327, 81	5.9	109
51	Familial, psychiatric, and socioeconomic risk factors for suicide in young people: nested case-control study. <i>BMJ, The</i> , 2002 , 325, 74	5.9	261
50	Drop-out and continuity of care for patients suffering from schizophrenia and schizophrenia-like psychosis evaluated by means of routine registration. <i>Nordic Journal of Psychiatry</i> , 2002 , 56, 175-9	2.3	6
49	OPUS study: suicidal behaviour, suicidal ideation and hopelessness among patients with first-episode psychosis. One-year follow-up of a randomised controlled trial. <i>British Journal of Psychiatry</i> , 2002 , 43, s98-106	5.4	211
48	Psychiatric emergency outreach: a report on the first 2 years of functioning in Copenhagen. <i>Nordic Journal of Psychiatry</i> , 2002 , 56, 399-405	2.3	7
47	Early detection and assertive community treatment of young psychotics: the Opus Study Rationale and design of the trial. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2000 , 35, 283-7	4.5	82
46	Expressed emotion and family burden in first episode psychosis. <i>Schizophrenia Research</i> , 2000 , 41, 168-169	5.9	3
45	Copenhagen Community Psychiatric Project (CCPP): characteristics and treatment of homeless patients in the psychiatric services after introduction of community mental health centres. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1997 , 32, 369-78	4.5	10
44	CCPP-Copenhagen Community Psychiatric Project. Implementation of community mental health centres in Copenhagen: effects of service utilization, social integration, quality of life and positive and negative symptoms. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1996 , 31, 336-44	4.5	16
43	The Copenhagen Community Psychiatric Project (CCPP) 1996 , 67-81		
42	Intrauterine growth retardation and premature delivery: the influence of maternal smoking and psychosocial factors. <i>American Journal of Public Health</i> , 1996 , 86, 347-54	5.1	186
41	Small Group Homes for the Long-Term Mentally Ill: Clinical and Social Characteristics of the Residents. <i>Nordic Journal of Psychiatry</i> , 1996 , 50, 297-303	2.3	1
40	Prenatal stressors of human life affect fetal brain development. <i>Developmental Medicine and Child Neurology</i> , 1994 , 36, 826-32	3.3	205

39	Delirium tremens and physical alcohol withdrawal: A double-blind comparison of phenobarbital and barbit treatment. <i>Nordic Journal of Psychiatry</i> , 1994 , 48, 121-130	2.3	0
38	Prenatal stressors of human life affect fetal brain development. <i>Pediatric Neurology</i> , 1994 , 11, 82	2.9	2
37	High mortality by natural and unnatural causes: a 10 year follow up study of patients admitted to a poisoning treatment centre after suicide attempts. <i>BMJ: British Medical Journal</i> , 1993 , 306, 1637-41		164
36	Attempted suicide: Are effective disorders missed?: AuthorsPreply 1993 , 307, 866-866		2
35	Mental illness and social integration among suicide attempters in Copenhagen. Comparison with the general population and a four-year follow-up study of 100 patients. <i>Acta Psychiatrica Scandinavica</i> , 1993 , 88, 278-85	6.5	41
34	Thiamine pyrophosphate effect and erythrocyte transketolase activity during severe alcohol withdrawal syndrome. <i>Acta Psychiatrica Scandinavica</i> , 1993 , 88, 80-4	6.5	10
33	Suicide and suicide attempts among young persons in Copenhagen. <i>Nordic Journal of Psychiatry</i> , 1993 , 47, 61-69	2.3	2
32	The role of general practice in community mental health: A survey in four districts of Copenhagen. <i>Nordic Journal of Psychiatry</i> , 1992 , 46, 223-227	2.3	1
31	Housing conditions and residential needs of psychiatric patients in Copenhagen. <i>Acta Psychiatrica Scandinavica</i> , 1992 , 85, 385-9	6.5	15
30	Psychosocial stress and severe prematurity. <i>Lancet, The</i> , 1992 , 340, 54	4.0	24
29	Patients in the care of private psychiatric practitioners. Comparison with public hospital patients and the background districtsPpopulation. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1992 , 27, 156-60	4.5	
28	Using research and evaluation to inform the development ofearly-psychosis service models385-404		1
27	Genome-wide association study of febrile seizures identifies seven new loci implicating fever response and neuronal excitability genes		2
26	Home environment of 11-year-old children born to parents with schizophrenia or bipolar disorder □ a controlled, 4-year follow-up study: The Danish High Risk and Resilience Study [VIA 11. <i>Psychological Medicine</i> ,1-11	6.9	
25	Genome-wide association study of suicide attempt in psychiatric disorders identifies association with major depression polygenic risk scores		2
24	Meta-analysis of Scandinavian Schizophrenia Exomes		1
23	The iPSYCH2012 case-cohort sample: New directions for unravelling genetic and environmental architectures of severe mental disorders		4
22	Complex spatio-temporal distribution and genogeographic affinity of mitochondrial DNA haplogroups in 24,216 Danes		2

21	Mitochondrial DNA SNPs associated with Schizophrenia exhibit Highly Variable Inter-allelic Haplogroup Affiliation and Nuclear Genogeographic Affinity: Bi-Genomic Linkage Disequilibrium raises Major Concerns for Link to Disease	2
20	Dysregulated lipid metabolism precedes onset of psychosis in people at clinical high risk	1
19	Gestational-age-dependent development of the neonatal metabolome	2
18	Genome-wide association study of school grades identifies a genetic overlap between language ability, psychopathology and creativity	3
17	The iPSYCH2015 Case-Cohort sample: updated directions for unravelling genetic and environmental architectures of severe mental disorders	6
16	Dissecting the shared genetic architecture of suicide attempt, psychiatric disorders and known risk factors	2
15	A Major Role for Common Genetic Variation in Anxiety Disorders	9
14	Common risk variants identified in autism spectrum disorder	32
13	Genome-wide association study implicates CHRNA2 in cannabis use disorder	5
12	A genome-wide association study for shared risk across major psychiatric disorders in a nation-wide birth cohort implicates fetal neurodevelopment as a key mediator	6
11	Genome-wide Association Study of Anxiety and Stress-related Disorders in the iPSYCH Cohort	8
10	ASD and ADHD have a similar burden of rare protein-truncating variants	12
9	Largest genome-wide association study for PTSD identifies genetic risk loci in European and African ancestries and implicates novel biological pathways	6
8	Large-scale exome sequencing study implicates both developmental and functional changes in the neurobiology of autism	21
7	Genetic factors underlying the bidirectional relationship between autoimmune and mental disorders [Findings from a Danish population-based study]	2
6	Identification of risk variants and characterization of the polygenic architecture of disruptive behavior disorders in the context of ADHD	1
5	Accounting for age-of-onset and family history improves power in genome-wide association studies	2
4	Polygenic heterogeneity across obsessive-compulsive disorder subgroups defined by a comorbid diagnosis	1

- | | | |
|---|---|-----|
| 3 | Polygenic profiles define aspects of clinical heterogeneity in ADHD | 1 |
| 2 | Differences in the genetic architecture of common and rare variants in childhood, persistent and late-diagnosed attention deficit hyperactivity disorder | 1 |
| 1 | School performance and genetic propensities for educational attainment and depression in the etiology of self-harm: a Danish population-based study. <i>Nordic Journal of Psychiatry</i> ,1-9 | 2.3 |