## Marie-Odile Parat

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9524965/marie-odile-parat-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82 2,896 34 52 h-index g-index citations papers 88 3,314 5.3 5.24 L-index avg, IF ext. citations ext. papers

| #  | Paper   | IF   | Citations |
|----|---|------|-----------|
| 82 | Interaction of Opioids with TLR4-Mechanisms and Ramifications. <i>Cancers</i> , <b>2021</b> , 13,   | 6.6  | 3         |
| 81 | High intraluminal pressure promotes vascular inflammation via caveolin-1. <i>Scientific Reports</i> , <b>2021</b> , 11, 5894  | 4.9  | 2         |
| 80 | Cavin3 released from caveolae interacts with BRCA1 to regulate the cellular stress response. <i>ELife</i> , <b>2021</b> , 10,   | 8.9  | 2         |
| 79 | Anticancer activities of dietary benzyl isothiocyanate: A comprehensive review. <i>Pharmacological Research</i> , <b>2021</b> , 169, 105666   | 10.2 | 12        |
| 78 | New Insights on Tramadol and Immunomodulation. <i>Current Oncology Reports</i> , <b>2021</b> , 23, 123  | 6.3  | 1         |
| 77 | Opioid Receptor-Mediated and Non-Opioid Receptor-Mediated Roles of Opioids in Tumour Growth and Metastasis <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 792290  | 5.3  | 1         |
| 76 | Caveola-forming proteins and prostate cancer. Cancer and Metastasis Reviews, 2020, 39, 415-433  | 9.6  | O         |
| 75 | Compound Identification and In Vitro Cytotoxicity of the Supercritical Carbon Dioxide Extract of Papaya Freeze-Dried Leaf Juice. <i>Processes</i> , <b>2020</b> , 8, 610  | 2.9  | 3         |
| 74 | Matrix protease production, epithelial-to-mesenchymal transition marker expression and invasion of glioblastoma cells in response to osmotic or hydrostatic pressure. <i>Scientific Reports</i> , <b>2020</b> , 10, 2634            | 4.9  | 8         |
| 73 | A role for caveola-forming proteins caveolin-1 and CAVIN1 in the pro-invasive response of glioblastoma to osmotic and hydrostatic pressure. <i>Journal of Cellular and Molecular Medicine</i> , <b>2020</b> , 24, 3724-3738         | 5.6  | 5         |
| 72 | Rivastigmine and metabolite analogues with putative Alzheimer disease-modifying properties in a Caenorhabditis elegans model. <i>Communications Chemistry</i> , <b>2019</b> , 2,  | 6.3  | 19        |
| 71 | Correlation of the invasive potential of glioblastoma and expression of caveola-forming proteins caveolin-1 and CAVIN1. <i>Journal of Neuro-Oncology</i> , <b>2019</b> , 143, 207-220   | 4.8  | 5         |
| 70 | Factorial design-assisted supercritical carbon-dioxide extraction of cytotoxic active principles from Carica papaya leaf juice. <i>Scientific Reports</i> , <b>2019</b> , 9, 1716   | 4.9  | 5         |
| 69 | Effect of Perioperative Opioids on Cancer-Relevant Circulating Parameters: Mu Opioid Receptor and Toll-Like Receptor 4 Activation Potential, and Proteolytic Profile. <i>Clinical Cancer Research</i> , <b>2018</b> , 24, 2319-2327 | 12.9 | 15        |
| 68 | Lithium reverses mechanical allodynia through a mu opioid-dependent mechanism. <i>Molecular Pain</i> , <b>2018</b> , 14, 1744806917754142   | 3.4  | 4         |
| 67 | Stable isotope-labelled morphine to study in vivo central and peripheral morphine glucuronidation and brain transport in tolerant mice. <i>British Journal of Pharmacology</i> , <b>2018</b> , 175, 3844-3856                       | 8.6  | 6         |
| 66 | Morphine Binds Creatine Kinase B and Inhibits Its Activity. <i>Frontiers in Cellular Neuroscience</i> , <b>2018</b> , 12, 464   | 6.1  | 3         |

| 65 | Activation of Eppioid receptor and Toll-like receptor 4 by plasma from morphine-treated mice. <i>Brain, Behavior, and Immunity,</i> <b>2017</b> , 61, 244-258  | 16.6                 | 31              |
|----|--|----------------------|-----------------|
| 64 | Bifunctional Succinylated Polylysine-Coated Mesoporous Silica Nanoparticles for pH-Responsive and Intracellular Drug Delivery Targeting the Colon. <i>ACS Applied Materials &amp; Drug Delivery Targeting the Colon. ACS Applied Materials &amp; Drug Delivery Targeting the Colon. ACS Applied Materials &amp; Drug Delivery Targeting the Colon. ACS Applied Materials &amp; Drug Delivery Targeting the Colon. ACS Applied Materials &amp; Drug Delivery Targeting the Colon. ACS Applied Materials &amp; Drug Delivery Targeting the Colon. ACS Applied Materials &amp; Drug Delivery Targeting the Colon. ACS Applied Materials &amp; Drug Delivery Targeting the Colon. ACS Applied Materials &amp; Drug Delivery Targeting the Colon. ACS Applied Materials &amp; Drug Delivery Targeting the Colon. ACS Applied Materials &amp; Drug Delivery Targeting the Colon. ACS Applied Materials &amp; Drug Delivery Targeting the Colon. ACS Applied Materials &amp; Drug Delivery Targeting the Colon. ACS Applied Materials &amp; Drug Delivery Targeting the Colon. ACS Applied Materials &amp; Drug Delivery Targeting the Colon. ACS Applied Materials &amp; Drug Delivery Targeting the Colon. ACS Applied Materials &amp; Drug Delivery Targeting the Colon.</i> | .78 <del>:5</del> 48 | 3 <sup>57</sup> |
| 63 | Multifunctional Analogs of Kynurenic Acid for the Treatment of Alzheimer's Disease: Synthesis, Pharmacology, and Molecular Modeling Studies. <i>ACS Chemical Neuroscience</i> , <b>2017</b> , 8, 2667-2675   | 5.7                  | 21              |
| 62 | Morphine alters the circulating proteolytic profile in mice: functional consequences on cellular migration and invasion. <i>FASEB Journal</i> , <b>2017</b> , 31, 5208-5216  | 0.9                  | 14              |
| 61 | Effect of the Biphenyl Neolignan Honokiol on Allnduced Toxicity in Caenorhabditis elegans, All Fibrillation, Cholinesterase Activity, DPPH Radicals, and Iron(II) Chelation. <i>ACS Chemical Neuroscience</i> , <b>2017</b> , 8, 1901-1912   | 5.7                  | 24              |
| 60 | Solvent Supercritical Fluid Technologies to Extract Bioactive Compounds from Natural Sources: A Review. <i>Molecules</i> , <b>2017</b> , 22,   | 4.8                  | 183             |
| 59 | Stably engineered nanobubbles and ultrasound - An effective platform for enhanced macromolecular delivery to representative cells of the retina. <i>PLoS ONE</i> , <b>2017</b> , 12, e0178305  | 3.7                  | 16              |
| 58 | Discovery and Structure-Activity Relationships of a Highly Selective Butyrylcholinesterase Inhibitor by Structure-Based Virtual Screening. <i>Journal of Medicinal Chemistry</i> , <b>2016</b> , 59, 7683-9  | 8.3                  | 84              |
| 57 | Morphine decreases the pro-angiogenic interaction between breast cancer cells and macrophages in vitro. <i>Scientific Reports</i> , <b>2016</b> , 6, 31572   | 4.9                  | 23              |
| 56 | Express in Vitro Plasmid Transfection Achieved with 16 Asymmetric Peptide Dendrimers. <i>ACS Biomaterials Science and Engineering</i> , <b>2016</b> , 2, 438-445   | 5.5                  | 7               |
| 55 | Molecular Determinants of the Cellular Entry of Asymmetric Peptide Dendrimers and Role of Caveolae. <i>PLoS ONE</i> , <b>2016</b> , 11, e0147491   | 3.7                  | 13              |
| 54 | Traditional Aboriginal Preparation Alters the Chemical Profile of Carica papaya Leaves and Impacts on Cytotoxicity towards Human Squamous Cell Carcinoma. <i>PLoS ONE</i> , <b>2016</b> , 11, e0147956   | 3.7                  | 18              |
| 53 | The TLR4-Active Morphine Metabolite Morphine-3-Glucuronide Does Not Elicit Macrophage Classical Activation. <i>Frontiers in Pharmacology</i> , <b>2016</b> , 7, 441  | 5.6                  | 9               |
| 52 | Morphine Modulates Interleukin-4- or Breast Cancer Cell-induced Pro-metastatic Activation of Macrophages. <i>Scientific Reports</i> , <b>2015</b> , 5, 11389   | 4.9                  | 44              |
| 51 | Opioid Analgesic Agents and Cancer Cell Biology. Current Anesthesiology Reports, 2015, 5, 278-284  | 1                    | 3               |
| 50 | The Role of Perioperative Pharmacological Adjuncts in Cancer Outcomes: Beta-Adrenergic Receptor Antagonists, NSAIDs and Anti-fibrinolytics. <i>Current Anesthesiology Reports</i> , <b>2015</b> , 5, 291-304   | 1                    | 2               |
| 49 | Comparison and analysis of the animal models used to study the effect of morphine on tumour growth and metastasis. <i>British Journal of Pharmacology</i> , <b>2015</b> , 172, 251-9   | 8.6                  | 41              |
| 48 | Consensus statement from the BJA Workshop on Cancer and Anaesthesia. <i>British Journal of Anaesthesia</i> , <b>2015</b> , 114, 2-3  | 5.4                  | 59              |

| 47 | Cavin Family: New Players in the Biology of Caveolae. <i>International Review of Cell and Molecular Biology</i> , <b>2015</b> , 320, 235-305   | 6                   | 31 |
|----|--|---------------------|----|
| 46 | Are caveolae a cellular entry route for non-viral therapeutic delivery systems?. <i>Advanced Drug Delivery Reviews</i> , <b>2015</b> , 91, 92-108  | 18.5                | 45 |
| 45 | Non-caveolar caveolin-1 expression in prostate cancer cells promotes lymphangiogenesis. <i>Oncoscience</i> , <b>2015</b> , 2, 635-45   | 0.8                 | 15 |
| 44 | Diet-induced hypercholesterolemia promotes androgen-independent prostate cancer metastasis via IQGAP1 and caveolin-1. <i>Oncotarget</i> , <b>2015</b> , 6, 7438-53   | 3.3                 | 34 |
| 43 | Chemical Characterization and in Vitro Cytotoxicity on Squamous Cell Carcinoma Cells of Carica papaya Leaf Extracts. <i>Toxins</i> , <b>2015</b> , 8,  | 4.9                 | 26 |
| 42 | Effect of lysine antifibrinolytics and cyclooxygenase inhibitors on the proteolytic profile of breast cancer cells interacting with macrophages or endothelial cells. <i>British Journal of Anaesthesia</i> , <b>2014</b> , 113 Suppl 1, i22-31    | 5.4                 | 5  |
| 41 | Morphine and breast tumor metastasis: the role of matrix-degrading enzymes. <i>Clinical and Experimental Metastasis</i> , <b>2014</b> , 31, 149-58   | 4.7                 | 44 |
| 40 | Caveola-forming proteins caveolin-1 and PTRF in prostate cancer. <i>Nature Reviews Urology</i> , <b>2013</b> , 10, 529   | 9-36                | 40 |
| 39 | Assessment of gene expression of intracellular calcium channels, pumps and exchangers with epidermal growth factor-induced epithelial-mesenchymal transition in a breast cancer cell line. <i>Cancer Cell International</i> , <b>2013</b> , 13, 76 | 6.4                 | 50 |
| 38 | Anticancer activity of Carica papaya: a review. <i>Molecular Nutrition and Food Research</i> , <b>2013</b> , 57, 153-64  | 5.9                 | 63 |
| 37 | PTRF/Cavin-1 decreases prostate cancer angiogenesis and lymphangiogenesis. <i>Oncotarget</i> , <b>2013</b> , 4, 184  | 14 <del>5.</del> 55 | 35 |
| 36 | Morphine and Metastasis: From Bench to Bedside <b>2013</b> , 1-13  |                     | 2  |
| 35 | Could Opioids Affect Cancer Recurrence or Metastases? Current Experimental and Translational Evidence <b>2013</b> , 79-94  |                     | 1  |
| 34 | Altered angiogenesis in caveolin-1 gene-deficient mice is restored by ablation of endothelial nitric oxide synthase. <i>American Journal of Pathology</i> , <b>2012</b> , 180, 1702-14   | 5.8                 | 28 |
| 33 | Caveolin-1 plays a critical role in the differentiation of monocytes into macrophages. <i>Arteriosclerosis, Thrombosis, and Vascular Biology,</i> <b>2012</b> , 32, e117-25  | 9.4                 | 45 |
| 32 | Non-stimulated, agonist-stimulated and store-operated Ca2+ influx in MDA-MB-468 breast cancer cells and the effect of EGF-induced EMT on calcium entry. <i>PLoS ONE</i> , <b>2012</b> , 7, e36923  | 3.7                 | 69 |
| 31 | Co-regulation of cell polarization and migration by caveolar proteins PTRF/Cavin-1 and caveolin-1. <i>PLoS ONE</i> , <b>2012</b> , 7, e43041   | 3.7                 | 45 |
| 30 | Calcium channel TRPV6 as a potential therapeutic target in estrogen receptor-negative breast cancer. <i>Molecular Cancer Therapeutics</i> , <b>2012</b> , 11, 2158-68  | 6.1                 | 88 |

| 29 | Caveolin-1, caveolae, and glioblastoma. <i>Neuro-Oncology</i> , <b>2012</b> , 14, 679-88  | 1    | 41  |
|----|---|------|-----|
| 28 | PTRF-cavin-1 expression decreases the migration of PC3 prostate cancer cells: role of matrix metalloprotease 9. <i>European Journal of Cell Biology</i> , <b>2011</b> , 90, 136-42            | 6.1  | 55  |
| 27 | Morphine and tumor growth and metastasis. Cancer and Metastasis Reviews, 2011, 30, 225-38   | 9.6  | 128 |
| 26 | Remodeling of purinergic receptor-mediated Ca2+ signaling as a consequence of EGF-induced epithelial-mesenchymal transition in breast cancer cells. <i>PLoS ONE</i> , <b>2011</b> , 6, e23464 | 3.7  | 46  |
| 25 | Abrogation of PIK3CA or PIK3R1 reduces proliferation, migration, and invasion in glioblastoma multiforme cells. <i>Oncotarget</i> , <b>2011</b> , 2, 833-49                                   | 3.3  | 88  |
| 24 | Morphine use in cancer surgery. Frontiers in Pharmacology, <b>2011</b> , 2, 46  | 5.6  | 31  |
| 23 | Mango extracts and the mango component mangiferin promote endothelial cell migration. <i>Journal of Agricultural and Food Chemistry</i> , <b>2010</b> , 58, 5181-6                            | 5.7  | 45  |
| 22 | The biology of caveolae: achievements and perspectives. <i>International Review of Cell and Molecular Biology</i> , <b>2009</b> , 273, 117-62   | 6    | 72  |
| 21 | Can regional analgesia reduce the risk of recurrence after breast cancer? Methodology of a multicenter randomized trial. <i>Contemporary Clinical Trials</i> , <b>2008</b> , 29, 517-26       | 2.3  | 120 |
| 20 | Role of extracellular domain dimerization in agonist-induced activation of natriuretic peptide receptor A. <i>Molecular Pharmacology</i> , <b>2008</b> , 73, 431-40                           | 4.3  | 5   |
| 19 | Reassessing the role of phosphocaveolin-1 in cell adhesion and migration. <i>Traffic</i> , <b>2007</b> , 8, 1695-1705   | 5.7  | 30  |
| 18 | Caveolin-1 polarization in transmigrating endothelial cells requires binding to intermediate filaments. <i>Angiogenesis</i> , <b>2007</b> , 10, 297-305                                       | 10.6 | 24  |
| 17 | Altered localization of H-Ras in caveolin-1-null cells is palmitoylation-independent. <i>Journal of Cell Communication and Signaling</i> , <b>2007</b> , 1, 195-204                           | 5.2  | 6   |
| 16 | Caveolin-1 polarization in migrating endothelial cells is directed by substrate topology not chemoattractant gradient. <i>Cytoskeleton</i> , <b>2006</b> , 63, 673-80                         |      | 11  |
| 15 | A role for caveolae in cell migration. FASEB Journal, 2004, 18, 1801-11   | 0.9  | 133 |
| 14 | Oxidative stress, caveolae and caveolin-1. Sub-Cellular Biochemistry, 2004, 37, 425-41  | 5.5  | 12  |
| 13 | Differential caveolin-1 polarization in endothelial cells during migration in two and three dimensions. <i>Molecular Biology of the Cell</i> , <b>2003</b> , 14, 3156-68                      | 3.5  | 122 |
| 12 | Oxidative stress inhibits caveolin-1 palmitoylation and trafficking in endothelial cells. <i>Biochemical Journal</i> , <b>2002</b> , 361, 681-8   | 3.8  | 23  |

| 11 | Oxidative stress inhibits caveolin-1 palmitoylation and trafficking in endothelial cells. <i>Biochemical Journal</i> , <b>2002</b> , 361, 681-688   | 3.8 | 34  |
|----|---|-----|-----|
| 10 | Cooperative Effects of Zinc / Selenium and Thiols in the Protection Against UV-Induced Genomic DNA Damage <b>2002</b> , 77-82   |     |     |
| 9  | Palmitoylation of caveolin-1 in endothelial cells is post-translational but irreversible. <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 15776-82  | 5.4 | 54  |
| 8  | Impairment of cultured cell proliferation and metallothionein expression by metal chelator NNN'N'-tetrakis-(2-pyridylmethyl)ethylene diamine. <i>Biological Trace Element Research</i> , <b>1999</b> , 70, 51-68                | 4.5 | 14  |
| 7  | Modulation of p53 protein conformation and DNA-binding activity by intracellular chelation of zinc. <i>Molecular Carcinogenesis</i> , <b>1998</b> , 21, 205-14  | 5   | 92  |
| 6  | Metal chelator NNNNN-tetrakis-(2-pyridymethyl)ethylene diamine inhibits the induction of heat shock protein 70 synthesis by heat in cultured keratinocytes. <i>Biological Trace Element Research</i> , <b>1998</b> , 65, 261-70 | 4.5 | 10  |
| 5  | Involvement of zinc in intracellular oxidant/antioxidant balance. <i>Biological Trace Element Research</i> , <b>1997</b> , 60, 187-204  | 4.5 | 58  |
| 4  | Zinc and DNA fragmentation in keratinocyte apoptosis: its inhibitory effect in UVB irradiated cells.<br>Journal of Photochemistry and Photobiology B: Biology, 1997, 37, 101-6  | 6.7 | 52  |
| 3  | Photodynamic effects of hypericin on lipid peroxidation and antioxidant status in melanoma cells. <i>Photochemistry and Photobiology</i> , <b>1996</b> , 64, 375-81   | 3.6 | 104 |
| 2  | Photodynamically induced cytotoxicity of hypericin dye on human fibroblast cell line MRC5. <i>Journal of Photochemistry and Photobiology B: Biology</i> , <b>1995</b> , 27, 139-46  | 6.7 | 57  |
| 1  | Does manganese protect cultured human skin fibroblasts against oxidative injury by UVA, dithranol and hydrogen peroxide?. <i>Free Radical Research</i> , <b>1995</b> , 23, 339-51   | 4   | 16  |