## Lars W Schropp

## List of Publications by Citations

Source: https://exaly.com/author-pdf/9525625/lars-w-schropp-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38
papers
1,185
citations
16
h-index
g-index

40
ext. papers
2,2
avg, IF
L-index

#	Paper	IF	Citations
38	Bone healing and soft tissue contour changes following single-tooth extraction: a clinical and radiographic 12-month prospective study. <i>International Journal of Periodontics and Restorative Dentistry</i> , <b>2003</b> , 23, 313-23	2.1	440
37	Bone healing following immediate versus delayed placement of titanium implants into extraction sockets: a prospective clinical study. <i>International Journal of Oral and Maxillofacial Implants</i> , <b>2003</b> , 18, 189-99	2.8	121
36	Patient experience of, and satisfaction with, delayed-immediate vs. delayed single-tooth implant placement. <i>Clinical Oral Implants Research</i> , <b>2004</b> , 15, 498-503	4.8	66
35	Clinical and radiographic performance of delayed-immediate single-tooth implant placement associated with peri-implant bone defects. A 2-year prospective, controlled, randomized follow-up report. <i>Journal of Clinical Periodontology</i> , <b>2005</b> , 32, 480-7	7.7	60
34	Interproximal papilla levels following early versus delayed placement of single-tooth implants: a controlled clinical trial. <i>International Journal of Oral and Maxillofacial Implants</i> , <b>2005</b> , 20, 753-61	2.8	57
33	Planning of dental implant size with digital panoramic radiographs, CBCT-generated panoramic images, and CBCT cross-sectional images. <i>Clinical Oral Implants Research</i> , <b>2014</b> , 25, 690-5	4.8	34
32	Factors affecting patient movement and re-exposure in cone beam computed tomography examination. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , <b>2015</b> , 119, 572-8	2	32
31	Clinical outcome and patient satisfaction following full-flap elevation for early and delayed placement of single-tooth implants: a 5-year randomized study. <i>International Journal of Oral and Maxillofacial Implants</i> , <b>2008</b> , 23, 733-43	2.8	32
30	Impact of conventional tomography on prediction of the appropriate implant size. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , <b>2001</b> , 92, 458-63		31
29	Papilla dimension and soft tissue level after early vs. delayed placement of single-tooth implants: 10-year results from a randomized controlled clinical trial. <i>Clinical Oral Implants Research</i> , <b>2015</b> , 26, 278	- <b>8</b> 6 <sup>8</sup>	26
28	Radiographic signs of pathology determining removal of an impacted mandibular third molar assessed in a panoramic image or CBCT. <i>Dentomaxillofacial Radiology</i> , <b>2017</b> , 46, 20160330	3.9	26
27	Calibration of radiographs by a reference metal ball affects preoperative selection of implant size. <i>Clinical Oral Investigations</i> , <b>2009</b> , 13, 375-81	4.2	26
26	Shade matching assisted by digital photography and computer software. <i>Journal of Prosthodontics</i> , <b>2009</b> , 18, 235-41	3.9	23
25	Comparison of panoramic and conventional cross-sectional tomography for preoperative selection of implant size. <i>Clinical Oral Implants Research</i> , <b>2011</b> , 22, 424-9	4.8	21
24	Movement characteristics in young patients and the impact on CBCT image quality.  Dentomaxillofacial Radiology, 2016, 45, 20150426	3.9	20
23	Early, delayed, or late single implant placement: 10-year results from a randomized controlled clinical trial. <i>Clinical Oral Implants Research</i> , <b>2014</b> , 25, 1359-65	4.8	18
22	Fate of the buccal bone at implants placed early, delayed, or late after tooth extraction analyzed by cone beam CT: 10-year results from a randomized, controlled, clinical study. <i>Clinical Oral Implants Research</i> , <b>2015</b> , 26, 492-500	4.8	16

21	Radiographic observersdability to recognize patient movement during cone beam CT. Dentomaxillofacial Radiology, <b>2014</b> , 43, 20130449	3.9	16
20	Mandibular canal-related parameters interpreted in panoramic images and CBCT of mandibular third molars as risk factors to predict sensory disturbances of the inferior alveolar nerve. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2019</b> , 48, 1094-1101	2.9	15
19	Use of cone beam computed tomography to assess significant imaging findings related to mandibular third molar impaction. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , <b>2017</b> , 124, 506-516	2	15
18	Impact of CBCT on treatment decision related to surgical removal of impacted maxillary third molars: does CBCT change the surgical approach?. <i>Dentomaxillofacial Radiology</i> , <b>2019</b> , 48, 20190209	3.9	13
17	Factors affecting the possibility to detect buccal bone condition around dental implants using cone beam computed tomography. <i>Clinical Oral Implants Research</i> , <b>2017</b> , 28, 1082-1088	4.8	12
16	An ex vivo study of automated motion artefact correction and the impact on cone beam CT image quality and interpretability. <i>Dentomaxillofacial Radiology</i> , <b>2018</b> , 47, 20180013	3.9	11
15	Detection of patient movement during CBCT examination using video observation compared with an accelerometer-gyroscope tracking system. <i>Dentomaxillofacial Radiology</i> , <b>2017</b> , 46, 20160289	3.9	11
14	Accuracy of video observation and a three-dimensional head tracking system for detecting and quantifying robot-simulated head movements in cone beam computed tomography. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology,</i> <b>2017</b> , 123, 721-728	2	10
13	Implant image quality in dental radiographs recorded using a customized imaging guide or a standard film holder. <i>Clinical Oral Implants Research</i> , <b>2012</b> , 23, 55-9	4.8	6
12	Marginal bone loss and resorption of second molars related to maxillary third molars in panoramic images compared with CBCT. <i>Dentomaxillofacial Radiology</i> , <b>2019</b> , 48, 20180313	3.9	6
11	Accuracy of detecting and measuring buccal bone thickness adjacent to titanium dental implants-a cone beam computed tomography in vitro study. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology,</i> <b>2018</b> , 126, 432-438	2	6
10	Evaluation of the RB-RB/LB-LB mnemonic rule for recording optimally projected intraoral images of dental implants: an in vitro study. <i>Dentomaxillofacial Radiology</i> , <b>2012</b> , 41, 298-304	3.9	4
9	Image-stitching artefacts and distortion in CCD-based cephalograms and their association with sensor type and head movement: study. <i>Dentomaxillofacial Radiology</i> , <b>2020</b> , 49, 20190315	3.9	3
8	Prevalence and severity of image-stitching artifacts in charge-coupled device-based cephalograms of orthodontic patients. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , <b>2020</b> , 129, 158-	164	3
7	Accuracy of cone-beam computed tomography is limited at implant sites with a thin buccal bone: A laboratory study. <i>Journal of Periodontology</i> , <b>2021</b> , 92, 592-601	4.6	3
6	Effect of computer-assisted-learning and simulation clinics on dental studentsdcognitive and performance skills: panoramic image errors related to patientd head position. <i>Dentomaxillofacial Radiology</i> , <b>2020</b> , 49, 20200154	3.9	1
5	Accuracy and Reliability of Intraoral Radiographs in Determining the Cleanliness of Root Canals after Endodontic Retreatment. <i>European Endodontic Journal</i> , <b>2017</b> , 2, 1-5	1.5	1
4	Sella Turcica Area and Location of Point Sella in Cephalograms Acquired with Simulated Patient Head Movements. <i>Journal of Contemporary Dental Practice</i> , <b>2021</b> , 22, 207-214	0.7	O

3	autogenous bone blocks using two predefined sets of success criteria. <i>Clinical Implant Dentistry and Related Research</i> , <b>2019</b> , 21, 845-852	3.9
2	Reliability of radiographic findings in large FOV CBCTs of mandibular third molars as basis for pre-operative patient information. <i>Acta Odontologica Scandinavica</i> , <b>2021</b> , 1-8	2.2
1	Sella Turcica Area and Location of Point Sella in Cephalograms Acquired with Simulated Patient Head Movements. <i>Journal of Contemporary Dental Practice</i> , <b>2021</b> , 22, 207-214	0.7