

# Loic Champion

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9528467/publications.pdf>

Version: 2024-02-01

147  
papers

7,238  
citations

61984

43  
h-index

60623

81  
g-index

163  
all docs

163  
docs citations

163  
times ranked

9282  
citing authors

#	ARTICLE	IF	CITATIONS
1	Bortezomib Plus Dexamethasone Induction Improves Outcome of Patients With t(4;14) Myeloma but Not Outcome of Patients With del(17p). <i>Journal of Clinical Oncology</i> , 2010, 28, 4630-4634.	1.6	383
2	Prognostic Impact of Serum Calcitonin and Carcinoembryonic Antigen Doubling-Times in Patients with Medullary Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 6077-6084.	3.6	361
3	Prediction of Survival in Multiple Myeloma Based on Gene Expression Profiles Reveals Cell Cycle and Chromosomal Instability Signatures in High-Risk Patients and Hyperdiploid Signatures in Low-Risk Patients: A Study of the Intergroupe Francophone du My�lome. <i>Journal of Clinical Oncology</i> , 2008, 26, 4798-4805.	1.6	361
4	bc-GenExMiner: an easy-to-use online platform for gene prognostic analyses in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2012, 131, 765-775.	2.5	308
5	Monitoring of Early Response to Neoadjuvant Chemotherapy in Stage II and III Breast Cancer by [ <sup>18</sup> F]Fluorodeoxyglucose Positron Emission Tomography. <i>Journal of Clinical Oncology</i> , 2006, 24, 5366-5372.	1.6	290
6	Prognostic Significance of Copy-Number Alterations in Multiple Myeloma. <i>Journal of Clinical Oncology</i> , 2009, 27, 4585-4590.	1.6	258
7	Gene-expression molecular subtyping of triple-negative breast cancer tumours: importance of immune response. <i>Breast Cancer Research</i> , 2015, 17, 43.	5.0	248
8	Survival Improvement in Patients With Medullary Thyroid Carcinoma Who Undergo Pretargeted Anti�Carcinoembryonic-Antigen Radioimmunotherapy: A Collaborative Study With the French Endocrine Tumor Group. <i>Journal of Clinical Oncology</i> , 2006, 24, 1705-1711.	1.6	231
9	Sentinel Lymph Node Biopsy After Neoadjuvant Chemotherapy for Advanced Breast Cancer: Results of Ganglion Sentinelle et Chimioth�rapie Neoadjuvante, a French Prospective Multicentric Study. <i>Journal of Clinical Oncology</i> , 2009, 27, 726-732.	1.6	220
10	bc-GenExMiner 3.0: new mining module computes breast cancer gene expression correlation analyses. <i>Database: the Journal of Biological Databases and Curation</i> , 2013, 2013, bas060-bas060.	3.0	211
11	Long-Term Analysis of the IFM 99 Trials for Myeloma: Cytogenetic Abnormalities [t(4;14), del(17p), 1q gains] Play a Major Role in Defining Long-Term Survival. <i>Journal of Clinical Oncology</i> , 2012, 30, 1949-1952.	1.6	198
12	Prognostic value of O6-methylguanine-DNA methyltransferase status in glioblastoma patients, assessed by five different methods. <i>Journal of Neuro-Oncology</i> , 2010, 97, 311-322.	2.9	169
13	Investigation of FDG-PET/CT imaging to guide biopsies in the detection of histological transformation of indolent lymphoma. <i>Haematologica</i> , 2008, 93, 471-472.	3.5	130
14	Mutations in TP53 are exclusively associated with del(17p) in multiple myeloma. <i>Haematologica</i> , 2010, 95, 1973-1976.	3.5	124
15	Translocation t(14;16) and multiple myeloma: is it really an independent prognostic factor?. <i>Blood</i> , 2011, 117, 2009-2011.	1.4	115
16	Analysis of 18F-FDG PET diffuse bone marrow uptake and splenic uptake in staging of Hodgkin�s lymphoma: a reflection of disease infiltration or just inflammation?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 1813-1821.	6.4	111
17	Long-term complications of total body irradiation in adults. <i>International Journal of Radiation Oncology Biology Physics</i> , 2001, 49, 125-131.	0.8	108
18	Treatment of bone metastases of prostate cancer with strontium-89 chloride: efficacy in relation to the degree of bone involvement. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2000, 27, 1487-1493.	2.1	107

#	ARTICLE	IF	CITATIONS
19	Antithyroid drugs and Graves' disease - prospective randomized assessment of long-term treatment. <i>Clinical Endocrinology</i> , 1999, 50, 127-132.	2.4	104
20	Chromosomal Abnormalities Are Major Prognostic Factors in Elderly Patients With Multiple Myeloma: The Intergroupe Francophone du Myélome Experience. <i>Journal of Clinical Oncology</i> , 2013, 31, 2806-2809.	1.6	103
21	CD95L Cell Surface Cleavage Triggers a Prometastatic Signaling Pathway in Triple-Negative Breast Cancer. <i>Cancer Research</i> , 2013, 73, 6711-6721.	0.9	91
22	Surface-enhanced laser desorption/ionization time of flight mass spectrometry protein profiling identifies ubiquitin and ferritin light chain as prognostic biomarkers in node-negative breast cancer tumors. <i>Proteomics</i> , 2006, 6, 1963-1975.	2.2	89
23	Sensitivity and Prognostic Value of Positron Emission Tomography with F-18-Fluorodeoxyglucose and Sensitivity of Immunoscintigraphy in Patients with Medullary Thyroid Carcinoma Treated with Anticarcinoembryonic Antigen-Targeted Radioimmunotherapy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 4590-4597.	3.6	89
24	Targeting, toxicity, and efficacy of 2-step, pretargeted radioimmunotherapy using a chimeric bispecific antibody and <sup>131</sup> I-labeled bivalent hapten in a phase I optimization clinical trial. <i>Journal of Nuclear Medicine</i> , 2006, 47, 247-55.	5.0	88
25	Brown fat in breast cancer patients: analysis of serial <sup>18</sup> F-FDG PET/CT scans. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2006, 33, 785-791.	6.4	87
26	Phase II Trial of Anticarcinoembryonic Antigen Pretargeted Radioimmunotherapy in Progressive Metastatic Medullary Thyroid Carcinoma: Biomarker Response and Survival Improvement. <i>Journal of Nuclear Medicine</i> , 2012, 53, 1185-1192.	5.0	74
27	Interstitial brachytherapy of periorificial skin carcinomas of the face: A retrospective study of 97 cases. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005, 63, 753-757.	0.8	73
28	Clinical and statistical evaluation of self-monitoring blood glucose meters. <i>Diabetes Care</i> , 1998, 21, 1919-1924.	8.6	65
29	Prognostic impact of syndecan-1 expression in invasive ductal breast carcinomas. <i>British Journal of Cancer</i> , 2008, 98, 1993-1998.	6.4	64
30	Validation of tumor-associated macrophage ferritin light chain as a prognostic biomarker in node-negative breast cancer tumors: A multicentric 2004 national PHRC study. <i>International Journal of Cancer</i> , 2012, 131, 426-437.	5.1	64
31	Folate Supplementation Limits the Aggressiveness of Glioma via the Remethylation of DNA Repeats Element and Genes Governing Apoptosis and Proliferation. <i>Clinical Cancer Research</i> , 2009, 15, 3519-3529.	7.0	62
32	Validation of UBE2C protein as a prognostic marker in node-positive breast cancer. <i>British Journal of Cancer</i> , 2009, 101, 166-173.	6.4	61
33	Prediction of Recurrence and Survival for Triple-Negative Breast Cancer (TNBC) by a Protein Signature in Tissue Samples. <i>Molecular and Cellular Proteomics</i> , 2015, 14, 2936-2946.	3.8	61
34	Post-operative care and patient satisfaction after ambulatory surgery for breast cancer patients. <i>European Journal of Surgical Oncology</i> , 2005, 31, 495-499.	1.0	58
35	G388R mutation of the FGFR4 gene is not relevant to breast cancer prognosis. <i>British Journal of Cancer</i> , 2004, 90, 189-193.	6.4	56
36	FDG PET evaluation of early axillary lymph node response to neoadjuvant chemotherapy in stage II and III breast cancer patients. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 1029-1036.	6.4	51

#	ARTICLE	IF	CITATIONS
37	High-Dose-Rate Brachytherapy for Non-“Small-Cell Lung Carcinoma: A Retrospective Study of 226 Patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 79, 1112-1116.	0.8	49
38	OLIGOPELVIS GETUG P07, a Multicenter Phase II Trial of Combined High-dose Salvage Radiotherapy and Hormone Therapy in Oligorecurrent Pelvic Node Relapses in Prostate Cancer. <i>European Urology</i> , 2021, 80, 405-414.	1.9	48
39	Survival Benefit of Hyperthermic Intraperitoneal Chemotherapy for Recurrent Ovarian Cancer: A Multi-institutional Case Control Study. <i>Annals of Surgical Oncology</i> , 2014, 21, 3621-3627.	1.5	47
40	Genetic polymorphism at the glutathione S-transferase (GST) P1 locus is a breast cancer risk modifier. <i>International Journal of Cancer</i> , 2001, 91, 334-339.	5.1	45
41	Randomized clinical trial comparing axillary padding with closed suction drainage for the axillary wound after lymphadenectomy for breast cancer. <i>British Journal of Surgery</i> , 2006, 93, 820-824.	0.3	45
42	Evaluation of response to fractionated radioimmunotherapy with 90Y-epratuzumab in non-Hodgkin's lymphoma by 18F-fluorodeoxyglucose positron emission tomography. <i>Haematologica</i> , 2008, 93, 390-397.	3.5	45
43	Cytogenetic and therapeutic characterization of primary plasma cell leukemia: the IFM experience. <i>Leukemia</i> , 2012, 26, 158-159.	7.2	44
44	OLIGOPELVIS “ GETUG P07: a multicentre phase II trial of combined salvage radiotherapy and hormone therapy in oligometastatic pelvic node relapses of prostate cancer. <i>BMC Cancer</i> , 2015, 15, 646.	2.6	44
45	Videotaped simulated interviews to improve medical students' skills in disclosing a diagnosis of cancer. <i>Psycho-Oncology</i> , 2010, 19, 975-981.	2.3	43
46	Totally implantable venous access ports: a prospective long-term study of early and late complications in adult patients with cancer. <i>Supportive Care in Cancer</i> , 2018, 26, 81-89.	2.2	43
47	Clinical and survival impact of FDG PET in patients with suspicion of recurrent cervical carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 1270-1278.	6.4	42
48	The ongoing French metastatic breast cancer (MBC) cohort: the example-based methodology of the Epidemiological Strategy and Medical Economics (ESME). <i>BMJ Open</i> , 2019, 9, e023568.	1.9	42
49	Learning curve for the detection of axillary sentinel lymph node in breast cancer. <i>European Journal of Surgical Oncology</i> , 2003, 29, 426-433.	1.0	40
50	Outcome of 449 adult patients with rhabdomyosarcoma: an observational ambispective nationwide study. <i>Cancer Medicine</i> , 2018, 7, 4023-4035.	2.8	39
51	c-Myc dependent expression of pro-apoptotic Bim renders HER2-overexpressing breast cancer cells dependent on anti-apoptotic Mcl-1. <i>Molecular Cancer</i> , 2011, 10, 110.	19.2	38
52	A Genome-Wide Association Study Identifies a Novel Locus for Bortezomib-Induced Peripheral Neuropathy in European Patients with Multiple Myeloma. <i>Clinical Cancer Research</i> , 2016, 22, 4350-4355.	7.0	38
53	High-performance liquid chromatographic assay with UV detection for measurement of dihydrouracil/uracil ratio in plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2006, 834, 170-177.	2.3	36
54	Osteoclasts support the survival of human plasma cells in vitro. <i>International Immunology</i> , 2008, 20, 775-782.	4.0	36

#	ARTICLE	IF	CITATIONS
55	Molecular characterization of the response to chemotherapy in conventional osteosarcomas: Predictive value of HSD17B10 and IFITM2. <i>International Journal of Cancer</i> , 2009, 125, 851-860.	5.1	36
56	No Impairment of Quality of Life 18 Months After High-Dose Intensity-Modulated Radiotherapy for Localized Prostate Cancer: A Prospective Study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010, 77, 1053-1059.	0.8	36
57	Early Toxicity of a Phase 2 Trial of Combined Salvage Radiation Therapy and Hormone Therapy in Oligometastatic Pelvic Node Relapses of Prostate Cancer (OLIGOPELVIS GETUG P07). <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 103, 1061-1067.	0.8	36
58	Prediction of metastatic relapse in node-positive breast cancer: establishment of a clinicogenomic model after FEC100 adjuvant regimen. <i>Breast Cancer Research and Treatment</i> , 2008, 109, 491-501.	2.5	34
59	Consolidation anti-CD22 fractionated radioimmunotherapy with 90 Y-epratuzumab tetraxetan following R-CHOP in elderly patients with diffuse large B-cell lymphoma: a prospective, single group, phase 2 trial. <i>Lancet Haematology</i> , 2017, 4, e35-e45.	4.6	33
60	Early dynamic transcriptomic changes during preoperative radiotherapy in patients with rectal cancer: A feasibility study. <i>World Journal of Gastroenterology</i> , 2013, 19, 3249.	3.3	31
61	Enhanced antitumor activity of combined pretargeted radioimmunotherapy and paclitaxel in medullary thyroid cancer xenograft. <i>Molecular Cancer Therapeutics</i> , 2002, 1, 267-74.	4.1	31
62	Early Assessment of Metabolic Response by 18F-FDG PET During Concomitant Radiochemotherapy of Non-Small Cell Lung Carcinoma Is Associated With Survival. <i>Clinical Nuclear Medicine</i> , 2015, 40, e215-e221.	1.3	29
63	Plasma ceramide, a real-time predictive marker of pulmonary and hepatic metastases response to stereotactic body radiation therapy combined with irinotecan. <i>Radiotherapy and Oncology</i> , 2016, 119, 229-235.	0.6	29
64	The Impact of Nonvisualization of Sentinel Nodes on Lymphoscintigraphy in Breast Cancer. <i>Annals of Surgical Oncology</i> , 2005, 12, 533-538.	1.5	28
65	Validation of axillary sentinel lymph node detection in the staging of early lobular invasive breast carcinoma. <i>Cancer</i> , 2004, 100, 935-941.	4.1	27
66	Prognostic factors for T1-T2 squamous cell carcinomas of the mobile tongue: A retrospective cohort study. <i>Head and Neck</i> , 2011, 33, 928-934.	2.0	27
67	Molecular screening of interleukin-6 gene promoter and influence of -174G/C polymorphism on breast cancer. <i>Cytokine</i> , 2009, 47, 214-223.	3.2	26
68	Laparoscopic Sentinel Lymph Node Versus Hyperextensive Pelvic Dissection for Staging Clinically Localized Prostate Carcinoma: A Prospective Study of 200 Patients. <i>Journal of Nuclear Medicine</i> , 2014, 55, 753-758.	5.0	26
69	Efficacy of palbociclib plus fulvestrant after everolimus in hormone receptor-positive metastatic breast cancer. <i>Breast Cancer Research and Treatment</i> , 2018, 168, 559-566.	2.5	26
70	Preliminary results of a <sup>68</sup> Ga-PSMA PET/CT prospective study in prostate cancer patients with occult recurrence: Diagnostic performance and impact on therapeutic decision-making. <i>Prostate</i> , 2019, 79, 1514-1522.	2.3	25
71	Comprehensive Geriatric Assessment and quality of life after localized prostate cancer radiotherapy in elderly patients. <i>PLoS ONE</i> , 2018, 13, e0194173.	2.5	24
72	Correlation between ERK1 and STAT3 expression and chemoresistance in patients with conventional osteosarcoma. <i>BMC Cancer</i> , 2014, 14, 606.	2.6	23

#	ARTICLE	IF	CITATIONS
73	Reoxygenation during radiotherapy in intermediate-risk prostate cancer. <i>Radiotherapy and Oncology</i> , 2019, 133, 16-19.	0.6	23
74	Pure tubular carcinoma of the breast and sentinel lymph node biopsy: A retrospective multi-institutional study of 234 cases. <i>European Journal of Surgical Oncology</i> , 2013, 39, 248-254.	1.0	22
75	Initial Clinical Results of a Novel Immuno-PET Theranostic Probe in Human Epidermal Growth Factor Receptor 2 "Negative Breast Cancer. <i>Journal of Nuclear Medicine</i> , 2020, 61, 1205-1211.	5.0	22
76	Prognostic value of FDG-PET indices for the assessment of histological response to neoadjuvant chemotherapy and outcome in pediatric patients with Ewing sarcoma and osteosarcoma. <i>PLoS ONE</i> , 2017, 12, e0183841.	2.5	22
77	High-performance liquid chromatographic assay with ultraviolet detection for quantification of dihydrofluorouracil in human lymphocytes: application to measurement of dihydropyrimidine dehydrogenase activity. <i>Biomedical Applications</i> , 2001, 762, 203-209.	1.7	20
78	Antibody Responses to NY-ESO-1 in Primary Breast Cancer Identify a Subtype Target for Immunotherapy. <i>PLoS ONE</i> , 2011, 6, e21129.	2.5	20
79	Logic programming reveals alteration of key transcription factors in multiple myeloma. <i>Scientific Reports</i> , 2017, 7, 9257.	3.3	20
80	RUBY: A phase II study testing rucaparib in germline (g) BRCA wild-type patients presenting metastatic breast cancer (mBC) with homologous recombination deficiency (HRD).. <i>Journal of Clinical Oncology</i> , 2019, 37, 1092-1092.	1.6	20
81	Laparoscopic sentinel lymph node (SLN) versus extensive pelvic dissection for clinically localized prostate carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 39, 291-299.	6.4	19
82	Can We Spare the Pancreas and Other Abdominal Organs at Risk? A Comparison of Conformal Radiotherapy, Helical Tomotherapy and Proton Beam Therapy in Pediatric Irradiation. <i>PLoS ONE</i> , 2016, 11, e0164643.	2.5	18
83	High-Dose Hypofractionated Radiation Therapy for Noncompressive Vertebral Metastases in Combination With Zoledronate: A Phase 1 Study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016, 96, 840-847.	0.8	18
84	Prognostic Value and Clinical Impact of 18FDG-PET in the Management of Children with Burkitt Lymphoma after Induction Chemotherapy. <i>Frontiers in Medicine</i> , 2014, 1, 54.	2.6	17
85	Prognostic factors for patients treated for a recurrent FIGO stage III ovarian cancer: A retrospective study of 108 cases. <i>European Journal of Surgical Oncology</i> , 2011, 37, 971-977.	1.0	16
86	Prospective evaluation of quality of life 54 months after high-dose intensity-modulated radiotherapy for localized prostate cancer. <i>Radiation Oncology</i> , 2013, 8, 53.	2.7	16
87	Hypofractionated irradiation in elderly patients with breast cancer after breast conserving surgery and mastectomy : Analysis of 205 cases. <i>Radiation Oncology</i> , 2015, 10, 161.	2.7	16
88	Clinical and Survival Impact of FDG PET in Patients with Suspicion of Recurrent Ovarian Cancer: A 6-Year Follow-Up. <i>Frontiers in Medicine</i> , 2015, 2, 46.	2.6	16
89	Evaluation of tumor hypoxia prior to radiotherapy in intermediate-risk prostate cancer using 18F-fluoromisonidazole PET/CT: a pilot study. <i>Oncotarget</i> , 2018, 9, 10005-10015.	1.8	16
90	Inhibition of mTORC1 activity by REDD1 induction in myeloma cells resistant to bortezomib cytotoxicity. <i>Cancer Science</i> , 2010, 101, 889-897.	3.9	15

#	ARTICLE	IF	CITATIONS
91	A 38-gene expression signature to predict metastasis risk in node-positive breast cancer after systemic adjuvant chemotherapy: a genomic substudy of PACS01 clinical trial. <i>Breast Cancer Research and Treatment</i> , 2009, 116, 509-520.	2.5	14
92	18F-FDG PET predicts survival after pretargeted radioimmunotherapy in patients with progressive metastatic medullary thyroid carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 1501-1510.	6.4	14
93	Postoperative interstitial brachytherapy for resectable squamous cell carcinoma of the tongue. <i>Brachytherapy</i> , 2015, 14, 71-76.	0.5	14
94	<sup>68</sup> Ga-PSMA-11 PET/CT study in prostate cancer patients with biochemical recurrence and non-contributive <sup>18</sup> F-Choline PET/CT: Impact on therapeutic decision-making and biomarker changes. <i>Prostate</i> , 2019, 79, 454-461.	2.3	14
95	Phase II study of preoperative radiation plus concurrent daily tegafur-uracil (UFT) with leucovorin for locally advanced rectal cancer. <i>BMC Cancer</i> , 2011, 11, 98.	2.6	13
96	Initial FDG-PET/CT predicts survival in adults Ewing sarcoma family of tumors. <i>Oncotarget</i> , 2017, 8, 77050-77060.	1.8	13
97	Margin Width Should Not Still Enforce a Systematic Surgical Re-excision in the Conservative Treatment of Early Breast Infiltrative Ductal Carcinoma. <i>Annals of Surgical Oncology</i> , 2013, 20, 3831-3838.	1.5	12
98	Rationale and Design of the IROCAS Study: Multicenter, International, Randomized Phase 3 Trial Comparing Adjuvant Modified (m) FOLFIRINOX to mFOLFOX6 in Patients With High-Risk Stage III (pT4) Tj ETQq0 OargBT /Overlock 10		
99	An open-label, phase II study of rucaparib, a PARP inhibitor, in HER2- metastatic breast cancer patients with high genomic loss of heterozygosity: RUBY.. <i>Journal of Clinical Oncology</i> , 2017, 35, TPS1117-TPS1117.	1.6	11
100	Higher Early Monocyte and Total Lymphocyte Counts Are Associated with Better Overall Survival after Standard Total Body Irradiation, Cyclophosphamide, and Fludarabine Reduced-Intensity Conditioning Double Umbilical Cord Blood Allogeneic Stem Cell Transplantation in Adults. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 1473-1479.	2.0	9
101	Bevacizumab Efficacy Is Influenced by Primary Tumor Resection in First-Line Treatment of Metastatic Colorectal Cancer in a Retrospective Multicenter Study. <i>Clinical Colorectal Cancer</i> , 2016, 15, e165-e174.	2.3	9
102	DNA hydroxymethylation is associated with disease severity and persists at enhancers of oncogenic regions in multiple myeloma. <i>Clinical Epigenetics</i> , 2020, 12, 163.	4.1	9
103	The DNA methylation landscape of multiple myeloma shows extensive inter- and inpatient heterogeneity that fuels transcriptomic variability. <i>Genome Medicine</i> , 2021, 13, 127.	8.2	9
104	Salvage extended-field irradiation in follicular non-Hodgkin's lymphoma after failure of chemotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2000, 47, 735-738.	0.8	8
105	Identification of potential prognostic biomarkers for node-negative breast tumours by proteomic analysis: A multicentric 2004 national PHRC study. <i>International Journal of Oncology</i> , 2012, 41, 92-104.	3.3	8
106	Gene-expression signature functional annotation of breast cancer tumours in function of age. <i>BMC Medical Genomics</i> , 2015, 8, 80.	1.5	6
107	Assessment of Lymph Nodes and Prostate Status Using Early Dynamic Curves with <sup>18</sup> F-Choline PET/CT in Prostate Cancer. <i>Frontiers in Medicine</i> , 2015, 2, 67.	2.6	6
108	Can Comprehensive Geriatric Assessment Predict Tolerance of Radiotherapy for Localized Prostate Cancer in Men Aged 75 Years or Older?. <i>Cancers</i> , 2020, 12, 635.	3.7	6

#	ARTICLE	IF	CITATIONS
109	High-Resolution Whole-Genome Copy Number Profiling Identifies High-Risk and Low-Risk Patients with Mantle Cell Lymphoma, a Result of the Lyma-Genomic Project Conducted on Behalf the Lysa Group. <i>Blood</i> , 2016, 128, 1745-1745.	1.4	6
110	Dynamic conformal arc radiosurgery for arteriovenous malformations: Outcome and influence of clinical and dosimetrical data. <i>Radiotherapy and Oncology</i> , 2017, 123, 251-256.	0.6	5
111	Consolidation Anti-CD22 Fractionated Radioimmunotherapy with 90Y-Epratuzumab Tetraxetan Following R-CHOP in Elderly DLBCL Patients: A Lysa Phase II Prospective Trial. <i>Blood</i> , 2012, 120, 906-906.	1.4	5
112	Efficacy and safety of FOLFIRINOX in patients with metastatic pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2014, 32, 305-305.	1.6	5
113	Prostate cancer with oligometastatic relapse: Combining stereotactic ablative radiotherapy and durvalumab, a randomized phase II trial (POSTCARD - GETUG-P13).. <i>Journal of Clinical Oncology</i> , 2019, 37, TPS5088-TPS5088.	1.6	5
114	Model predicting the ypNO status after good response to chemoradiotherapy in rectal cancer. <i>American Journal of Surgery</i> , 2018, 216, 438-443.	1.8	4
115	Prognostic Impact of Pretherapeutic FDG-PET in Localized Anal Cancer. <i>Cancers</i> , 2020, 12, 1512.	3.7	4
116	Radiosensitizing Chemotherapy (Irinotecan) with Stereotactic Body Radiation Therapy for the Treatment of Inoperable Liver and/or Lung Metastases of Colorectal Cancer. <i>Cancers</i> , 2021, 13, 248.	3.7	4
117	Laparoscopic sentinel lymph node dissection in prostate cancer patients: the additional value depends on preoperative data. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 1849-1856.	6.4	3
118	Development of a Prognostic Tool to Guide the Decision to Extend Adjuvant Aromatase Inhibitors for up to Ten Years in Postmenopausal Early Breast Cancer Patients. <i>Cancers</i> , 2020, 12, 3725.	3.7	3
119	Clinical Characteristics, Chromosomal Abnormalities and Outcomes in Very Elderly Patients with Multiple Myeloma: The IFM Experience. <i>Blood</i> , 2012, 120, 204-204.	1.4	3
120	An open-label, phase II study of rucaparib, a PARP inhibitor, in HER2- metastatic breast cancer patients with high genomic loss of heterozygosity.. <i>Journal of Clinical Oncology</i> , 2018, 36, TPS1112-TPS1112.	1.6	3
121	Evaluation in usual practice of the bevacizumab-FOLFIRI combination for the first-line treatment of patients with unresectable metastatic colorectal cancer treated in 2006: focus on resected patients and oncogeriatrics. <i>Oncologie</i> , 2014, 16, 267-276.	0.7	2
122	Intra-abdominal recurrence from colorectal carcinoma: Differences and similarities between local and peritoneal recurrence. <i>Surgical Oncology</i> , 2020, 32, 23-29.	1.6	2
123	Phase I/II study of oxaliplatin dose escalation via a laparoscopic approach using pressurized aerosol intraperitoneal chemotherapy (PIPOX trial) for nonresectable peritoneal metastases of digestive cancers (stomach, small bowel and colorectal).. <i>Journal of Clinical Oncology</i> , 2019, 37, e15027-e15027.	1.6	2
124	Survival Outcomes after Hyperthermic Intraperitoneal Chemotherapy for a First Ovarian Cancer Relapse: A Systematic Evidence-Based Review. <i>Cancers</i> , 2022, 14, 172.	3.7	2
125	Lymphoscintigraphy in the Sentinel Lymph Node Technique for Breast Tumor: Value of Early and Late Images for the Learning Curve. <i>Medical Principles and Practice</i> , 2003, 12, 17-22.	2.4	1
126	La radio-immunoth�rapie pr�cibl�e des tumeurs solides�: une d�marche pluridisciplinaire. <i>Medecine Nucleaire</i> , 2007, 31, 498-505.	0.2	1



#	ARTICLE	IF	CITATIONS
127	Abstract P2-01-01: Sentinel node surgery after neoadjuvant chemotherapy in patient with axillary node involvement: The French GANEA 2 prospective multi-institutional trial. , 2015, , .		1
128	Low Level Of NF-Kb Activity Is Associated With Higher Response Rate To Bortezomib-Based Induction Therapy In Patients With Newly Diagnosed Multiple Myeloma. Blood, 2013, 122, 3106-3106.	1.4	1
129	Efficacy and safety of FOLFIRINOX in patients with pancreatic metastatic cancer.. Journal of Clinical Oncology, 2013, 31, 248-248.	1.6	1
130	Combined abiraterone, salvage prostate bed radiotherapy and LH-RH agonists (CARLHA) in biochemically-relapsing prostate cancer patients following prostatectomy: A phase I study of the GETUG/GEP.. Journal of Clinical Oncology, 2017, 35, 45-45.	1.6	1
131	Molecular Prognosis in Multiple Myeloma: The IFM Experience.. Blood, 2006, 108, 3491-3491.	1.4	1
132	FOLFIRINOX in first-line metastatic pancreatic cancer regimen (FLMPC): What profile of patients take a real advantage? Real world cohort from cancer observatory from Brittany and Pays de la Loire areas.. Journal of Clinical Oncology, 2014, 32, e15204-e15204.	1.6	1
133	Gene Expression Profiles Discriminate between Pathological Complete Response and Resistance to Neoadjuvant FEC100 in Breast Cancer. Cancer Genomics and Proteomics, 2006, 3, 89-95.	2.0	1
134	Étude de faisabilité du ganglion sentinelle dans le cancer de la prostate par cœlioscopie: premiers résultats. Medecine Nucleaire, 2011, 35, 461-469.	0.2	0
135	Evaluation of predictor risk factors and calculation of a margin index for ipsilateral invasive recurrence following treatment of DCIS: A 15-year observational study. Breast Journal, 2020, 26, 1067-1068.	1.0	0
136	Gene Expression Profiling Comparison between the Major Mature B-Cell Neoplasms and Their Normal Cellular and Anatomic Counterparts: Identification of Candidate Genes Potentially Involved in Lymphomagenesis.. Blood, 2006, 108, 2375-2375.	1.4	0
137	PD5-3-2: Prognostic value of the number of examined lymph nodes in totally resected Non-Small-Cell Lung Cancer. Journal of Thoracic Oncology, 2007, 2, S479.	1.1	0
138	In Myeloma, the Prognostic Impact of Hyperdiploidy Is Mainly Related to the Gain of Chromosome 5. Blood, 2008, 112, 632-632.	1.4	0
139	Prospective determination of long-term toxicity and quality of life (QoL) of patients with prostate cancer after intensity-modulated radiotherapy (IMRT).. Journal of Clinical Oncology, 2012, 30, 151-151.	1.6	0
140	Totally implantable venous access port: A prospective long-term study of early and late complications in adult patients with cancer.. Journal of Clinical Oncology, 2014, 32, e20635-e20635.	1.6	0
141	A Genome Wide Association Study Reveals Genetic Predisposition for Bortezomib-Induced Peripheral Neuropathy in Multiple Myeloma By Variation in the PREP1-Cbs Locus. Blood, 2014, 124, 2057-2057.	1.4	0
142	Important Prognostic Impact of Early Monocytes Recovery after Reduced Intensity Conditioning Double Umbilical Cord Blood Allogeneic Stem Cell Transplantation in Adults. Blood, 2014, 124, 5923-5923.	1.4	0
143	Abstract P2-04-07: Gene-expression molecular subtyping of immunohistochemistry-typed triple-negative breast cancer tumours. , 2015, , .		0
144	OLIGOPELVIS â€“ GETUG P07, a multicentre phase II trial of combined salvage radiotherapy and hormone therapy in oligometastatic pelvic node relapses of prostate cancer: Preplanned analysis of acute toxicity.. Journal of Clinical Oncology, 2016, 34, 173-173.	1.6	0

#	ARTICLE	IF	CITATIONS
145	<p>PRODIGE 52-UCGI 29-CCTG/CO.27 (IROCAS): A multicenter, international, randomized phase III trial comparing adjuvant modified (m)FOLFIRINOX to mFOLFOX6 in patients with high-risk stage III (pT4) Tj ETQq1 1 0.784314 rgBT /Overbo</p> <p>TPS3622-TPS3622.</p>	1.6	0
146	<p>Abstract P3-08-17: Clinical factors of late recurrence of HR+ early breast cancer after completion of 5 years of aromatase inhibitor and development of a prognostic tool. A study of 1496 women of the ICO database. , 2020, , .</p>		0
147	<p>Abstract P1-19-19: Treatments and outcome in older versus younger women with HER2-positive metastatic breast cancer in the multicenter national observational ESME database. , 2020, , .</p>		0