

Claus Cornett

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/952988/claus-cornett-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

107
papers

3,230
citations

31
h-index

51
g-index

107
ext. papers

3,473
ext. citations

4.7
avg, IF

4.68
L-index

#	Paper	IF	Citations
107	Data-Enriched Edible Pharmaceuticals (DEEP) with Bespoke Design, Dose and Drug Release. <i>Pharmaceutics</i> , 2021 , 13,	6.4	1
106	Medication Tracking: Design and Fabrication of a Dry Powder Inhaler with Integrated Acoustic Element by 3D Printing. <i>Pharmaceutical Research</i> , 2020 , 37, 38	4.5	0
105	Historical chemical annotations of Cinchona bark collections are comparable to results from current day high-pressure liquid chromatography technologies. <i>Journal of Ethnopharmacology</i> , 2020 , 249, 112375	5	8
104	Data-enriched edible pharmaceuticals (DEEP) of medical cannabis by inkjet printing. <i>International Journal of Pharmaceutics</i> , 2020 , 589, 119866	6.5	16
103	Using Potentiometric Free Drug Sensors to Determine the Free Concentration of Ionizable Drugs in Colloidal Systems. <i>Journal of Pharmaceutical Sciences</i> , 2018 , 107, 103-112	3.9	4
102	An Optimised Method for Routine Separation and Quantification of Major Alkaloids in Cortex Cinchona by HPLC Coupled with UV and Fluorescence Detection. <i>Phytochemical Analysis</i> , 2017 , 28, 374-380	3.4	9
101	Phylogeny Predicts the Quantity of Antimalarial Alkaloids within the Iconic Yellow Bark (Rubiaceae:). <i>Frontiers in Plant Science</i> , 2017 , 8, 391	6.2	25
100	The stability and microbial contamination of bupivacaine, lidocaine and mepivacaine used for lameness diagnostics in horses. <i>Veterinary Journal</i> , 2016 , 218, 7-12	2.5	3
99	Two simple cleanup methods combined with LC-MS/MS for quantification of steroid hormones in vivo and in vitro assays. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 4883-95	4.4	31
98	In vitro release studies of insulin from lipid implants in solution and in a hydrogel matrix mimicking the subcutis. <i>European Journal of Pharmaceutical Sciences</i> , 2016 , 81, 103-12	5.1	28
97	Quantification of pharmaceutical peptides in human plasma by LC-ICP-MS sulfur detection. <i>Journal of Analytical Atomic Spectrometry</i> , 2016 , 31, 1877-1884	3.7	13
96	Structure elucidation and quantification of impurities formed between 6-aminocaproic acid and the excipients citric acid and sorbitol in an oral solution using high-resolution mass spectrometry and nuclear magnetic resonance spectroscopy. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 107, 333-40	3.5	8
95	Evaluation of microwave oven heating for prediction of drug-excipient compatibilities and accelerated stability studies. <i>International Journal of Pharmaceutics</i> , 2015 , 485, 97-107	6.5	7
94	Formation Mechanism of Coamorphous Drug-Amino Acid Mixtures. <i>Molecular Pharmaceutics</i> , 2015 , 12, 2484-92	5.6	56
93	An Efficient, Robust, and Inexpensive Grinding Device for Herbal Samples like Cinchona Bark. <i>Scientia Pharmaceutica</i> , 2015 , 83, 369-76	4.3	4
92	Real-time UV imaging identifies the role of pH in insulin dissolution behavior in hydrogel-based subcutaneous tissue surrogate. <i>European Journal of Pharmaceutical Sciences</i> , 2015 , 69, 26-36	5.1	20
91	Observation of the Early Structural Changes Leading to the Formation of Protein Superstructures. <i>Journal of Physical Chemistry Letters</i> , 2014 , 5, 3254-8	6.4	13

90	Insulin diffusion and self-association characterized by real-time UV imaging and Taylor dispersion analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 92, 203-10	3.5	41
89	Processing-induced salt formation of two oxicams in solid dosage forms affects dissolution behavior and chemical degradation. <i>Powder Technology</i> , 2014 , 266, 175-182	5.2	5
88	Miniaturized approach for excipient selection during the development of oral solid dosage form. <i>Journal of Pharmaceutical Sciences</i> , 2014 , 103, 900-8	3.9	7
87	Structural basis for the transformation pathways of the sodium naproxen anhydrate-hydrate system. <i>IUCrJ</i> , 2014 , 1, 328-37	4.7	24
86	Interpreting the Disordered Crystal Structure of Sodium Naproxen Tetrahydrate. <i>Crystal Growth and Design</i> , 2013 , 13, 3665-3671	3.5	10
85	A high throughput platform for understanding the influence of excipients on physical and chemical stability. <i>International Journal of Pharmaceutics</i> , 2013 , 453, 285-92	6.5	15
84	Exploring the solid-form landscape of pharmaceutical hydrates: transformation pathways of the sodium naproxen anhydrate-hydrate system. <i>Pharmaceutical Research</i> , 2013 , 30, 280-9	4.5	43
83	Rapid insight into heating-induced phase transformations in the solid state of the calcium salt of atorvastatin using multivariate data analysis. <i>Pharmaceutical Research</i> , 2013 , 30, 826-35	4.5	14
82	Experimental design approach for the development and validation of an enantiospecific RP-HPLC method for simultaneous determination of clopidogrel and related compounds. <i>Macedonian Journal of Chemistry and Chemical Engineering</i> , 2013 , 27, 53	1.1	10
81	Role of excipients on solid-state properties of piroxicam during processing. <i>Journal of Pharmaceutical Sciences</i> , 2012 , 101, 1202-11	3.9	12
80	Disproportionation of the calcium salt of atorvastatin in the presence of acidic excipients. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2012 , 82, 410-6	5.7	27
79	Identification of ten new designer drugs by GC-MS, UPLC-QTOF-MS, and NMR as part of a police investigation of a Danish internet company. <i>Drug Testing and Analysis</i> , 2012 , 4, 342-54	3.5	33
78	Randomized and double-blinded pilot clinical study of the safety and anti-diabetic efficacy of the Rauwolfia-Citrus tea, as used in Nigerian traditional medicine. <i>Journal of Ethnopharmacology</i> , 2011 , 133, 402-11	5	17
77	Influence of temperature on solvent-mediated anhydrate-to-hydrate transformation kinetics. <i>Pharmaceutical Research</i> , 2011 , 28, 364-73	4.5	23
76	Insights into the early dissolution events of amlodipine using UV imaging and Raman spectroscopy. <i>Molecular Pharmaceutics</i> , 2011 , 8, 1372-80	5.6	61
75	Physicochemical characteristics and in vitro release from oil-based vehicles of peptidomimetics: parenteral depots for intra-articular administration. <i>Drug Development and Industrial Pharmacy</i> , 2011 , 37, 62-71	3.6	0
74	Absorption, conjugation and excretion of the flavanones, naringenin and hesperetin from alpha-rhamnosidase-treated orange juice in human subjects. <i>British Journal of Nutrition</i> , 2010 , 103, 1602-9 ⁶	3.6	94
73	Pitfalls in the sample preparation and analysis of N-acyl ethanolamines. <i>Journal of Lipid Research</i> , 2010 , 51, 3062-73	6.3	20

72	1H NMR spectroscopy-based interventional metabolic phenotyping: a cohort study of rheumatoid arthritis patients. <i>Journal of Proteome Research</i> , 2010 , 9, 4545-53	5.6	75
71	Towards effective solid form screening. <i>Journal of Pharmaceutical Sciences</i> , 2010 , 99, 3711-8	3.9	32
70	Reaction between drug substances and pharmaceutical excipients: formation of esters between cetirizine and polyols. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 53, 745-50	3.5	22
69	A role for taurine in mitochondrial function. <i>Journal of Biomedical Science</i> , 2010 , 17 Suppl 1, S23	13.3	98
68	Investigation of a dual CD chiral CE system for separation of glitazone compounds. <i>Electrophoresis</i> , 2009 , 30, 2853-61	3.6	10
67	Characterisation of tannin-containing herbal drugs by HPLC. <i>Phytochemical Analysis</i> , 2009 , 20, 231-9	3.4	27
66	Reaction between drug substances and pharmaceutical excipients: formation of citric acid esters and amides of carvedilol in the solid state. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 49, 11-7	3.5	23
65	Identification of reaction products between drug substances and excipients by HPLC-SPE-NMR: ester and amide formation between citric acid and 5-aminosalicylic acid. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 49, 839-42	3.5	24
64	Development and Validation of Rapid Resolution RP-HPLC Method for Simultaneous Determination of Atorvastatin and Related Compounds by Use of Chemometrics. <i>Analytical Letters</i> , 2008 , 41, 992-1009	2.2	28
63	Bioactivation of diclofenac in vitro and in vivo: correlation to electrochemical studies. <i>Chemical Research in Toxicology</i> , 2008 , 21, 1107-19	4	65
62	Near-infrared spectroscopy for cocrystal screening. A comparative study with Raman spectroscopy. <i>Analytical Chemistry</i> , 2008 , 80, 7755-64	7.8	52
61	Thioflavin T hydroxylation at basic pH and its effect on amyloid fibril detection. <i>Journal of Physical Chemistry B</i> , 2008 , 112, 15174-81	3.4	89
60	Separation and identification of the selenium-sulfur amino acid S-(methylseleno)cysteine in intestinal epithelial cell homogenates by LC-ICP-MS and LC-ESI-MS after incubation with methylseleninic acid. <i>Journal of Analytical Atomic Spectrometry</i> , 2008 , 23, 727	3.7	19
59	Chemometrical Approach in Lansoprazole and Its Related Compounds Analysis by Rapid Resolution RP-HPLC Method. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2008 , 31, 2159-2173	1.3	4
58	Solvent diversity in polymorph screening. <i>Journal of Pharmaceutical Sciences</i> , 2008 , 97, 2145-59	3.9	41
57	Solvent subset selection for polymorph screening. <i>Journal of Chemometrics</i> , 2008 , 22, 621-631	1.6	11
56	Diversification of an ancient theme: hydroxynitrile glucosides. <i>Phytochemistry</i> , 2008 , 69, 1507-16	4	60
55	Application of the FLIPSY pulse sequence for increased sensitivity in 1H NMR-based metabolic profiling studies. <i>Analytical Chemistry</i> , 2008 , 80, 3365-71	7.8	12

54	Improved synthesis methods of standards used for quantitative determination of total isothiocyanates from broccoli in human urine. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007 , 852, 229-34	3.2	10
53	Human urine as test material in 1H NMR-based metabonomics: recommendations for sample preparation and storage. <i>Analytical Chemistry</i> , 2007 , 79, 1181-6	7.8	148
52	Isolation and structural elucidation of tiamulin metabolites formed in liver microsomes of pigs. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 42, 223-31	3.5	14
51	The important role of taurine in oxidative metabolism. <i>Advances in Experimental Medicine and Biology</i> , 2006 , 583, 129-35	3.6	64
50	Quantitative analysis of oxytetracycline and its impurities by LC-MS-MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2004 , 34, 325-32	3.5	28
49	Isolation, structural elucidation and in vitro activity of 2-acetyl-2-decarboxamido-oxytetracycline against environmental relevant bacteria, including tetracycline-resistant bacteria. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2004 , 34, 559-67	3.5	10
48	Assessment of drug salt release from solutions, suspensions and in situ suspensions using a rotating dialysis cell. <i>European Journal of Pharmaceutical Sciences</i> , 2003 , 19, 263-72	5.1	20
47	HPLC method validated for the simultaneous analysis of cichoric acid and alkamides in Echinacea purpurea plants and products. <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 6922-33	5.7	60
46	Combination of LC-ICP-MS, LC-MS and NMR for investigation of the oxidative degradation of selenomethionine. <i>Talanta</i> , 2003 , 59, 1165-71	6.2	42
45	Hydrophilic carboxylic acids and iridoid glycosides in the juice of American and European cranberries (<i>Vaccinium macrocarpon</i> and <i>V. oxycoccos</i>), lingonberries (<i>V. vitis-idaea</i>), and blueberries (<i>V. myrtillus</i>). <i>Journal of Agricultural and Food Chemistry</i> , 2002 , 50, 6871-4	5.7	56
44	LC-1H NMR used for determination of the elution order of S-naproxen glucuronide isomers in two isocratic reversed-phase LC-systems. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2001 , 24, 477-85 ^{3.5}	3.5	23
43	Application of directly coupled HPLC NMR to separation and characterization of lipoproteins from human serum. <i>Analytical Chemistry</i> , 2001 , 73, 1084-90	7.8	28
42	Characterisation of extracts of <i>Hypericum perforatum</i> L. using an on-line HPLC system with UV/visible and fluorescence detection prior to and after photochemical conversion of the effluent. <i>Phytochemical Analysis</i> , 2000 , 11, 387-394	3.4	14
41	Biotransformation of the citrus flavone tangeretin in rats. Identification of metabolites with intact flavane nucleus. <i>Food and Chemical Toxicology</i> , 2000 , 38, 739-46	4.7	79
40	Identification and quantification of flavonoids in human urine samples by column-switching liquid chromatography coupled to atmospheric pressure chemical ionization mass spectrometry. <i>Analytical Chemistry</i> , 2000 , 72, 1503-9	7.8	79
39	High-Performance Liquid Chromatography On-Line Coupled to High-Field NMR and Mass Spectrometry for Structure Elucidation of Constituents of <i>Hypericum perforatum</i> L.. <i>Analytical Chemistry</i> , 1999 , 71, 5235-5241	7.8	117
38	Mauritian red nectar remains a mystery. <i>Nature</i> , 1998 , 393, 529-529	50.4	30
37	In vitro biotransformation of flavonoids by rat liver microsomes. <i>Xenobiotica</i> , 1998 , 28, 389-401	2	160

36	Two-electron electrochemical oxidation of quercetin and kaempferol changes only the flavonoid C-ring. <i>Free Radical Research</i> , 1998 , 29, 339-50	4	124
35	Antiprotozoal properties of 16,17-dihydrobrachycalyxolide from <i>Vernonia brachycalyx</i> . <i>Planta Medica</i> , 1998 , 64, 559-62	3.1	32
34	Synthesis, isolation and identification of glucuronides and mercapturic acids of a novel antiparasitic agent, licochalcone A. <i>Xenobiotica</i> , 1997 , 27, 667-80	2	9
33	Two new antiprotozoal 5-methylcoumarins from <i>Vernonia brachycalyx</i> . <i>Journal of Natural Products</i> , 1997 , 60, 458-61	4.9	52
32	Identification of Selected Metabolites of Skatole in Plasma and Urine from Pigs. <i>Journal of Agricultural and Food Chemistry</i> , 1997 , 45, 2332-2340	5.7	25
31	Antiprotozoal compounds from <i>Asparagus africanus</i> . <i>Journal of Natural Products</i> , 1997 , 60, 1017-22	4.9	62
30	A comparative study of precision cut liver slices, hepatocytes, and liver microsomes from the Wistar rat using metronidazole as a model substance. <i>Xenobiotica</i> , 1996 , 26, 709-22	2	32
29	Syntheses of 11-Hydroxylated Guaianolides.. <i>Acta Chemica Scandinavica</i> , 1996 , 50, 150-157		13
28	Investigations of molluscicidal saponins from the Endod plant <i>Phytolacca dodecandra</i> . <i>Advances in Experimental Medicine and Biology</i> , 1996 , 404, 151-64	3.6	2
27	Molluscicidal saponins from <i>Catunaregam nilotica</i> . <i>Phytochemistry</i> , 1995 , 39, 63-8	4	26
26	Triterpenoid saponins from <i>Phytolacca rivinoides</i> and <i>Phytolacca bogotensis</i> . <i>Phytochemistry</i> , 1995 , 39, 625-30	4	12
25	Separation of metronidazole, its major metabolites and their conjugates using dynamically modified silica. <i>Journal of Chromatography A</i> , 1995 , 697, 175-184	4.5	7
24	An antileishmanial chalcone from Chinese licorice roots. <i>Planta Medica</i> , 1994 , 60, 121-3	3.1	27
23	Molluscicidal saponins from a Zimbabwean strain of <i>Phytolacca dodecandra</i> . <i>Phytochemistry</i> , 1994 , 36, 753-9	4	31
22	Ca ²⁺ -ATPase inhibitory activity of a locked analogue of thapsigargin. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1994 , 4, 657-660	2.9	4
21	Selective Transformations of the Ca ²⁺ Pump Inhibitor Thapsigargin.. <i>Acta Chemica Scandinavica</i> , 1994 , 48, 340-346		20
20	Synthesis and structural elucidation of glutathione and N-aceyl-cysteine conjugates of 5-aminosalicylic acid. <i>European Journal of Pharmaceutical Sciences</i> , 1993 , 1, 143-150	5.1	2
19	Localization of the Acyl Groups in Proazulene Guaianolides from <i>Thapsia transtagana</i> and <i>Thapsia garganica</i> . <i>Journal of Natural Products</i> , 1993 , 56, 411-415	4.9	16

18	Molluscicidal saponins from <i>Phytolacca dodecandra</i> . <i>Phytochemistry</i> , 1993 , 32, 1167-1171	4	24
17	Identification of oxidation products of 5-aminosalicylic acid in faeces and the study of their formation in vitro. <i>Biochemical Pharmacology</i> , 1993 , 45, 1201-9	6	13
16	Separation of seven arsenic compounds by high-performance liquid chromatography with on-line detection by hydrogen-argon flame atomic absorption spectrometry and inductively coupled plasma mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 1992 , 7, 629-634	3.7	85
15	Identification of major degradation products of 5-aminosalicylic acid formed in aqueous solutions and in pharmaceuticals. <i>International Journal of Pharmaceutics</i> , 1992 , 88, 177-187	6.5	28
14	3-Hydroxyisoxazole Bioisosteres of GABA. Synthesis of a Series of 4-Substituted Muscimol Analogues and Identification of a Bicyclic 2-Isoxazoline Rearrangement Product.. <i>Acta Chemica Scandinavica</i> , 1992 , 46, 772-777		4
13	Isolation and identification of a new metabolite of diflunisal. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1991 , 9, 585-8	3.5	2
12	New metabolites of the drug 5-aminosalicylic acid. II. N-formyl-5-aminosalicylic acid. <i>Xenobiotica</i> , 1991 , 21, 605-12	2	12
11	Structure determination of natural epoxycyclopentanes by x-ray crystallography and NMR spectroscopy. <i>Journal of Organic Chemistry</i> , 1991 , 56, 2650-2655	4.2	25
10	Exciton Coupling in Circular Dichroic Spectroscopy as a Tool for Establishing the Absolute Configuration of alpha,beta-Unsaturated Esters of Allylic Alcohols.. <i>Acta Chemica Scandinavica</i> , 1991 , 45, 56-62		4
9	Hydroindene sesquiterpenes from <i>Thapsia villosa</i> . <i>Phytochemistry</i> , 1990 , 29, 873-875	4	20
8	New proazulene guaianolides from <i>Thapsia villosa</i> . <i>Journal of Natural Products</i> , 1990 , 53, 1479-84	4.9	20
7	New metabolites of the drug 5-aminosalicylic acid. I: N-beta-D-glucopyranosyl-5-aminosalicylic acid. <i>Xenobiotica</i> , 1989 , 19, 891-9	2	21
6	Cyclopentenoid cyanohydrin glycosides with unusual sugar residues. <i>Acta Chemica Scandinavica</i> , 1989 , 43, 51-5		15
5	Isolation and identification of the rearrangement products of diflunisal 1-O-acyl glucuronide. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1988 , 6, 229-40	3.5	34
4	Occurrence of lotaustralin in <i>Berberidopsis beckleri</i> and its relation to the chemical evolution of flacourtiaceae. <i>Biochemical Systematics and Ecology</i> , 1988 , 16, 23-28	1.4	20
3	Novel cyclopentenoid cyanohydrin rhamnoglucosides from flacourtiaceae 1. <i>Planta Medica</i> , 1988 , 54, 333-7	3.1	14
2	Cyanogenesis of <i>Adenia volkensis</i> Harms and <i>Tetraphaeta tetrandra</i> Cheeseman (Passifloraceae) Revisited: Tetraphyllin B and Volkenin. Optical Rotatory Power of Cyclopentenoid Cyanohydrin Glucosides.. <i>Acta Chemica Scandinavica</i> , 1987 , 41b, 410-421		17
1	Biological parameters in a declining population of narwhals (<i>Monodon monoceros</i>) in Scoresby Sound, Southeast Greenland. <i>Arctic Science</i> , 1-20	2.2	0

