Maria J Forteza

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9530498/publications.pdf

Version: 2024-02-01

38 papers	964 citations	16 h-index	454955 30 g-index
39 all docs	39 docs citations	39 times ranked	1820 citing authors

#	Article	IF	CITATIONS
1	Prognostic Value of a Comprehensive Cardiac Magnetic Resonance Assessment Soon After a First ST-Segment Elevation Myocardial Infarction. JACC: Cardiovascular Imaging, 2009, 2, 835-842.	5.3	108
2	ERV1/ChemR23 Signaling Protects Against Atherosclerosis by Modifying Oxidized Low-Density Lipoprotein Uptake and Phagocytosis in Macrophages. Circulation, 2018, 138, 1693-1705.	1.6	106
3	The interplay between cytokines and the Kynurenine pathway in inflammation and atherosclerosis. Cytokine, 2019, 122, 154148.	3.2	99
4	Metabolomic Profile of Human Myocardial Ischemia by Nuclear Magnetic Resonance Spectroscopy of Peripheral Blood Serum. Journal of the American College of Cardiology, 2012, 59, 1629-1641.	2.8	84
5	Fatal demyelinating disease is induced by monocyte-derived macrophages in the absence of TGF- \hat{l}^2 signaling. Nature Immunology, 2018, 19, 1-7.	14.5	62
6	Prediction of Reverse Remodeling at Cardiac MR Imaging Soon after First ST-Segment–Elevation Myocardial Infarction: Results of a Large Prospective Registry. Radiology, 2016, 278, 54-63.	7.3	49
7	Right ventricular involvement in anterior myocardial infarction: a translational approach. Cardiovascular Research, 2010, 87, 601-608.	3.8	44
8	White Blood Cell Subtypes after STEMI: Temporal Evolution, Association with Cardiovascular Magnetic Resonanceâ€"Derived Infarct Size and Impact on Outcome. Inflammation, 2011, 34, 73-84.	3.8	44
9	Effect of ischemic postconditioning on microvascular obstruction in reperfused myocardial infarction. Results of a randomized study in patients and of an experimental model in swine. International Journal of Cardiology, 2014, 175, 138-146.	1.7	33
10	Evidence that a deviation in the kynurenine pathway aggravates atherosclerotic disease in humans. Journal of Internal Medicine, 2021, 289, 53-68.	6.0	33
11	Activation of the Regulatory T-Cell/Indoleamine 2,3-Dioxygenase Axis Reduces Vascular Inflammation and Atherosclerosis in Hyperlipidemic Mice. Frontiers in Immunology, 2018, 9, 950.	4.8	29
12	3-Hydroxyanthralinic acid metabolism controls the hepatic SREBP/lipoprotein axis, inhibits inflammasome activation in macrophages, and decreases atherosclerosis in Ldlrâ^'/â^' mice. Cardiovascular Research, 2020, 116, 1948-1957.	3.8	29
13	La suma de la elevación del segmento ST predice mejor la obstrucción microvascular en pacientes tratados con éxito con una intervención coronaria percutánea primaria. Un estudio de resonancia magnética cardiovascular. Revista Espanola De Cardiologia, 2010, 63, 1145-1154.	1.2	24
14	Predictors of cardiovascular magnetic resonance-derived microvascular obstruction on patient admission in STEMI. International Journal of Cardiology, 2013, 166, 77-84.	1.7	23
15	Serum Heat Shock Protein 60 in Acute Heart Failure: A New Biomarker?. Congestive Heart Failure, 2013, 19, 6-10.	2.0	19
16	Inhomogeneity of collagen organization within the fibrotic scar after myocardial infarction: results in a swine model and in human samples. Journal of Anatomy, 2016, 228, 47-58.	1.5	17
17	Infusión intracoronaria de tioflavina-S para el estudio de la obstrucción microvascular en un modelo de infarto de miocardio. Revista Espanola De Cardiologia, 2015, 68, 928-934.	1.2	16
18	Apoptosis and Mobilization of Lymphocytes to Cardiac Tissue Is Associated with Myocardial Infarction in a Reperfused Porcine Model and Infarct Size in Post-PCI Patients. Oxidative Medicine and Cellular Longevity, 2018, 2018, 1-9.	4.0	16

#	Article	IF	CITATIONS
19	Post-Reperfusion Lymphopenia and Microvascular Obstruction in ST-Segment Elevation Acute Myocardial Infarction. Revista Espanola De Cardiologia (English Ed), 2009, 62, 1109-1117.	0.6	15
20	The Sum of ST-Segment Elevation Is the Best Predictor of Microvascular Obstruction in Patients Treated Successfully by Primary Percutaneous Coronary Intervention. Cardiovascular Magnetic Resonance Study. Revista Espanola De Cardiologia (English Ed), 2010, 63, 1145-1154.	0.6	13
21	Microvascular obstruction in the right ventricle in reperfused anterior myocardial infarction. Macroscopic and pathologic evidence in a swine model. Thrombosis Research, 2013, 132, 592-598.	1.7	9
22	Ikk2-mediated inflammatory activation of arterial endothelial cells promotes the development and progression of atherosclerosis. Atherosclerosis, 2020, 307, 21-31.	0.8	9
23	Similar Clinical Course and Significance of Circulating Innate and Adaptive Immune Cell Counts in STEMI and COVID-19. Journal of Clinical Medicine, 2020, 9, 3484.	2.4	8
24	Metabolism in atherosclerotic plaques: immunoregulatory mechanisms in the arterial wall. Clinical Science, 2022, 136, 435-454.	4.3	8
25	Head-to-head comparison of 1 week versus 6 months CMR-derived infarct size for prediction of late events after STEMI. International Journal of Cardiovascular Imaging, 2013, 29, 1499-1509.	1.5	7
26	Dynamics of serumâ€induced endothelial cell apoptosis in patients with myocardial infarction. European Journal of Clinical Investigation, 2014, 44, 46-53.	3.4	6
27	Programmed death-1 (PD-1): A novel mechanism for understanding the acute immune deregulation in ST-segment elevation myocardial infarction. International Journal of Cardiology, 2014, 177, 8-10.	1.7	6
28	Intracoronary Infusion of Thioflavin-S to Study Microvascular Obstruction in a Model of Myocardial Infarction. Revista Espanola De Cardiologia (English Ed), 2015, 68, 928-934.	0.6	6
29	Disruption of GPR35 Signaling in Bone Marrow-Derived Cells Does Not Influence Vascular Inflammation and Atherosclerosis in Hyperlipidemic Mice. Metabolites, 2021, 11, 411.	2.9	6
30	Unraveling the thread of uncontrolled immune response in COVID-19 and STEMI: an emerging need for knowledge sharing. American Journal of Physiology - Heart and Circulatory Physiology, 2021, 320, H2240-H2254.	3.2	5
31	Release of necrosis markers and cardiovascular magnetic resonance-derived microvascular perfusion in reperfused ST-elevation myocardial infarction. Thrombosis Research, 2009, 124, 592-600.	1.7	4
32	Overexpression of genes involved in lymphocyte activation and regulation are associated with reduced CRM-derived cardiac remodelling after STEMI. International Immunopharmacology, 2021, 95, 107490.	3.8	3
33	Increased uptake of oxLDL does not exert lipotoxic effects in insulin-secreting cells. Journal of Molecular Endocrinology, 2019, 62, 159-168.	2.5	3
34	Genetic Deficiency of Indoleamine 2,3-dioxygenase Aggravates Vascular but Not Liver Disease in a Nonalcoholic Steatohepatitis and Atherosclerosis Comorbidity Model. International Journal of Molecular Sciences, 2022, 23, 5203.	4.1	3
35	The DD genotype of the angiotensin converting enzyme gene independently associates with CMR-derived abnormal microvascular perfusion in patients with a first anterior ST-segment elevation myocardial infarction treated with thrombolytic agents. Thrombosis Research, 2009, 124, e56-e61.	1.7	0
36	Microvascular obstruction in the right ventricle in reperfused anterior myocardial infarction: macroscopic and pathologic evidence in a swine model. European Heart Journal, 2013, 34, P5540-P5540.	2.2	0

#	Article	lF	CITATIONS
37	Decrease of CD4+ T Lymphocytes after myocardial infarction is related with extensive myocardial fibrosis. European Heart Journal, 2013, 34, P4170-P4170.	2.2	0
38	P574Activation of the regulatory T-cell-indoleamine 2,3 dioxygenase Axis promotes vascular tolerance mechanisms and reduces atherosclerosis. Cardiovascular Research, 2018, 114, S140-S140.	3.8	0