

Frances S Ligler

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9531332/publications.pdf>

Version: 2024-02-01

208
papers

13,504
citations

15466

65
h-index

25716

108
g-index

211
all docs

211
docs citations

211
times ranked

12383
citing authors

#	ARTICLE	IF	CITATIONS
1	Multilayer microfluidic platform for the study of luminal, transmural, and interstitial flow. <i>Biofabrication</i> , 2022, 14, 025007.	3.7	6
2	Bioinstructive implantable scaffolds for rapid in vivo manufacture and release of CAR-T cells. <i>Nature Biotechnology</i> , 2022, 40, 1250-1258.	9.4	63
3	Review of analytical performance of COVID-19 detection methods. <i>Analytical and Bioanalytical Chemistry</i> , 2021, 413, 35-48.	1.9	161
4	Microphysiological System for High-Throughput Computer Vision Measurement of Microtissue Contraction. <i>ACS Sensors</i> , 2021, 6, 985-994.	4.0	5
5	Synthesis of sonicated fibrin nanoparticles that modulate fibrin clot polymerization and enhance angiogenic responses. <i>Colloids and Surfaces B: Biointerfaces</i> , 2021, 204, 111805.	2.5	1
6	Enhancement of Bone Regeneration Through the Converse Piezoelectric Effect, A Novel Approach for Applying Mechanical Stimulation. <i>Bioelectricity</i> , 2021, 3, 255-271.	0.6	24
7	Fibrin gel enhances the antitumor effects of chimeric antigen receptor T cells in glioblastoma. <i>Science Advances</i> , 2021, 7, eabg5841.	4.7	35
8	Cardiac Stromal Cell Patch Integrated with Engineered Microvessels Improves Recovery from Myocardial Infarction in Rats and Pigs. <i>ACS Biomaterials Science and Engineering</i> , 2020, 6, 6309-6320.	2.6	25
9	Virus Detection: What Were We Doing before COVID-19 Changed the World?. <i>ACS Sensors</i> , 2020, 5, 1503-1504.	4.0	2
10	Scaffold-Mediated Static Transduction of T Cells for CAR-T Cell Therapy. <i>Advanced Healthcare Materials</i> , 2020, 9, e2000275.	3.9	15
11	High-Throughput Manufacture of 3D Fiber Scaffolds for Regenerative Medicine. <i>Tissue Engineering - Part C: Methods</i> , 2020, 26, 364-374.	1.1	12
12	Microfluidics for the study of mechanotransduction. <i>Journal Physics D: Applied Physics</i> , 2020, 53, 224004.	1.3	21
13	Three-dimensional imaging of intact porcine cochlea using tissue clearing and custom-built light-sheet microscopy. <i>Biomedical Optics Express</i> , 2020, 11, 6181.	1.5	20
14	A simple cantilever system for measurement of flow rates in paper microfluidic devices. <i>Engineering Research Express</i> , 2019, 1, 025019.	0.8	2
15	Lighting Up Biosensors: Now and the Decade To Come. <i>Analytical Chemistry</i> , 2019, 91, 8732-8738.	3.2	50
16	Photothermal Therapy: Photothermal Therapy Promotes Tumor Infiltration and Antitumor Activity of CAR T Cells (<i>Adv. Mater.</i> 23/2019). <i>Advanced Materials</i> , 2019, 31, 1970166.	11.1	18
17	Photothermal Therapy Promotes Tumor Infiltration and Antitumor Activity of CAR T Cells. <i>Advanced Materials</i> , 2019, 31, e1900192.	11.1	291
18	Characterization of glass frit capillary pumps for microfluidic devices. <i>Microfluidics and Nanofluidics</i> , 2019, 23, 1.	1.0	5

#	ARTICLE	IF	CITATIONS
19	Paper-based passive pumps to generate controllable whole blood flow through microfluidic devices. <i>Lab on A Chip</i> , 2019, 19, 3787-3795.	3.1	16
20	Fibrin Nanoparticles Coupled with Keratinocyte Growth Factor Enhance the Dermal Wound-Healing Rate. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 3771-3780.	4.0	33
21	Platelet-Inspired Nanocells for Targeted Heart Repair After Ischemia/Reperfusion Injury. <i>Advanced Functional Materials</i> , 2019, 29, 1803567.	7.8	92
22	Synthetic beta cells for fusion-mediated dynamic insulin secretion. <i>Nature Chemical Biology</i> , 2018, 14, 86-93.	3.9	184
23	Strategies to Close the Gender Gap in Invention and Technology Commercialization. <i>Technology and Innovation</i> , 2018, 19, 701-706.	0.2	5
24	The NAI Fellow Profile: An Interview With Dr. Frances Ligler. <i>Technology and Innovation</i> , 2018, 19, 645-651.	0.2	0
25	Cardiac Stem Cell Patch Integrated with Microengineered Blood Vessels Promotes Cardiomyocyte Proliferation and Neovascularization after Acute Myocardial Infarction. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 33088-33096.	4.0	66
26	Hypoxia and H ₂ O ₂ Dual-Sensitive Vesicles for Enhanced Glucose-Responsive Insulin Delivery. <i>Nano Letters</i> , 2017, 17, 733-739.	4.5	220
27	Dual Wavelength-Triggered Gold Nanorods for Anticancer Treatment. <i>Methods in Molecular Biology</i> , 2017, 1570, 195-208.	0.4	1
28	Modular pumps as programmable hydraulic batteries for microfluidic devices. <i>Technology</i> , 2017, 05, 21-30.	1.4	21
29	Microfabricated blood vessels undergo neoangiogenesis. <i>Biomaterials</i> , 2017, 138, 142-152.	5.7	37
30	Time-Dependent Model for Fluid Flow in Porous Materials with Multiple Pore Sizes. <i>Analytical Chemistry</i> , 2017, 89, 4377-4381.	3.2	67
31	Leveraging H ₂ O ₂ Levels for Biomedical Applications. <i>Advanced Biology</i> , 2017, 1, e1700084.	3.0	66
32	“Data characterizing microfabricated human blood vessels created via hydrodynamic focusing” Data in Brief, 2017, 14, 156-162.	0.5	4
33	Characterizing the swelling of gelatin methacrylamide and effects on microscale tissue scaffold fabrication. , 2017, , .		1
34	Nanosecond Time-Resolution Study of Gold Nanorod Rotation at the Liquid-Solid Interface. <i>ChemPhysChem</i> , 2016, 17, 2218-2224.	1.0	5
35	Microvessel manifold for perfusion and media exchange in three-dimensional cell cultures. <i>Biomicrofluidics</i> , 2016, 10, 054109.	1.2	11
36	Mechanical and Vascular Cues Synergistically Enhance Osteogenesis in Human Mesenchymal Stem Cells. <i>Tissue Engineering - Part A</i> , 2016, 22, 997-1005.	1.6	12

#	ARTICLE	IF	CITATIONS
37	Signal amplification strategies for microfluidic immunoassays. <i>TrAC - Trends in Analytical Chemistry</i> , 2016, 79, 326-334.	5.8	41
38	Point-of-care diagnostics for niche applications. <i>Biotechnology Advances</i> , 2016, 34, 161-176.	6.0	50
39	Evanescent wave fluorescence biosensors: Advances of the last decade. <i>Biosensors and Bioelectronics</i> , 2016, 76, 103-112.	5.3	115
40	Continuous-Wave Stimulated Emission Depletion Microscope for Imaging Actin Cytoskeleton in Fixed and Live Cells. <i>Sensors</i> , 2015, 15, 24178-24190.	2.1	11
41	Bispecific antibodies, nanoparticles and cells: bringing the right cells to get the job done. <i>Expert Opinion on Biological Therapy</i> , 2015, 15, 1251-1255.	1.4	10
42	Transformable liquid-metal nanomedicine. <i>Nature Communications</i> , 2015, 6, 10066.	5.8	466
43	Programmable nanomedicine: synergistic and sequential drug delivery systems. <i>Nanoscale</i> , 2015, 7, 3381-3391.	2.8	126
44	Microfluidics: Microfluidic Strategies for Design and Assembly of Microfibers and Nanofibers with Tissue Engineering and Regenerative Medicine Applications (<i>Adv. Healthcare Mater.</i> 1/2015). <i>Advanced Healthcare Materials</i> , 2015, 4, 2-2.	3.9	5
45	Microneedle-array patches loaded with hypoxia-sensitive vesicles provide fast glucose-responsive insulin delivery. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 8260-8265.	3.3	655
46	The Scope of Analytical Chemistry. <i>Analytical Chemistry</i> , 2015, 87, 6425-6425.	3.2	4
47	A dual wavelength-activatable gold nanorod complex for synergistic cancer treatment. <i>Nanoscale</i> , 2015, 7, 12096-12103.	2.8	41
48	A temperature microsensor for measuring laser-induced heating in gold nanorods. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 719-725.	1.9	15
49	3D hydrodynamic focusing microfluidics for emerging sensing technologies. <i>Biosensors and Bioelectronics</i> , 2015, 67, 25-34.	5.3	57
50	Microfluidic Strategies for Design and Assembly of Microfibers and Nanofibers with Tissue Engineering and Regenerative Medicine Applications. <i>Advanced Healthcare Materials</i> , 2015, 4, 11-28.	3.9	137
51	Review of recent developments in stimulated emission depletion microscopy: applications on cell imaging. <i>Journal of Biomedical Optics</i> , 2014, 19, 080901.	1.4	24
52	Interpenetrating networks based on gelatin methacrylamide and PEG formed using concurrent thiol click chemistries for hydrogel tissue engineering scaffolds. <i>Biomaterials</i> , 2014, 35, 1845-1856.	5.7	207
53	Small-Molecule Detection in Thiol-ene Nanocomposites via Surface-Enhanced Raman Spectroscopy. <i>Analytical Chemistry</i> , 2014, 86, 12315-12320.	3.2	13
54	Self-folded redox/acid dual-responsive nanocarriers for anticancer drug delivery. <i>Chemical Communications</i> , 2014, 50, 15105-15108.	2.2	23

#	ARTICLE	IF	CITATIONS
55	Facile Fabrication of Color Tunable Film and Fiber Nanocomposites via Thiol Click Chemistry. <i>Macromolecules</i> , 2014, 47, 695-704.	2.2	23
56	Microfluidic fabrication of multiaxial microvessels via hydrodynamic shaping. <i>RSC Advances</i> , 2014, 4, 23440-23446.	1.7	30
57	Microfluidic Fabrication of Polymeric and Biohybrid Fibers with Predesigned Size and Shape. <i>Journal of Visualized Experiments</i> , 2014, , e50958.	0.2	8
58	Simultaneous assay for ten bacteria and toxins in spiked clinical samples using a microflow cytometer. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 5611-5614.	1.9	15
59	Design and fabrication of uniquely shaped thiol-ene microfibers using a two-stage hydrodynamic focusing design. <i>Lab on A Chip</i> , 2013, 13, 3105.	3.1	42
60	Nanomaterials in Analytical Chemistry. <i>Analytical Chemistry</i> , 2013, 85, 11161-11162.	3.2	18
61	Chemical and biological detection. <i>Chemical Society Reviews</i> , 2013, 42, 8581.	18.7	7
62	Hydrodynamic Shaping, Polymerization, and Subsequent Modification of Thiol Click Fibers. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 114-119.	4.0	37
63	Catch and Release: Integrated System for Multiplexed Detection of Bacteria. <i>Analytical Chemistry</i> , 2013, 85, 4944-4950.	3.2	34
64	Rapid and Continuous Hydrodynamically Controlled Fabrication of Biohybrid Microfibers. <i>Advanced Functional Materials</i> , 2013, 23, 698-704.	7.8	52
65	Microfabrication: Rapid and Continuous Hydrodynamically Controlled Fabrication of Biohybrid Microfibers (<i>Adv. Funct. Mater.</i> 6/2013). <i>Advanced Functional Materials</i> , 2013, 23, 697-697.	7.8	2
66	Hydrodynamically directed multiscale assembly of shaped polymer fibers. <i>Soft Matter</i> , 2012, 8, 6656.	1.2	23
67	Spinning magnetic trap for automated microfluidic assay systems. <i>Lab on A Chip</i> , 2012, 12, 1793.	3.1	36
68	<i>In Situ</i> Phytoplankton Analysis: There's Plenty of Room at the Bottom. <i>Analytical Chemistry</i> , 2012, 84, 839-850.	3.2	39
69	Rapid Analytical Methods for On-Site Triage for Traumatic Brain Injury. <i>Annual Review of Analytical Chemistry</i> , 2012, 5, 35-56.	2.8	34
70	Hydrodynamic focusing for impedance-based detection of specifically bound microparticles and cells: Implications of fluid dynamics on tunable sensitivity. <i>Sensors and Actuators B: Chemical</i> , 2012, 166-167, 386-393.	4.0	12
71	Hydrodynamic focusing—a versatile tool. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 402, 325-335.	1.9	56
72	UV polymerization of hydrodynamically shaped fibers. <i>Lab on A Chip</i> , 2011, 11, 1157.	3.1	39

#	ARTICLE	IF	CITATIONS
73	Iron chelation by cranberry juice and its impact on Escherichia coli growth. <i>BioFactors</i> , 2011, 37, 121-130.	2.6	22
74	Parameters affecting the shape of a hydrodynamically focused stream. <i>Microfluidics and Nanofluidics</i> , 2011, 11, 119-128.	1.0	21
75	Hydrodynamic and electrical considerations in the design of a four-electrode impedance-based microfluidic device. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 400, 1347-1358.	1.9	10
76	Microflow Cytometer for optical analysis of phytoplankton. <i>Biosensors and Bioelectronics</i> , 2011, 26, 4263-4269.	5.3	69
77	Optimization of antibody-conjugated magnetic nanoparticles for target preconcentration and immunoassays. <i>Analytical Biochemistry</i> , 2011, 410, 124-132.	1.1	48
78	Optofluidic characterization of marine algae using a microflow cytometer. <i>Biomicrofluidics</i> , 2011, 5, 32009-320099.	1.2	79
79	Utilization of microparticles in next-generation assays for microflow cytometers. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 398, 2373-2382.	1.9	24
80	A hard microflow cytometer using groove-generated sheath flow for multiplexed bead and cell assays. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 398, 1871-1881.	1.9	27
81	Multiplexed magnetic microsphere immunoassays for detection of pathogens in foods. <i>Sensing and Instrumentation for Food Quality and Safety</i> , 2010, 4, 73-81.	1.5	48
82	Hydrodynamic focusing of conducting fluids for conductivity-based biosensors. <i>Biosensors and Bioelectronics</i> , 2010, 25, 1363-1369.	5.3	26
83	Effect of diffusion on impedance measurements in a hydrodynamic flow focusing sensor. <i>Lab on A Chip</i> , 2010, 10, 2787.	3.1	15
84	Dynamic reversibility of hydrodynamic focusing for recycling sheath fluid. <i>Lab on A Chip</i> , 2010, 10, 1952.	3.1	31
85	Organic Photodiodes for Biosensor Miniaturization. <i>Analytical Chemistry</i> , 2009, 81, 3455-3461.	3.2	69
86	Multiplexed Detection of Bacteria and Toxins Using a Microflow Cytometer. <i>Analytical Chemistry</i> , 2009, 81, 5426-5432.	3.2	101
87	A simple sheath-flow microfluidic device for micro/nanomanufacturing: fabrication of hydrodynamically shaped polymer fibers. <i>Lab on A Chip</i> , 2009, 9, 3126.	3.1	76
88	Multi-wavelength microflow cytometer using groove-generated sheath flow. <i>Lab on A Chip</i> , 2009, 9, 1942.	3.1	140
89	Perspective on Optical Biosensors and Integrated Sensor Systems. <i>Analytical Chemistry</i> , 2009, 81, 519-526.	3.2	217
90	The good, the bad, and the tiny: a review of microflow cytometry. <i>Analytical and Bioanalytical Chemistry</i> , 2008, 391, 1485-1498.	1.9	216

#	ARTICLE	IF	CITATIONS
91	Home diagnostics to music. <i>Nature</i> , 2008, 456, 178-179.	13.7	22
92	Immobilized Proanthocyanidins for the Capture of Bacterial Lipopolysaccharides. <i>Analytical Chemistry</i> , 2008, 80, 2113-2117.	3.2	28
93	Impact of cranberry on <i>Escherichia coli</i> cellular surface characteristics. <i>Biochemical and Biophysical Research Communications</i> , 2008, 377, 992-994.	1.0	23
94	Two simple and rugged designs for creating microfluidic sheath flow. <i>Lab on A Chip</i> , 2008, 8, 1097.	3.1	110
95	A combinatorial approach to microfluidic mixing. <i>Journal of Micromechanics and Microengineering</i> , 2008, 18, 115019.	1.5	20
96	Array Biosensor for Toxin Detection: Continued Advances. <i>Sensors</i> , 2008, 8, 8361-8377.	2.1	56
97	New Biological Activities of Plant Proanthocyanidins. <i>ACS Symposium Series</i> , 2008, , 101-114.	0.5	0
98	Fabrication and Characterization of Silicon Micro-Funnels and Tapered Micro-Channels for Stochastic Sensing Applications. <i>Sensors</i> , 2008, 8, 3848-3872.	2.1	15
99	Incorporation of ^{18}O Oxygen into Peptide Mixtures and Analysis with Multi-Dimensional Chromatography and Mass Spectroscopy. <i>Analytical Letters</i> , 2007, 40, 1864-1878.	1.0	7
100	The Array Biosensor: Portable, Automated Systems. <i>Analytical Sciences</i> , 2007, 23, 5-10.	0.8	128
101	Antimicrobial Peptides: New Recognition Molecules for Detecting Botulinum Toxins. <i>Sensors</i> , 2007, 7, 2808-2824.	2.1	27
102	Blind Laboratory Trials for Multiple Pathogens in Spiked Food Matrices. <i>Analytical Letters</i> , 2007, 40, 3219-3231.	1.0	14
103	Binding and Neutralization of Lipopolysaccharides by Plant Proanthocyanidins. <i>Journal of Natural Products</i> , 2007, 70, 1718-1724.	1.5	58
104	Combination of Immunosensor Detection with Viability Testing and Confirmation Using the Polymerase Chain Reaction and Culture. <i>Analytical Chemistry</i> , 2007, 79, 140-146.	3.2	13
105	Target delivery in a microfluidic immunosensor. <i>Biosensors and Bioelectronics</i> , 2007, 22, 2763-2767.	5.3	60
106	Antimicrobial peptides as new recognition molecules for screening challenging species. <i>Sensors and Actuators B: Chemical</i> , 2007, 121, 150-157.	4.0	63
107	Laser ablation of micropores for formation of artificial planar lipid bilayers. <i>Biomedical Microdevices</i> , 2007, 9, 863-868.	1.4	23
108	Crosslinkers Modify Affinity of Immobilized Carbohydrates for Cholera Toxin. <i>Sensor Letters</i> , 2007, 5, 621-624.	0.4	8

#	ARTICLE	IF	CITATIONS
109	Application of Broad-Spectrum, Sequence-Based Pathogen Identification in an Urban Population. PLoS ONE, 2007, 2, e419.	1.1	33
110	Detection of Deoxynivalenol in Foods and Indoor Air Using an Array Biosensor. Environmental Science & Technology, 2006, 40, 2352-2356.	4.6	74
111	Toolbox for the design of optimized microfluidic components. Lab on A Chip, 2006, 6, 540.	3.1	47
112	Prevention of Nonspecific Bacterial Cell Adhesion in Immunoassays by Use of Cranberry Juice. Analytical Chemistry, 2006, 78, 853-857.	3.2	45
113	Multiplexed Detection of Mycotoxins in Foods with a Regenerable Array. Journal of Food Protection, 2006, 69, 3047-3051.	0.8	38
114	Diagnosis on disc. Nature, 2006, 440, 159-160.	13.7	14
115	A cowpea mosaic virus nanoscaffold for multiplexed antibody conjugation: Application as an immunoassay tracer. Biosensors and Bioelectronics, 2006, 21, 1668-1673.	5.3	80
116	Simultaneous determination of kinetic parameters for the binding of cholera toxin to immobilized sialic acid and monoclonal antibody using an array biosensor. Biosensors and Bioelectronics, 2006, 22, 124-130.	5.3	21
117	Multiplexed measurement of serum antibodies using an array biosensor. Biosensors and Bioelectronics, 2006, 21, 1880-1886.	5.3	48
118	Point-of-care biosensor systems for cancer diagnostics/prognostics. Biosensors and Bioelectronics, 2006, 21, 1932-1942.	5.3	307
119	Antimicrobial peptide-based array for Escherichia coli and Salmonella screening. Analytica Chimica Acta, 2006, 575, 9-15.	2.6	101
120	Rapid detection of foodborne contaminants using an Array Biosensor. Sensors and Actuators B: Chemical, 2006, 113, 599-607.	4.0	103
121	Detection of bacterial toxins with monosaccharide arrays. Biosensors and Bioelectronics, 2006, 21, 1195-1201.	5.3	70
122	Evanescent wave fluorescence biosensors. Biosensors and Bioelectronics, 2005, 20, 2470-2487.	5.3	260
123	Biosensor Detection of Botulinum Toxoid A and Staphylococcal Enterotoxin B in Food. Applied and Environmental Microbiology, 2005, 71, 5590-5592.	1.4	97
124	Array Biosensor for Detection of Ochratoxin A in Cereals and Beverages. Analytical Chemistry, 2005, 77, 148-154.	3.2	126
125	A portable automated multianalyte biosensor. Talanta, 2005, 65, 1078-1085.	2.9	53
126	Antimicrobial Peptides for Detection of Bacteria in Biosensor Assays. Analytical Chemistry, 2005, 77, 6504-6508.	3.2	162

#	ARTICLE	IF	CITATIONS
127	A microfluidic mixer with grooves placed on the top and bottom of the channel. <i>Lab on A Chip</i> , 2005, 5, 524.	3.1	127
128	Real-time analysis of protein adsorption to a variety of thin films. <i>Biosensors and Bioelectronics</i> , 2004, 19, 1045-1055.	5.3	105
129	Design and evaluation of a Dean vortex-based micromixer. <i>Lab on A Chip</i> , 2004, 4, 663.	3.1	108
130	Detection of <i>Salmonella enterica</i> Serovar Typhimurium by Using a Rapid, Array-Based Immunosensor. <i>Applied and Environmental Microbiology</i> , 2004, 70, 152-158.	1.4	92
131	Detection of <i>Campylobacter</i> and <i>Shigella</i> Species in Food Samples Using an Array Biosensor. <i>Analytical Chemistry</i> , 2004, 76, 433-440.	3.2	98
132	Colored Thin Films for Specific Metal Ion Detection. <i>Environmental Science & Technology</i> , 2004, 38, 4409-4413.	4.6	33
133	Array biosensor for detection of toxins. <i>Analytical and Bioanalytical Chemistry</i> , 2003, 377, 469-477.	1.9	268
134	Color changes in chitosan and poly(allyl amine) films upon metal binding. <i>Thin Solid Films</i> , 2003, 434, 250-257.	0.8	62
135	Detection of Staphylococcal Enterotoxin B in Spiked Food Samples. <i>Journal of Food Protection</i> , 2003, 66, 1851-1856.	0.8	62
136	Method for Printing Functional Protein Microarrays. <i>BioTechniques</i> , 2003, 34, 380-385.	0.8	75
137	Cross-linked Chitosan and Poly(allyl amine) Thin Films. <i>Materials Research Society Symposia Proceedings</i> , 2002, 750, 1.	0.1	1
138	A Microarray Immunoassay for Simultaneous Detection of Proteins and Bacteria. <i>Analytical Chemistry</i> , 2002, 74, 5681-5687.	3.2	323
139	Demonstration of Four Immunoassay Formats Using the Array Biosensor. <i>Analytical Chemistry</i> , 2002, 74, 1061-1068.	3.2	128
140	Integrating Waveguide Biosensor. <i>Analytical Chemistry</i> , 2002, 74, 713-719.	3.2	93
141	Nine-Analyte Detection Using an Array-Based Biosensor. <i>Analytical Chemistry</i> , 2002, 74, 6114-6120.	3.2	145
142	Attachment of plastic fluidic components to glass sensing surfaces. <i>Biosensors and Bioelectronics</i> , 2002, 17, 105-110.	5.3	13
143	Fabrication of a capillary immunosensor in polymethyl methacrylate. <i>Biosensors and Bioelectronics</i> , 2002, 17, 95-103.	5.3	44
144	Voltage-induced inhibition of antigen-antibody binding at conducting optical waveguides. <i>Biosensors and Bioelectronics</i> , 2002, 17, 489-494.	5.3	29

#	ARTICLE	IF	CITATIONS
145	A comparison of imaging methods for use in an array biosensor. <i>Biosensors and Bioelectronics</i> , 2002, 17, 719-725.	5.3	59
146	Development of Uniform Chitosan Thin-Film Layers on Silicon Chips. <i>Langmuir</i> , 2001, 17, 5082-5084.	1.6	56
147	Fluidics Cube for Biosensor Miniaturization. <i>Analytical Chemistry</i> , 2001, 73, 3776-3780.	3.2	20
148	Kinetics of Antigen Binding to Arrays of Antibodies in Different Sized Spots. <i>Analytical Chemistry</i> , 2001, 73, 5518-5524.	3.2	89
149	Continuous Flow Displacement Immunosensors: A Computational Study. <i>Analytical Biochemistry</i> , 2000, 287, 234-242.	1.1	14
150	A liquid crystal pixel array for signal discrimination in array biosensors. <i>Biosensors and Bioelectronics</i> , 2000, 15, 417-421.	5.3	16
151	Simultaneous detection of six biohazardous agents using a planar waveguide array biosensor. <i>Biosensors and Bioelectronics</i> , 2000, 15, 579-589.	5.3	158
152	Trace detection of explosives using a membrane-based displacement immunoassay. <i>Journal of Immunological Methods</i> , 2000, 246, 69-77.	0.6	62
153	Detecting staphylococcal enterotoxin B using an automated fiber optic biosensor. <i>Biosensors and Bioelectronics</i> , 1999, 14, 163-170.	5.3	82
154	Multi-analyte explosive detection using a fiber optic biosensor. <i>Analytica Chimica Acta</i> , 1999, 399, 13-20.	2.6	78
155	Array biosensor: optical and fluidics systems. <i>Biomedical Microdevices</i> , 1999, 1, 139-153.	1.4	78
156	A Computational Reaction-Diffusion Model for the Analysis of Transport-Limited Kinetics. <i>Analytical Chemistry</i> , 1999, 71, 5405-5412.	3.2	97
157	Array Biosensor for Simultaneous Identification of Bacterial, Viral, and Protein Analytes. <i>Analytical Chemistry</i> , 1999, 71, 3846-3852.	3.2	283
158	An Array Immunosensor for Simultaneous Detection of Clinical Analytes. <i>Analytical Chemistry</i> , 1999, 71, 433-439.	3.2	243
159	Multianalyte Detection Using a Capillary-Based Flow Immunosensor. <i>Analytical Biochemistry</i> , 1998, 255, 13-19.	1.1	79
160	A fiber optic biosensor for multianalyte detection: importance of preventing fluorophore aggregation. <i>Sensors and Actuators B: Chemical</i> , 1998, 51, 46-51.	4.0	16
161	Detection of multiple toxic agents using a planar array immunosensor. <i>Biosensors and Bioelectronics</i> , 1998, 13, 407-415.	5.3	122
162	A membrane-based displacement flow immunoassay. <i>Biosensors and Bioelectronics</i> , 1998, 13, 939-944.	5.3	30

#	ARTICLE	IF	CITATIONS
163	Remote Sensing Using an Airborne Biosensor. <i>Environmental Science & Technology</i> , 1998, 32, 2461-2466.	4.6	58
164	Dissociation Rate Kinetics in a Solid-Phase Flow Immunoassay. <i>Analytical Letters</i> , 1998, 31, 1663-1675.	1.0	16
165	Assessment Of Heterogeneity in Antibody~Antigen Displacement Reactions. <i>Analytical Chemistry</i> , 1997, 69, 175-182.	3.2	28
166	Capillary-Based Displacement Flow Immunosensor. <i>Analytical Chemistry</i> , 1997, 69, 1961-1964.	3.2	47
167	A Displacement Flow Immunosensor for Explosive Detection Using Microcapillaries. <i>Analytical Chemistry</i> , 1997, 69, 2779-2785.	3.2	65
168	On-Site Detection of TNT with a Portable Fiber Optic Biosensor. <i>Environmental Science & Technology</i> , 1997, 31, 837-841.	4.6	87
169	Effectiveness of protein A for antibody immobilization for a fiber optic biosensor. <i>Biosensors and Bioelectronics</i> , 1997, 12, 329-336.	5.3	122
170	Fiber optic-based biosensor for ricin. <i>Biosensors and Bioelectronics</i> , 1997, 12, 937-945.	5.3	115
171	Antibody immobilization using heterobifunctional crosslinkers. <i>Biosensors and Bioelectronics</i> , 1997, 12, 1101-1106.	5.3	129
172	Environmental Immunosensing at the Naval Research Laboratory. <i>ACS Symposium Series</i> , 1996, , 46-55.	0.5	2
173	Use of the USDT flow immunosensor for quantitation of benzoylecgonine in urine. <i>Biosensors and Bioelectronics</i> , 1996, 11, 725-734.	5.3	25
174	Quantitating Staphylococcal Enterotoxin B in Diverse Media Using a Portable Fiber-Optic Biosensor. <i>Analytical Biochemistry</i> , 1996, 233, 50-57.	1.1	102
175	Adaptation of a Fiber-Optic Biosensor for Use in Environmental Monitoring. <i>ACS Symposium Series</i> , 1996, , 33-43.	0.5	6
176	Calibration of Biosensor Response Using Simultaneous Evanescent Wave Excitation of Cyanine-Labeled Capture Antibodies and Antigens. <i>Analytical Biochemistry</i> , 1995, 232, 73-78.	1.1	29
177	Use of three longer-wavelength fluorophores with the fiber-optic biosensor. <i>Sensors and Actuators B: Chemical</i> , 1995, 29, 25-30.	4.0	19
178	Binding kinetics of immobilized antibodies in a flow immunosensor. <i>Sensors and Actuators B: Chemical</i> , 1995, 29, 72-78.	4.0	19
179	Detection of TNT in Water Using an Evanescent Wave Fiber-Optic Biosensor. <i>Analytical Chemistry</i> , 1995, 67, 2431-2435.	3.2	141
180	Inclusion of Ganglioside GM1 Into Liposome Encapsulated Hemoglobin Does not Extend Circulation Persistence at Clinically Relevant Doses. <i>Artificial Cells, Blood Substitutes, and Biotechnology</i> , 1994, 22, 9-25.	0.9	12

#	ARTICLE	IF	CITATIONS
181	Regeneration of immobilized antibodies on fiber optic probes. <i>Biosensors and Bioelectronics</i> , 1994, 9, 585-592.	5.3	34
182	Effect of antibody density on the displacement kinetics of a flow immunoassay. <i>Journal of Immunological Methods</i> , 1994, 168, 227-234.	0.6	32
183	A fiber-optic evanescent-wave immunosensor for large molecules. <i>Sensors and Actuators B: Chemical</i> , 1993, 11, 239-243.	4.0	29
184	A fiber optic biosensor: combination tapered fibers designed for improved signal acquisition. <i>Biosensors and Bioelectronics</i> , 1993, 8, 249-256.	5.3	88
185	Fiber-Optic Biosensor for the Detection of Hazardous Materials. <i>ImmunoMethods</i> , 1993, 3, 122-127.	0.8	51
186	Continuous-flow immunosensor for detection of explosives. <i>Analytical Chemistry</i> , 1993, 65, 3561-3565.	3.2	119
187	The Effect of Tapering the Optical Fiber on Evanescent Wave Measurements. <i>Analytical Letters</i> , 1992, 25, 1183-1199.	1.0	41
188	Liposome Encapsulated Hemoglobin: Long-Term Storage Stability and in Vivo Characterization. <i>Biomaterials, Artificial Cells, and Immobilization Biotechnology: Official Journal of the International Society for Artificial Cells and Immobilization Biotechnology</i> , 1992, 20, 619-626.	0.2	8
189	Detection of Cocaine Using the Flow Immunosensor. <i>Analytical Letters</i> , 1992, 25, 1999-2019.	1.0	37
190	New approach to producing patterned biomolecular assemblies. <i>Journal of the American Chemical Society</i> , 1992, 114, 4432-4433.	6.6	116
191	Kinetics of antibody binding at solid-liquid interfaces in flow. <i>Journal of Immunological Methods</i> , 1992, 156, 223-230.	0.6	42
192	Detection of Clostridium botulinum toxin A using a fiber optic-based biosensor. <i>Analytical Biochemistry</i> , 1992, 205, 306-312.	1.1	160
193	Drug Detection Using the Flow Immunosensor. <i>ACS Symposium Series</i> , 1992, , 73-80.	0.5	3
194	Immobilization of acetylcholinesterase on solid surfaces: chemistry and activity studies. <i>Sensors and Actuators B: Chemical</i> , 1991, 3, 311-317.	4.0	23
195	Novel trifunctional carrier molecule for the fluorescent labeling of haptens. <i>Analytical Biochemistry</i> , 1991, 193, 272-279.	1.1	11
196	A continuous flow immunoassay for rapid and sensitive detection of small molecules. <i>Journal of Immunological Methods</i> , 1990, 135, 191-197.	0.6	73
197	Use of thiol-terminal silanes and heterobifunctional crosslinkers for immobilization of antibodies on silica surfaces. <i>Analytical Biochemistry</i> , 1989, 178, 408-413.	1.1	366
198	The Stability and Shelf-Life of Liposome Encapsulated Hemoglobin: A Potential Blood Substitute. <i>Materials Research Society Symposia Proceedings</i> , 1987, 110, 153.	0.1	2

#	ARTICLE	IF	CITATIONS
199	Cytogenetics and cell surface marker analysis in chronic myelocytic leukemia. II. Implications for patient management. <i>Cancer Genetics and Cytogenetics</i> , 1987, 26, 25-37.	1.0	4
200	A homogeneous immunoassay for the mycotoxin T-2 utilizing liposomes, monoclonal antibodies, and complement. <i>Analytical Biochemistry</i> , 1987, 163, 369-375.	1.1	37
201	Cytogenetics and cell surface marker analysis in CML "1. Prediction of phenotype of acute phase transformation. <i>Leukemia Research</i> , 1985, 9, 1093-1098.	0.4	5
202	Immunoregulatory cell subsets in Goodpasture's syndrome: Evidence for selective T suppressor-cell depletion during active autoimmune disease. <i>Journal of Clinical Immunology</i> , 1983, 3, 368-374.	2.0	5
203	Extremely high levels of natural killer cells in angioimmunoblastic lymphadenopathy. <i>Journal of Clinical Immunology</i> , 1983, 3, 375-381.	2.0	5
204	Monocyte markers and the common acute lymphoblastic leukemia antigen on chronic lymphocytic leukemia cells. <i>American Journal of Hematology</i> , 1983, 15, 335-342.	2.0	12
205	The clonal excess method for detecting B-cell lymphoma. <i>Clinical Immunology Newsletter</i> , 1982, 3, 45-47.	0.1	1
206	Acute lymphocytic leukemic transformation of chronic lymphocytic leukemia: Substantiation by flow cytometry. <i>American Journal of Hematology</i> , 1981, 10, 391-398.	2.0	38
207	The Effects of Protein Extraction on the Structure and Filtration Properties of Renal Basement Membranes. <i>FEBS Journal</i> , 1980, 111, 485-490.	0.2	6
208	The Role of Receptor IgM and IgD in Determining Triggering and Induction of Tolerance in Murine B Cells. <i>Immunological Reviews</i> , 1979, 43, 69-95.	2.8	48