

# Chunye Xu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/953224/publications.pdf>

Version: 2024-02-01

63  
papers

1,853  
citations

218677

26  
h-index

289244

40  
g-index

64  
all docs

64  
docs citations

64  
times ranked

2063  
citing authors

#	ARTICLE	IF	CITATIONS
1	Partly Covered PProDOTâ€Me <sub>2</sub> on MoS <sub>2</sub> Nanosheets Counter Electrode for High-Performance Self-Powered Electrochromic Device (Adv. Mater. Interfaces 1/2022). Advanced Materials Interfaces, 2022, 9, .	3.7	0
2	Rapid switching of a Pt-free photovoltachromic device based on WO <sub>3</sub> using PProDOT-Me <sub>2</sub> catalyst. Solar Energy, 2022, 232, 139-145.	6.1	6
3	Versatile Photo/Electricity Responsive Properties of a Coordination Polymer Based on Extended Viologen Ligands. Membranes, 2022, 12, 277.	3.0	5
4	Flexible Piezoresistive Pressure Sensor Based on Electrospun Rough Polyurethane Nanofibers Film for Human Motion Monitoring. Nanomaterials, 2022, 12, 723.	4.1	19
5	Simply preparation of self-poled PVDF/nanoceria nanocomposite through one-step formation approach. Polymer Bulletin, 2021, 78, 5547-5566.	3.3	7
6	Heteroatom-Doped Nickel Oxide Hybrids Derived from Metal-Organic Frameworks Based on Novel Schiff Base Ligands toward High-Performance Electrochromism. ACS Applied Materials & Interfaces, 2021, 13, 4133-4145.	8.0	28
7	Flexible piezoelectric device directly assembled through the continuous electrospinning method. Smart Materials and Structures, 2021, 30, 045006.	3.5	11
8	A Transparent to Opaque Electrochromic Device Using Reversible Ag Deposition on PProDOTâ€Me <sub>2</sub> with Robust Stability. Advanced Optical Materials, 2021, 9, 2002149.	7.3	12
9	Robust non-complementary electrochromic device based on WO <sub>3</sub> film and CoS catalytic counter electrode with TMTU/TMFDS <sup>2+</sup> redox couple. Chemical Engineering Journal, 2021, 426, 131314.	12.7	18
10	Boosting light harvesting and charge separation of WO <sub>3</sub> via coupling with Cu <sub>2</sub> O/CuO towards highly efficient tandem photoanodes. RSC Advances, 2021, 11, 13513-13520.	3.6	5
11	Dynamically Cross-Linked Hydrogel Electrolyte with Remarkable Stretchability and Self-Healing Capability for Flexible Electrochromic Devices. ACS Applied Materials & Interfaces, 2021, 13, 56544-56553.	8.0	32
12	Cobalt ions doped tungsten oxide nanowires achieved vertically aligned nanostructure with enhanced electrochromic properties. Applied Surface Science, 2020, 501, 144003.	6.1	36
13	Electrocatalytic PProDOTâ€Me <sub>2</sub> counter electrode for a Br <sup>•</sup> /Br <sup>3•</sup> redox couple in a WO <sub>3</sub> -based electrochromic device. Electrochemistry Communications, 2020, 111, 106646.	4.7	16
14	Advanced functional polymer materials. Materials Chemistry Frontiers, 2020, 4, 1803-1915.	5.9	117
15	A method to achieve full incorporation of PMMA-based gel electrolyte in fiber-structured PVB for solid-state electrochromic device fabrication. Electrochimica Acta, 2020, 354, 136702.	5.2	28
16	Electrochromism and electrochromic devices of new extended viologen derivatives with various substituent benzene. Solar Energy Materials and Solar Cells, 2020, 208, 110413.	6.2	48
17	Electrochromism of substituted phthalate derivatives and outstanding performance of corresponding multicolor electrochromic devices. Electrochimica Acta, 2020, 341, 136023.	5.2	19
18	A multifunctional triphenylamine schiff-base compound with novel self-assembly morphology transitions. Dyes and Pigments, 2019, 170, 107649.	3.7	17

#	ARTICLE	IF	CITATIONS
19	An inner-electropolymerization method for preparing electrochromic devices with various shapes and a large size. <i>Journal of Materials Chemistry C</i> , 2019, 7, 7520-7524.	5.5	12
20	Highly transparent photoelectrochromic device based on carbon quantum dots sensitized photoanode. <i>Solar Energy Materials and Solar Cells</i> , 2019, 193, 372-378.	6.2	17
21	Enhanced electrochromic switches and tunable green fluorescence based on terbium ion doped WO <sub>3</sub> films. <i>Nanoscale</i> , 2019, 11, 23049-23057.	5.6	34
22	A new strategy to fabricate multicolor electrochromic device with UV-detecting performance based on TiO <sub>2</sub> and PProDOT-Me <sub>2</sub> . <i>Organic Electronics</i> , 2019, 65, 8-14.	2.6	8
23	Note: Microelectrode-shielding tip for scanning probe electron energy spectroscopy. <i>Review of Scientific Instruments</i> , 2018, 89, 046102.	1.3	2
24	Trifunctional CdSe quantum dots-polymer composite film with electrochromic, electrofluorescent and light-induced coloration effects. <i>Solar Energy Materials and Solar Cells</i> , 2018, 177, 82-88.	6.2	18
25	Novel electrochromic-fluorescent bi-functional devices based on aromatic viologen derivatives. <i>Electrochimica Acta</i> , 2018, 285, 415-423.	5.2	63
26	Effect of pH on the electrochromic and photoluminescent properties of Eu doped WO <sub>3</sub> film. <i>Electrochimica Acta</i> , 2018, 278, 263-270.	5.2	30
27	Electrofluorochromic and electrochromic bifunctional polymers with dual-state emission via introducing multiple C-H bonds. <i>Organic Electronics</i> , 2018, 62, 481-490.	2.6	26
28	Special topic on recent progress in electrochromism. <i>Science China Chemistry</i> , 2017, 60, 1-2.	8.2	27
29	A europium ion doped WO <sub>3</sub> film with the bi-functionality of enhanced electrochromic switching and tunable red emission. <i>Journal of Materials Chemistry C</i> , 2017, 5, 3488-3494.	5.5	41
30	A high performance ZnO based photoelectrochemical cell type UV photodetector with [Co(bpy) <sub>3</sub> ] <sup>3+/2+</sup> electrolyte and PEDOT/ITO counter electrode. <i>RSC Advances</i> , 2017, 7, 18987-18992.	3.6	16
31	Yellow electrochromic polymer materials with fine tuning electrofluorescences by adjusting steric hindrance of side chains. <i>RSC Advances</i> , 2017, 7, 25444-25449.	3.6	14
32	A newly-designed self-powered electrochromic window. <i>Science China Chemistry</i> , 2017, 60, 84-89.	8.2	17
33	High contrast photoelectrochromic device with CdS quantum dot sensitized photoanode. <i>New Journal of Chemistry</i> , 2017, 41, 579-587.	2.8	18
34	Electrochromic polymer achieving synchronous electrofluorochromic switching for optoelectronic application. <i>Organic Electronics</i> , 2017, 51, 295-303.	2.6	30
35	High-performance complementary electrochromic device based on surface-confined tungsten oxide and solution-phase N-methyl-phenothiazine with full spectrum absorption. <i>Journal of Materials Science</i> , 2017, 52, 86-95.	3.7	23
36	Black-to-transmissive electrochromic switching polymer films via solution co-processing. <i>New Journal of Chemistry</i> , 2016, 40, 5231-5237.	2.8	20

#	ARTICLE	IF	CITATIONS
37	Deterioration mechanism of electrochromic poly(3,4-(2,2-dimethylpropylenedioxy)thiophene) thin films. <i>Journal of Materials Chemistry C</i> , 2016, 4, 4584-4591.	5.5	34
38	Photoelectrochromic devices based on cobalt complex electrolytes. <i>RSC Advances</i> , 2016, 6, 81680-81684.	3.6	8
39	CdS modified TiO <sub>2</sub> films showing multicolor switching and enhanced optical contrast. <i>Journal of Materials Chemistry C</i> , 2016, 4, 9085-9093.	5.5	16
40	Solution-processable thiophene-based electrochromic polymers bearing trifluoromethyl rather than long side chains. <i>Organic Electronics</i> , 2016, 37, 169-177.	2.6	19
41	Wearable piezoelectric device assembled by one-step continuous electrospinning. <i>Journal of Materials Chemistry C</i> , 2016, 4, 6988-6995.	5.5	51
42	Electrochromic properties of vertically aligned Ni-doped WO <sub>3</sub> nanostructure films and their application in complementary electrochromic devices. <i>Journal of Materials Chemistry C</i> , 2016, 4, 1613-1622.	5.5	110
43	Highly Optical Performance Photoelectrochromic Device Based on Br <sup>-</sup> /Br <sub>3</sub> <sup>-</sup> Electrolyte. <i>Electrochimica Acta</i> , 2016, 191, 902-907.	5.2	24
44	Self-polarized piezoelectric thin films: preparation, formation mechanism and application. <i>Journal of Materials Chemistry C</i> , 2015, 3, 8926-8931.	5.5	23
45	Solution-processable electrochromic red-to-transmissive polymers with tunable neutral state colors, high contrast and enhanced stability. <i>Organic Electronics</i> , 2015, 26, 129-136.	2.6	35
46	Spray-processable red-to-transmissive electrochromic polymers towards fast switching time for display applications. <i>New Journal of Chemistry</i> , 2015, 39, 5389-5394.	2.8	22
47	Highly Regiosymmetric Homopolymer Based on Dioxythiophene for Realizing Water-Processable Blue-to-Transmissive Electrochrome. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 11387-11392.	8.0	33
48	Improved stability of electrochromic devices using Ti-doped V <sub>2</sub> O <sub>5</sub> film. <i>Electrochimica Acta</i> , 2015, 166, 277-284.	5.2	94
49	A novel dielectric elastomer actuator based on compliant polyvinyl alcohol hydrogel electrodes. <i>Journal of Materials Science: Materials in Electronics</i> , 2015, 26, 9213-9218.	2.2	17
50	Facile Fabrication of Micro-Nano Structured Triboelectric Nanogenerator with High Electric Output. <i>Nanoscale Research Letters</i> , 2015, 10, 1001.	5.7	21
51	AIEE-Active and Electrochromic Bifunctional Polymer and a Device Composed thereof Synchronously Achieve Electrochemical Fluorescence Switching and Electrochromic Switching. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 27511-27517.	8.0	64
52	Enhanced electrochromic performances and cycle stability of NiO-based thin films via Li <sup>+</sup> /Ti co-doping prepared by sol-gel method. <i>Electrochimica Acta</i> , 2015, 186, 182-191.	5.2	87
53	Distinct Properties of Nanofibrous Amorphous Ice. <i>Materials</i> , 2014, 7, 7653-7661.	2.9	1
54	Sensitivity of Pressure Sensors Enhanced by Doping Silver Nanowires. <i>Sensors</i> , 2014, 14, 9889-9899.	3.8	57

#	ARTICLE	IF	CITATIONS
55	Preparation of ice nanofibers with electrospray. <i>Materials Letters</i> , 2014, 133, 115-118.	2.6	1
56	Flexible Pressure Sensor Based on a Poly(VDF-TrFE) Nanofiber Web. <i>Macromolecular Materials and Engineering</i> , 2013, 298, 541-546.	3.6	76
57	Structural characterization and electrical and optical properties of V2O5 films prepared via ultrasonic spraying. <i>Thin Solid Films</i> , 2013, 534, 446-451.	1.8	29
58	A novel photoelectrochromic device based on poly(3,4-(2,2-dimethylpropylenedioxy)thiophene) thin film and dye-sensitized solar cell. <i>Solar Energy Materials and Solar Cells</i> , 2012, 97, 186-190.	6.2	45
59	Characteristics of several kinds of polyethylene gel estimated by small-angle light scattering under cross polarization. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2011, 49, 384-397.	2.1	4
60	Electrochromic kinetics of nanostructured poly(3,4-(2,2-dimethylpropylenedioxy)thiophene) film on plastic substrate. <i>Organic Electronics</i> , 2011, 12, 980-987.	2.6	29
61	Switchable window based on electrochromic polymers. <i>Journal of Materials Research</i> , 2004, 19, 2072-2080.	2.6	87
62	Enhanced contrast ratios and rapid-switching color-changeable devices based on poly(3,4-propylenedioxythiophene) derivative and counterelectrode. , 2002, 4695, 442.		18
63	Partly Covered PProDOT-Me <sub>2</sub> on MoS <sub>2</sub> Nanosheets Counter Electrode for High-Performance Self-Powered Electrochromic Device. <i>Advanced Materials Interfaces</i> , 0, , 2100945.	3.7	5