## Alexander I Kizyakov

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9532742/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Organic matter characteristics of a rapidly eroding permafrost cliff in NE Siberia (Lena Delta, Laptev) Tj ETQq1 1	0.784314	rgBT /Overlo
2	Northeast Siberian Permafrost Iceâ€Wedge Stable Isotopes Depict Pronounced Last Glacial Maximum Winter Cooling. Geophysical Research Letters, 2021, 48, e2020GL092087.	4.0	17
3	Paleo-Ecology of the Yedoma Ice Complex on Sobo-Sise Island (EasternLena Delta, Siberian Arctic). Frontiers in Earth Science, 2021, 9, .	1.8	8
4	Export of nutrients and suspended solids from major Arctic rivers and their response to permafrost degradation. Advances in Climate Change Research, 2021, 12, 466-474.	5.1	8
5	Changes in net ecosystem exchange of CO2 in Arctic and their relationships with climate change during 2002–2017. Advances in Climate Change Research, 2021, 12, 475-481.	5.1	14
6	Changes in different land cover areas and NDVI values in northern latitudes from 1982 to 2015. Advances in Climate Change Research, 2021, 12, 456-465.	5.1	16
7	Coastal Retreat Due to Thermodenudation on the Yugorsky Peninsula, Russia during the Last Decade, Update since 2001–2010. Remote Sensing, 2021, 13, 4042.	4.0	3
8	Methane and Dissolved Organic Matter in the Ground Ice Samples from Central Yamal: Implications to Biogeochemical Cycling and Greenhouse Gas Emission. Geosciences (Switzerland), 2020, 10, 450.	2.2	6
9	Gas Emission Craters and Mound-Predecessors in the North of West Siberia, Similarities and Differences. Remote Sensing, 2020, 12, 2182.	4.0	16
10	Rapid Fluvio-Thermal Erosion of a Yedoma Permafrost Cliff in the Lena River Delta. Frontiers in Earth Science, 2020, 8, .	1.8	38
11	Sub-Surface Carbon Stocks in Northern Taiga Landscapes Exposed in the Batagay Megaslump, Yana Upland, Yakutia. Land, 2020, 9, 305.	2.9	5
12	The cryostratigraphy of the Yedoma cliff of Sobo-Sise Island (Lena delta) reveals permafrost dynamics in the central Laptev Sea coastal region during the last 52 kyr. Cryosphere, 2020, 14, 4525-4551.	3.9	17
13	Gasâ€emission craters of the Yamal and Gydan peninsulas: A proposed mechanism for lake genesis and development of permafrost landscapes. Permafrost and Periglacial Processes, 2019, 30, 146-162.	3.4	29
14	Visual images of Arctic ecosystems at satellite pictures. InterCarto InterGIS, 2019, 25, 261-274.	0.4	2
15	Microrelief Associated with Gas Emission Craters: Remote-Sensing and Field-Based Study. Remote Sensing, 2018, 10, 677.	4.0	23
16	Comparison of Gas Emission Crater Geomorphodynamics on Yamal and Gydan Peninsulas (Russia), Based on Repeat Very-High-Resolution Stereopairs. Remote Sensing, 2017, 9, 1023.	4.0	23
17	Cryogenic relief-formation processes: a review of 2010–2015 publications. Earth's Cryosphere, 2016, ,	0.3	3
18	NEW PERMAFROST FEATURE—DEEP CRATER IN CENTRAL YAMAL (WEST SIBERIA, RUSSIA) AS A RESPONSE TO LOCAL CLIMATE FLUCTUATIONS. Geography, Environment, Sustainability, 2014, 7, 68-80.	1.3	12

#	Article	IF	CITATIONS
19	NEW PERMAFROST FEATURE – DEP CRATER IN CENTRAL YAMAL (WEST SIBERIA, RUSIA) AS A RESPONSE TO LOCAL CLIMATE FLUCTUATIONS. Geography, Environment, Sustainability, 2014, 7, 68-79.	1.3	21
20	Cryogenic Landslides in the Arctic Plains of Russia: Classification, Mechanisms, and Landforms. , 2014, , 493-497.		1
21	Sulfur and carbon isotopes within atmospheric, surface and ground water, snow and ice as indicators of the origin of tabular ground ice in the Russian Arctic. Permafrost and Periglacial Processes, 2011, 22, 39-48.	3.4	2