## T Sathish

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9532917/publications.pdf

Version: 2024-02-01

|          |                 | 50170        | 76769          |
|----------|-----------------|--------------|----------------|
| 127      | 5,907 citations | 46           | 74             |
| papers   | citations       | h-index      | g-index        |
|          |                 |              |                |
|          |                 |              |                |
|          |                 |              |                |
| 129      | 129             | 129          | 983            |
| all docs | docs citations  | times ranked | citing authors |
|          |                 |              |                |
|          |                 |              |                |

| #  | Article   | IF                | Citations |
|----|---|-------------------|-----------|
| 1  | Microstructure and Mechanical Properties of Friction Stir Welded SiC/TiB2 Reinforced Aluminum Hybrid Composites. Silicon, 2022, 14, 3571-3581.  | 1.8               | 13        |
| 2  | Investigation on Inorganic Salts K2TiF6 and KBF4 to Develop Nanoparticles Based TiB2 Reinforcement Aluminium Composites. Bioinorganic Chemistry and Applications, 2022, 2022, 1-13.   | 1.8               | 7         |
| 3  | Flame Resistance Characteristics of Woven Jute Fiber Reinforced Fly Ash Filled Polymer Composite.<br>Journal of Nanomaterials, 2022, 2022, 1-12.  | 1.5               | 12        |
| 4  | Experimental Investigation on Tribological Behaviour of AA6066: HSS-Cu Hybrid Composite in Dry Sliding Condition. Advances in Materials Science and Engineering, 2022, 2022, 1-9.   | 1.0               | 16        |
| 5  | Synthesis and Optimization of Deesterified Acacia-Alginate Nanohydrogel for Amethopterin Delivery.<br>Bioinorganic Chemistry and Applications, 2022, 2022, 1-10.  | 1.8               | 1         |
| 6  | Investigating Influences of Synthesizing Eco-Friendly Waste-Coir-Fiber Nanofiller-Based Ramie and Abaca Natural Fiber Composite Parameters on Mechanical Properties. Bioinorganic Chemistry and Applications, 2022, 2022, 1-13. | 1.8               | 4         |
| 7  | Investigations on influences of MWCNT composite membranes in oil refineries waste water treatment with Taguchi route. Chemosphere, 2022, 298, 134265.   | 4.2               | 94        |
| 8  | Evaluation of MWCNT Particles-Reinforced Magnesium Composite for Mechanical and Catalytic Applications. Bioinorganic Chemistry and Applications, 2022, 2022, 1-13.  | 1.8               | 3         |
| 9  | Synthesis and Workability Behavior of Cu-X wt.% TiC (x = 0, 4, 8, and 12) Powder Metallurgy Composites Bioinorganic Chemistry and Applications, 2022, 2022, 1-10.   | <sup>5</sup> ·1.8 | 3         |
| 10 | Utilization of Polymer Composite for Development of Sustainable Construction Material. Advances in Materials Science and Engineering, 2022, 2022, 1-15.   | 1.0               | 3         |
| 11 | A comparative study on surface strengthening characterisation and residual stresses of dental alloys using laser shock peening. International Journal of Ambient Energy, 2021, 42, 1740-1745.                                   | 1.4               | 61        |
| 12 | Modeling and fabrication of automatic blackboard dust remover. Materials Today: Proceedings, 2021, 37, 527-530.   | 0.9               | 6         |
| 13 | Modelling and manufacturing of light weight materials based stretcher cum wheelchair. Materials Today: Proceedings, 2021, 37, 707-711.  | 0.9               | 3         |
| 14 | Characterization of hybrid Aloe Vera/Bamboo/Palm/Kevlar fibers for better mechanical properties. Materials Today: Proceedings, 2021, 37, 2223-2227.   | 0.9               | 6         |
| 15 | Experimental study of chemical composition of aluminium alloys. Materials Today: Proceedings, 2021, 37, 1790-1793.  | 0.9               | 15        |
| 16 | Experimental investigation of hybrid fibre reinforced polymer composite material and its microstructure properties. Materials Today: Proceedings, 2021, 37, 1799-1803.  | 0.9               | 8         |
| 17 | Mechanical properties and microstructural analysis of friction stir processed AA6056-zirconium dioxide (ZrO2). Materials Today: Proceedings, 2021, 37, 1804-1808.   | 0.9               | 14        |
| 18 | Microstructural and mechanical properties of copper matrix composites. Materials Today: Proceedings, 2021, 37, 1437-1441.   | 0.9               | 3         |

| #  | Article   | IF               | CITATIONS     |
|----|---|------------------|---------------|
| 19 | Investigation and optimization of laser welding process parameters for AA7068 aluminium alloy butt joint. Materials Today: Proceedings, 2021, 37, 1672-1677.  | 0.9              | 12            |
| 20 | Optimization of wing structure using carbon fibre on a combined shell blended wing body. Materials Today: Proceedings, 2021, 46, 4240-4244.   | 0.9              | O             |
| 21 | Computational analysis of INVELOX wind turbine to analyze the venturi velocity by change the parameter of diffuser. Materials Today: Proceedings, 2021, 46, 4245-4249.  | 0.9              | 2             |
| 22 | Finite element analysis of a human foot. Materials Today: Proceedings, 2021, 46, 4265-4270.   | 0.9              | 3             |
| 23 | Comparison of yield strength, ultimate tensile strength and shear strength on the annealed and heat-treated composites of stainless steel with fly ash and ZnO. Materials Today: Proceedings, 2021, 46, 4305-4308.  | 0.9              | 3             |
| 24 | Synthesis and Optimization of AA 7175 – Zirconium Carbide (ZrC) Composites Machining Parameters. Journal of New Materials for Electrochemical Systems, 2021, 24, 34-37.   | 0.3              | 20            |
| 25 | A novel two-step co-precipitation approach of CuS/NiMn2O4 heterostructured nanocatalyst for enhanced visible light driven photocatalytic activity via efficient photo-induced charge separation properties. Physica B: Condensed Matter, 2021, 610, 412902. | 1.3              | 25            |
| 26 | Synthesis, Mechanical, and Tribological Performance Analysis of Stir-Casted AA7079: ZrO2 + Si3N4 Hybrid Composites by Taguchi Route. Advances in Materials Science and Engineering, 2021, 2021, 1-15.   | 1.0              | 8             |
| 27 | Parameters Optimization of Dissimilar Friction Stir Welding for AA7079 and AA8050 through RSM. Advances in Materials Science and Engineering, 2021, 2021, 1-8.  | 1.0              | 114           |
| 28 | Optimization on Operation Parameters in Reinforced Metal Matrix of AA6066 Composite with HSS and Cu. Advances in Materials Science and Engineering, 2021, 2021, 1-12.   | 1.0              | 74            |
| 29 | Effect of Tool Profile Influence in Dissimilar Friction Stir Welding of Aluminium Alloys (AA5083 and) Tj ETQq1 1 0  | .784314 r<br>1.0 | gBT/Overlock  |
| 30 | Weldability Investigation and Optimization of Process Variables for TIG-Welded Aluminium Alloy (AA) Tj ETQq0 0  | 0 rgBT /O        | verlock 10 Tf |
| 31 | Strength Enhancement Study on Composites of AA6066 Aluminium Alloy with Magnesium Oxide and Coal Ash. Advances in Materials Science and Engineering, 2021, 2021, 1-8.   | 1.0              | 9             |
| 32 | Improvement on Mechanical Properties of Submerged Friction Stir Joining of Dissimilar Tailor Welded Aluminum Blanks. Advances in Materials Science and Engineering, 2021, 2021, 1-6.  | 1.0              | 61            |
| 33 | Mechanical Strength and Fatigue Fracture Analysis on Al-Zn-Mg Alloy with the Influence of Creep Aging Process. Advances in Materials Science and Engineering, 2021, 2021, 1-5.  | 1.0              | 96            |
| 34 | Optimization of Reinforced Aluminium Scraps from the Automobile Bumpers with Nickel and Magnesium Oxide in Stir Casting. Advances in Materials Science and Engineering, 2021, 2021, 1-10.   | 1.0              | 5             |
| 35 | Study on Compaction and Machinability of Silicon Nitride (Si3N4) Reinforced Copper Alloy Composite through P/M Route. International Journal of Polymer Science, 2021, 2021, 1-10.   | 1.2              | 8             |
| 36 | Improving the Mechanical Properties of Natural Fiber Composites of Hemp Fiber with Ramie and Banana Fiber through Compression Molding Method. Advances in Materials Science and Engineering, 2021, 2021, 1-8.   | 1.0              | 15            |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Optimization of Process Parameters in CNC Turning of Aluminum 7075 Alloy Using L27 Array-Based Taguchi Method. Materials, 2021, 14, 4470.  | 1.3 | 33        |
| 38 | Microstructure, Mechanical Properties, and Corrosion Behavior of Boron Carbide Reinforced Aluminum Alloy (Al-Fe-Si-Zn-Cu) Matrix Composites Produced via Powder Metallurgy Route. Materials, 2021, 14, 4315.   | 1.3 | 28        |
| 39 | A facile synthesis of Ag/ZnO nanocomposites prepared via novel green mediated route for catalytic activity. Applied Physics A: Materials Science and Processing, 2021, 127, 1.                                 | 1.1 | 11        |
| 40 | Finite Element Analysis of Temperature Distribution and Stress Behavior of Squeeze Pressure Composites. Advances in Materials Science and Engineering, 2021, 2021, 1-9.  | 1.0 | 7         |
| 41 | Mechanical and water absorption behaviour of palm seed particles based hybrid bio-composites. Journal of Physics: Conference Series, 2021, 2027, 012006.   | 0.3 | 2         |
| 42 | Synthesis and Characterization of Polypropylene/Ramie Fiber with Hemp Fiber and Coir Fiber Natural Biopolymer Composite for Biomedical Application. International Journal of Polymer Science, 2021, 2021, 1-8. | 1.2 | 34        |
| 43 | Optimization of forces of feed, cutting and thrust based contribution parameters in machining with cutting fluid. Journal of Physics: Conference Series, 2021, 2027, 012014.                                   | 0.3 | 1         |
| 44 | A Review on Battery Modelling Techniques. Sustainability, 2021, 13, 10042.   | 1.6 | 100       |
| 45 | Wear properties of waste silk fibre reinforced PLA bio composites using taguchi technique. Journal of Physics: Conference Series, 2021, 2027, 012012.  | 0.3 | 4         |
| 46 | Optimization on end milling operating parameters for super alloy of Inconel 617 by Taguchi's L27 orthogonal array. Journal of Physics: Conference Series, 2021, 2027, 012013.                                  | 0.3 | 0         |
| 47 | Investigations on compressive strength of titanium diboride and graphite reinforced Magnesium Matrix Composites. Journal of Physics: Conference Series, 2021, 2027, 012009.                                    | 0.3 | 3         |
| 48 | Investigation on Heat Transfer Enhancement in Microchannel Using Al2O3/Water Nanofluids. International Journal of Photoenergy, 2021, 2021, 1-9.  | 1.4 | 8         |
| 49 | Investigation of Mechanical Properties and Salt Spray Corrosion Test Parameters Optimization for AA8079 with Reinforcement of TiN + ZrO2. Materials, 2021, 14, 5260.   | 1.3 | 15        |
| 50 | Tensile and impact strength of alpaca fiber epoxy matrix hybrid composites prepared by injection moulding process. Journal of Physics: Conference Series, 2021, 2027, 012011.                                  | 0.3 | 0         |
| 51 | Investigation on augmentation of mechanical properties of AA6262 aluminium alloy composite with magnesium oxide and silicon carbide. Materials Today: Proceedings, 2021, 46, 4322-4325.                        | 0.9 | 7         |
| 52 | Prediction of human diseases using optimized clustering techniques. Materials Today: Proceedings, 2021, 46, 4258-4264.   | 0.9 | 26        |
| 53 | Statistical analysis of electrodeposited nickel coating to S275JR grade mild steel. Materials Today: Proceedings, 2021, 46, 4159-4164.   | 0.9 | 0         |
| 54 | Parameters of Porosity and Compressive Strength-Based Optimization on Reinforced Aluminium from the Recycled Waste Automobile Frames. Advances in Materials Science and Engineering, 2021, 2021, 1-10.         | 1.0 | 101       |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Effect of reinforced aluminium alloy LM30 with pure ceramic particles to evaluate hardness and wear properties. Materials Research Innovations, 2020, 24, 129-132.   | 1.0 | 79        |
| 56 | Experimental investigation on degradation of heat transfer properties of a black chromium-coated aluminium surface solar collector tube. International Journal of Ambient Energy, 2020, 41, 754-758.       | 1.4 | 31        |
| 57 | Optimal hydraulic and thermal constrain for plate heat exchanger using multi objective wale optimization. Materials Today: Proceedings, 2020, 21, 876-881.   | 0.9 | 97        |
| 58 | Wire Arc Additive Manufacturing (WAAM) process of nickel based superalloys – A review. Materials Today: Proceedings, 2020, 21, 920-925.  | 0.9 | 148       |
| 59 | Effect of 3D printing on supply chain management. Materials Today: Proceedings, 2020, 21, 958-963.   | 0.9 | 39        |
| 60 | Modelling and analysis of different connecting rod material through finite element route. Materials Today: Proceedings, 2020, 21, 971-975.   | 0.9 | 96        |
| 61 | Investigation of thermal conductivity and thermal resistance analysis on different combination of natural fiber composites of Banana, Pineapple and Jute. Materials Today: Proceedings, 2020, 21, 976-980. | 0.9 | 105       |
| 62 | Strengthening mechanism of Nd: Yag laser shock peening for commercially pure titanium (CP-TI) on surface integrity and residual stresses. Materials Today: Proceedings, 2020, 21, 981-987.                 | 0.9 | 89        |
| 63 | Analysis and modelling of dissimilar materials welding based on K-nearest neighbour predictor.<br>Materials Today: Proceedings, 2020, 21, 108-112.   | 0.9 | 70        |
| 64 | ANN-AGCS for the prediction of temperature distribution and required energy in hot forging process using finite element analysis. Materials Today: Proceedings, 2020, 21, 263-267.                         | 0.9 | 90        |
| 65 | Flower Pollination Algorithm for the optimization of stair casting parameter for the preparation of AMC. Materials Today: Proceedings, 2020, 21, 882-886.  | 0.9 | 85        |
| 66 | Temperature distribution analysis on diffusion bonded joints of Ti-6Al-4V with AISI 4140 medium carbon steel. Materials Today: Proceedings, 2020, 21, 847-856.   | 0.9 | 86        |
| 67 | Natural inspiration technique for the parameter optimization of A-GTAW welding of naval steel.<br>Materials Today: Proceedings, 2020, 21, 843-846.   | 0.9 | 57        |
| 68 | A review on the recent developments in modeling heat and material transfer characteristics during welding. Materials Today: Proceedings, 2020, 21, 908-911.  | 0.9 | 82        |
| 69 | Review on characterization and impacts of the lattice structure in additive manufacturing. Materials Today: Proceedings, 2020, 21, 916-919.  | 0.9 | 141       |
| 70 | League championship optimization for the parameter selection for Mg/WC metal matrix composition. Materials Today: Proceedings, 2020, 21, 504-510.  | 0.9 | 79        |
| 71 | Optimal prediction of process parameters by GWO-KNN in stirring-squeeze casting of AA2219 reinforced metal matrix composites. Materials Today: Proceedings, 2020, 21, 1000-1007.                           | 0.9 | 119       |
| 72 | Machining parameters optimization of Aluminium Alloy 6063 with reinforcement of SiC composites. Materials Today: Proceedings, 2020, 33, 2559-2563.   | 0.9 | 34        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Mechanical and wear behaviour of AA6061/SiC composites fabricated by powder metallurgy method. Materials Today: Proceedings, 2020, 21, 1008-1012.  | 0.9 | 93        |
| 74 | CNC turning process parameters optimization on Aluminium 6082 alloy by using Taguchi and ANOVA. Materials Today: Proceedings, 2020, 21, 1013-1021.   | 0.9 | 117       |
| 75 | A systematic review of effect of different welding process on mechanical properties of grade 5 titanium alloy. Materials Today: Proceedings, 2020, 21, 948-953.                                      | 0.9 | 82        |
| 76 | Experimental investigation of plasma arc welded Ti–6Al–4V sheets. Transactions of the Canadian Society for Mechanical Engineering, 2020, 44, 471-480.  | 0.3 | 41        |
| 77 | Optimization of stir casting parameters for corrosion rate analysis of AA7068 – Boron carbide composites. Materials Today: Proceedings, 2020, 33, 4650-4655.   | 0.9 | 7         |
| 78 | Machining parameters optimization of surface roughness analysis for AA5083 – Boron carbide (B4C) composites. Materials Today: Proceedings, 2020, 33, 4642-4645.                                      | 0.9 | 2         |
| 79 | Experimental study about flash and fire point comparison on three combinations of waste tyre oil with diesel for alternate fuel properties identification. AIP Conference Proceedings, 2020, , .     | 0.3 | 1         |
| 80 | Influence of chemical treatment in synthesize and characterization sisal/glass hybrid composite. AIP Conference Proceedings, 2020, , .   | 0.3 | 17        |
| 81 | Experimental investigation glass/sodium oxidanide treated banana fiber hybrid. AIP Conference Proceedings, 2020, , .   | 0.3 | 7         |
| 82 | Microstructural analysis of Friction stir welded AA 7010 – Titanium Diboride (TiB2) reinforced Composites. Materials Today: Proceedings, 2020, 33, 4663-4665.  | 0.9 | 1         |
| 83 | Microstructural and tribological characteristics of AA6351/Si3N4 composites manufactured by stir casting. Journal of Materials Research and Technology, 2020, 9, 14662-14672.                        | 2.6 | 117       |
| 84 | Comparative study on addition of carbon fiber in concrete with partial replacement of demolished concrete waste in structural concrete. Materials Today: Proceedings, 2020, 33, 2585-2588.           | 0.9 | 11        |
| 85 | Analysis and design of smart paper punching machine for spiral binding. Materials Today: Proceedings, 2020, 33, 2564-2566.   | 0.9 | 5         |
| 86 | A novel technique to design and production of coil spring in centre lathe. Materials Today: Proceedings, 2020, 33, 2521-2523.  | 0.9 | 23        |
| 87 | Experimental investigation of convective heat transfer coefficient on nano particles mixture used in automobile radiator based on mass flow rate. Materials Today: Proceedings, 2020, 33, 2524-2529. | 0.9 | 11        |
| 88 | Air pollution control water heater by using paraffin wax from municipal wastes. Materials Today: Proceedings, 2020, 33, 2530-2534.   | 0.9 | 4         |
| 89 | Design and simulation of wind turbine on rail coach for power generation. Materials Today: Proceedings, 2020, 33, 2535-2539.   | 0.9 | 4         |
| 90 | Gravity Die Casting based analysis of aluminum alloy with AC4B Nano-composite. Materials Today: Proceedings, 2020, 33, 2555-2558.  | 0.9 | 17        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 91  | Study an implementation of rack and pinion in the wash basin for hygienic hand washing. Materials Today: Proceedings, 2020, 33, 2547-2549.   | 0.9 | 0         |
| 92  | Wear behaviour analysis on aluminium alloy 7050 with reinforced SiC through taguchi approach. Journal of Materials Research and Technology, 2020, 9, 3481-3487.  | 2.6 | 361       |
| 93  | Multiply of process speed, quality and safety through low-cost automation – A case study. AIP Conference Proceedings, 2020, , .  | 0.3 | 10        |
| 94  | Investigation on waste tyre oil with diesel for detection of density, kinematic and dynamic viscosities evaluation of various combinations in volume basis. AIP Conference Proceedings, 2020, , .          | 0.3 | 4         |
| 95  | Experimental investigation on material characterization of zirconia reinforced Alumina ceramic composites via powder forming process. AIP Conference Proceedings, 2020, , .                                | 0.3 | 6         |
| 96  | Experimental investigation of temperature variation on flat plate collector by using silicon carbide as a nanofluid. AIP Conference Proceedings, 2020, , .   | 0.3 | 13        |
| 97  | Study on temperature difference of aluminium nitride nanofluid used in solar flat plate collector over normal water. AIP Conference Proceedings, 2020, , .   | 0.3 | 13        |
| 98  | Effect of inter-facial coupled contact forces in the multilayered pacemaker lead cable. AIP Conference Proceedings, 2020, , .  | 0.3 | 22        |
| 99  | Mechanical and thermal properties of jute/aloevera hybrid natural fiber reinforced composites. AIP<br>Conference Proceedings, 2020, , .  | 0.3 | 51        |
| 100 | Numerical analysis of cardiac lead due to internal cable motion. AIP Conference Proceedings, 2020, , .   | 0.3 | 1         |
| 101 | Synthesize and characterizations of glass/treated selective sisal fiber hybrid composite. AIP Conference Proceedings, 2020, , .  | 0.3 | 24        |
| 102 | Dwindling setup time through a low-cost mechanization – A case study. AIP Conference Proceedings, 2020, , .  | 0.3 | 13        |
| 103 | Investigation of air conditioning temperature variation by modifying the structure of passenger car using computational fluid dynamics. Thermal Science, 2020, 24, 495-498.                                | 0.5 | 153       |
| 104 | Support vector machine for modelling and simulation of heat exchangers. Thermal Science, 2020, 24, 499-503.  | 0.5 | 233       |
| 105 | Teaching learning optimization and neural network for the effective prediction of heat transfer rates in tube heat exchangers. Thermal Science, 2020, 24, 575-581.   | 0.5 | 98        |
| 106 | Exploration on Surface Roughness in Abrasive Water Jet Cutting of AA6063-TiC Composites for Vehicle Structural Applications. International Journal of Vehicle Structures and Systems, 2020, 11, .          | 0.1 | 1         |
| 107 | Profit maximization in reverse logistics based on disassembly scheduling using hybrid bee colony and bat optimization. Transactions of the Canadian Society for Mechanical Engineering, 2019, 43, 551-559. | 0.3 | 116       |
| 108 | Experimental investigation of machined hole and optimization of machining parameters using electrochemical machining. Journal of Materials Research and Technology, 2019, 8, 4354-4363.                    | 2.6 | 157       |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 109 | Modeling of Support Vector Mechanism for Green Manufacturability Quantification of Production. Lecture Notes in Mechanical Engineering, 2019, , 391-397.  | 0.3 | 78        |
| 110 | Influence of surface roughness in turning process â€" an analysis using artificial neural network. Transactions of the Canadian Society for Mechanical Engineering, 2019, 43, 509-514.                        | 0.3 | 88        |
| 111 | Modelling of HCHS System for Optimal E-O-L Combination Section and Disassembly in Reverse Logistics. Applied Mathematics and Information Sciences, 2019, 13, 57-62.   | 0.7 | 46        |
| 112 | Artificial Intelligence Based Green Manufacturability Quantification of a Unit Production Process. International Journal of Mechanical and Production Engineering Research and Development, 2019, 9, 841-852. | 0.1 | 18        |
| 113 | HAIWF-based fault detection and classification for industrial machine condition monitoring. Progress in Industrial Ecology, 2018, 12, 46.   | 0.1 | 31        |
| 114 | Prediction of springback effect by the hybridisation of ANN with PSO in wipe bending process of sheet metal. Progress in Industrial Ecology, 2018, 12, 112.   | 0.1 | 63        |
| 115 | BONN Technique: Tribological Properties Predictor for Plasma Nitrided 316L Stainless Steel. Materials Today: Proceedings, 2018, 5, 14545-14552.   | 0.9 | 89        |
| 116 | Effect of ZrB2 content on mechanical and microstructural characterization of AA6063 aluminum matrix composites. Materials Today: Proceedings, 2018, 5, 13601-13605.   | 0.9 | 82        |
| 117 | Design and Fabrication of Industrial Components Using 3D Printing. Materials Today: Proceedings, 2018, 5, 14489-14498.  | 0.9 | 116       |
| 118 | BCCS Approach for the Parametric Optimization in Machining of Nimonic-263 alloy using RSM. Materials Today: Proceedings, 2018, 5, 14416-14422.  | 0.9 | 114       |
| 119 | Microstructure and mechanical properties of hard ceramic particulate reinforced AA7075 alloy composites via liquid metallurgy route. Materials Today: Proceedings, 2018, 5, 26860-26865.                      | 0.9 | 127       |
| 120 | GAC-ANN Technique for Prediction of Spring Back Effect in Wipe Bending Process of Sheet Metal. Materials Today: Proceedings, 2018, 5, 14448-14457.  | 0.9 | 94        |
| 121 | Multi period disassembly-to-order of end-of-life product based on scheduling to maximise the profit in reverse logistic operation. International Journal of Logistics Systems and Management, 2017, 26, 402.  | 0.2 | 28        |
| 122 | Heat Transfer Analysis Of Nano-fluid Flow In A Converging Nozzle With Different Aspect Ratios. Journal of New Materials for Electrochemical Systems, 2017, 20, 161-167.                                       | 0.3 | 102       |
| 123 | Optimizing Supply Chain in Reverse Logistics. International Journal of Mechanical and Production Engineering Research and Development, 2017, 7, 551-560.  | 0.1 | 36        |
| 124 | Multi period disassembly-to-order of end of life product based on scheduling to maximize the profit in reverse logistic operation. FME Transactions, 2017, 45, 172-180.                                       | 0.7 | 113       |
| 125 | Multi-Agent Based Disassembly Sequencing and Planning for End-of-Life Products. Applied Mechanics and Materials, 2015, 813-814, 1193-1197.  | 0.2 | 19        |
| 126 | Fluid flow analysis of composite material-based wind turbine blades using Ansys. International Journal of Ambient Energy, 0, , 1-4.   | 1.4 | 58        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | A Facile Synthesis of MgFe2O4/ZnS Heterojunction with Effectively Enhanced Visible Light Photocatalytic Activity for Degradation of Methylene Blue and Crystal Violet Dyes. Journal of Cluster Science, 0, , . | 1.7 | 0         |